



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 03:58 PM EDT

PDB ID : 3EMO / pdb_00003emo
Title : Crystal structure of transmembrane Hia 973-1098
Authors : Meng, G.; Waksman, G.
Deposited on : 2008-09-24
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	162	
1	B	162	
1	C	162	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2605 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Hia (Adhesin).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	126	Total	C	N	O	S	0	0	0
			875	535	160	178	2			
1	A	126	Total	C	N	O	S	0	0	0
			861	525	155	179	2			
1	B	126	Total	C	N	O	S	0	0	0
			869	532	157	178	2			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Hia (Adhesin)




• Molecule 1: Hia (Adhesin)



• Molecule 1: Hia (Adhesin)





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	194.30Å 45.81Å 56.42Å 90.00° 95.12° 90.00°	Depositor
Resolution (Å)	29.57 – 3.00 29.57 – 3.00	Depositor EDS
% Data completeness (in resolution range)	97.2 (29.57-3.00) 83.5 (29.57-3.00)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.20 (at 3.00Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.221 , 0.289 0.299 , 0.288	Depositor DCC
R_{free} test set	846 reflections (8.23%)	wwPDB-VP
Wilson B-factor (Å ²)	35.8	Xtriage
Anisotropy	0.517	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 26.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.85	EDS
Total number of atoms	2605	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	0/867	0.90	1/1179 (0.1%)
1	B	0.47	0/875	0.88	1/1186 (0.1%)
1	C	0.45	0/881	0.82	0/1193
All	All	0.45	0/2623	0.87	2/3558 (0.1%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1022	LYS	N-CA-C	-5.38	106.84	113.41
1	B	1083	ASN	N-CA-C	5.19	115.09	108.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	861	0	842	47	0
1	B	869	0	875	45	0
1	C	875	0	886	75	0
All	All	2605	0	2603	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1019:LYS:HD2	1:B:1023:ARG:HD3	1.53	0.88
1:C:980:ASN:H	1:C:980:ASN:HD22	1.27	0.83
1:C:1056:GLN:NE2	1:B:1087:LYS:HE3	1.96	0.81
1:A:1012:ASN:HD22	1:A:1012:ASN:N	1.81	0.79
1:C:980:ASN:ND2	1:C:992:ASN:HD21	1.79	0.78
1:C:980:ASN:HD22	1:C:980:ASN:N	1.82	0.73
1:C:1039:GLN:HE22	1:A:1039:GLN:H	1.34	0.72
1:C:975:ILE:O	1:C:975:ILE:HG13	1.89	0.70
1:A:1026:ALA:HB2	1:A:1058:GLN:HG2	1.73	0.69
1:B:992:ASN:H	1:B:995:GLN:HE21	1.40	0.69
1:C:1045:LYS:HG2	1:B:1098:TRP:O	1.93	0.68
1:C:991:ILE:HD11	1:B:991:ILE:HD11	1.76	0.66
1:C:1010:VAL:HG12	1:C:1010:VAL:O	1.94	0.66
1:C:992:ASN:OD1	1:C:994:SER:HB2	1.96	0.65
1:C:980:ASN:HA	1:C:995:GLN:NE2	2.11	0.65
1:A:984:SER:C	1:A:986:THR:H	2.04	0.65
1:C:1013:LEU:HD21	1:A:1013:LEU:HD23	1.80	0.64
1:C:994:SER:HA	1:B:984:SER:O	1.99	0.62
1:C:1056:GLN:NE2	1:B:1087:LYS:HB3	2.14	0.62
1:C:1081:THR:O	1:C:1088:THR:HA	2.00	0.61
1:C:1097:GLN:HB3	1:A:1047:MET:HB2	1.83	0.61
1:C:1040:ALA:HA	1:C:1047:MET:HE3	1.83	0.60
1:C:1087:LYS:HD2	1:A:1056:GLN:NE2	2.16	0.60
1:A:1058:GLN:HG3	1:A:1084:SER:OG	2.00	0.60
1:C:992:ASN:H	1:C:995:GLN:HE21	1.48	0.60
1:A:1038:PRO:HD2	1:A:1049:ALA:HB1	1.84	0.60
1:C:980:ASN:H	1:C:980:ASN:ND2	1.99	0.60
1:B:1036:GLN:O	1:B:1038:PRO:HD3	2.01	0.60
1:A:1064:GLY:HA2	1:A:1079:SER:HA	1.84	0.60
1:C:1047:MET:HE1	1:B:1075:ILE:HD12	1.83	0.59
1:A:991:ILE:HD11	1:B:991:ILE:HD11	1.83	0.59
1:B:983:ILE:HG13	1:B:983:ILE:O	2.02	0.59
1:C:1056:GLN:HE22	1:B:1087:LYS:HE3	1.68	0.58
1:C:975:ILE:O	1:C:975:ILE:CG1	2.51	0.58
1:C:1039:GLN:HE22	1:A:1039:GLN:N	1.99	0.58
1:A:1012:ASN:HD22	1:A:1012:ASN:H	1.49	0.58
1:C:1039:GLN:H	1:B:1039:GLN:HE22	1.53	0.57
1:A:1093:GLY:HA3	1:B:1036:GLN:O	2.04	0.56
1:C:1019:LYS:HE3	1:C:1023:ARG:NH1	2.20	0.56
1:B:1043:PRO:HB3	1:B:1072:GLY:CA	2.36	0.56
1:B:1066:SER:HB3	1:B:1077:ARG:HB3	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:992:ASN:N	1:B:995:GLN:HE21	2.05	0.55
1:C:1026:ALA:HB1	1:C:1083:ASN:HB2	1.89	0.54
1:C:1068:ILE:HG22	1:C:1069:SER:O	2.07	0.54
1:A:1068:ILE:CG2	1:A:1072:GLY:HA2	2.38	0.54
1:B:1026:ALA:HB2	1:B:1058:GLN:HG2	1.90	0.53
1:C:1075:ILE:HD12	1:A:1047:MET:HE1	1.90	0.53
1:C:1050:ILE:O	1:C:1050:ILE:HG23	2.08	0.53
1:B:992:ASN:HB3	1:B:994:SER:H	1.74	0.52
1:C:1058:GLN:C	1:C:1059:ASN:HD22	2.18	0.52
1:B:1050:ILE:HD13	1:B:1051:ALA:N	2.25	0.52
1:A:1068:ILE:HG22	1:A:1072:GLY:HA2	1.92	0.52
1:B:1068:ILE:HG22	1:B:1072:GLY:HA2	1.92	0.52
1:C:1068:ILE:HG12	1:C:1075:ILE:HG23	1.92	0.52
1:A:984:SER:C	1:A:986:THR:N	2.68	0.51
1:C:1039:GLN:NE2	1:A:1039:GLN:H	2.05	0.51
1:C:1019:LYS:HD2	1:C:1023:ARG:NH1	2.25	0.51
1:C:1038:PRO:HD2	1:C:1049:ALA:HB1	1.93	0.51
1:C:1018:ASN:O	1:C:1022:LYS:HG3	2.11	0.51
1:A:975:ILE:HG13	1:A:975:ILE:O	2.11	0.50
1:C:1013:LEU:O	1:C:1017:VAL:HG23	2.11	0.49
1:A:1037:LEU:HD23	1:A:1051:ALA:HB2	1.94	0.49
1:C:1094:VAL:C	1:A:1038:PRO:HG2	2.38	0.49
1:C:1029:ALA:O	1:C:1060:GLY:HA3	2.13	0.48
1:B:1039:GLN:O	1:B:1047:MET:HE1	2.12	0.48
1:C:1010:VAL:HG11	1:B:1010:VAL:HG22	1.96	0.48
1:A:990:ALA:HB2	1:B:978:VAL:HG21	1.95	0.47
1:B:1040:ALA:HA	1:B:1047:MET:HE3	1.95	0.47
1:C:1043:PRO:HA	1:C:1068:ILE:HB	1.97	0.47
1:B:1026:ALA:O	1:B:1029:ALA:N	2.47	0.47
1:C:980:ASN:ND2	1:C:980:ASN:N	2.54	0.47
1:C:980:ASN:HD22	1:C:992:ASN:HD21	1.62	0.47
1:C:1038:PRO:HD2	1:C:1049:ALA:CB	2.44	0.46
1:C:1045:LYS:HG2	1:B:1098:TRP:C	2.40	0.46
1:C:984:SER:O	1:A:994:SER:HA	2.15	0.46
1:A:1031:ALA:O	1:A:1032:LEU:C	2.59	0.46
1:A:975:ILE:C	1:A:975:ILE:HD12	2.40	0.46
1:B:1068:ILE:HG23	1:B:1075:ILE:HG12	1.97	0.46
1:C:1094:VAL:HG22	1:C:1095:GLY:N	2.31	0.45
1:A:1012:ASN:H	1:A:1012:ASN:ND2	2.14	0.45
1:B:1077:ARG:C	1:B:1078:LEU:HD12	2.40	0.45
1:C:1009:GLN:C	1:C:1011:ASN:H	2.24	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1048:VAL:HG23	1:C:1048:VAL:O	2.16	0.45
1:C:1026:ALA:HB2	1:C:1058:GLN:CG	2.47	0.45
1:C:1013:LEU:CD2	1:A:1013:LEU:HD23	2.47	0.45
1:C:991:ILE:HB	1:C:995:GLN:NE2	2.32	0.45
1:A:1010:VAL:O	1:A:1011:ASN:C	2.60	0.45
1:C:1038:PRO:HA	1:B:1039:GLN:NE2	2.32	0.44
1:C:1098:TRP:CD1	1:C:1098:TRP:C	2.95	0.44
1:C:1010:VAL:O	1:C:1010:VAL:CG1	2.63	0.44
1:C:1026:ALA:HB1	1:C:1083:ASN:CB	2.47	0.44
1:A:1078:LEU:O	1:A:1079:SER:HB3	2.16	0.44
1:A:1084:SER:O	1:A:1085:GLN:HG2	2.17	0.44
1:C:1055:TYR:CD2	1:C:1056:GLN:HG2	2.52	0.44
1:C:1083:ASN:C	1:C:1085:GLN:H	2.26	0.44
1:C:1039:GLN:O	1:C:1047:MET:HE1	2.18	0.43
1:C:1010:VAL:CG1	1:B:1010:VAL:HG22	2.49	0.43
1:A:1008:GLY:O	1:A:1011:ASN:HB3	2.18	0.43
1:C:1056:GLN:HE21	1:B:1087:LYS:HE3	1.78	0.43
1:C:1093:GLY:HA3	1:A:1036:GLN:O	2.18	0.43
1:A:988:THR:O	1:B:978:VAL:HG23	2.19	0.43
1:B:997:TYR:CD2	1:B:997:TYR:C	2.95	0.43
1:C:1019:LYS:CD	1:C:1023:ARG:NH1	2.82	0.43
1:A:1012:ASN:N	1:A:1012:ASN:ND2	2.53	0.43
1:A:990:ALA:HB2	1:B:978:VAL:HG11	2.02	0.42
1:C:988:THR:O	1:C:988:THR:HG23	2.19	0.42
1:C:992:ASN:H	1:C:995:GLN:NE2	2.16	0.42
1:B:1062:ALA:HB2	1:B:1081:THR:HG22	2.02	0.42
1:C:1019:LYS:HB3	1:C:1019:LYS:HE2	1.65	0.42
1:C:1026:ALA:HB2	1:C:1058:GLN:HG2	2.01	0.42
1:A:1007:ALA:O	1:A:1008:GLY:C	2.63	0.42
1:C:1036:GLN:OE1	1:C:1036:GLN:HA	2.20	0.42
1:C:1046:SER:O	1:B:1097:GLN:HA	2.20	0.41
1:C:997:TYR:O	1:C:1001:LYS:HB2	2.20	0.41
1:C:1010:VAL:HG11	1:B:1010:VAL:CG2	2.50	0.41
1:C:1073:LYS:HB2	1:C:1073:LYS:HE2	1.88	0.41
1:A:1091:ALA:O	1:B:1036:GLN:HG3	2.20	0.41
1:B:1053:SER:O	1:B:1059:ASN:HA	2.20	0.41
1:A:1042:MET:HA	1:A:1043:PRO:HD3	1.96	0.41
1:C:988:THR:HG23	1:A:977:ASN:H	1.86	0.41
1:A:1042:MET:O	1:A:1045:LYS:HB2	2.21	0.41
1:C:1038:PRO:HA	1:B:1039:GLN:HE22	1.84	0.41
1:A:1031:ALA:O	1:A:1034:ALA:N	2.54	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1009:GLN:HE21	1:B:1010:VAL:HG12	1.86	0.40
1:B:992:ASN:C	1:B:994:SER:N	2.78	0.40
1:C:1041:THR:HA	1:A:1041:THR:HG21	2.04	0.40
1:A:980:ASN:CA	1:A:995:GLN:OE1	2.70	0.40
1:B:1026:ALA:CA	1:B:1058:GLN:HG2	2.51	0.40
1:A:1077:ARG:HG3	1:B:1036:GLN:HE21	1.86	0.40
1:A:1078:LEU:N	1:A:1078:LEU:CD1	2.84	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	124/162 (76%)	103 (83%)	16 (13%)	5 (4%)	2	14
1	B	124/162 (76%)	113 (91%)	11 (9%)	0	100	100
1	C	124/162 (76%)	115 (93%)	9 (7%)	0	100	100
All	All	372/486 (76%)	331 (89%)	36 (10%)	5 (1%)	9	38

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	980	ASN
1	A	985	ALA
1	A	1031	ALA
1	A	1032	LEU
1	A	1079	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	84/121 (69%)	73 (87%)	11 (13%)	4	19
1	B	88/121 (73%)	74 (84%)	14 (16%)	2	13
1	C	89/121 (74%)	75 (84%)	14 (16%)	2	13
All	All	261/363 (72%)	222 (85%)	39 (15%)	3	15

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	975	ILE
1	C	980	ASN
1	C	988	THR
1	C	989	ASP
1	C	991	ILE
1	C	1004	THR
1	C	1019	LYS
1	C	1028	THR
1	C	1050	ILE
1	C	1058	GLN
1	C	1074	VAL
1	C	1075	ILE
1	C	1077	ARG
1	C	1081	THR
1	A	975	ILE
1	A	991	ILE
1	A	1004	THR
1	A	1012	ASN
1	A	1020	VAL
1	A	1039	GLN
1	A	1041	THR
1	A	1058	GLN
1	A	1061	LEU
1	A	1065	VAL
1	A	1074	VAL
1	B	978	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	986	THR
1	B	987	SER
1	B	991	ILE
1	B	1011	ASN
1	B	1014	GLU
1	B	1019	LYS
1	B	1028	THR
1	B	1050	ILE
1	B	1054	SER
1	B	1058	GLN
1	B	1070	ASP
1	B	1076	ILE
1	B	1090	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	980	ASN
1	C	995	GLN
1	C	1012	ASN
1	C	1039	GLN
1	C	1059	ASN
1	A	980	ASN
1	A	1011	ASN
1	A	1012	ASN
1	B	995	GLN
1	B	1039	GLN
1	B	1071	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	126/162 (77%)	1.50	35 (27%)  	40, 57, 81, 104	0
1	B	126/162 (77%)	1.23	23 (18%)  	38, 60, 86, 97	0
1	C	126/162 (77%)	1.04	21 (16%)  	40, 61, 85, 112	0
All	All	378/486 (77%)	1.26	79 (20%)  	38, 60, 85, 112	0

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1055	TYR	6.9
1	A	1040	ALA	5.4
1	B	1035	SER	4.4
1	A	1093	GLY	3.9
1	A	1041	THR	3.7
1	B	1057	GLY	3.6
1	A	1066	SER	3.5
1	B	1042	MET	3.5
1	A	1097	GLN	3.5
1	A	1065	VAL	3.4
1	A	1042	MET	3.4
1	A	1072	GLY	3.3
1	A	1079	SER	3.2
1	A	1049	ALA	3.2
1	C	1051	ALA	3.2
1	A	1081	THR	3.2
1	B	1058	GLN	3.1
1	B	1041	THR	3.1
1	A	1092	ALA	3.1
1	B	1030	SER	3.0
1	B	1056	GLN	3.0
1	B	1091	ALA	3.0
1	A	1026	ALA	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	973	VAL	2.9
1	A	977	ASN	2.9
1	A	1055	TYR	2.9
1	A	1060	GLY	2.8
1	A	1063	ILE	2.8
1	A	1061	LEU	2.8
1	C	1096	TYR	2.7
1	B	1032	LEU	2.6
1	A	1086	GLY	2.6
1	C	1053	SER	2.6
1	A	1048	VAL	2.6
1	B	1029	ALA	2.6
1	C	1098	TRP	2.5
1	C	1040	ALA	2.5
1	A	1094	VAL	2.5
1	B	1045	LYS	2.5
1	A	1091	ALA	2.5
1	C	1032	LEU	2.5
1	A	1095	GLY	2.5
1	A	1090	VAL	2.5
1	A	1027	GLY	2.4
1	C	1049	ALA	2.4
1	A	1038	PRO	2.4
1	C	1030	SER	2.4
1	A	990	ALA	2.4
1	B	1078	LEU	2.4
1	A	1046	SER	2.4
1	B	1028	THR	2.4
1	A	993	GLY	2.4
1	C	1079	SER	2.4
1	A	1080	GLY	2.3
1	B	1081	THR	2.3
1	C	1078	LEU	2.3
1	B	1052	GLY	2.3
1	B	1054	SER	2.2
1	B	1085	GLN	2.2
1	C	1060	GLY	2.2
1	A	1064	GLY	2.2
1	C	976	ASP	2.2
1	B	1025	ASP	2.2
1	A	1039	GLN	2.1
1	B	1031	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	986	THR	2.1
1	C	1041	THR	2.1
1	C	1097	GLN	2.1
1	C	1034	ALA	2.1
1	C	1095	GLY	2.1
1	C	1013	LEU	2.1
1	A	1044	GLY	2.1
1	B	1084	SER	2.1
1	A	1098	TRP	2.1
1	B	1005	ASN	2.0
1	A	1076	ILE	2.0
1	C	1042	MET	2.0
1	C	1031	ALA	2.0
1	B	1004	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.