



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 01:30 PM UTC

PDB ID : 4EMY / pdb_00004emy
Title : Crystal structure of aminotransferase from anaerococcus prevotii dsm 20548.
Authors : Chang, C.; Tesar, C.; Bearden, J.; Joachimiak, A.; Midwest Center for Structural Genomics (MCSG)
Deposited on : 2012-04-12
Resolution : 2.86 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.86 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1407 (2.88-2.84)
Clashscore	190562	1446 (2.88-2.84)
Ramachandran outliers	187476	1406 (2.88-2.84)
Sidechain outliers	187428	1407 (2.88-2.84)
RSRZ outliers	180081	1408 (2.88-2.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	413	
1	B	413	
1	C	413	
1	D	413	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 13055 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aminotransferase class I and II.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	409	Total	C	N	O	S	Se	0	0	0
			3249	2080	538	621	4	6			
1	B	409	Total	C	N	O	S	Se	0	0	0
			3249	2080	538	621	4	6			
1	C	407	Total	C	N	O	S	Se	0	0	0
			3230	2065	536	619	4	6			
1	D	407	Total	C	N	O	S	Se	0	0	0
			3235	2073	536	616	4	6			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP C7REB0
A	-1	ASN	-	expression tag	UNP C7REB0
A	0	ALA	-	expression tag	UNP C7REB0
B	-2	SER	-	expression tag	UNP C7REB0
B	-1	ASN	-	expression tag	UNP C7REB0
B	0	ALA	-	expression tag	UNP C7REB0
C	-2	SER	-	expression tag	UNP C7REB0
C	-1	ASN	-	expression tag	UNP C7REB0
C	0	ALA	-	expression tag	UNP C7REB0
D	-2	SER	-	expression tag	UNP C7REB0
D	-1	ASN	-	expression tag	UNP C7REB0
D	0	ALA	-	expression tag	UNP C7REB0

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: $C_8H_{10}NO_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			16	8	1	6	1		
2	B	1	Total	C	N	O	P	0	0
			16	8	1	6	1		
2	C	1	Total	C	N	O	P	0	0
			16	8	1	6	1		
2	D	1	Total	C	N	O	P	0	0
			16	8	1	6	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	7	Total	O	0	0
			7	7		
3	B	10	Total	O	0	0
			10	10		
3	C	4	Total	O	0	0
			4	4		
3	D	7	Total	O	0	0
			7	7		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Aminotransferase class I and II




- Molecule 1: Aminotransferase class I and II





- Molecule 1: Aminotransferase class I and II





● Molecule 1: Aminotransferase class I and II



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	64.30Å 131.18Å 239.91Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.86 50.00 – 2.86	Depositor EDS
% Data completeness (in resolution range)	99.4 (50.00-2.86) 99.8 (50.00-2.86)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.04 (at 2.86Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.245 , 0.290 0.246 , 0.291	Depositor DCC
R_{free} test set	2445 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	50.4	Xtriage
Anisotropy	0.960	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 37.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	13055	wwPDB-VP
Average B, all atoms (Å ²)	75.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	0/3315	0.84	1/4470 (0.0%)
1	B	0.51	0/3315	0.83	0/4470
1	C	0.53	0/3293	0.82	0/4437
1	D	0.50	0/3299	0.81	0/4445
All	All	0.52	0/13222	0.82	1/17822 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	172	ARG	N-CA-C	-5.12	108.06	114.56

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3249	0	3200	49	0
1	B	3249	0	3200	31	0
1	C	3230	0	3178	21	0
1	D	3235	0	3189	40	0
2	A	16	0	7	1	0
2	B	16	0	8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	16	0	8	0	0
2	D	16	0	8	2	0
3	A	7	0	0	1	0
3	B	10	0	0	1	0
3	C	4	0	0	0	0
3	D	7	0	0	0	0
All	All	13055	0	12798	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:228:ALA:HA	1:C:352:GLY:HA3	1.46	0.94
1:D:394:GLU:CD	1:D:394:GLU:H	1.89	0.80
1:A:112:ARG:HD2	1:B:294:ASN:HA	1.64	0.78
1:A:111:ILE:HD13	1:A:135:TYR:HE1	1.57	0.70
1:B:105:PRO:HD2	1:B:109:GLY:HA3	1.74	0.69
1:D:33:ARG:HD2	1:D:48:LYS:O	1.94	0.67
1:C:231:GLY:O	1:C:232:ASP:HB3	1.94	0.66
1:A:373:GLU:OE1	1:A:402:ARG:HD3	1.96	0.66
1:A:204:PHE:CZ	1:A:208:LYS:HE2	2.32	0.64
1:A:114:ALA:HB1	1:A:219:ILE:CD1	2.28	0.64
1:C:130:TYR:HE2	1:C:152:PHE:CZ	2.16	0.64
1:D:258:LYS:HE3	2:D:501:PLP:H4A	1.81	0.63
1:A:44:LEU:HG	1:A:354:PHE:CZ	2.34	0.63
1:D:367:VAL:HG11	1:D:379:PRO:HG3	1.81	0.62
1:A:399:LEU:O	1:A:403:LEU:HB2	2.00	0.62
1:D:373:GLU:OE1	1:D:402:ARG:HD3	2.00	0.62
1:A:75:ILE:HD12	1:A:292:ARG:HD3	1.82	0.61
1:A:168:ASP:OD1	1:A:208:LYS:HE3	2.00	0.61
1:A:129:ASP:HB2	1:A:151:PHE:H	1.65	0.61
1:B:373:GLU:OE1	1:B:402:ARG:HD3	2.01	0.61
1:D:46:ASP:HB3	1:D:52:ILE:HD11	1.84	0.60
1:D:121:GLU:O	1:D:144:ARG:HA	2.03	0.59
1:C:37:ILE:HG23	1:C:391:VAL:HG11	1.84	0.59
1:B:125:LEU:HD11	1:B:180:LEU:HB2	1.86	0.57
1:D:66:ARG:HA	1:D:69:ILE:HD12	1.87	0.57
1:B:367:VAL:HG23	3:B:607:HOH:O	2.05	0.57
1:B:399:LEU:O	1:B:403:LEU:HB2	2.05	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:129:ASP:HB2	1:D:151:PHE:H	1.70	0.56
1:B:129:ASP:HB2	1:B:151:PHE:H	1.70	0.55
1:B:46:ASP:HB3	1:B:52:ILE:HD11	1.88	0.55
1:B:195:ASP:O	1:B:240:LYS:HE3	2.06	0.55
1:A:336:PHE:HB2	1:A:388:ILE:HD11	1.90	0.54
1:C:184:PRO:HB2	1:C:228:ALA:CB	2.36	0.54
1:A:279:ILE:HD12	1:B:3:MSE:HG2	1.90	0.54
1:C:105:PRO:HD2	1:C:109:GLY:HA3	1.89	0.54
1:B:44:LEU:HD23	1:B:389:CYS:HB2	1.89	0.53
1:D:347:MSE:HA	1:D:359:PRO:HD2	1.90	0.53
1:C:152:PHE:HA	1:C:159:ASN:HB2	1.91	0.52
1:A:114:ALA:HB1	1:A:219:ILE:HD12	1.91	0.52
1:A:171:ILE:CG2	1:A:171:ILE:O	2.58	0.52
1:D:121:GLU:C	1:D:123:ASP:H	2.18	0.51
1:A:160:ILE:HG13	1:A:164:LYS:HE3	1.92	0.51
1:A:194:SER:OG	1:A:197:GLU:HG3	2.10	0.51
1:D:52:ILE:HG21	1:D:325:LEU:HD13	1.92	0.51
1:D:105:PRO:HD3	1:D:295:TRP:CE2	2.46	0.51
1:D:392:GLY:O	1:D:396:ILE:HG12	2.10	0.51
1:D:76:GLU:HA	1:D:102:ILE:HG23	1.92	0.51
1:A:112:ARG:HG3	1:A:113:SER:N	2.26	0.50
1:A:3:MSE:HG2	1:B:279:ILE:HD12	1.94	0.50
1:A:16:LEU:O	1:A:20:ILE:HG12	2.11	0.50
1:A:75:ILE:CD1	1:A:292:ARG:HD3	2.41	0.49
1:B:367:VAL:HG11	1:B:379:PRO:HG3	1.94	0.49
1:A:114:ALA:CB	1:A:219:ILE:HD12	2.42	0.49
1:D:199:ASP:OD1	1:D:240:LYS:HE3	2.13	0.49
1:C:380:SER:C	1:C:382:LYS:H	2.20	0.49
1:D:64:MSE:HE1	1:D:305:ILE:HG13	1.95	0.48
1:B:75:ILE:HD12	1:B:292:ARG:HD3	1.95	0.48
1:D:152:PHE:HE2	1:D:189:THR:HG21	1.79	0.48
1:D:399:LEU:O	1:D:403:LEU:HB2	2.12	0.48
1:D:250:VAL:O	1:D:272:GLY:HA2	2.14	0.48
1:B:171:ILE:HD13	1:B:208:LYS:HB3	1.96	0.48
1:D:69:ILE:HG23	1:D:301:ALA:HB2	1.95	0.48
1:A:286:SER:HA	1:B:10:TRP:HD1	1.79	0.47
1:A:69:ILE:HG23	1:A:301:ALA:HB2	1.96	0.47
1:D:171:ILE:HG22	1:D:171:ILE:O	2.13	0.47
1:B:292:ARG:HA	1:B:292:ARG:HD2	1.71	0.47
1:A:292:ARG:HA	1:A:292:ARG:HD2	1.61	0.47
1:C:125:LEU:HD11	1:C:180:LEU:HB2	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:152:PHE:CE2	1:D:189:THR:HG21	2.49	0.47
1:D:60:ARG:O	1:D:64:MSE:HB2	2.15	0.47
1:B:1:MSE:N	1:B:1:MSE:HE2	2.31	0.47
1:C:363:ALA:C	1:C:365:ASP:H	2.23	0.46
1:B:16:LEU:O	1:B:20:ILE:HG12	2.15	0.46
1:C:61:LEU:HA	1:C:64:MSE:HE3	1.98	0.46
1:B:335:VAL:HG21	1:B:393:GLU:HG2	1.98	0.46
1:D:130:TYR:CE2	1:D:382:LYS:HB3	2.51	0.45
1:D:57:VAL:HG13	1:D:305:ILE:HG21	1.99	0.45
1:A:60:ARG:HG3	1:A:309:LEU:CD1	2.46	0.45
1:B:315:LYS:O	1:B:319:GLU:HG2	2.15	0.45
1:D:44:LEU:HG	1:D:354:PHE:CZ	2.51	0.45
1:A:105:PRO:HD2	1:A:109:GLY:HA3	1.99	0.45
1:B:56:SER:O	1:B:309:LEU:HD21	2.16	0.45
1:D:319:GLU:O	1:D:323:VAL:HG23	2.16	0.45
1:A:105:PRO:HD3	1:A:295:TRP:CE2	2.52	0.45
1:A:39:ALA:HB2	1:A:391:VAL:HG11	1.98	0.45
1:A:175:ASP:HA	1:A:214:LYS:HD3	1.99	0.44
1:A:81:TYR:CD1	1:A:303:GLN:HA	2.52	0.44
1:A:119:LEU:HD22	1:A:123:ASP:HB3	1.99	0.44
1:A:72:TYR:CZ	1:B:263:TYR:HB3	2.52	0.44
1:A:111:ILE:HD13	1:A:135:TYR:CE1	2.46	0.44
1:B:44:LEU:HD13	1:B:325:LEU:HD11	2.00	0.44
1:A:221:ASP:OD2	2:A:501:PLP:N1	2.51	0.44
1:A:72:TYR:CE1	1:B:263:TYR:HB3	2.53	0.44
1:B:130:TYR:CD2	1:B:130:TYR:N	2.86	0.43
1:C:231:GLY:H	1:C:234:GLN:HE22	1.67	0.43
1:D:132:TRP:CE2	1:D:134:PRO:HG2	2.53	0.43
1:A:345:LEU:HD13	1:A:404:ALA:HA	2.00	0.43
1:B:189:THR:HB	1:B:348:ILE:HG21	1.99	0.43
1:A:136:ARG:HG3	1:A:146:PHE:CD2	2.54	0.43
1:B:15:ASP:HB3	1:B:18:PHE:HB3	2.00	0.43
1:A:104:THR:HB	1:A:109:GLY:HA3	1.99	0.43
1:A:162:VAL:HA	1:A:165:GLU:HG2	2.00	0.43
1:C:37:ILE:HG12	1:C:395:LYS:HD3	2.00	0.43
1:C:136:ARG:HG3	1:C:146:PHE:CD2	2.54	0.43
1:D:167:ILE:HD12	1:D:205:LEU:HD21	2.00	0.43
1:B:277:LYS:O	1:B:280:ILE:HG22	2.19	0.43
1:D:258:LYS:CE	2:D:501:PLP:H4A	2.48	0.43
1:C:366:ILE:HG23	1:C:406:TYR:HB2	2.01	0.42
1:D:90:PHE:HB3	1:D:94:LYS:HA	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:78:GLU:O	1:D:82:ARG:HG3	2.18	0.42
1:A:30:LYS:HD2	1:A:31:TYR:CZ	2.54	0.42
1:A:10:TRP:C	1:A:12:ASN:H	2.28	0.42
1:C:120:ASP:HB2	1:D:5:ILE:HG21	2.00	0.42
1:B:7:ARG:O	1:B:10:TRP:CZ2	2.72	0.42
1:D:169:GLU:HA	1:D:172:ARG:HD3	2.02	0.42
1:D:336:PHE:HB2	1:D:388:ILE:HD11	2.01	0.42
1:C:55:PRO:O	1:C:59:ASP:HB2	2.20	0.42
1:A:60:ARG:HG3	1:A:309:LEU:HD13	2.02	0.41
1:D:348:ILE:HA	1:D:349:PRO:HD2	1.92	0.41
1:A:60:ARG:NH1	1:A:63:GLU:OE1	2.53	0.41
1:B:45:LEU:HD23	1:B:51:ILE:HA	2.01	0.41
1:C:99:ILE:HA	1:C:272:GLY:O	2.20	0.41
1:C:120:ASP:OD1	1:C:121:GLU:N	2.53	0.41
1:C:152:PHE:CE2	1:C:156:PHE:CD1	3.09	0.41
1:D:105:PRO:HD2	1:D:109:GLY:HA3	2.02	0.41
1:A:44:LEU:HD23	1:A:389:CYS:HB2	2.03	0.41
1:A:112:ARG:NH1	3:A:606:HOH:O	2.53	0.41
1:A:123:ASP:HA	1:A:124:PRO:HD3	1.93	0.41
1:D:391:VAL:HG23	1:D:396:ILE:CD1	2.51	0.41
1:C:262:ALA:HB1	1:C:265:LEU:HD12	2.03	0.41
1:A:46:ASP:HB3	1:A:52:ILE:HD11	2.03	0.40
1:A:170:GLY:C	1:A:172:ARG:H	2.28	0.40
1:A:34:GLU:CD	1:A:34:GLU:H	2.28	0.40
1:D:124:PRO:HG2	1:D:177:ILE:HG22	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	407/413 (98%)	386 (95%)	20 (5%)	1 (0%)	43 62

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	407/413 (98%)	391 (96%)	14 (3%)	2 (0%)	24	42
1	C	401/413 (97%)	370 (92%)	29 (7%)	2 (0%)	24	42
1	D	401/413 (97%)	375 (94%)	24 (6%)	2 (0%)	24	42
All	All	1616/1652 (98%)	1522 (94%)	87 (5%)	7 (0%)	30	48

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	33	ARG
1	C	381	ALA
1	B	296	SER
1	D	172	ARG
1	D	387	ALA
1	C	232	ASP
1	B	124	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	344/341 (101%)	329 (96%)	15 (4%)	25	49
1	B	344/341 (101%)	334 (97%)	10 (3%)	37	61
1	C	342/341 (100%)	327 (96%)	15 (4%)	25	49
1	D	342/341 (100%)	324 (95%)	18 (5%)	20	42
All	All	1372/1364 (101%)	1314 (96%)	58 (4%)	26	51

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	GLU
1	A	89	LEU
1	A	102	ILE
1	A	129	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	171	ILE
1	A	196	GLU
1	A	199	ASP
1	A	219	ILE
1	A	263	TYR
1	A	273	ILE
1	A	280	ILE
1	A	297	ASN
1	A	309	LEU
1	A	391	VAL
1	A	396	ILE
1	B	34	GLU
1	B	102	ILE
1	B	111	ILE
1	B	120	ASP
1	B	130	TYR
1	B	171	ILE
1	B	196	GLU
1	B	297	ASN
1	B	331	SER
1	B	344	LYS
1	C	79	LYS
1	C	102	ILE
1	C	121	GLU
1	C	147	LYS
1	C	152	PHE
1	C	167	ILE
1	C	172	ARG
1	C	183	SER
1	C	196	GLU
1	C	232	ASP
1	C	244	LEU
1	C	273	ILE
1	C	297	ASN
1	C	309	LEU
1	C	346	THR
1	D	60	ARG
1	D	126	ILE
1	D	147	LYS
1	D	167	ILE
1	D	177	ILE
1	D	196	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	220	VAL
1	D	252	VAL
1	D	267	SER
1	D	282	GLU
1	D	294	ASN
1	D	299	THR
1	D	309	LEU
1	D	346	THR
1	D	367	VAL
1	D	388	ILE
1	D	394	GLU
1	D	403	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	182	ASN
1	A	243	ASN
1	B	12	ASN
1	B	243	ASN
1	C	38	ASN
1	C	186	ASN
1	C	289	HIS
1	C	303	GLN
1	C	343	ASN
1	D	21	ASN
1	D	38	ASN
1	D	304	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PLP	A	501	-	16,16,16	1.30	1 (6%)	20,23,23	1.29	3 (15%)
2	PLP	B	501	-	16,16,16	1.30	1 (6%)	20,23,23	1.44	4 (20%)
2	PLP	C	501	-	16,16,16	1.28	2 (12%)	20,23,23	1.24	3 (15%)
2	PLP	D	501	-	16,16,16	1.26	2 (12%)	20,23,23	1.39	2 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLP	A	501	-	-	5/8/8/8	0/1/1/1
2	PLP	B	501	-	-	4/8/8/8	0/1/1/1
2	PLP	C	501	-	-	2/8/8/8	0/1/1/1
2	PLP	D	501	-	-	2/8/8/8	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	501	PLP	C2-N1	3.14	1.39	1.33
2	C	501	PLP	C2-N1	3.06	1.39	1.33
2	B	501	PLP	C2-N1	2.97	1.39	1.33
2	A	501	PLP	C2-N1	2.84	1.38	1.33
2	D	501	PLP	C6-N1	2.33	1.39	1.34
2	C	501	PLP	C6-N1	2.31	1.39	1.34

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	PLP	C5-C6-N1	-2.80	119.27	123.83
2	D	501	PLP	C3-C4-C5	2.80	120.52	118.28
2	D	501	PLP	C5-C6-N1	-2.76	119.34	123.83
2	A	501	PLP	C3-C4-C4A	-2.65	116.20	119.84
2	C	501	PLP	C3-C4-C5	2.43	120.23	118.28
2	C	501	PLP	C5-C6-N1	-2.38	119.95	123.83
2	A	501	PLP	C5-C6-N1	-2.35	120.01	123.83
2	B	501	PLP	O4A-C4A-C4	-2.26	119.43	124.80
2	B	501	PLP	C3-C4-C5	2.11	119.97	118.28
2	A	501	PLP	O4P-C5A-C5	2.06	113.22	109.36
2	C	501	PLP	O4A-C4A-C4	-2.01	120.03	124.80
2	B	501	PLP	O3-C3-C2	2.00	121.73	117.58

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	PLP	C3-C4-C4A-O4A
2	A	501	PLP	C5A-O4P-P-O1P
2	A	501	PLP	C5A-O4P-P-O2P
2	B	501	PLP	C3-C4-C4A-O4A
2	B	501	PLP	C5A-O4P-P-O3P
2	C	501	PLP	C3-C4-C4A-O4A
2	D	501	PLP	C3-C4-C4A-O4A
2	A	501	PLP	C5-C4-C4A-O4A
2	B	501	PLP	C5-C4-C4A-O4A
2	D	501	PLP	C5-C4-C4A-O4A
2	C	501	PLP	C5-C4-C4A-O4A
2	B	501	PLP	C5A-O4P-P-O2P
2	A	501	PLP	C5A-O4P-P-O3P

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	PLP	1	0
2	D	501	PLP	2	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	403/413 (97%)	-0.21	1 (0%) 91 91	34, 48, 64, 86	0
1	B	403/413 (97%)	-0.20	2 (0%) 87 85	33, 46, 70, 96	0
1	C	401/413 (97%)	1.40	99 (24%) 2 1	61, 108, 144, 233	0
1	D	401/413 (97%)	1.30	93 (23%) 2 2	50, 95, 130, 220	0
All	All	1608/1652 (97%)	0.57	195 (12%) 8 6	33, 67, 136, 233	0

All (195) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	384	ILE	7.2
1	D	70	ALA	7.2
1	C	17	ALA	5.4
1	D	241	PHE	5.2
1	D	293	CYS	4.5
1	C	44	LEU	4.5
1	C	363	ALA	4.5
1	C	377	THR	4.4
1	C	40	ALA	4.4
1	C	356	THR	4.4
1	D	236	LYS	4.3
1	D	219	ILE	4.2
1	D	171	ILE	4.1
1	C	261	THR	4.1
1	C	122	GLY	4.1
1	D	69	ILE	4.1
1	C	193	LEU	4.1
1	D	170	GLY	4.1
1	D	126	ILE	4.0
1	C	52	ILE	4.0
1	D	242	SER	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	178	ALA	3.9
1	C	354	PHE	3.9
1	C	16	LEU	3.8
1	D	238	PHE	3.8
1	C	5	ILE	3.8
1	D	72	TYR	3.8
1	C	386	VAL	3.7
1	C	366	ILE	3.7
1	C	388	ILE	3.7
1	D	305	ILE	3.7
1	D	216	ILE	3.7
1	D	227	PHE	3.6
1	C	179	SER	3.6
1	C	26	ALA	3.5
1	C	381	ALA	3.5
1	C	364	PHE	3.5
1	D	158	PHE	3.4
1	C	8	ALA	3.4
1	C	138	ILE	3.4
1	D	102	ILE	3.4
1	D	202	ILE	3.4
1	D	115	ILE	3.3
1	D	218	LEU	3.3
1	D	119	LEU	3.3
1	D	101	ALA	3.3
1	D	223	ALA	3.3
1	D	253	ALA	3.3
1	C	403	LEU	3.3
1	D	248	LEU	3.3
1	D	135	TYR	3.2
1	D	167	ILE	3.2
1	D	209	ALA	3.2
1	C	120	ASP	3.2
1	D	71	SER	3.2
1	C	182	ASN	3.2
1	C	101	ALA	3.2
1	C	57	VAL	3.2
1	D	237	PHE	3.1
1	D	249	PHE	3.1
1	D	203	THR	3.1
1	C	225	LEU	3.1
1	C	355	PHE	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	283	PHE	3.1
1	C	51	ILE	3.0
1	D	198	TRP	3.0
1	C	378	ILE	3.0
1	C	41	LEU	3.0
1	C	14	PRO	3.0
1	C	362	LYS	2.9
1	C	12	ASN	2.9
1	D	201	VAL	2.9
1	C	263	TYR	2.9
1	D	103	ALA	2.9
1	D	211	ASP	2.9
1	B	320	GLN	2.8
1	C	38	ASN	2.8
1	D	180	LEU	2.8
1	D	265	LEU	2.8
1	D	113	SER	2.8
1	D	152	PHE	2.8
1	C	379	PRO	2.8
1	C	391	VAL	2.8
1	D	288	ALA	2.8
1	C	382	LYS	2.7
1	C	226	GLU	2.7
1	C	10	TRP	2.7
1	C	357	PHE	2.7
1	D	297	ASN	2.7
1	D	166	ALA	2.7
1	C	124	PRO	2.6
1	C	189	THR	2.6
1	D	302	ALA	2.6
1	C	130	TYR	2.6
1	C	348	ILE	2.6
1	C	42	GLY	2.6
1	D	146	PHE	2.6
1	D	291	ALA	2.6
1	C	185	GLY	2.6
1	C	128	HIS	2.5
1	C	264	GLY	2.5
1	D	181	ILE	2.5
1	D	254	PHE	2.5
1	D	147	LYS	2.5
1	C	235	ARG	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	125	LEU	2.5
1	D	88	THR	2.5
1	C	258	LYS	2.5
1	D	312	ALA	2.4
1	C	183	SER	2.4
1	D	258	LYS	2.4
1	C	43	THR	2.4
1	D	12	ASN	2.4
1	C	216	ILE	2.4
1	D	13	GLY	2.4
1	D	287	LEU	2.4
1	C	18	PHE	2.4
1	C	174	SER	2.4
1	D	148	THR	2.4
1	D	75	ILE	2.4
1	D	220	VAL	2.3
1	C	241	PHE	2.3
1	C	336	PHE	2.3
1	D	221	ASP	2.3
1	D	118	TYR	2.3
1	C	396	ILE	2.3
1	C	231	GLY	2.3
1	C	351	PHE	2.3
1	C	39	ALA	2.3
1	D	273	ILE	2.3
1	C	368	LYS	2.3
1	D	124	PRO	2.3
1	C	228	ALA	2.3
1	C	28	ILE	2.3
1	C	126	ILE	2.3
1	D	98	TYR	2.3
1	C	184	PRO	2.3
1	D	162	VAL	2.3
1	C	15	ASP	2.3
1	C	125	LEU	2.3
1	D	208	LYS	2.3
1	C	177	ILE	2.3
1	D	99	ILE	2.3
1	D	251	VAL	2.3
1	D	41	LEU	2.2
1	C	20	ILE	2.2
1	C	389	CYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	127	CYS	2.2
1	C	397	PRO	2.2
1	D	217	THR	2.2
1	D	117	SER	2.2
1	C	45	LEU	2.2
1	C	48	LYS	2.2
1	C	370	LEU	2.2
1	C	254	PHE	2.2
1	D	114	ALA	2.2
1	D	240	LYS	2.2
1	D	160	ILE	2.2
1	D	286	SER	2.2
1	C	380	SER	2.2
1	D	278	GLU	2.2
1	C	233	GLN	2.1
1	D	164	LYS	2.1
1	D	142	PHE	2.1
1	C	53	ALA	2.1
1	B	171	ILE	2.1
1	C	358	ILE	2.1
1	D	222	VAL	2.1
1	C	265	LEU	2.1
1	C	399	LEU	2.1
1	D	81	TYR	2.1
1	C	11	ASN	2.1
1	D	252	VAL	2.1
1	C	325	LEU	2.1
1	C	405	PHE	2.1
1	C	192	SER	2.1
1	C	409	LYS	2.1
1	D	245	PRO	2.1
1	C	329	LEU	2.1
1	D	259	SER	2.0
1	D	267	SER	2.0
1	D	176	ARG	2.0
1	C	360	THR	2.0
1	D	199	ASP	2.0
1	D	214	LYS	2.0
1	D	290	SER	2.0
1	C	180	LEU	2.0
1	C	322	LEU	2.0
1	C	21	ASN	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	33	ARG	2.0
1	A	390	GLY	2.0
1	C	375	ILE	2.0
1	D	215	LYS	2.0
1	C	224	TYR	2.0
1	C	323	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PLP	C	501	16/16	0.79	0.14	59,68,74,79	0
2	PLP	D	501	16/16	0.88	0.10	38,46,57,57	0
2	PLP	A	501	16/16	0.96	0.09	23,28,33,42	0
2	PLP	B	501	16/16	0.96	0.09	30,37,43,50	0

6.5 Other polymers [i](#)

There are no such residues in this entry.