



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:05 PM UTC

PDB ID : 8EME / pdb_00008eme
Title : EGFR(T790M/V948R) in complex with ZNL-0056
Authors : Beyett, T.S.; Eck, M.J.
Deposited on : 2022-09-27
Resolution : 3.32 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.32 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1153 (3.34-3.30)
Clashscore	190562	1193 (3.34-3.30)
Ramachandran outliers	187476	1172 (3.34-3.30)
Sidechain outliers	187428	1171 (3.34-3.30)
RSRZ outliers	180081	1153 (3.34-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	331	 2% 62% 15% 19%
1	B	331	 2% 68% 17% 15%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4461 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Epidermal growth factor receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	282	Total	C	N	O	S	0	0	0
			2268	1460	383	407	18			
1	A	267	Total	C	N	O	S	0	0	0
			2159	1389	363	389	18			

There are 10 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	692	GLY	-	expression tag	UNP P00533
B	693	SER	-	expression tag	UNP P00533
B	694	THR	-	expression tag	UNP P00533
B	790	MET	THR	engineered mutation	UNP P00533
B	948	ARG	VAL	engineered mutation	UNP P00533
A	692	GLY	-	expression tag	UNP P00533
A	693	SER	-	expression tag	UNP P00533
A	694	THR	-	expression tag	UNP P00533
A	790	MET	THR	engineered mutation	UNP P00533
A	948	ARG	VAL	engineered mutation	UNP P00533

- Molecule 2 is N-{7-methyl-1-[(3S)-1-(prop-2-enoyl)azepan-3-yl]-1H-benzimidazol-2-yl}-5-(prop-2-enamido)thiophene-3-carboxamide (CCD ID: ZNL) (formula: C₂₅H₂₇N₅O₃S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	S	0	0
			34	25	5	3	1		

- Molecule 1: Epidermal growth factor receptor



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	34.87Å 99.99Å 87.02Å 90.00° 100.80° 90.00°	Depositor
Resolution (Å)	50.00 – 3.32 50.00 – 3.32	Depositor EDS
% Data completeness (in resolution range)	98.8 (50.00-3.32) 98.7 (50.00-3.32)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.22 (at 3.33Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.283 , 0.318 0.285 , 0.309	Depositor DCC
R_{free} test set	499 reflections (5.71%)	wwPDB-VP
Wilson B-factor (Å ²)	87.4	Xtriage
Anisotropy	0.660	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 75.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	0.119 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	4461	wwPDB-VP
Average B, all atoms (Å ²)	101.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZNL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.29	0/2204	0.49	2/2975 (0.1%)
1	B	0.23	0/2318	0.43	1/3134 (0.0%)
All	All	0.26	0/4522	0.46	3/6109 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	727	TYR	CB-CA-C	-6.82	108.70	116.54
1	B	771	ASN	O-C-N	-5.54	116.41	122.06
1	A	783	THR	O-C-N	5.26	124.72	120.83

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2159	0	2185	42	0
1	B	2268	0	2306	34	0
2	B	34	0	0	2	0
All	All	4461	0	4491	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 8.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:707:LEU:HG	1:A:781:CYS:HA	1.50	0.92
1:B:773:HIS:O	1:B:852:LYS:HA	1.80	0.81
1:B:837:ASP:OD2	1:B:842:ASN:ND2	2.24	0.71
1:A:728:LYS:HG2	1:A:729:GLY:H	1.59	0.67
1:A:852:LYS:HZ3	1:A:854:THR:HB	1.63	0.63
1:B:722:ALA:HB3	1:B:745:LYS:HE2	1.80	0.62
1:A:931:GLU:O	1:A:948:ARG:NH1	2.33	0.62
1:A:795:PHE:HE1	1:A:1002:MET:HE1	1.65	0.60
1:A:785:THR:O	1:A:786:VAL:C	2.46	0.59
1:A:709:GLU:HA	1:A:712:PHE:CE1	2.38	0.58
1:B:749:GLU:HA	1:B:785:THR:HG22	1.85	0.58
1:A:706:ILE:HG12	1:A:779:GLY:HA3	1.85	0.58
1:B:727:TYR:HE1	1:B:746:GLU:HB3	1.69	0.56
1:A:846:LYS:HD3	1:A:850:HIS:CD2	2.41	0.56
1:B:884:GLU:OE2	1:B:958:ARG:NH1	2.39	0.54
1:A:745:LYS:HD3	1:A:788:LEU:HD12	1.89	0.53
1:B:716:LYS:HG2	1:B:717:VAL:H	1.73	0.53
1:B:813:TYR:OH	1:B:990:PRO:HD2	2.08	0.53
1:A:974:ASP:OD2	1:A:977:ARG:NE	2.37	0.53
1:B:780:ILE:HG13	1:B:788:LEU:HD23	1.91	0.52
1:B:773:HIS:O	1:B:852:LYS:CA	2.56	0.52
1:B:723:PHE:O	1:B:748:ARG:N	2.44	0.51
1:A:709:GLU:C	1:A:711:GLU:H	2.18	0.51
1:A:775:CYS:HB2	1:A:852:LYS:NZ	2.26	0.51
1:B:774:VAL:HG12	1:B:775:CYS:H	1.76	0.51
1:B:790:MET:HG3	2:B:1101:ZNL:N23	2.26	0.51
1:B:762:GLU:HB3	1:B:766:MET:HE3	1.93	0.51
1:B:992:PRO:HA	1:B:995:SER:HB2	1.93	0.50
1:A:791:GLN:HG3	1:A:793:MET:HE2	1.94	0.50
1:B:795:PHE:HE2	1:B:848:PRO:HD3	1.75	0.50
1:A:793:MET:HG3	1:A:844:LEU:HD13	1.92	0.50
1:B:781:CYS:HB3	1:B:787:GLN:HB2	1.93	0.49
1:B:941:ILE:HG13	1:B:945:MET:HG3	1.94	0.49
1:A:707:LEU:O	1:A:708:LYS:C	2.56	0.48
1:B:997:PHE:CE1	1:A:706:ILE:HG21	2.48	0.48
1:A:892:THR:O	1:A:895:SER:OG	2.28	0.47
1:B:802:VAL:HA	1:B:809:ILE:HD11	1.96	0.47
1:A:884:GLU:OE2	1:A:958:ARG:NH1	2.42	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:717:VAL:HG12	1:A:727:TYR:CE1	2.50	0.47
1:A:745:LYS:HB3	1:A:788:LEU:HB2	1.96	0.47
1:B:743:ALA:HB3	1:B:790:MET:HG2	1.97	0.47
1:A:933:LEU:O	1:A:944:TYR:OH	2.26	0.47
1:A:747:LEU:HD12	1:A:786:VAL:HB	1.97	0.46
1:A:747:LEU:HB2	1:A:785:THR:HG22	1.97	0.46
1:B:775:CYS:HB3	1:B:852:LYS:HE2	1.97	0.46
1:A:714:LYS:HD2	1:A:727:TYR:HD2	1.82	0.45
1:A:727:TYR:HB3	1:A:728:LYS:H	1.48	0.45
1:B:730:LEU:HD23	1:B:741:PRO:HA	1.98	0.44
1:A:805:HIS:O	1:A:809:ILE:HG13	2.17	0.44
1:B:795:PHE:CE2	1:B:848:PRO:HD3	2.51	0.44
1:B:754:LYS:HE3	1:B:754:LYS:HB2	1.56	0.44
1:A:706:ILE:HG12	1:A:779:GLY:CA	2.46	0.44
1:A:717:VAL:HG12	1:A:727:TYR:CD1	2.52	0.44
1:B:806:LYS:HG3	1:B:910:PHE:HB3	1.99	0.44
1:A:766:MET:HG2	1:A:856:PHE:CE2	2.53	0.44
1:B:783:THR:OG1	1:B:785:THR:O	2.36	0.43
1:A:793:MET:SD	1:A:846:LYS:HG2	2.58	0.43
1:B:772:PRO:O	1:B:850:HIS:NE2	2.52	0.43
1:B:798:LEU:N	1:B:843:VAL:O	2.46	0.42
1:A:852:LYS:HE3	1:A:852:LYS:HB3	1.82	0.42
1:A:825:MET:HE2	1:A:896:ASP:HB3	2.01	0.42
1:A:714:LYS:HD2	1:A:727:TYR:CD2	2.54	0.42
1:B:708:LYS:O	1:B:711:GLU:HG2	2.20	0.42
1:A:707:LEU:HB3	1:A:708:LYS:H	1.55	0.42
1:A:779:GLY:N	1:A:789:ILE:HG22	2.35	0.41
1:B:879:LYS:HD3	1:B:914:PRO:O	2.21	0.41
1:B:744:ILE:HA	1:B:788:LEU:O	2.21	0.41
1:A:708:LYS:C	1:A:710:THR:N	2.78	0.41
1:A:932:ARG:HB3	1:A:951:TRP:CE3	2.56	0.41
1:B:724:GLY:CA	1:B:747:LEU:HA	2.51	0.41
1:A:717:VAL:HA	1:A:727:TYR:HA	2.01	0.41
1:B:790:MET:HE3	2:B:1101:ZNL:C22	2.51	0.41
1:A:852:LYS:NZ	1:A:854:THR:HB	2.33	0.41
1:A:960:LYS:HA	1:A:960:LYS:HD2	1.87	0.40
1:A:709:GLU:C	1:A:711:GLU:N	2.77	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	257/331 (78%)	227 (88%)	18 (7%)	12 (5%)	2	13
1	B	276/331 (83%)	256 (93%)	19 (7%)	1 (0%)	30	60
All	All	533/662 (80%)	483 (91%)	37 (7%)	13 (2%)	4	25

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	705	ARG
1	A	707	LEU
1	A	708	LYS
1	A	786	VAL
1	A	922	GLU
1	A	837	ASP
1	A	784	SER
1	A	838	LEU
1	A	855	ASP
1	B	990	PRO
1	A	920	ALA
1	A	710	THR
1	A	728	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	239/290 (82%)	227 (95%)	12 (5%)	22	50

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	251/290 (87%)	248 (99%)	3 (1%)	63	74
All	All	490/580 (84%)	475 (97%)	15 (3%)	35	61

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	720	SER
1	B	790	MET
1	B	856	PHE
1	A	704	LEU
1	A	705	ARG
1	A	706	ILE
1	A	707	LEU
1	A	709	GLU
1	A	710	THR
1	A	760	LEU
1	A	789	ILE
1	A	922	GLU
1	A	929	LYS
1	A	960	LYS
1	A	1007	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	787	GLN
1	A	849	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ZNL	B	1101	1	37,37,37	2.09	12 (32%)	39,52,52	3.16	12 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ZNL	B	1101	1	-	8/22/35/35	0/4/4/4

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1101	ZNL	C03-C02	5.58	1.47	1.40
2	B	1101	ZNL	C16-N04	4.51	1.43	1.37
2	B	1101	ZNL	C18-N17	4.47	1.46	1.37
2	B	1101	ZNL	C11-N10	3.21	1.41	1.35
2	B	1101	ZNL	C05-N04	2.94	1.53	1.48
2	B	1101	ZNL	C28-C19	2.83	1.49	1.42
2	B	1101	ZNL	C16-N17	2.80	1.46	1.37
2	B	1101	ZNL	C24-N23	2.73	1.43	1.38
2	B	1101	ZNL	C03-N04	2.54	1.48	1.42
2	B	1101	ZNL	C15-C05	2.30	1.55	1.52
2	B	1101	ZNL	C03-C31	2.20	1.43	1.41
2	B	1101	ZNL	C28-C22	2.07	1.41	1.37

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1101	ZNL	C25-C24-N23	11.98	121.97	113.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1101	ZNL	C02-C03-N04	9.29	139.78	128.50
2	B	1101	ZNL	C28-C19-C20	-5.29	107.04	111.44
2	B	1101	ZNL	N04-C16-N30	-4.73	110.94	114.42
2	B	1101	ZNL	C19-C18-N17	4.17	124.06	116.07
2	B	1101	ZNL	C01-C02-C03	3.45	125.64	121.75
2	B	1101	ZNL	O29-C18-N17	-3.39	116.81	122.88
2	B	1101	ZNL	O27-C24-C25	-3.21	117.89	122.70
2	B	1101	ZNL	C12-C11-N10	3.03	120.99	117.66
2	B	1101	ZNL	C31-N30-C16	2.39	107.78	104.06
2	B	1101	ZNL	C31-C03-N04	-2.34	103.29	104.88
2	B	1101	ZNL	C24-N23-C22	2.25	128.30	125.46

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1101	ZNL	N10-C11-C12-C13
2	B	1101	ZNL	O14-C11-C12-C13
2	B	1101	ZNL	C15-C05-N04-C03
2	B	1101	ZNL	C28-C22-N23-C24
2	B	1101	ZNL	S21-C22-N23-C24
2	B	1101	ZNL	N23-C24-C25-C26
2	B	1101	ZNL	O27-C24-C25-C26
2	B	1101	ZNL	C15-C05-N04-C16


There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1101	ZNL	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	267/331 (80%)	0.30	2 (0%)	84 70	65, 113, 158, 205	0
1	B	282/331 (85%)	0.06	5 (1%)	67 49	41, 88, 132, 175	0
All	All	549/662 (82%)	0.17	7 (1%)	75 57	41, 99, 150, 205	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	707	LEU	3.1
1	B	908	MET	2.6
1	B	712	PHE	2.3
1	B	848	PRO	2.2
1	A	950	CYS	2.2
1	A	827	TYR	2.1
1	B	907	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ZNL	B	1101	34/34	0.78	0.12	50,73,90,96	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.