



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 09:18 AM UTC

PDB ID : 4EN6 / pdb_00004en6
Title : Crystal structure of HA70 (HA3) subcomponent of Clostridium botulinum type C progenitor toxin in complex with alpha 2-3-sialyllactose
Authors : Yamashita, S.; Yoshida, H.; Tonozuka, T.; Nishikawa, A.; Kamitori, S.
Deposited on : 2012-04-12
Resolution : 2.56 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1853 (2.58-2.54)
Clashscore	190562	1897 (2.58-2.54)
Ramachandran outliers	187476	1875 (2.58-2.54)
Sidechain outliers	187428	1875 (2.58-2.54)
RSRZ outliers	180081	1853 (2.58-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	224	4% 45% 28% • 24%
2	B	420	4% 68% 29% •
3	C	3	67% 33%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5203 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin components HA-22/23/53.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	170	Total	C	N	O	S	0	0	0
			1382	882	226	271	3			


There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	ILE	-	expression tag	UNP P46085
A	-19	SER	-	expression tag	UNP P46085
A	-18	GLU	-	expression tag	UNP P46085
A	-17	PHE	-	expression tag	UNP P46085
A	-16	ASP	-	expression tag	UNP P46085
A	-15	TYR	-	expression tag	UNP P46085
A	-14	LYS	-	expression tag	UNP P46085
A	-13	ASP	-	expression tag	UNP P46085
A	-12	HIS	-	expression tag	UNP P46085
A	-11	ASP	-	expression tag	UNP P46085
A	-10	ILE	-	expression tag	UNP P46085
A	-9	ASP	-	expression tag	UNP P46085
A	-8	TYR	-	expression tag	UNP P46085
A	-7	LYS	-	expression tag	UNP P46085
A	-6	ASP	-	expression tag	UNP P46085
A	-5	ASP	-	expression tag	UNP P46085
A	-4	ASP	-	expression tag	UNP P46085
A	-3	ASP	-	expression tag	UNP P46085
A	-2	LYS	-	expression tag	UNP P46085
A	-1	TRP	-	expression tag	UNP P46085
A	0	ILE	-	expression tag	UNP P46085

- Molecule 2 is a protein called Hemagglutinin components HA-22/23/53.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	420	Total	C	N	O	S	0	0	0
			3339	2109	553	672	5			

- Molecule 3 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose-(1-4)-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	3	Total	C	N	O	0	0	0
			43	23	1	19			

- Molecule 4 is (4R)-2-METHYLPENTANE-2,4-DIOL (CCD ID: MRD) (formula: C₆H₁₄O₂).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			8	6	2		
4	A	1	Total	C	O	0	0
			8	6	2		
4	A	1	Total	C	O	0	0
			8	6	2		
4	B	1	Total	C	O	0	0
			8	6	2		
4	B	1	Total	C	O	0	0
			8	6	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	106	Total 106	O 106	0	0
5	B	293	Total 293	O 293	0	0

- Molecule 1: Hemagglutinin components HA-22/23/53





4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	175.60Å 175.60Å 80.78Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	25.74 – 2.56 25.74 – 2.56	Depositor EDS
% Data completeness (in resolution range)	97.3 (25.74-2.56) 97.3 (25.74-2.56)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.95 (at 2.57Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.188 , 0.219 (Not available) , 0.225	Depositor DCC
R_{free} test set	4499 reflections (9.81%)	wwPDB-VP
Wilson B-factor (Å ²)	48.4	Xtriage
Anisotropy	0.082	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 49.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.028 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5203	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BGC, GAL, SIA, MRD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/1411	0.94	6/1914 (0.3%)
2	B	0.39	0/3405	0.97	13/4642 (0.3%)
All	All	0.39	0/4816	0.96	19/6556 (0.3%)

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	ILE	N-CA-C	-6.77	102.57	112.04
2	B	547	ILE	N-CA-C	6.71	118.27	110.62
2	B	249	LEU	N-CA-C	-6.66	104.42	112.54
2	B	245	ILE	N-CA-C	6.63	118.33	108.46
2	B	219	GLY	N-CA-C	6.59	118.77	112.04
2	B	452	ILE	N-CA-C	6.52	117.87	108.48
1	A	50	ASN	N-CA-C	6.43	120.24	111.17
2	B	527	SER	N-CA-C	6.17	117.58	109.93
2	B	308	ASN	N-CA-C	-5.53	101.52	110.32
2	B	300	LYS	N-CA-C	5.37	117.14	109.14
2	B	287	THR	N-CA-C	-5.36	105.38	112.94
1	A	97	ILE	N-CA-C	5.34	113.31	107.60
2	B	246	GLN	CA-C-N	5.28	125.74	120.04
2	B	246	GLN	C-N-CA	5.28	125.74	120.04
1	A	179	TYR	N-CA-C	5.11	117.66	110.14
1	A	153	PHE	N-CA-C	5.09	115.06	107.88
2	B	334	LEU	N-CA-C	5.05	118.27	112.57
1	A	122	ILE	N-CA-C	-5.04	101.12	108.17
1	A	41	GLN	N-CA-C	5.03	118.45	112.72

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1382	0	1336	64	0
2	B	3339	0	3275	141	0
3	C	43	0	37	3	0
4	A	24	0	42	12	0
4	B	16	0	28	4	0
5	A	106	0	0	13	0
5	B	293	0	0	29	0
All	All	5203	0	4718	210	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (210) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:161:LYS:HD3	4:A:303:MRD:HMC2	1.57	0.84
2:B:264:ILE:HD11	4:B:704:MRD:HMC3	1.60	0.84
2:B:612:ASN:ND2	2:B:614:ASN:H	1.78	0.81
2:B:435:SER:HB3	2:B:475:LYS:HG2	1.61	0.81
2:B:273:ARG:NH1	2:B:276:ASP:OD2	2.14	0.79
2:B:226:ASN:HD21	2:B:355:ASP:H	1.32	0.77
2:B:264:ILE:HG23	2:B:265:PHE:H	1.49	0.77
2:B:221:GLY:O	2:B:362:THR:HB	1.84	0.77
2:B:545:ASN:HD21	2:B:548:ALA:HB3	1.48	0.77
2:B:612:ASN:HD22	2:B:614:ASN:H	1.32	0.74
1:A:37:SER:O	1:A:38:ARG:HG2	1.85	0.74
2:B:216:ILE:HD12	2:B:369:ILE:HG12	1.69	0.74
2:B:336:LYS:HE2	2:B:362:THR:HG23	1.72	0.72
2:B:373:ILE:HD12	2:B:452:ILE:HD13	1.71	0.72
2:B:484:ILE:HB	5:B:876:HOH:O	1.90	0.72
2:B:545:ASN:HD21	2:B:548:ALA:CB	2.03	0.71
2:B:567:ARG:HD3	2:B:601:TYR:CE1	2.26	0.71
4:A:303:MRD:HMC1	4:A:303:MRD:H5C3	1.71	0.70
2:B:336:LYS:HE2	2:B:362:THR:CG2	2.22	0.69
1:A:85:GLN:NE2	1:A:92:THR:H	1.91	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:183:ASP:CG	1:A:184:ASP:H	2.00	0.68
1:A:108:PRO:HG2	1:A:111:LYS:HB2	1.74	0.68
2:B:378:ASN:H	2:B:378:ASN:HD22	1.42	0.68
2:B:261:ASN:OD1	2:B:264:ILE:HG22	1.94	0.67
1:A:176:LYS:HE3	5:A:476:HOH:O	1.95	0.67
2:B:545:ASN:ND2	2:B:548:ALA:HB3	2.11	0.66
2:B:555:ARG:HD3	5:B:884:HOH:O	1.95	0.65
2:B:214:TYR:HB2	2:B:316:ILE:HD11	1.78	0.64
2:B:314:GLU:OE2	2:B:326:LYS:HE3	1.97	0.64
2:B:256:LEU:HB2	2:B:330:TYR:HB2	1.80	0.64
2:B:264:ILE:HG21	5:B:960:HOH:O	1.96	0.64
2:B:545:ASN:HD22	2:B:545:ASN:N	1.95	0.64
1:A:40:ASN:HD22	1:A:40:ASN:H	1.46	0.63
1:A:47:ILE:HD13	2:B:362:THR:HG22	1.79	0.63
4:A:301:MRD:H1C1	5:A:471:HOH:O	1.98	0.63
2:B:336:LYS:HZ2	2:B:338:GLU:HG3	1.64	0.63
2:B:505:ALA:HB3	5:B:897:HOH:O	1.99	0.62
2:B:216:ILE:CD1	2:B:369:ILE:HG23	2.29	0.62
1:A:59:LEU:O	1:A:61:ILE:N	2.33	0.61
4:A:301:MRD:H3C1	5:A:471:HOH:O	1.99	0.61
4:B:705:MRD:H5C3	5:B:1027:HOH:O	1.99	0.61
1:A:161:LYS:HG2	5:A:493:HOH:O	1.99	0.61
1:A:184:ASP:HA	5:A:430:HOH:O	2.00	0.61
2:B:250:ARG:NE	2:B:250:ARG:HA	2.16	0.61
2:B:264:ILE:HG23	2:B:265:PHE:N	2.14	0.61
1:A:77:GLU:HB2	5:A:470:HOH:O	2.01	0.61
4:A:303:MRD:C5	2:B:368:ILE:HG23	2.31	0.60
2:B:516:ASN:HA	2:B:621:ARG:NH1	2.15	0.60
1:A:168:GLN:HB2	5:A:460:HOH:O	2.02	0.59
2:B:552:PHE:CD2	2:B:595:LEU:HD12	2.37	0.59
2:B:595:LEU:HB3	2:B:601:TYR:CE2	2.36	0.59
2:B:428:ILE:HG23	2:B:455:ILE:HB	1.84	0.59
2:B:336:LYS:NZ	2:B:338:GLU:HG3	2.17	0.59
2:B:447:ASP:HB2	2:B:449:ILE:HG13	1.85	0.59
4:A:302:MRD:H5C3	2:B:289:LEU:HD22	1.84	0.59
2:B:551:ILE:HB	2:B:622:ASN:HB2	1.84	0.59
1:A:165:PHE:HB2	2:B:368:ILE:HD13	1.84	0.59
2:B:361:GLN:NE2	5:B:1000:HOH:O	2.34	0.59
2:B:528:PRO:HG2	2:B:534:ILE:HB	1.84	0.58
1:A:60:ARG:HG3	1:A:60:ARG:O	2.03	0.58
2:B:423:LEU:HD13	2:B:464:LYS:HA	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:591:GLU:HG2	5:B:1008:HOH:O	2.03	0.58
2:B:261:ASN:CG	2:B:264:ILE:HG22	2.29	0.57
1:A:65:ALA:HA	5:A:497:HOH:O	2.05	0.57
1:A:98:PRO:HA	5:A:473:HOH:O	2.03	0.57
1:A:93:GLU:O	1:A:96:GLU:HG2	2.05	0.57
1:A:66:THR:HG23	5:A:443:HOH:O	2.04	0.57
1:A:16:ILE:HD13	1:A:16:ILE:O	2.05	0.57
1:A:60:ARG:NH2	5:A:468:HOH:O	2.37	0.57
4:A:303:MRD:H5C3	2:B:368:ILE:HG23	1.87	0.57
2:B:294:GLU:HB3	2:B:304:MET:HE3	1.88	0.56
3:C:3:SIA:O1B	3:C:3:SIA:H6	2.04	0.56
1:A:90:ASN:OD1	1:A:93:GLU:HG3	2.06	0.56
1:A:37:SER:C	1:A:38:ARG:HG2	2.31	0.55
2:B:512:LEU:HB2	2:B:538:LEU:HD23	1.89	0.55
2:B:559:ASN:HB3	2:B:609:GLU:O	2.07	0.55
2:B:218:LYS:HE2	5:B:958:HOH:O	2.06	0.55
2:B:469:VAL:HG12	2:B:506:ASP:HA	1.89	0.55
2:B:515:LEU:CD1	2:B:538:LEU:HD22	2.37	0.55
2:B:545:ASN:O	2:B:546:ASN:C	2.50	0.55
1:A:40:ASN:H	1:A:40:ASN:ND2	2.04	0.55
2:B:545:ASN:O	2:B:547:ILE:N	2.40	0.55
2:B:444:LEU:HD23	2:B:444:LEU:O	2.07	0.55
1:A:85:GLN:HE22	1:A:92:THR:H	1.55	0.55
2:B:447:ASP:CB	2:B:449:ILE:HG13	2.37	0.54
2:B:484:ILE:O	2:B:485:SER:HB3	2.07	0.54
2:B:515:LEU:HD11	2:B:538:LEU:HD22	1.89	0.54
1:A:183:ASP:CG	1:A:184:ASP:N	2.65	0.54
4:A:303:MRD:H5C2	5:B:877:HOH:O	2.07	0.54
1:A:88:PHE:HB3	5:A:405:HOH:O	2.07	0.54
2:B:612:ASN:HD22	2:B:614:ASN:N	2.04	0.54
2:B:450:LYS:HE2	5:B:892:HOH:O	2.08	0.54
2:B:528:PRO:CG	2:B:534:ILE:HB	2.38	0.54
2:B:550:SER:HA	5:B:1070:HOH:O	2.07	0.53
2:B:328:GLU:HG2	5:B:1007:HOH:O	2.09	0.53
1:A:69:TYR:CE1	1:A:140:LEU:HD13	2.44	0.52
2:B:557:ARG:HH11	2:B:557:ARG:HG2	1.74	0.52
1:A:108:PRO:CG	1:A:111:LYS:HB2	2.38	0.52
2:B:485:SER:N	5:B:876:HOH:O	2.36	0.52
2:B:512:LEU:HG	2:B:523:TYR:CE2	2.45	0.52
2:B:256:LEU:HD11	5:B:1088:HOH:O	2.09	0.52
2:B:458:LEU:HD22	2:B:526:GLN:HB3	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:447:ASP:HB3	5:B:1012:HOH:O	2.08	0.51
2:B:264:ILE:HB	5:B:930:HOH:O	2.10	0.51
2:B:336:LYS:CD	2:B:362:THR:HG21	2.40	0.51
2:B:420:LYS:HD3	5:B:963:HOH:O	2.10	0.51
2:B:555:ARG:NH1	2:B:589:ASN:O	2.44	0.51
1:A:59:LEU:HD11	4:A:302:MRD:CM	2.41	0.50
1:A:50:ASN:HA	1:A:109:SER:O	2.12	0.50
2:B:444:LEU:HD23	2:B:444:LEU:C	2.36	0.50
2:B:237:GLU:O	2:B:240:THR:HB	2.12	0.50
2:B:547:ILE:HG13	2:B:548:ALA:N	2.27	0.50
1:A:154:ASN:OD1	1:A:157:GLU:HG3	2.11	0.50
2:B:512:LEU:CD2	2:B:538:LEU:HD21	2.42	0.49
2:B:387:PRO:HA	5:B:1035:HOH:O	2.13	0.49
2:B:386:ILE:HG13	2:B:386:ILE:O	2.12	0.49
2:B:392:TYR:HB3	2:B:492:LEU:HB3	1.95	0.49
1:A:154:ASN:O	1:A:156:GLU:N	2.46	0.49
2:B:398:ILE:HG12	2:B:484:ILE:HG12	1.94	0.49
2:B:515:LEU:HD11	2:B:538:LEU:CD2	2.42	0.49
1:A:30:ARG:HB2	1:A:123:ARG:HB3	1.95	0.49
2:B:560:GLN:HB3	2:B:609:GLU:HB3	1.93	0.49
2:B:365:ASN:HB3	5:B:1030:HOH:O	2.12	0.48
4:A:301:MRD:H1C2	4:A:301:MRD:O4	2.12	0.48
2:B:435:SER:HA	2:B:474:ASP:O	2.13	0.48
1:A:20:ASN:O	1:A:21:LEU:HD12	2.14	0.48
1:A:130:LEU:CD1	1:A:131:GLN:HG2	2.43	0.48
2:B:318:TYR:OH	2:B:321:GLY:HA2	2.13	0.48
1:A:85:GLN:HE22	1:A:92:THR:CB	2.26	0.48
1:A:15:SER:HA	5:A:449:HOH:O	2.14	0.48
2:B:559:ASN:HB2	2:B:615:ILE:HD13	1.96	0.48
2:B:336:LYS:HD2	2:B:362:THR:HG21	1.96	0.48
4:A:302:MRD:HMC2	4:A:302:MRD:O4	2.14	0.47
1:A:46:ASN:ND2	1:A:54:ALA:HB1	2.30	0.47
1:A:16:ILE:O	1:A:16:ILE:CD1	2.63	0.47
2:B:556:THR:HA	2:B:616:ILE:O	2.14	0.47
1:A:20:ASN:C	1:A:21:LEU:HD12	2.39	0.47
2:B:567:ARG:NH1	2:B:569:THR:HG22	2.30	0.47
1:A:30:ARG:NH1	1:A:175:GLU:OE2	2.44	0.47
1:A:115:MET:HA	1:A:149:LYS:O	2.15	0.47
2:B:398:ILE:CG1	2:B:484:ILE:HG12	2.46	0.46
2:B:526:GLN:NE2	5:B:1055:HOH:O	2.48	0.46
1:A:103:PHE:CD2	1:A:148:VAL:HG13	2.51	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:40:ASN:HD21	1:A:166:THR:H	1.63	0.46
1:A:130:LEU:O	1:A:131:GLN:HB2	2.16	0.46
2:B:458:LEU:HD13	2:B:525:ARG:HD2	1.97	0.46
1:A:38:ARG:HB3	1:A:165:PHE:CZ	2.51	0.45
1:A:126:ILE:HB	1:A:138:ALA:HB3	1.97	0.45
2:B:525:ARG:C	2:B:614:ASN:HD22	2.23	0.45
2:B:250:ARG:HA	2:B:250:ARG:CZ	2.46	0.45
2:B:512:LEU:HD23	2:B:538:LEU:HD21	1.98	0.45
2:B:571:SER:C	2:B:573:ASN:H	2.23	0.45
2:B:427:ILE:HA	2:B:457:GLY:HA3	1.98	0.45
1:A:69:TYR:CD1	1:A:140:LEU:HD13	2.52	0.45
2:B:336:LYS:HE2	2:B:362:THR:HG21	1.98	0.45
2:B:430:GLU:HG2	5:B:948:HOH:O	2.16	0.45
2:B:419:THR:HG21	2:B:424:PRO:HD2	1.98	0.45
1:A:15:SER:N	1:A:18:ASN:ND2	2.64	0.44
2:B:294:GLU:CB	2:B:304:MET:HE3	2.46	0.44
1:A:125:GLU:OE1	1:A:137:ARG:NH2	2.47	0.44
2:B:289:LEU:HD12	2:B:289:LEU:N	2.32	0.44
2:B:414:VAL:HG21	2:B:502:SER:CB	2.47	0.44
2:B:378:ASN:H	2:B:378:ASN:ND2	2.12	0.44
2:B:214:TYR:HB2	2:B:316:ILE:CD1	2.47	0.44
1:A:58:ASP:OD2	1:A:59:LEU:N	2.45	0.44
2:B:387:PRO:HG2	2:B:389:ASP:O	2.17	0.44
1:A:156:GLU:N	1:A:156:GLU:OE1	2.51	0.44
2:B:264:ILE:CG2	2:B:265:PHE:H	2.27	0.43
2:B:263:THR:HG22	5:B:895:HOH:O	2.18	0.43
1:A:80:ILE:HD11	1:A:138:ALA:HB1	2.01	0.43
2:B:318:TYR:CZ	2:B:321:GLY:HA2	2.53	0.43
1:A:59:LEU:HD11	4:A:302:MRD:HMC2	1.99	0.43
1:A:60:ARG:HD3	1:A:144:SER:O	2.19	0.43
2:B:418:THR:HG22	5:B:962:HOH:O	2.18	0.43
1:A:137:ARG:O	2:B:438:ASN:HA	2.18	0.43
2:B:251:ASN:O	2:B:285:THR:HA	2.19	0.43
1:A:33:GLY:O	1:A:172:ILE:HG12	2.18	0.43
2:B:264:ILE:HD11	4:B:704:MRD:CM	2.40	0.43
2:B:275:ASN:O	2:B:279:ASN:HA	2.18	0.43
2:B:373:ILE:CD1	2:B:452:ILE:HG21	2.49	0.43
2:B:414:VAL:HG21	2:B:502:SER:HB3	2.01	0.43
2:B:544:PHE:HE1	2:B:596:LEU:HD23	1.84	0.43
2:B:210:PRO:HA	2:B:526:GLN:HE22	1.84	0.42
2:B:245:ILE:HG13	2:B:291:LYS:HG3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:436:ASN:HB3	5:B:994:HOH:O	2.19	0.42
2:B:497:GLU:HB3	2:B:501:ILE:HG21	2.01	0.42
2:B:523:TYR:CE1	3:C:3:SIA:H112	2.54	0.42
2:B:256:LEU:HD23	2:B:256:LEU:HA	1.92	0.42
2:B:312:LYS:HE2	5:B:1007:HOH:O	2.18	0.41
2:B:516:ASN:HA	2:B:621:ARG:HH12	1.84	0.41
2:B:458:LEU:CD2	2:B:526:GLN:HB3	2.50	0.41
2:B:517:THR:O	2:B:621:ARG:HD3	2.21	0.41
1:A:61:ILE:O	1:A:62:ARG:C	2.62	0.41
2:B:545:ASN:ND2	2:B:545:ASN:N	2.66	0.41
2:B:273:ARG:NH2	5:B:875:HOH:O	2.48	0.41
1:A:62:ARG:HB2	1:A:95:SER:O	2.21	0.41
2:B:256:LEU:HD21	5:B:1088:HOH:O	2.20	0.41
4:B:704:MRD:O2	4:B:704:MRD:H5C3	2.20	0.41
1:A:66:THR:HA	1:A:67:PRO:HD3	1.93	0.41
2:B:226:ASN:HD21	2:B:355:ASP:N	2.08	0.41
2:B:248:ARG:C	2:B:250:ARG:N	2.77	0.41
1:A:27:VAL:O	1:A:27:VAL:HG13	2.20	0.41
1:A:47:ILE:CD1	2:B:362:THR:HG22	2.46	0.41
1:A:164:TYR:HB2	2:B:368:ILE:HD11	2.02	0.41
3:C:3:SIA:O1B	3:C:3:SIA:C6	2.69	0.41
2:B:526:GLN:NE2	5:B:1054:HOH:O	2.53	0.41
2:B:255:PRO:HG3	2:B:283:PHE:O	2.20	0.41
2:B:559:ASN:HB2	2:B:615:ILE:CD1	2.51	0.41
2:B:273:ARG:NE	5:B:875:HOH:O	2.44	0.40
2:B:522:TYR:CE1	2:B:557:ARG:HD3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	168/224 (75%)	148 (88%)	15 (9%)	5 (3%)	3	3
2	B	418/420 (100%)	397 (95%)	19 (4%)	2 (0%)	24	33
All	All	586/644 (91%)	545 (93%)	34 (6%)	7 (1%)	10	14

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	60	ARG
1	A	155	SER
1	A	157	GLU
2	B	546	ASN
2	B	545	ASN
1	A	65	ALA
1	A	62	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	153/207 (74%)	151 (99%)	2 (1%)	61	74
2	B	385/385 (100%)	371 (96%)	14 (4%)	31	44
All	All	538/592 (91%)	522 (97%)	16 (3%)	36	51

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	ILE
1	A	130	LEU
2	B	237	GLU
2	B	249	LEU
2	B	279	ASN
2	B	289	LEU
2	B	349	VAL
2	B	357	ASP
2	B	362	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	373	ILE
2	B	378	ASN
2	B	408	LYS
2	B	526	GLN
2	B	545	ASN
2	B	582	ASN
2	B	615	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	ASN
1	A	41	GLN
1	A	46	ASN
1	A	82	ASN
1	A	85	GLN
2	B	226	ASN
2	B	275	ASN
2	B	320	ASN
2	B	322	ASN
2	B	378	ASN
2	B	399	GLN
2	B	410	ASN
2	B	422	ASN
2	B	491	GLN
2	B	545	ASN
2	B	558	ASN
2	B	576	ASN
2	B	588	ASN
2	B	612	ASN
2	B	614	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

3 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	BGC	C	1	3	12,12,12	0.39	0	17,17,17	0.51	0
3	GAL	C	2	3	11,11,12	0.36	0	15,15,17	0.52	0
3	SIA	C	3	3	20,20,21	0.73	0	21,28,31	0.97	2 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BGC	C	1	3	-	2/2/22/22	0/1/1/1
3	GAL	C	2	3	-	0/2/19/22	0/1/1/1
3	SIA	C	3	3	-	0/18/34/38	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	3	SIA	O1B-C1-C2	2.38	118.89	112.71
3	C	3	SIA	O1A-C1-C2	-2.03	118.46	122.85

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	C	1	BGC	O5-C5-C6-O6
3	C	1	BGC	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	3	SIA	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	MRD	B	705	-	7,7,7	0.26	0	9,10,10	0.27	0
4	MRD	A	302	-	7,7,7	0.27	0	9,10,10	0.26	0
4	MRD	A	301	-	7,7,7	0.27	0	9,10,10	0.34	0
4	MRD	B	704	-	7,7,7	0.32	0	9,10,10	0.30	0
4	MRD	A	303	-	7,7,7	0.26	0	9,10,10	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MRD	B	705	-	-	1/5/5/5	-
4	MRD	A	302	-	-	1/5/5/5	-
4	MRD	A	301	-	-	0/5/5/5	-
4	MRD	B	704	-	-	2/5/5/5	-
4	MRD	A	303	-	-	2/5/5/5	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	303	MRD	C2-C3-C4-O4
4	A	303	MRD	C2-C3-C4-C5
4	B	704	MRD	C2-C3-C4-O4
4	B	704	MRD	C2-C3-C4-C5
4	A	302	MRD	O2-C2-C3-C4
4	B	705	MRD	C2-C3-C4-C5

There are no ring outliers.

5 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	705	MRD	1	0
4	A	302	MRD	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	301	MRD	3	0
4	B	704	MRD	3	0
4	A	303	MRD	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	170/224 (75%)	0.05	8 (4%) 36 37	29, 50, 80, 90	0
2	B	420/420 (100%)	0.09	15 (3%) 46 47	27, 50, 74, 90	0
All	All	590/644 (91%)	0.08	23 (3%) 43 44	27, 50, 76, 90	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	16	ILE	4.8
2	B	572	ILE	3.6
2	B	446	ASN	3.2
2	B	516	ASN	3.0
2	B	547	ILE	3.0
2	B	546	ASN	2.9
1	A	62	ARG	2.8
2	B	623	SER	2.7
1	A	184	ASP	2.6
2	B	513	ASP	2.5
2	B	264	ILE	2.5
2	B	486	SER	2.4
2	B	571	SER	2.4
1	A	158	GLN	2.4
2	B	205	THR	2.3
2	B	538	LEU	2.2
1	A	63	GLU	2.2
2	B	487	SER	2.1
2	B	515	LEU	2.0
1	A	64	THR	2.0
1	A	66	THR	2.0
2	B	436	ASN	2.0
1	A	61	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	BGC	C	1	12/12	0.64	0.16	74,85,87,89	0
3	GAL	C	2	11/12	0.90	0.09	57,66,68,69	0
3	SIA	C	3	20/21	0.92	0.10	47,51,54,55	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MRD	A	302	8/8	0.72	0.25	71,72,76,77	0
4	MRD	B	704	8/8	0.83	0.23	61,63,64,67	0
4	MRD	B	705	8/8	0.85	0.23	68,70,71,73	0
4	MRD	A	303	8/8	0.86	0.20	70,71,73,73	0
4	MRD	A	301	8/8	0.89	0.17	63,65,66,67	0

6.5 Other polymers

There are no such residues in this entry.