



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 7, 2026 – 01:48 AM UTC

PDB ID : 6EN6 / pdb_00006en6
Title : Crystal structure B of the Angiotensin-1 converting enzyme N-domain in complex with a diprolyl inhibitor.
Authors : Cozier, G.E.; Acharya, K.R.; Fienberg, S.; Chibale, K.; Sturrock, E.D.
Deposited on : 2017-10-04
Resolution : 1.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	629	3% 92% 7% • •
1	B	629	4% 89% 7% •
1	C	629	4% 90% 6% •
1	D	629	• 93% • •
2	E	2	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	2	 100%
2	M	2	 50% 50%
3	F	4	 50% 50%
3	I	4	 25% 75%
3	N	4	 50% 50%
4	G	3	 67% 33%
4	L	3	 67% 33%
5	J	2	 100%
5	O	2	 50% 50%
6	K	3	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
13	ACT	D	724	-	-	X	-
13	ACT	D	727	-	-	X	-

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 43754 atoms, of which 20266 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Angiotensin-converting enzyme.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	605	Total	C	H	N	O	S	0	12	0
			9801	3214	4791	866	910	20			
1	B	605	Total	C	H	N	O	S	0	15	0
			9862	3230	4823	871	919	19			
1	C	606	Total	C	H	N	O	S	0	16	0
			9838	3227	4804	866	922	19			
1	D	614	Total	C	H	N	O	S	0	13	0
			9975	3269	4876	878	933	19			

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	9	GLN	ASN	conflict	UNP P12821
A	25	GLN	ASN	conflict	UNP P12821
A	82	GLN	ASN	conflict	UNP P12821
A	117	GLN	ASN	conflict	UNP P12821
A	131	GLN	ASN	conflict	UNP P12821
A	289	GLN	ASN	conflict	UNP P12821
A	545	ARG	GLN	conflict	UNP P12821
A	576	LEU	PRO	conflict	UNP P12821
A	629	LEU	-	expression tag	UNP P12821
B	9	GLN	ASN	conflict	UNP P12821
B	25	GLN	ASN	conflict	UNP P12821
B	82	GLN	ASN	conflict	UNP P12821
B	117	GLN	ASN	conflict	UNP P12821
B	131	GLN	ASN	conflict	UNP P12821
B	289	GLN	ASN	conflict	UNP P12821
B	545	ARG	GLN	conflict	UNP P12821
B	576	LEU	PRO	conflict	UNP P12821
B	629	LEU	-	expression tag	UNP P12821
C	9	GLN	ASN	conflict	UNP P12821
C	25	GLN	ASN	conflict	UNP P12821
C	82	GLN	ASN	conflict	UNP P12821

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	117	GLN	ASN	conflict	UNP P12821
C	131	GLN	ASN	conflict	UNP P12821
C	289	GLN	ASN	conflict	UNP P12821
C	545	ARG	GLN	conflict	UNP P12821
C	576	LEU	PRO	conflict	UNP P12821
C	629	LEU	-	expression tag	UNP P12821
D	9	GLN	ASN	conflict	UNP P12821
D	25	GLN	ASN	conflict	UNP P12821
D	82	GLN	ASN	conflict	UNP P12821
D	117	GLN	ASN	conflict	UNP P12821
D	131	GLN	ASN	conflict	UNP P12821
D	289	GLN	ASN	conflict	UNP P12821
D	545	ARG	GLN	conflict	UNP P12821
D	576	LEU	PRO	conflict	UNP P12821
D	629	LEU	-	expression tag	UNP P12821

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	2	Total	C	H	N	O	0	0	0
			53	16	25	2	10			
2	H	2	Total	C	H	N	O	0	0	0
			53	16	25	2	10			
2	M	2	Total	C	H	N	O	0	0	0
			53	16	25	2	10			

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	F	4	Total	C	H	N	O	0	0	0
			92	28	43	2	19			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	I	4	Total	C	H	N	O	0	0	0
			92	28	43	2	19			
3	N	4	Total	C	H	N	O	0	0	0
			92	28	43	2	19			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	G	3	Total	C	H	N	O	0	0	0
			72	22	34	2	14			
4	L	3	Total	C	H	N	O	0	0	0
			72	22	34	2	14			

- Molecule 5 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	J	2	Total	C	H	N	O	0	0	0
			46	14	22	1	9			
5	O	2	Total	C	H	N	O	0	0	0
			46	14	22	1	9			

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	K	3	Total	C	H	N	O	0	0	0
			73	22	34	2	15			

- Molecule 7 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Zn	0	0
			1	1		
7	B	1	Total	Zn	0	0
			1	1		
7	C	1	Total	Zn	0	0
			1	1		
7	D	1	Total	Zn	0	0
			1	1		

- Molecule 8 is (2 {S})-1-[(2 {S})-2-[[[(1 {S})-1-[(2 {S})-1-[(2 {S})-2-azanyl-4-oxidanyl-4-oxidanylidene-butanoyl]pyrrolidin-2-yl]-2-oxidanyl-2-oxidanylidene-ethyl]amino]propanoyl]pyrrolidine-2-carboxylic acid (CCD ID: BJ2) (formula: C₁₈H₂₈N₄O₈).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	A	1	Total	C	H	N	O	0	0
			55	18	25	4	8		
8	B	1	Total	C	H	N	O	0	0
			55	18	25	4	8		
8	C	1	Total	C	H	N	O	0	0
			55	18	25	4	8		
8	D	1	Total	C	H	N	O	0	0
			55	18	25	4	8		


- Molecule 9 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	1	Total Cl 1 1	0	0
9	B	1	Total Cl 1 1	0	0
9	C	1	Total Cl 1 1	0	0
9	D	1	Total Cl 1 1	0	0

- Molecule 10 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	1	Total Mg 1 1	0	0
10	B	1	Total Mg 1 1	0	0
10	C	1	Total Mg 1 1	0	0
10	D	1	Total Mg 1 1	0	0

- Molecule 11 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	A	1	Total C H O 17 4 10 3	0	0
11	A	1	Total C H O 17 4 10 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	B	1	Total	C	H	O	0	0
			17	4	10	3		
11	B	1	Total	C	H	O	0	0
			17	4	10	3		
11	B	1	Total	C	H	O	0	0
			17	4	10	3		
11	B	1	Total	C	H	O	0	0
			17	4	10	3		
11	C	1	Total	C	H	O	0	0
			17	4	10	3		
11	C	1	Total	C	H	O	0	0
			17	4	10	3		
11	D	1	Total	C	H	O	0	0
			17	4	10	3		
11	D	1	Total	C	H	O	0	0
			17	4	10	3		

- Molecule 12 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
12	A	1	Total	C	H	O	0	0
			10	2	6	2		
12	A	1	Total	C	H	O	0	0
			10	2	6	2		
12	B	1	Total	C	H	O	0	0
			10	2	6	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
12	B	1	Total	C	H	O	0	0
			10	2	6	2		
12	B	1	Total	C	H	O	0	0
			10	2	6	2		
12	B	1	Total	C	H	O	0	0
			10	2	6	2		
12	B	1	Total	C	H	O	0	0
			10	2	6	2		
12	B	1	Total	C	H	O	0	0
			10	2	6	2		
12	B	1	Total	C	H	O	0	0
			10	2	6	2		
12	C	1	Total	C	H	O	0	0
			10	2	6	2		
12	C	1	Total	C	H	O	0	0
			10	2	6	2		
12	C	1	Total	C	H	O	0	0
			10	2	6	2		
12	C	1	Total	C	H	O	0	0
			10	2	6	2		
12	D	1	Total	C	H	O	0	0
			10	2	6	2		
12	D	1	Total	C	H	O	0	0
			10	2	6	2		
12	D	1	Total	C	H	O	0	0
			10	2	6	2		
12	D	1	Total	C	H	O	0	0
			10	2	6	2		
12	D	1	Total	C	H	O	0	0
			10	2	6	2		
12	D	1	Total	C	H	O	0	0
			10	2	6	2		
12	D	1	Total	C	H	O	0	1
			10	2	6	2		

- Molecule 13 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
13	A	1	Total	C	H	O	0	0
			7	2	3	2		
13	A	1	Total	C	H	O	0	0
			7	2	3	2		
13	B	1	Total	C	H	O	0	0
			7	2	3	2		
13	B	1	Total	C	H	O	0	0
			7	2	3	2		
13	B	1	Total	C	H	O	0	0
			7	2	3	2		
13	C	1	Total	C	H	O	0	0
			7	2	3	2		
13	C	1	Total	C	H	O	0	0
			7	2	3	2		
13	C	1	Total	C	H	O	0	0
			7	2	3	2		
13	D	1	Total	C	H	O	0	0
			7	2	3	2		
13	D	1	Total	C	H	O	0	0
			7	2	3	2		
13	D	1	Total	C	H	O	0	0
			7	2	3	2		
13	D	1	Total	C	H	O	0	0
			7	2	3	2		

- Molecule 14 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: C₆H₁₄O₄).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
14	A	1	Total	C	H	O	0	0
			24	6	14	4		
14	B	1	Total	C	H	O	0	0
			24	6	14	4		
14	B	1	Total	C	H	O	0	1
			48	12	28	8		
14	D	1	Total	C	H	O	0	0
			24	6	14	4		
14	D	1	Total	C	H	O	0	0
			24	6	14	4		
14	D	1	Total	C	H	O	0	0
			24	6	14	4		

- Molecule 15 is BICINE (CCD ID: BCN) (formula: $C_6H_{13}NO_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	H	N	O		
15	A	1	23	6	12	1	4	0	0

- Molecule 16 is NONAETHYLENE GLYCOL (CCD ID: 2PE) (formula: C₁₈H₃₈O₁₀).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
16	B	1	66	18	38	10	0	0

- Molecule 17 is 3,6,9,12,15,18,21,24,27-NONAOXANONACOSANE-1,29-DIOL (CCD ID: XPE) (formula: C₂₀H₄₂O₁₁).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
17	B	1	Total 73	C 20	H 42	O 11	0	0
17	C	1	Total 73	C 20	H 42	O 11	0	0

- Molecule 18 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $\text{C}_8\text{H}_{15}\text{NO}_6$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
18	C	1	Total	C	H	N	O	0	0
			27	8	13	1	5		


- Molecule 19 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	A	572	Total 578	O 578	0	6
19	B	571	Total 573	O 573	0	2
19	C	556	Total 559	O 559	0	3
19	D	662	Total 671	O 671	0	11


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Angiotensin-converting enzyme




- Molecule 1: Angiotensin-converting enzyme




- Molecule 1: Angiotensin-converting enzyme




- Molecule 1: Angiotensin-converting enzyme



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  50% 50%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  67% 33%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  67% 33%



- Molecule 5: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%



- Molecule 5: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  50% 50%



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	74.44Å 103.37Å 115.65Å 84.48° 85.50° 81.61°	Depositor
Resolution (Å)	79.70 – 1.80 79.70 – 1.80	Depositor EDS
% Data completeness (in resolution range)	97.3 (79.70-1.80) 97.3 (79.70-1.80)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.61 (at 1.80Å)	Xtriage
Refinement program	PHENIX (1.12_2829: ???)	Depositor
R, R_{free}	0.193 , 0.226 0.197 , 0.230	Depositor DCC
R_{free} test set	3041 reflections (0.97%)	wwPDB-VP
Wilson B-factor (Å ²)	21.3	Xtriage
Anisotropy	0.140	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 45.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	43754	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.97 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.4028e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, ACT, ZN, PGE, BJ2, FUC, MG, XPE, PEG, NAG, BCN, CL, BMA, 2PE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.60	0/5213	0.62	0/7098
1	B	0.66	3/5225 (0.1%)	0.65	0/7111
1	C	0.60	5/5236 (0.1%)	0.61	0/7131
1	D	0.66	4/5278 (0.1%)	0.66	0/7187
All	All	0.63	12/20952 (0.1%)	0.63	0/28527

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	219	GLU	C-O	-8.40	1.16	1.24
1	D	172	LYS	C-O	-8.18	1.16	1.24
1	B	442	VAL	C-O	-8.08	1.15	1.24
1	D	542	LYS	C-O	-8.01	1.14	1.24
1	D	46	ILE	C-O	-7.15	1.17	1.23

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5010	4791	4736	17	0
1	B	5039	4823	4791	31	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	5034	4804	4748	22	0
1	D	5099	4876	4838	18	0
2	E	28	25	25	0	0
2	H	28	25	25	0	0
2	M	28	25	25	0	0
3	F	49	43	43	1	0
3	I	49	43	43	1	0
3	N	49	43	43	0	0
4	G	38	34	34	0	0
4	L	38	34	34	0	0
5	J	24	22	22	2	0
5	O	24	22	22	1	0
6	K	39	34	34	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	D	1	0	0	0	0
8	A	30	25	0	0	0
8	B	30	25	0	1	0
8	C	30	25	0	1	0
8	D	30	25	0	1	0
9	A	1	0	0	0	0
9	B	1	0	0	0	0
9	C	1	0	0	0	0
9	D	1	0	0	0	0
10	A	1	0	0	0	0
10	B	1	0	0	0	0
10	C	1	0	0	0	0
10	D	1	0	0	0	0
11	A	14	20	20	0	0
11	B	28	40	40	2	0
11	C	14	20	20	3	0
11	D	14	20	20	1	0
12	A	8	12	12	0	0
12	B	32	48	48	4	0
12	C	16	24	24	0	0
12	D	36	54	54	0	0
13	A	8	6	6	0	0
13	B	12	9	9	1	0
13	C	12	9	9	2	0
13	D	20	15	15	3	0
14	A	10	14	14	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
14	B	30	42	42	4	0
14	D	30	42	42	3	0
15	A	11	12	12	2	0
16	B	28	38	38	4	0
17	B	31	42	42	0	0
17	C	31	42	42	2	0
18	C	14	13	13	0	0
19	A	578	0	0	6	0
19	B	573	0	0	7	0
19	C	559	0	0	7	0
19	D	671	0	0	5	0
All	All	23488	20266	19985	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 104 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:545:ARG:NH1	19:A:803:HOH:O	2.25	0.69
1:D:378:SER:O	1:D:381[B]:ARG:NH2	2.26	0.69
13:D:724:ACT:H3	13:D:727:ACT:H3	1.76	0.68
1:A:444[B]:GLN:NE2	19:A:802:HOH:O	2.23	0.67
13:D:724:ACT:H3	13:D:727:ACT:CH3	2.26	0.64

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	613/629 (98%)	602 (98%)	11 (2%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	616/629 (98%)	606 (98%)	10 (2%)	0	100	100
1	C	618/629 (98%)	606 (98%)	12 (2%)	0	100	100
1	D	623/629 (99%)	614 (99%)	9 (1%)	0	100	100
All	All	2470/2516 (98%)	2428 (98%)	42 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	532/541 (98%)	528 (99%)	4 (1%)	73	70
1	B	535/541 (99%)	530 (99%)	5 (1%)	70	67
1	C	536/541 (99%)	532 (99%)	4 (1%)	76	73
1	D	541/541 (100%)	537 (99%)	4 (1%)	76	73
All	All	2144/2164 (99%)	2127 (99%)	17 (1%)	73	70

5 of 17 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	372	TYR
1	D	609	GLU
1	B	388	HIS
1	B	591	VAL
1	C	155	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 18 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	224	ASN
1	D	606	ASN
1	D	585	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	585	ASN
1	D	217	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

31 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	E	1	1,2	14,14,15	0.53	0	17,19,21	0.63	0
2	NAG	E	2	2	14,14,15	0.28	0	17,19,21	0.49	0
3	NAG	F	1	1,3	14,14,15	0.36	0	17,19,21	0.47	0
3	NAG	F	2	3	14,14,15	0.48	0	17,19,21	0.40	0
3	BMA	F	3	3	11,11,12	0.51	0	15,15,17	0.70	0
3	FUC	F	4	3	10,10,11	1.05	0	14,14,16	0.77	0
4	NAG	G	1	4,1	14,14,15	0.41	0	17,19,21	0.68	0
4	NAG	G	2	4	14,14,15	0.21	0	17,19,21	0.64	0
4	FUC	G	3	4	10,10,11	1.42	2 (20%)	14,14,16	1.64	3 (21%)
2	NAG	H	1	1,2	14,14,15	0.24	0	17,19,21	0.71	1 (5%)
2	NAG	H	2	2	14,14,15	0.46	0	17,19,21	0.70	1 (5%)
3	NAG	I	1	1,3	14,14,15	0.79	1 (7%)	17,19,21	0.78	0
3	NAG	I	2	3	14,14,15	0.24	0	17,19,21	0.37	0
3	BMA	I	3	3	11,11,12	0.73	0	15,15,17	0.73	0
3	FUC	I	4	3	10,10,11	1.37	2 (20%)	14,14,16	1.01	1 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	J	1	1,5	14,14,15	1.06	1 (7%)	17,19,21	0.87	0
5	FUC	J	2	5	10,10,11	1.62	2 (20%)	14,14,16	1.11	1 (7%)
6	NAG	K	1	1,6	14,14,15	0.28	0	17,19,21	0.39	0
6	NAG	K	2	6	14,14,15	0.42	0	17,19,21	0.51	0
6	BMA	K	3	6	11,11,12	0.73	0	15,15,17	0.68	0
4	NAG	L	1	4,1	14,14,15	0.28	0	17,19,21	0.61	0
4	NAG	L	2	4	14,14,15	0.29	0	17,19,21	0.66	0
4	FUC	L	3	4	10,10,11	1.23	1 (10%)	14,14,16	1.06	1 (7%)
2	NAG	M	1	1,2	14,14,15	0.36	0	17,19,21	0.62	1 (5%)
2	NAG	M	2	2	14,14,15	0.28	0	17,19,21	0.57	0
3	NAG	N	1	1,3	14,14,15	0.80	1 (7%)	17,19,21	0.57	0
3	NAG	N	2	3	14,14,15	0.42	0	17,19,21	0.56	0
3	BMA	N	3	3	11,11,12	0.79	0	15,15,17	1.52	2 (13%)
3	FUC	N	4	3	10,10,11	0.69	0	14,14,16	0.90	0
5	NAG	O	1	1,5	14,14,15	0.91	1 (7%)	17,19,21	0.75	0
5	FUC	O	2	5	10,10,11	1.37	2 (20%)	14,14,16	1.35	2 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	1,2	-	1/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
3	NAG	F	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	F	2	3	-	2/6/23/26	0/1/1/1
3	BMA	F	3	3	-	1/2/19/22	0/1/1/1
3	FUC	F	4	3	-	-	0/1/1/1
4	NAG	G	1	4,1	-	4/6/23/26	0/1/1/1
4	NAG	G	2	4	-	2/6/23/26	0/1/1/1
4	FUC	G	3	4	-	-	0/1/1/1
2	NAG	H	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	0/6/23/26	0/1/1/1
3	NAG	I	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1
3	BMA	I	3	3	-	0/2/19/22	0/1/1/1
3	FUC	I	4	3	-	-	0/1/1/1
5	NAG	J	1	1,5	-	4/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	FUC	J	2	5	-	-	0/1/1/1
6	NAG	K	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	K	2	6	-	2/6/23/26	0/1/1/1
6	BMA	K	3	6	-	2/2/19/22	0/1/1/1
4	NAG	L	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	L	2	4	-	4/6/23/26	0/1/1/1
4	FUC	L	3	4	-	-	0/1/1/1
2	NAG	M	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	M	2	2	-	2/6/23/26	0/1/1/1
3	NAG	N	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	N	2	3	-	1/6/23/26	0/1/1/1
3	BMA	N	3	3	-	0/2/19/22	0/1/1/1
3	FUC	N	4	3	-	-	0/1/1/1
5	NAG	O	1	1,5	-	2/6/23/26	0/1/1/1
5	FUC	O	2	5	-	-	0/1/1/1

The worst 5 of 13 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	J	2	FUC	C1-C2	4.34	1.62	1.52
5	J	1	NAG	O5-C1	3.67	1.49	1.43
5	O	1	NAG	O5-C1	3.18	1.49	1.43
4	G	3	FUC	O5-C1	-3.14	1.38	1.43
5	O	2	FUC	O5-C1	-2.39	1.39	1.43

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	3	FUC	C1-C2-C3	4.53	116.24	109.64
5	O	2	FUC	O5-C5-C4	3.24	115.39	109.55
3	N	3	BMA	C1-C2-C3	3.02	114.05	109.64
3	N	3	BMA	O5-C5-C6	2.83	113.17	107.66
4	G	3	FUC	C2-C3-C4	2.81	115.80	110.86

There are no chirality outliers.

5 of 35 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	I	1	NAG	C4-C5-C6-O6
4	G	1	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	F	1	NAG	O5-C5-C6-O6
4	G	2	NAG	O5-C5-C6-O6
5	J	1	NAG	O5-C5-C6-O6


There are no ring outliers.


6 monomers are involved in 5 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	I	2	NAG	1	0
3	F	1	NAG	1	0
5	J	1	NAG	1	0
5	O	2	FUC	1	0
5	J	2	FUC	2	0
3	F	4	FUC	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.




















5.6 Ligand geometry [i](#)

Of 74 ligands modelled in this entry, 12 are monoatomic - leaving 62 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	EDO	C	716	-	3,3,3	0.47	0	2,2,2	0.34	0
14	PGE	B	728	-	9,9,9	0.56	0	8,8,8	0.62	0
12	EDO	B	724	-	3,3,3	0.43	0	2,2,2	0.45	0
13	ACT	A	719	-	3,3,3	1.17	0	3,3,3	1.46	0
8	BJ2	A	711	7	31,31,31	3.74	13 (41%)	37,44,44	1.42	6 (16%)
12	EDO	B	720	-	3,3,3	0.45	0	2,2,2	0.37	0
14	PGE	B	729[B]	-	9,9,9	0.33	0	8,8,8	0.46	0
13	ACT	C	720	-	3,3,3	1.50	0	3,3,3	1.50	1 (33%)
12	EDO	D	716	-	3,3,3	0.44	0	2,2,2	0.31	0
14	PGE	A	720	-	9,9,9	0.49	0	8,8,8	0.88	0
16	2PE	B	730	-	27,27,27	0.57	0	26,26,26	0.53	0
11	PEG	A	714	-	6,6,6	0.47	0	5,5,5	0.52	0
17	XPE	C	721	-	30,30,30	0.57	0	29,29,29	0.59	0
13	ACT	D	724	-	3,3,3	1.24	0	3,3,3	1.53	1 (33%)
11	PEG	D	714	-	6,6,6	0.48	0	5,5,5	0.37	0
13	ACT	B	726	-	3,3,3	1.20	0	3,3,3	1.88	2 (66%)
13	ACT	C	718	-	3,3,3	1.48	1 (33%)	3,3,3	1.50	0
14	PGE	B	729[A]	-	9,9,9	0.36	0	8,8,8	0.26	0
14	PGE	D	729	-	9,9,9	0.39	0	8,8,8	0.43	0
18	NAG	C	701	1	14,14,15	0.29	0	17,19,21	0.66	0
12	EDO	C	715	-	3,3,3	0.48	0	2,2,2	0.34	0
15	BCN	A	721	-	10,10,10	1.01	0	11,11,11	1.10	0
12	EDO	B	718	-	3,3,3	0.14	0	2,2,2	0.81	0
12	EDO	C	714	-	3,3,3	0.48	0	2,2,2	0.35	0
12	EDO	B	721	-	3,3,3	0.55	0	2,2,2	0.08	0
11	PEG	B	716	-	6,6,6	0.49	0	5,5,5	0.37	0
12	EDO	B	722	-	3,3,3	0.37	0	2,2,2	0.45	0
12	EDO	B	717	-	3,3,3	0.35	0	2,2,2	0.34	0
12	EDO	A	716	-	3,3,3	0.60	0	2,2,2	0.10	0
13	ACT	B	725	-	3,3,3	1.06	0	3,3,3	1.60	1 (33%)
13	ACT	C	719	-	3,3,3	1.47	0	3,3,3	1.42	0
13	ACT	D	727	-	3,3,3	1.64	1 (33%)	3,3,3	1.49	1 (33%)
11	PEG	B	715	-	6,6,6	0.49	0	5,5,5	0.26	0
13	ACT	D	728	-	3,3,3	0.97	0	3,3,3	1.46	0
12	EDO	D	723[A]	-	3,3,3	0.50	0	2,2,2	0.28	0
12	EDO	C	717	-	3,3,3	0.49	0	2,2,2	0.29	0
8	BJ2	B	710	7	31,31,31	3.42	12 (38%)	37,44,44	1.34	3 (8%)
12	EDO	D	720	-	3,3,3	0.36	0	2,2,2	0.50	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
13	ACT	A	718	-	3,3,3	1.10	0	3,3,3	1.59	1 (33%)
13	ACT	B	727	-	3,3,3	1.43	0	3,3,3	1.63	1 (33%)
11	PEG	C	712	-	6,6,6	0.46	0	5,5,5	0.34	0
11	PEG	D	713	-	6,6,6	0.50	0	5,5,5	0.38	0
14	PGE	D	730	-	9,9,9	0.64	0	8,8,8	0.94	0
12	EDO	A	717	-	3,3,3	0.42	0	2,2,2	0.23	0
12	EDO	D	718	-	3,3,3	0.46	0	2,2,2	0.35	0
8	BJ2	D	710	7	31,31,31	3.55	12 (38%)	37,44,44	1.36	3 (8%)
12	EDO	D	722	-	3,3,3	0.53	0	2,2,2	0.45	0
12	EDO	D	721	-	3,3,3	0.82	0	2,2,2	0.15	0
13	ACT	D	726	-	3,3,3	1.32	0	3,3,3	1.62	0
8	BJ2	C	709	7	31,31,31	3.80	15 (48%)	37,44,44	1.66	8 (21%)
12	EDO	D	715	-	3,3,3	0.53	0	2,2,2	0.21	0
12	EDO	D	719	-	3,3,3	0.47	0	2,2,2	0.35	0
12	EDO	B	719	-	3,3,3	0.40	0	2,2,2	0.41	0
11	PEG	B	713	-	6,6,6	0.50	0	5,5,5	0.40	0
14	PGE	D	731	-	9,9,9	0.29	0	8,8,8	0.53	0
12	EDO	B	723	-	3,3,3	0.52	0	2,2,2	0.12	0
13	ACT	D	725	-	3,3,3	1.55	1 (33%)	3,3,3	1.58	0
11	PEG	C	713	-	6,6,6	0.45	0	5,5,5	0.62	0
11	PEG	A	715	-	6,6,6	0.48	0	5,5,5	0.47	0
12	EDO	D	717	-	3,3,3	0.50	0	2,2,2	0.45	0
11	PEG	B	714	-	6,6,6	0.48	0	5,5,5	0.29	0
17	XPE	B	731	-	30,30,30	0.66	0	29,29,29	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	EDO	C	716	-	-	1/1/1/1	-
14	PGE	B	728	-	-	4/7/7/7	-
12	EDO	B	724	-	-	1/1/1/1	-
8	BJ2	A	711	7	-	5/36/56/56	0/2/2/2
12	EDO	B	720	-	-	0/1/1/1	-
14	PGE	B	729[B]	-	-	1/7/7/7	-
12	EDO	D	716	-	-	0/1/1/1	-
14	PGE	A	720	-	-	3/7/7/7	-
16	2PE	B	730	-	-	10/25/25/25	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	PEG	A	714	-	-	3/4/4/4	-
17	XPE	C	721	-	-	16/28/28/28	-
11	PEG	D	714	-	-	2/4/4/4	-
18	NAG	C	701	1	-	0/6/23/26	0/1/1/1
14	PGE	B	729[A]	-	-	3/7/7/7	-
14	PGE	D	729	-	-	4/7/7/7	-
12	EDO	C	715	-	-	0/1/1/1	-
15	BCN	A	721	-	-	6/10/10/10	-
12	EDO	B	718	-	-	1/1/1/1	-
12	EDO	C	714	-	-	0/1/1/1	-
12	EDO	B	721	-	-	1/1/1/1	-
11	PEG	B	716	-	-	3/4/4/4	-
12	EDO	B	722	-	-	0/1/1/1	-
12	EDO	B	717	-	-	0/1/1/1	-
12	EDO	A	716	-	-	0/1/1/1	-
11	PEG	B	715	-	-	2/4/4/4	-
12	EDO	D	723[A]	-	-	1/1/1/1	-
12	EDO	C	717	-	-	1/1/1/1	-
8	BJ2	B	710	7	-	2/36/56/56	0/2/2/2
12	EDO	D	720	-	-	0/1/1/1	-
11	PEG	C	712	-	-	1/4/4/4	-
11	PEG	D	713	-	-	4/4/4/4	-
14	PGE	D	730	-	-	5/7/7/7	-
12	EDO	A	717	-	-	0/1/1/1	-
12	EDO	D	718	-	-	0/1/1/1	-
8	BJ2	D	710	7	-	5/36/56/56	0/2/2/2
12	EDO	D	722	-	-	0/1/1/1	-
12	EDO	D	721	-	-	0/1/1/1	-
8	BJ2	C	709	7	-	4/36/56/56	0/2/2/2
12	EDO	D	715	-	-	1/1/1/1	-
12	EDO	D	719	-	-	1/1/1/1	-
12	EDO	B	719	-	-	1/1/1/1	-
11	PEG	B	713	-	-	2/4/4/4	-
14	PGE	D	731	-	-	5/7/7/7	-
12	EDO	B	723	-	-	1/1/1/1	-
11	PEG	C	713	-	-	2/4/4/4	-
11	PEG	A	715	-	-	3/4/4/4	-
12	EDO	D	717	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	PEG	B	714	-	-	2/4/4/4	-
17	XPE	B	731	-	-	14/28/28/28	-

The worst 5 of 55 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	709	BJ2	C08-N12	10.14	1.59	1.46
8	A	711	BJ2	C08-N12	9.77	1.58	1.46
8	D	710	BJ2	C08-N12	9.50	1.58	1.46
8	A	711	BJ2	C09-C08	-8.17	1.39	1.53
8	D	710	BJ2	C09-C08	-8.10	1.40	1.53

The worst 5 of 28 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	C	709	BJ2	O06-C05-C04	4.41	129.44	114.15
8	B	710	BJ2	C28-C27-N23	-3.90	104.71	112.54
8	A	711	BJ2	C08-C04-N03	-3.88	102.14	110.02
8	C	709	BJ2	C28-C27-N23	-3.75	105.03	112.54
8	C	709	BJ2	O06-C05-O07	-3.53	116.07	124.08

There are no chirality outliers.

5 of 122 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	A	711	BJ2	N03-C04-C08-C09
8	C	709	BJ2	C05-C04-C08-C09
8	C	709	BJ2	C05-C04-C08-N12
8	D	710	BJ2	N03-C04-C08-C09
15	A	721	BCN	N1-C1-C2-O21

There are no ring outliers.

22 monomers are involved in 29 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
14	B	728	PGE	3	0
14	B	729[B]	PGE	1	0
13	C	720	ACT	1	0
16	B	730	2PE	4	0
17	C	721	XPE	2	0

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
13	D	724	ACT	2	0
13	B	726	ACT	1	0
15	A	721	BCN	2	0
12	B	718	EDO	3	0
12	B	722	EDO	1	0
13	C	719	ACT	1	0
13	D	727	ACT	2	0
11	B	715	PEG	1	0
13	D	728	ACT	1	0
8	B	710	BJ2	1	0
11	C	712	PEG	1	0
11	D	713	PEG	1	0
8	D	710	BJ2	1	0
8	C	709	BJ2	1	0
14	D	731	PGE	3	0
11	C	713	PEG	2	0
11	B	714	PEG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand BJ2 B 710




Bond lengths



Bond angles




Torsions




Rings


Ligand BJ2 D 710




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	605/629 (96%)	0.06	16 (2%) 57 57	11, 27, 47, 79	7 (1%)
1	B	605/629 (96%)	0.13	23 (3%) 44 44	9, 27, 46, 66	11 (1%)
1	C	606/629 (96%)	0.42	27 (4%) 38 37	12, 31, 50, 82	10 (1%)
1	D	614/629 (97%)	-0.04	7 (1%) 78 78	10, 25, 42, 66	10 (1%)
All	All	2430/2516 (96%)	0.14	73 (3%) 52 52	9, 27, 47, 82	38 (1%)

The worst 5 of 73 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	25	GLN	5.9
1	C	135	THR	5.8
1	C	610	GLY	5.6
1	A	414	VAL	5.4
1	A	610	GLY	4.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	G	2	14/15	0.55	0.24	54,69,89,94	27
6	BMA	K	3	11/12	0.60	0.17	63,67,80,81	21

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	E	2	14/15	0.61	0.18	63,82,100,110	0
5	FUC	J	2	10/11	0.63	0.26	43,56,64,69	20
3	BMA	I	3	11/12	0.64	0.16	58,70,85,86	0
3	FUC	F	4	10/11	0.68	0.25	48,54,65,65	20
4	NAG	L	2	14/15	0.68	0.20	57,72,90,92	27
2	NAG	M	2	14/15	0.69	0.20	48,60,68,73	27
3	BMA	F	3	11/12	0.69	0.16	55,59,70,72	21
3	FUC	I	4	10/11	0.70	0.18	46,55,66,70	20
4	FUC	G	3	10/11	0.72	0.19	42,53,63,66	20
3	BMA	N	3	11/12	0.74	0.15	49,52,61,67	21
3	FUC	N	4	10/11	0.75	0.15	37,45,55,57	20
2	NAG	H	2	14/15	0.75	0.16	40,52,65,66	27
6	NAG	K	1	14/15	0.80	0.18	50,65,82,82	26
2	NAG	E	1	14/15	0.80	0.15	46,60,72,77	0
6	NAG	K	2	14/15	0.81	0.15	55,65,79,79	26
5	FUC	O	2	10/11	0.82	0.16	34,40,55,55	20
3	NAG	F	2	14/15	0.82	0.18	44,53,65,65	26
4	FUC	L	3	10/11	0.84	0.13	45,56,74,74	0
4	NAG	G	1	14/15	0.85	0.12	34,43,55,59	0
3	NAG	N	2	14/15	0.85	0.15	39,49,59,59	0
3	NAG	I	2	14/15	0.86	0.14	44,53,66,70	0
5	NAG	O	1	14/15	0.86	0.12	32,39,50,55	0
5	NAG	J	1	14/15	0.86	0.13	33,41,53,64	0
3	NAG	F	1	14/15	0.87	0.14	43,47,57,58	25
2	NAG	M	1	14/15	0.89	0.11	36,46,56,56	0
3	NAG	I	1	14/15	0.89	0.12	36,44,53,53	0
3	NAG	N	1	14/15	0.90	0.10	33,41,47,49	0
2	NAG	H	1	14/15	0.90	0.10	33,44,53,59	26
4	NAG	L	1	14/15	0.92	0.09	33,44,55,58	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain M:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain N:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain L:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain J:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain O:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain K:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
13	ACT	B	726	4/4	0.68	0.22	29,31,35,35	7
14	PGE	B	729[A]	10/10	0.69	0.27	31,40,47,47	24
14	PGE	B	729[B]	10/10	0.69	0.27	29,37,42,45	24
14	PGE	A	720	10/10	0.70	0.18	34,51,61,64	0
12	EDO	D	718	4/4	0.73	0.15	53,64,70,76	0
12	EDO	C	716	4/4	0.75	0.18	37,44,50,51	10
12	EDO	B	724	4/4	0.75	0.15	49,58,61,65	0
12	EDO	D	721	4/4	0.76	0.19	30,38,46,46	0
14	PGE	B	728	10/10	0.76	0.16	37,47,55,60	0
16	2PE	B	730	28/28	0.76	0.18	36,61,79,85	0
14	PGE	D	730	10/10	0.78	0.16	28,40,46,50	0
14	PGE	D	731	10/10	0.78	0.16	34,49,60,67	0
12	EDO	B	720	4/4	0.78	0.14	57,68,69,74	0
12	EDO	D	716	4/4	0.80	0.16	38,47,53,57	10
12	EDO	D	722	4/4	0.81	0.17	36,43,50,50	0
11	PEG	A	715	7/7	0.81	0.17	33,43,51,56	17
13	ACT	C	720	4/4	0.81	0.22	39,43,47,47	0
11	PEG	B	716	7/7	0.81	0.14	43,54,69,73	0
15	BCN	A	721	11/11	0.81	0.14	35,43,52,53	0
11	PEG	D	713	7/7	0.81	0.17	26,41,48,57	17
17	XPE	B	731	31/31	0.81	0.16	30,43,56,69	0
12	EDO	B	722	4/4	0.82	0.22	37,44,45,52	10
11	PEG	C	713	7/7	0.82	0.19	29,36,42,45	17
12	EDO	B	721	4/4	0.82	0.20	31,38,42,43	10
11	PEG	B	715	7/7	0.83	0.16	33,40,47,47	17
11	PEG	B	713	7/7	0.84	0.16	36,44,51,58	17
12	EDO	A	716	4/4	0.84	0.15	25,30,33,38	10
12	EDO	D	723[A]	4/4	0.84	0.13	36,44,47,51	10
11	PEG	A	714	7/7	0.84	0.14	27,35,42,45	17
13	ACT	C	719	4/4	0.84	0.15	36,43,47,48	0
13	ACT	D	727	4/4	0.85	0.17	26,32,38,41	0
12	EDO	C	717	4/4	0.85	0.14	34,41,44,47	10
13	ACT	C	718	4/4	0.85	0.15	30,37,38,40	0
11	PEG	C	712	7/7	0.85	0.17	29,35,39,46	17
11	PEG	D	714	7/7	0.85	0.13	39,51,61,61	17
17	XPE	C	721	31/31	0.85	0.13	29,42,52,54	0
18	NAG	C	701	14/15	0.85	0.13	38,46,56,56	27

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
12	EDO	B	723	4/4	0.86	0.14	28,38,41,49	10
14	PGE	D	729	10/10	0.86	0.13	31,40,49,52	0
12	EDO	D	717	4/4	0.86	0.12	31,39,47,48	10
13	ACT	A	719	4/4	0.87	0.13	39,41,47,47	0
12	EDO	C	714	4/4	0.87	0.12	27,33,39,43	10
12	EDO	D	719	4/4	0.88	0.14	33,40,47,50	10
13	ACT	B	727	4/4	0.88	0.16	41,43,49,49	0
12	EDO	D	715	4/4	0.88	0.15	31,40,42,50	10
12	EDO	C	715	4/4	0.88	0.14	35,42,44,46	10
12	EDO	B	717	4/4	0.88	0.14	22,26,32,32	10
12	EDO	B	719	4/4	0.88	0.12	27,32,37,39	10
11	PEG	B	714	7/7	0.89	0.11	27,35,47,57	17
12	EDO	D	720	4/4	0.89	0.13	23,32,39,40	10
12	EDO	A	717	4/4	0.90	0.14	25,35,40,42	10
13	ACT	A	718	4/4	0.91	0.15	25,30,31,34	0
13	ACT	B	725	4/4	0.92	0.10	23,28,34,35	0
13	ACT	D	728	4/4	0.92	0.13	29,36,39,40	0
13	ACT	D	725	4/4	0.94	0.15	24,29,32,34	0
12	EDO	B	718	4/4	0.94	0.11	15,18,21,21	10
8	BJ2	C	709	30/30	0.94	0.08	17,23,28,28	0
13	ACT	D	724	4/4	0.95	0.08	22,26,27,28	0
13	ACT	D	726	4/4	0.95	0.13	37,39,45,45	0
8	BJ2	D	710	30/30	0.96	0.06	15,20,24,25	0
8	BJ2	B	710	30/30	0.97	0.06	14,20,24,24	0
10	MG	A	713	1/1	0.97	0.06	23,23,23,23	0
8	BJ2	A	711	30/30	0.97	0.06	15,20,24,26	0
10	MG	B	712	1/1	0.98	0.04	24,24,24,24	0
10	MG	C	711	1/1	0.99	0.03	25,25,25,25	0
10	MG	D	712	1/1	0.99	0.05	13,13,13,13	0
9	CL	A	712	1/1	0.99	0.02	17,17,17,17	0
9	CL	D	711	1/1	1.00	0.02	18,18,18,18	0
7	ZN	B	709	1/1	1.00	0.02	17,17,17,17	0
7	ZN	C	708	1/1	1.00	0.01	18,18,18,18	0
7	ZN	D	709	1/1	1.00	0.02	17,17,17,17	0
7	ZN	A	710	1/1	1.00	0.02	16,16,16,16	0
9	CL	B	711	1/1	1.00	0.02	19,19,19,19	0
9	CL	C	710	1/1	1.00	0.03	20,20,20,20	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 2PE B 730:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XPE B 731:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XPE C 721:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BJ2 C 709:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BJ2 D 710:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BJ2 B 710:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around BJ2 A 711:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.