



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 11:20 PM UTC

PDB ID : 8ENK / pdb_00008enk
Title : Crystal structure of UAP56 in complex with Tho1, the yeast homolog of human SARNP
Authors : Xie, Y.; Ren, Y.
Deposited on : 2022-09-30
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)
RNA backbone	3983	1003 (2.78-2.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	390	75%20%..
1	B	390	3%69%27%..
2	E	61	7%66%20%.13%
3	M	15	7%20%13%60%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	N	15	 A horizontal bar chart showing the quality of chain N. The bar is divided into four segments: green (13%), yellow (13%), orange (7%), and grey (67%).

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 6879 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spliceosome RNA helicase DDX39B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	379	Total	C	N	O	S	0	0	0
			3069	1956	533	558	22			
1	B	381	Total	C	N	O	S	0	0	0
			3081	1962	535	562	22			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	39	GLY	-	expression tag	UNP Q13838
A	40	ALA	-	expression tag	UNP Q13838
A	41	MET	-	expression tag	UNP Q13838
A	42	GLY	-	expression tag	UNP Q13838
A	43	SER	-	expression tag	UNP Q13838
B	39	GLY	-	expression tag	UNP Q13838
B	40	ALA	-	expression tag	UNP Q13838
B	41	MET	-	expression tag	UNP Q13838
B	42	GLY	-	expression tag	UNP Q13838
B	43	SER	-	expression tag	UNP Q13838

- Molecule 2 is a protein called Protein THO1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	53	Total	C	N	O	0	0	0
			428	266	79	83			

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	118	GLY	-	expression tag	UNP P40040
E	119	ALA	-	expression tag	UNP P40040
E	120	MET	-	expression tag	UNP P40040
E	121	GLY	-	expression tag	UNP P40040

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	122	SER	-	expression tag	UNP P40040

- Molecule 3 is a RNA chain called RNA.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	M	6	Total	C	N	O	P	0	0	0
			120	54	12	48	6			
3	N	5	Total	C	N	O	P	0	0	0
			100	45	10	40	5			

- Molecule 4 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
4	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 5 is BERYLLIUM TRIFLUORIDE ION (CCD ID: BEF) (formula: BeF_3) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	Be	F	0	0
			4	1	3		
5	B	1	Total	Be	F	0	0
			4	1	3		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Mg	0	0
			1	1		
6	B	1	Total	Mg	0	0
			1	1		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	8	Total	O	0	0
			8	8		
7	B	9	Total	O	0	0
			9	9		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Spliceosome RNA helicase DDX39B



• Molecule 1: Spliceosome RNA helicase DDX39B



• Molecule 2: Protein THO1



- Molecule 3: RNA

Chain M:  7% 20% 13% 60%



- Molecule 3: RNA

Chain N:  13% 13% 7% 67%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	88.53Å 96.79Å 126.18Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.72 – 2.50 29.72 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (29.72-2.50) 99.7 (29.72-2.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.44 (at 2.51Å)	Xtriage
Refinement program	PHENIX 1.19.1_4122	Depositor
R, R_{free}	0.224 , 0.253 (Not available) , 0.247	Depositor DCC
R_{free} test set	2000 reflections (5.23%)	wwPDB-VP
Wilson B-factor (Å ²)	57.2	Xtriage
Anisotropy	0.459	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 36.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6879	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, MG, BEF

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.16	0/3124	0.36	0/4205
1	B	0.17	0/3136	0.36	0/4221
2	E	0.13	0/430	0.31	0/572
3	M	0.18	0/131	0.48	0/200
3	N	0.15	0/109	0.37	0/166
All	All	0.16	0/6930	0.36	0/9364

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3069	0	3113	50	0
1	B	3081	0	3123	68	0
2	E	428	0	440	2	0
3	M	120	0	61	4	0
3	N	100	0	51	2	0
4	A	27	0	12	1	0
4	B	27	0	12	0	0
5	A	4	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	4	0	0	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
7	A	8	0	0	0	0
7	B	9	0	0	0	0
All	All	6879	0	6812	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:63:CYS:HB2	1:A:135:ARG:HH21	1.49	0.77
1:A:345:ASN:ND2	1:A:366:GLU:OE2	2.24	0.70
1:B:174:GLY:HA3	3:N:5:U:H5''	1.75	0.69
1:A:132:GLU:OE2	1:A:135:ARG:NH1	2.29	0.66
1:A:174:GLY:HA3	3:M:5:U:H5''	1.79	0.65
1:B:88:GLN:HB2	1:B:231:LEU:HD12	1.78	0.64
2:E:130:LEU:O	2:E:134:ASN:ND2	2.31	0.63
1:B:153:SER:HB3	1:B:156:LYS:HD2	1.80	0.62
1:B:214:ILE:HA	1:B:217:MET:HE2	1.80	0.61
1:B:290:VAL:HG22	1:B:358:ILE:HB	1.81	0.61
1:B:118:VAL:HB	1:B:170:VAL:HG12	1.84	0.60
1:A:269:LEU:HG	1:A:273:GLU:HB2	1.85	0.59
1:B:159:GLU:HA	1:B:162:LYS:HE2	1.85	0.59
1:B:205:LEU:HD13	1:B:208:ARG:HD2	1.84	0.59
1:B:270:LYS:HB2	1:B:273:GLU:HG3	1.85	0.59
1:B:86:LEU:HB2	1:B:243:MET:HE1	1.85	0.57
1:B:299:ARG:NH2	1:B:363:ASP:OD1	2.33	0.57
1:A:195:LEU:HB2	1:A:226:MET:HG2	1.87	0.56
1:B:317:ILE:HG22	1:B:341:LEU:HD11	1.87	0.56
1:A:317:ILE:HD11	1:A:347:PHE:HB2	1.87	0.56
1:B:286:GLU:HB3	1:B:420:ILE:HD11	1.87	0.56
1:A:123:ARG:HG2	1:A:149:PHE:HB2	1.88	0.55
1:B:254:GLU:HG2	1:B:257:LEU:HD12	1.88	0.55
1:B:370:THR:O	1:B:374:ARG:HG3	2.06	0.55
1:B:62:ASP:OD2	1:B:139:TYR:OH	2.23	0.55
1:B:142:ASN:N	1:B:142:ASN:OD1	2.41	0.54
1:A:349:ARG:HB3	1:A:373:HIS:HB3	1.88	0.54
1:A:339:ARG:NH2	2:E:142:LYS:O	2.40	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:201:MET:HG3	1:B:207:MET:SD	2.47	0.54
1:A:247:MET:HE2	1:A:249:ILE:HD11	1.89	0.54
1:A:290:VAL:HG12	1:A:358:ILE:HB	1.90	0.54
1:B:379:GLY:HA2	1:B:383:THR:HG23	1.88	0.54
1:B:132:GLU:OE2	1:B:135:ARG:NH1	2.34	0.53
1:B:144:LYS:HB2	1:B:166:PRO:HA	1.91	0.53
1:B:233:LYS:HA	1:B:236:ARG:HD2	1.90	0.53
1:B:233:LYS:H	1:B:233:LYS:HD2	1.75	0.52
1:A:398:LYS:NZ	1:A:402:ASP:OD2	2.42	0.52
1:A:118:VAL:HG22	1:A:194:ILE:HB	1.92	0.52
1:B:195:LEU:HB3	1:B:201:MET:HE3	1.91	0.52
1:B:323:GLN:HE21	1:B:327:LEU:HD13	1.75	0.51
1:B:414:LEU:HD12	1:B:415:PRO:HD2	1.91	0.51
1:B:147:VAL:HG23	1:B:170:VAL:HG23	1.91	0.51
1:B:280:ASP:O	1:B:284:VAL:HG12	2.10	0.51
1:A:258:THR:HG22	1:A:407:PHE:HB3	1.93	0.51
1:A:370:THR:O	1:A:374:ARG:HB2	2.10	0.51
1:A:130:SER:HB3	1:A:147:VAL:HG13	1.92	0.51
1:A:400:LEU:O	1:A:404:GLN:HG2	2.11	0.50
1:B:275:ASN:OD1	1:B:362:TYR:OH	2.27	0.50
1:B:368:SER:OG	1:B:406:ARG:NH1	2.45	0.50
1:B:204:GLN:HB3	1:B:207:MET:HB3	1.92	0.50
1:A:195:LEU:HB3	1:A:201:MET:HE3	1.93	0.50
1:A:159:GLU:HG3	1:A:163:LYS:HE2	1.93	0.50
1:A:62:ASP:OD2	1:A:139:TYR:OH	2.23	0.49
1:A:133:TYR:HB3	1:A:145:VAL:HG11	1.94	0.49
1:A:361:ASN:HB2	1:A:389:THR:HA	1.94	0.49
1:A:76:ILE:O	1:A:80:ILE:HG12	2.11	0.49
1:B:237:PRO:O	1:B:241:LYS:HG2	2.12	0.49
1:A:347:PHE:CG	1:A:351:MET:HG3	2.48	0.49
1:B:419:ASP:N	1:B:419:ASP:OD1	2.44	0.49
1:B:213:GLU:OE1	1:B:216:ARG:NH2	2.36	0.49
1:B:124:GLU:OE1	1:B:326:ARG:NH2	2.45	0.48
1:A:319:ARG:NH1	3:M:4:U:OP2	2.44	0.48
1:A:193:PHE:HB3	1:A:224:VAL:HG12	1.95	0.48
1:B:123:ARG:HG2	1:B:149:PHE:HB2	1.96	0.48
1:A:269:LEU:O	1:A:392:SER:HA	2.13	0.48
1:B:236:ARG:NH1	1:B:252:ASP:OD1	2.44	0.48
1:B:204:GLN:O	1:B:208:ARG:N	2.37	0.48
1:B:293:PHE:CG	1:B:374:ARG:HD2	2.48	0.47
1:B:130:SER:HB3	1:B:170:VAL:HG21	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:364:MET:SD	1:B:365:PRO:HD2	2.54	0.47
1:A:80:ILE:HD12	1:A:105:GLN:HG2	1.95	0.47
1:A:48:ARG:H	1:A:48:ARG:HG3	1.50	0.47
1:A:88:GLN:HB2	1:A:231:LEU:HD12	1.97	0.47
1:B:274:LYS:HE3	1:B:392:SER:HB2	1.98	0.47
1:B:195:LEU:HB2	1:B:226:MET:HG2	1.95	0.46
1:B:259:LEU:HB2	1:B:262:LEU:HD12	1.97	0.46
1:B:321:MET:HE3	1:B:329:ARG:HH11	1.81	0.46
1:B:266:TYR:HD1	1:B:411:ILE:HG22	1.81	0.46
1:A:144:LYS:HB2	1:A:166:PRO:HA	1.96	0.46
1:A:347:PHE:CD1	1:A:351:MET:HG3	2.51	0.46
1:A:75:CYS:SG	1:A:249:ILE:HG13	2.56	0.46
1:A:181:ARG:HH21	1:A:213:GLU:CD	2.24	0.45
1:A:324:GLU:H	1:A:324:GLU:HG2	1.46	0.45
1:B:296:SER:HA	3:N:2:U:H5'	1.98	0.45
1:B:58:ARG:HG2	1:B:139:TYR:CE2	2.52	0.45
1:B:292:ILE:HA	1:B:360:PHE:HB2	1.98	0.45
1:B:380:ARG:O	1:B:383:THR:HG22	2.16	0.45
1:A:318:HIS:CE1	1:A:321:MET:HG3	2.51	0.45
1:B:361:ASN:HB2	1:B:389:THR:HA	1.98	0.45
1:A:83:MET:HE3	1:A:83:MET:HB2	1.78	0.44
1:A:147:VAL:HA	1:A:170:VAL:O	2.17	0.44
1:A:157:ASP:O	1:A:160:VAL:HG12	2.18	0.44
1:A:346:LEU:HD13	3:M:3:U:H5''	1.99	0.44
1:B:237:PRO:HA	1:B:240:ARG:HB2	1.99	0.43
1:B:257:LEU:HD23	1:B:257:LEU:HA	1.86	0.43
1:B:251:VAL:HG21	1:B:257:LEU:HD21	2.00	0.43
1:B:87:CYS:HA	1:B:249:ILE:HB	2.01	0.43
1:A:321:MET:HB2	1:A:326:ARG:HG3	2.00	0.43
1:B:400:LEU:HA	1:B:403:VAL:HG12	2.01	0.42
1:A:99:PHE:HB3	1:A:227:PHE:CE1	2.54	0.42
1:A:190:ILE:O	1:A:190:ILE:HG13	2.19	0.42
1:A:293:PHE:CE2	1:A:374:ARG:HG2	2.55	0.42
1:B:269:LEU:HD11	1:B:274:LYS:HA	2.02	0.42
1:A:116:VAL:HG22	1:A:192:HIS:HB2	2.01	0.42
1:B:205:LEU:HA	1:B:208:ARG:HB3	2.01	0.42
1:B:99:PHE:HB3	1:B:227:PHE:CE1	2.55	0.41
1:B:398:LYS:HB2	1:B:398:LYS:HE2	1.76	0.41
1:A:345:ASN:HB2	3:M:2:U:O2'	2.21	0.41
1:B:158:GLU:OE2	1:B:182:ASN:ND2	2.52	0.41
1:B:217:MET:HE3	1:B:217:MET:HB2	1.64	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:304:ALA:O	1:A:308:VAL:HG23	2.21	0.41
1:B:147:VAL:HA	1:B:170:VAL:O	2.20	0.41
1:B:321:MET:HE2	1:B:321:MET:HB3	1.75	0.41
1:B:332:GLN:HB2	1:B:337:GLN:HB2	2.01	0.41
1:B:208:ARG:O	1:B:211:VAL:HG12	2.20	0.41
1:B:119:MET:HA	1:B:171:GLY:O	2.21	0.41
1:A:224:VAL:HG23	1:A:243:MET:HG2	2.03	0.41
1:A:95:LYS:NZ	4:A:1000:ADP:O3B	2.47	0.40
1:B:321:MET:HE1	1:B:329:ARG:HD2	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	377/390 (97%)	372 (99%)	5 (1%)	0	100	100
1	B	379/390 (97%)	371 (98%)	8 (2%)	0	100	100
2	E	51/61 (84%)	49 (96%)	2 (4%)	0	100	100
All	All	807/841 (96%)	792 (98%)	15 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	342/350 (98%)	326 (95%)	16 (5%)	23	47
1	B	344/350 (98%)	330 (96%)	14 (4%)	27	53
2	E	46/50 (92%)	35 (76%)	11 (24%)	1	1
All	All	732/750 (98%)	691 (94%)	41 (6%)	19	39

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	62	ASP
1	A	147	VAL
1	A	190	ILE
1	A	234	GLU
1	A	258	THR
1	A	269	LEU
1	A	272	ASN
1	A	286	GLU
1	A	311	ASN
1	A	324	GLU
1	A	337	GLN
1	A	354	GLU
1	A	366	GLU
1	A	374	ARG
1	A	375	VAL
1	A	411	ILE
1	B	90	LYS
1	B	154	ILE
1	B	216	ARG
1	B	234	GLU
1	B	255	THR
1	B	256	LYS
1	B	272	ASN
1	B	284	VAL
1	B	306	LEU
1	B	327	LEU
1	B	372	LEU
1	B	400	LEU
1	B	404	GLN
1	B	419	ASP
2	E	123	GLU
2	E	124	GLU
2	E	126	LYS
2	E	130	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	138	HIS
2	E	145	GLN
2	E	146	ASP
2	E	147	GLN
2	E	149	ASP
2	E	161	GLU
2	E	175	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	67	HIS
1	A	73	HIS
1	A	204	GLN
1	A	212	GLN
1	A	404	GLN
1	B	88	GLN
1	B	121	HIS
1	B	244	GLN
1	B	410	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
3	M	5/15 (33%)	3 (60%)	0
3	N	4/15 (26%)	2 (50%)	0
All	All	9/30 (30%)	5 (55%)	0

All (5) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
3	M	4	U
3	M	5	U
3	M	6	U
3	N	5	U
3	N	6	U

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	BEF	A	1001	4	0,3,3	-	-	-		
4	ADP	B	1000	6,5	28,29,29	1.41	5 (17%)	43,45,45	1.82	10 (23%)
5	BEF	B	1001	4	0,3,3	-	-	-		
4	ADP	A	1000	6,5	28,29,29	1.41	5 (17%)	43,45,45	1.83	10 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ADP	B	1000	6,5	-	2/16/32/32	0/3/3/3
4	ADP	A	1000	6,5	-	2/16/32/32	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1000	ADP	C5-C4	4.59	1.47	1.39
4	A	1000	ADP	C5-C4	4.49	1.47	1.39
4	B	1000	ADP	C5-C6	2.90	1.49	1.41
4	A	1000	ADP	C5-C6	2.88	1.49	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1000	ADP	C8-N7	2.42	1.36	1.31
4	A	1000	ADP	PA-O3A	2.39	1.62	1.59
4	A	1000	ADP	C8-N7	2.36	1.36	1.31
4	B	1000	ADP	C5-N7	-2.08	1.35	1.39
4	B	1000	ADP	PA-O3A	2.07	1.61	1.59
4	A	1000	ADP	C5-N7	-2.06	1.35	1.39

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1000	ADP	C5-C4-N3	-5.54	119.09	126.72
4	B	1000	ADP	C5-C4-N3	-5.40	119.29	126.72
4	A	1000	ADP	N3-C4-N9	4.35	134.56	127.17
4	B	1000	ADP	N3-C4-N9	4.21	134.33	127.17
4	B	1000	ADP	C2-N3-C4	3.75	121.00	111.83
4	B	1000	ADP	C4-C5-N7	-3.71	106.34	110.58
4	A	1000	ADP	C2-N3-C4	3.69	120.84	111.83
4	A	1000	ADP	C4-C5-N7	-3.60	106.47	110.58
4	B	1000	ADP	N3-C2-N1	-3.56	123.19	128.58
4	A	1000	ADP	N3-C2-N1	-3.33	123.55	128.58
4	B	1000	ADP	C4-N9-C8	3.03	108.92	105.74
4	A	1000	ADP	C4-N9-C8	2.96	108.84	105.74
4	B	1000	ADP	C5-N7-C8	2.77	107.81	103.45
4	A	1000	ADP	C5-N7-C8	2.75	107.78	103.45
4	B	1000	ADP	C6-C5-N7	2.59	137.09	132.09
4	B	1000	ADP	N9-C8-N7	-2.39	110.54	113.94
4	A	1000	ADP	N9-C8-N7	-2.38	110.56	113.94
4	A	1000	ADP	C6-C5-N7	2.35	136.62	132.09
4	A	1000	ADP	O4'-C1'-N9	2.16	112.24	108.09
4	B	1000	ADP	C2-N1-C6	2.10	122.19	118.73

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	1000	ADP	PA-O3A-PB-O2B
4	B	1000	ADP	PA-O3A-PB-O1B
4	A	1000	ADP	PA-O3A-PB-O3B
4	B	1000	ADP	PA-O3A-PB-O3B


There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1000	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	379/390 (97%)	0.11	5 (1%) 75 71	43, 64, 95, 128	0
1	B	381/390 (97%)	0.29	10 (2%) 57 52	46, 71, 105, 130	0
2	E	53/61 (86%)	0.62	4 (7%) 20 18	68, 81, 103, 110	0
3	M	6/15 (40%)	0.20	0 100 100	56, 63, 77, 109	0
3	N	5/15 (33%)	0.03	0 100 100	77, 78, 86, 99	0
All	All	824/871 (94%)	0.22	19 (2%) 61 57	43, 69, 100, 130	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	E	175	LEU	4.0
1	B	424	ILE	3.6
1	A	46	GLY	3.1
2	E	164	GLY	3.0
1	A	424	ILE	2.7
1	B	205	LEU	2.7
1	B	405	ASP	2.6
1	B	412	SER	2.5
1	B	403	VAL	2.4
1	A	49	ASP	2.4
2	E	167	LEU	2.4
1	A	111	THR	2.3
1	B	46	GLY	2.3
2	E	172	ALA	2.2
1	B	253	ASP	2.1
1	B	252	ASP	2.1
1	B	298	GLN	2.0
1	B	255	THR	2.0
1	A	423	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	BEF	A	1001	4/4	0.94	0.07	49,49,50,51	0
5	BEF	B	1001	4/4	0.94	0.07	51,53,53,54	0
6	MG	B	1002	1/1	0.95	0.06	54,54,54,54	0
4	ADP	A	1000	27/27	0.96	0.08	47,55,66,68	0
4	ADP	B	1000	27/27	0.98	0.05	47,52,57,57	0
6	MG	A	1002	1/1	0.99	0.03	50,50,50,50	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around BEF A 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BEF B 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG B 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP A 1000:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around ADP B 1000:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around MG A 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.