



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:28 AM UTC

PDB ID : 3EQG / pdb_00003eqg
Title : X-ray structure of the human mitogen-activated protein kinase kinase 1 (MEK1) in a ternary complex with PD, ADP AND MG2P
Authors : Fischmann, T.O.
Deposited on : 2008-09-30
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	360	

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 2563 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dual specificity mitogen-activated protein kinase kinase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	314	2463	1574	419	454	16	0	0	1

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	34	GLY	-	expression tag	UNP Q02750
A	298	ASN	SER	engineered mutation	UNP Q02750
A	299	LYS	SER	engineered mutation	UNP Q02750
A	300	PHE	TYR	engineered mutation	UNP Q02750

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	27	10	5	10	2	0	0

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		


- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Ca	0	0
			1	1		

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Na	0	0
			1	1		

- Molecule 6 is N-[(2R)-2,3-dihydroxypropyl]oxy}-3,4-difluoro-2-[(2-fluoro-4-iodophenyl)amino]benzamide (CCD ID: 4BM) (formula: C₁₆H₁₄F₃IN₂O₄).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
6	A	1	Total	C	F	I	N	O	0	0
			26	16	3	1	2	4		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	44	Total 44	O 44	0	0

- Molecule 1: Dual specificity mitogen-activated protein kinase kinase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	76.00Å 76.00Å 222.32Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	16.54 – 2.50 16.54 – 2.50	Depositor EDS
% Data completeness (in resolution range)	94.0 (16.54-2.50) 94.1 (16.54-2.50)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.12 (at 2.50Å)	Xtriage
Refinement program	TNT, BUSTER-TNT 2.1.1	Depositor
R, R_{free}	0.207 , 0.273 0.209 , 0.289	Depositor DCC
R_{free} test set	655 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	44.1	Xtriage
Anisotropy	0.863	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 64.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	2563	wwPDB-VP
Average B, all atoms (Å ²)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, NA, 4BM, MG, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.81	1/2511 (0.0%)	1.16	14/3380 (0.4%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	174	ILE	CA-CB	5.24	1.60	1.54

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	262	PRO	N-CA-C	9.37	126.02	113.84
1	A	84	LYS	N-CA-C	-8.00	96.24	108.96
1	A	240	TYR	N-CA-C	7.47	120.26	107.93
1	A	158	ALA	N-CA-C	6.82	121.34	112.89
1	A	187	MET	N-CA-C	-6.67	99.34	109.95
1	A	71	ILE	N-CA-C	-6.04	107.97	113.71
1	A	147	ASP	N-CA-C	5.66	119.80	113.01
1	A	107	ILE	N-CA-C	5.43	115.53	110.42
1	A	215	LEU	N-CA-C	-5.36	105.51	111.36
1	A	344	LYS	N-CA-C	5.31	117.76	111.33
1	A	329	VAL	N-CA-C	5.29	116.77	111.00
1	A	270	GLU	N-CA-C	-5.13	106.28	112.54
1	A	208	ASP	N-CA-C	5.11	118.78	112.24
1	A	236	GLN	N-CA-C	-5.10	106.83	113.16

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2463	0	2497	149	0
2	A	27	0	12	2	0
3	A	1	0	0	0	0
4	A	1	0	0	0	0
5	A	1	0	0	0	0
6	A	26	0	14	4	0
7	A	44	0	0	0	0
All	All	2563	0	2523	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 30.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:104:LYS:HG2	1:A:107:ILE:HG13	1.39	1.04
1:A:260:ARG:HH12	1:A:266:PRO:HG3	1.27	0.96
1:A:260:ARG:NH1	1:A:266:PRO:HG3	1.81	0.94
1:A:105:PRO:HA	1:A:108:ARG:HD3	1.49	0.93
1:A:101:LEU:HD22	1:A:102:GLU:N	1.90	0.87
1:A:143:MET:HE2	2:A:2:ADP:HN61	1.40	0.87
1:A:104:LYS:N	1:A:107:ILE:HD12	1.89	0.86
1:A:104:LYS:HG3	1:A:106:ALA:HB3	1.57	0.86
1:A:49:ARG:HG2	1:A:201:ARG:HH12	1.41	0.85
1:A:166:LEU:HD22	1:A:256:MET:HE3	1.56	0.85
1:A:87:HIS:CE1	1:A:89:PRO:HG2	2.13	0.83
1:A:103:ILE:HB	1:A:107:ILE:CD1	2.08	0.83
1:A:234:ARG:HD2	1:A:240:TYR:CD2	2.14	0.82
1:A:79:GLY:HA2	1:A:223:PHE:CZ	2.15	0.81
1:A:49:ARG:HG2	1:A:201:ARG:NH1	1.94	0.81
1:A:104:LYS:H	1:A:107:ILE:HD12	1.45	0.80
1:A:47:ARG:O	1:A:51:GLU:HG3	1.82	0.80
1:A:101:LEU:HD22	1:A:102:GLU:H	1.45	0.80
1:A:166:LEU:CD2	1:A:256:MET:HE3	2.13	0.79
1:A:101:LEU:HD11	1:A:103:ILE:HG23	1.66	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:110:GLN:NE2	1:A:214:GLN:HG2	2.00	0.77
1:A:103:ILE:HB	1:A:107:ILE:HD13	1.67	0.76
1:A:71:ILE:HD11	1:A:86:SER:HB2	1.67	0.75
1:A:104:LYS:HG2	1:A:107:ILE:CG1	2.16	0.75
1:A:212:SER:O	1:A:216:ILE:HG12	1.87	0.74
1:A:103:ILE:HG13	1:A:107:ILE:HB	1.70	0.74
1:A:104:LYS:CG	1:A:107:ILE:HG13	2.18	0.73
1:A:216:ILE:HD13	6:A:1:4BM:H11	1.71	0.73
1:A:104:LYS:HE3	1:A:107:ILE:HD11	1.72	0.72
1:A:87:HIS:ND1	1:A:90:SER:OG	2.17	0.71
2:A:2:ADP:O2B	2:A:2:ADP:H5'2	1.90	0.71
1:A:79:GLY:HA2	1:A:223:PHE:CE1	2.25	0.71
1:A:260:ARG:NH2	1:A:264:PRO:O	2.25	0.70
1:A:105:PRO:HA	1:A:108:ARG:CD	2.22	0.69
1:A:110:GLN:O	1:A:114:GLU:HG2	1.91	0.69
1:A:134:TYR:OH	1:A:137:GLY:HA2	1.93	0.69
1:A:229:TYR:HA	1:A:251:LEU:HD23	1.75	0.68
1:A:105:PRO:HG3	1:A:108:ARG:NH1	2.07	0.68
1:A:343:ILE:HB	1:A:349:ARG:HB2	1.77	0.67
1:A:320:GLU:O	1:A:344:LYS:NZ	2.25	0.67
1:A:264:PRO:HB3	1:A:308:MET:HE1	1.77	0.67
1:A:264:PRO:HD3	1:A:308:MET:HE3	1.76	0.67
1:A:110:GLN:HE21	1:A:214:GLN:HG2	1.61	0.66
1:A:108:ARG:HD2	1:A:134:TYR:CE2	2.32	0.65
1:A:219:MET:O	1:A:221:ASN:N	2.27	0.64
1:A:104:LYS:CD	1:A:107:ILE:HD11	2.27	0.63
1:A:43:ASP:OD2	1:A:45:GLN:N	2.30	0.62
1:A:188:HIS:O	1:A:189:ARG:HB2	1.99	0.62
1:A:267:ASP:O	1:A:269:LYS:N	2.33	0.62
1:A:104:LYS:CE	1:A:107:ILE:HD11	2.30	0.61
1:A:345:ASN:ND2	1:A:348:GLU:OE1	2.27	0.61
1:A:103:ILE:HB	1:A:107:ILE:HD12	1.80	0.61
1:A:127:VAL:HG21	1:A:207:CYS:HB3	1.83	0.61
1:A:186:ILE:HG22	1:A:187:MET:O	2.01	0.61
1:A:264:PRO:HB3	1:A:308:MET:CE	2.32	0.60
1:A:57:LYS:NZ	1:A:119:HIS:HD2	1.99	0.60
1:A:376:CYS:HA	1:A:381:LEU:HB2	1.82	0.60
1:A:101:LEU:CD1	1:A:103:ILE:HD13	2.34	0.58
1:A:101:LEU:CD1	1:A:103:ILE:HG23	2.34	0.58
1:A:57:LYS:CE	1:A:119:HIS:HD2	2.17	0.57
1:A:216:ILE:CD1	6:A:1:4BM:H11	2.32	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:104:LYS:HD2	1:A:107:ILE:HD11	1.85	0.57
1:A:60:VAL:CG1	1:A:63:LEU:HD21	2.34	0.57
1:A:101:LEU:HD11	1:A:103:ILE:CG2	2.35	0.56
1:A:70:LYS:HD2	1:A:83:PHE:CE2	2.40	0.56
1:A:166:LEU:HD22	1:A:256:MET:CE	2.34	0.55
1:A:147:ASP:OD2	1:A:200:SER:OG	2.23	0.54
1:A:73:GLU:OE2	1:A:81:VAL:HG13	2.07	0.54
1:A:138:GLU:O	1:A:138:GLU:HG2	2.08	0.54
1:A:264:PRO:CD	1:A:308:MET:HE3	2.38	0.54
1:A:81:VAL:HG12	1:A:82:VAL:N	2.23	0.54
1:A:49:ARG:HH21	1:A:201:ARG:HB3	1.73	0.53
1:A:108:ARG:O	1:A:112:ILE:HG12	2.07	0.53
1:A:111:ILE:O	1:A:115:LEU:HG	2.08	0.53
1:A:227:ARG:HB3	1:A:230:MET:SD	2.49	0.52
1:A:112:ILE:O	1:A:116:GLN:HG2	2.10	0.52
1:A:316:TYR:CZ	1:A:320:GLU:HG3	2.45	0.52
1:A:105:PRO:CA	1:A:108:ARG:HD3	2.32	0.52
1:A:60:VAL:HG11	1:A:63:LEU:HD21	1.91	0.52
1:A:128:GLY:O	1:A:143:MET:HB2	2.11	0.51
1:A:108:ARG:HG3	1:A:134:TYR:CD2	2.46	0.51
1:A:184:HIS:HB2	1:A:186:ILE:HD12	1.93	0.51
1:A:129:PHE:CZ	1:A:131:GLY:HA2	2.46	0.50
1:A:57:LYS:NZ	1:A:119:HIS:CD2	2.78	0.50
1:A:70:LYS:HD2	1:A:83:PHE:CD2	2.46	0.50
1:A:87:HIS:HD1	1:A:90:SER:HG	1.56	0.50
1:A:101:LEU:C	1:A:101:LEU:HD13	2.36	0.50
1:A:314:LEU:HA	1:A:317:ILE:HD12	1.93	0.49
1:A:104:LYS:H	1:A:107:ILE:CD1	2.20	0.49
1:A:88:LYS:N	1:A:89:PRO:HD2	2.28	0.49
1:A:184:HIS:HB2	1:A:186:ILE:CD1	2.42	0.48
1:A:49:ARG:CG	1:A:201:ARG:HH12	2.19	0.48
1:A:242:VAL:HG22	1:A:242:VAL:O	2.12	0.48
1:A:40:LEU:HD11	1:A:179:TYR:HA	1.95	0.48
1:A:71:ILE:O	1:A:71:ILE:HG22	2.12	0.48
1:A:100:HIS:HA	1:A:138:GLU:HB2	1.96	0.48
1:A:104:LYS:HG2	1:A:107:ILE:CD1	2.44	0.48
1:A:213:GLY:O	1:A:216:ILE:HB	2.14	0.48
1:A:109:ASN:O	1:A:113:ARG:HG3	2.14	0.47
1:A:374:TRP:O	1:A:378:THR:OG1	2.28	0.47
1:A:50:LEU:O	1:A:54:LEU:HD12	2.14	0.47
1:A:247:TRP:CD1	1:A:247:TRP:C	2.93	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:114:GLU:OE1	1:A:214:GLN:HB3	2.15	0.46
1:A:253:LEU:HA	1:A:256:MET:HE2	1.97	0.46
1:A:97:LYS:NZ	6:A:1:4BM:H18	2.31	0.46
1:A:108:ARG:CG	1:A:134:TYR:CD2	2.99	0.46
1:A:110:GLN:NE2	1:A:214:GLN:CG	2.77	0.45
1:A:134:TYR:CZ	1:A:137:GLY:HA2	2.50	0.45
1:A:183:LYS:HE3	1:A:183:LYS:HB3	1.61	0.45
1:A:100:HIS:NE2	1:A:102:GLU:OE2	2.49	0.45
1:A:101:LEU:HD11	1:A:103:ILE:HD13	1.99	0.45
1:A:234:ARG:HD2	1:A:240:TYR:CE2	2.50	0.45
1:A:179:TYR:CD1	1:A:179:TYR:C	2.95	0.45
1:A:81:VAL:CG1	1:A:82:VAL:N	2.80	0.44
1:A:105:PRO:HG3	1:A:108:ARG:HH12	1.79	0.44
1:A:115:LEU:HD23	1:A:115:LEU:HA	1.73	0.44
1:A:219:MET:C	1:A:221:ASN:N	2.76	0.44
1:A:108:ARG:HD2	1:A:134:TYR:CD2	2.52	0.44
1:A:310:ILE:HG23	1:A:311:PHE:N	2.33	0.44
1:A:108:ARG:CD	1:A:134:TYR:CD2	3.01	0.43
1:A:104:LYS:HD2	1:A:107:ILE:CG1	2.48	0.43
1:A:198:VAL:HA	1:A:203:GLU:O	2.18	0.43
1:A:103:ILE:CG1	1:A:107:ILE:HB	2.46	0.43
1:A:104:LYS:CD	1:A:107:ILE:CD1	2.97	0.43
1:A:112:ILE:HD11	1:A:139:ILE:HG12	2.00	0.43
1:A:265:PRO:HA	1:A:266:PRO:HD3	1.66	0.43
1:A:114:GLU:O	1:A:117:VAL:HG23	2.19	0.43
1:A:81:VAL:HG11	1:A:83:PHE:CZ	2.54	0.43
1:A:161:ILE:HA	1:A:162:PRO:HD3	1.88	0.42
6:A:1:4BM:O16	6:A:1:4BM:N07	2.49	0.42
1:A:45:GLN:CD	1:A:49:ARG:NH1	2.77	0.42
1:A:108:ARG:CZ	1:A:134:TYR:CD1	3.03	0.42
1:A:316:TYR:CE2	1:A:320:GLU:HG3	2.54	0.42
1:A:100:HIS:CD2	1:A:100:HIS:O	2.73	0.42
1:A:104:LYS:HD2	1:A:107:ILE:CD1	2.50	0.42
1:A:114:GLU:OE1	1:A:214:GLN:CB	2.68	0.41
1:A:127:VAL:CG2	1:A:207:CYS:HB3	2.51	0.41
1:A:187:MET:CG	1:A:189:ARG:HG3	2.50	0.41
1:A:313:LEU:C	1:A:313:LEU:HD12	2.45	0.41
1:A:158:ALA:HB2	1:A:378:THR:HG21	2.03	0.41
1:A:351:ASP:O	1:A:355:LEU:HG	2.20	0.41
1:A:71:ILE:O	1:A:71:ILE:CG2	2.68	0.41
1:A:104:LYS:HG2	1:A:107:ILE:H	1.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:255:GLU:HG3	1:A:260:ARG:C	2.46	0.41
1:A:135:SER:O	1:A:136:ASP:HB2	2.21	0.41
1:A:171:ILE:HG12	1:A:361:ILE:HG23	2.03	0.41
1:A:183:LYS:C	1:A:184:HIS:CD2	2.99	0.41
1:A:264:PRO:CG	1:A:308:MET:HE3	2.51	0.40
1:A:152:ASP:HB2	1:A:194:SER:HA	2.03	0.40
1:A:241:SER:O	1:A:244:SER:HB2	2.20	0.40
1:A:269:LYS:HA	1:A:269:LYS:HD3	1.77	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	310/360 (86%)	277 (89%)	26 (8%)	7 (2%)	5 8

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	238	THR
1	A	268	ALA
1	A	220	ALA
1	A	226	THR
1	A	135	SER
1	A	100	HIS
1	A	223	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	272/310 (88%)	222 (82%)	50 (18%)	1 3

All (50) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	GLU
1	A	41	GLU
1	A	47	ARG
1	A	49	ARG
1	A	50	LEU
1	A	58	GLN
1	A	62	GLU
1	A	64	LYS
1	A	67	ASP
1	A	69	GLU
1	A	72	SER
1	A	73	GLU
1	A	78	ASN
1	A	88	LYS
1	A	101	LEU
1	A	102	GLU
1	A	103	ILE
1	A	104	LYS
1	A	107	ILE
1	A	108	ARG
1	A	110	GLN
1	A	113	ARG
1	A	114	GLU
1	A	135	SER
1	A	138	GLU
1	A	140	SER
1	A	143	MET
1	A	156	LYS
1	A	157	LYS
1	A	183	LYS
1	A	189	ARG
1	A	217	ASP
1	A	221	ASN
1	A	223	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	224	VAL
1	A	226	THR
1	A	227	ARG
1	A	230	MET
1	A	238	THR
1	A	240	TYR
1	A	244	SER
1	A	256	MET
1	A	267	ASP
1	A	273	LEU
1	A	308	MET
1	A	329	VAL
1	A	343	ILE
1	A	365	ASP
1	A	368	GLU
1	A	378	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	110	GLN
1	A	119	HIS
1	A	214	GLN
1	A	221	ASN
1	A	236	GLN
1	A	339	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	4BM	A	1	-	26,27,27	1.70	6 (23%)	31,37,37	2.44	14 (45%)
2	ADP	A	2	3	28,29,29	1.64	1 (3%)	43,45,45	2.23	13 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	4BM	A	1	-	-	5/16/16/16	0/2/2/2
2	ADP	A	2	3	-	5/16/32/32	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2	ADP	PA-O3A	7.37	1.67	1.59
6	A	1	4BM	O17-N15	3.50	1.48	1.40
6	A	1	4BM	F25-C13	-3.33	1.30	1.34
6	A	1	4BM	C12-C13	3.17	1.43	1.37
6	A	1	4BM	C02-C01	3.11	1.44	1.39
6	A	1	4BM	C01-C06	-2.18	1.36	1.39
6	A	1	4BM	C14-N15	2.01	1.37	1.34

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2	ADP	C5-C4-N3	-5.53	119.11	126.72
6	A	1	4BM	C03-C04-I23	5.10	127.30	119.69
6	A	1	4BM	C02-C01-C06	-4.73	112.06	117.23
2	A	2	ADP	O2B-PB-O3A	-4.67	88.97	104.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2	ADP	O3B-PB-O3A	-4.43	89.79	104.64
2	A	2	ADP	N3-C4-N9	4.38	134.61	127.17
2	A	2	ADP	N3-C2-N1	-4.28	122.10	128.58
6	A	1	4BM	C08-C09-C14	-4.10	116.69	120.85
6	A	1	4BM	F24-C06-C01	4.03	122.60	117.59
6	A	1	4BM	C03-C02-C01	3.76	126.83	119.57
2	A	2	ADP	C2-N3-C4	3.65	120.74	111.83
6	A	1	4BM	C10-C11-C12	-3.57	114.63	119.04
2	A	2	ADP	C5-N7-C8	3.53	109.00	103.45
6	A	1	4BM	C03-C04-C05	-3.41	116.67	121.08
2	A	2	ADP	O3B-PB-O2B	3.27	120.07	107.80
2	A	2	ADP	C4-C5-N7	-3.02	107.13	110.58
6	A	1	4BM	O16-C14-N15	2.92	127.40	122.81
6	A	1	4BM	O16-C14-C09	-2.79	115.92	121.03
6	A	1	4BM	C08-C13-C12	2.67	125.37	121.78
2	A	2	ADP	O3A-PB-O1B	-2.66	97.04	111.04
6	A	1	4BM	C02-C01-N07	2.61	126.53	121.32
2	A	2	ADP	O2B-PB-O1B	2.55	120.76	110.83
2	A	2	ADP	N9-C8-N7	-2.54	110.33	113.94
6	A	1	4BM	C10-C09-C08	2.42	122.22	118.71
6	A	1	4BM	C05-C04-I23	-2.37	116.02	119.38
2	A	2	ADP	O3B-PB-O1B	2.05	118.83	110.83
6	A	1	4BM	C05-C06-C01	-2.05	121.34	123.43

There are no chirality outliers.

All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	A	1	4BM	C14-N15-O17-C18
6	A	1	4BM	O17-C18-C19-C20
6	A	1	4BM	O17-C18-C19-O21
2	A	2	ADP	O4'-C4'-C5'-O5'
6	A	1	4BM	O21-C19-C20-O22
2	A	2	ADP	C5'-O5'-PA-O1A
2	A	2	ADP	C5'-O5'-PA-O2A
2	A	2	ADP	C5'-O5'-PA-O3A
6	A	1	4BM	C19-C18-O17-N15
2	A	2	ADP	PA-O3A-PB-O3B


There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1	4BM	4	0
2	A	2	ADP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	314/360 (87%)	-0.20	6 (1%) 66 62	33, 58, 111, 131	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	277	CYS	4.3
1	A	268	ALA	4.1
1	A	40	LEU	3.5
1	A	107	ILE	3.2
1	A	78	ASN	2.7
1	A	275	PHE	2.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NA	A	6	1/1	0.91	0.13	44,44,44,44	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	CA	A	5	1/1	0.92	0.18	86,86,86,86	1
2	ADP	A	2	27/27	0.94	0.07	45,52,61,62	0
6	4BM	A	1	26/26	0.99	0.07	43,52,80,82	0
3	MG	A	3	1/1	1.00	0.04	34,34,34,34	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers ⓘ

There are no such residues in this entry.