



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 07:53 AM UTC

PDB ID : 3EQP / pdb_00003eqp
Title : Crystal Structure of Ack1 with compound T95
Authors : Liu, J.; Wang, Z.; Walker, N.P.C.
Deposited on : 2008-10-01
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	10% 71% 22% • •
1	B	276	11% 76% 18% • •

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 4580 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Activated CDC42 kinase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	270	Total	C	N	O	S	0	0	0
			2168	1380	385	388	15			
1	A	268	Total	C	N	O	S	0	0	0
			2153	1372	383	383	15			

- Molecule 2 is N-(2,6-dimethylphenyl)-4-(2-ethoxyphenoxy)-2-({4-[4-(2-hydroxyethyl)piperazin-1-yl]phenyl}amino)pyrimidine-5-carboxamide (CCD ID: T95) (formula: C₃₃H₃₈N₆O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			43	33	6	4		
2	A	1	Total	C	N	O	0	0
			43	33	6	4		

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total 1	Cl 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	105	Total 105	O 105	0	0
4	A	67	Total 67	O 67	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Activated CDC42 kinase 1



• Molecule 1: Activated CDC42 kinase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	71.00Å 43.11Å 92.85Å 90.00° 99.87° 90.00°	Depositor
Resolution (Å)	60.86 – 2.30 60.86 – 2.30	Depositor EDS
% Data completeness (in resolution range)	94.2 (60.86-2.30) 94.2 (60.86-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.42 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.5.0044	Depositor
R, R_{free}	0.221 , 0.284 0.223 , 0.283	Depositor DCC
R_{free} test set	1223 reflections (5.18%)	wwPDB-VP
Wilson B-factor (Å ²)	22.7	Xtriage
Anisotropy	0.279	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 39.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	4580	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: T95, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.70	0/2205	1.00	7/2983 (0.2%)
1	B	0.73	0/2220	0.96	2/3004 (0.1%)
All	All	0.71	0/4425	0.98	9/5987 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	118	THR	N-CA-C	5.82	118.00	108.52
1	A	389	GLN	C-N-CD	-5.75	101.42	125.00
1	A	389	GLN	N-CA-C	-5.41	97.85	109.81
1	A	119	CYS	N-CA-C	5.36	118.81	110.17
1	B	292	VAL	N-CA-C	5.25	113.91	109.02
1	A	389	GLN	CB-CA-C	5.16	120.33	110.17
1	A	389	GLN	CA-C-N	5.14	148.31	122.60
1	A	389	GLN	C-N-CA	5.14	148.31	122.60
1	B	119	CYS	N-CA-C	5.09	118.04	109.95

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	389	GLN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2153	0	2147	44	0
1	B	2168	0	2158	35	0
2	A	43	0	38	2	0
2	B	43	0	38	4	0
3	B	1	0	0	0	0
4	A	67	0	0	5	0
4	B	105	0	0	2	0
All	All	4580	0	4381	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:147:ALA:HB1	1:B:148:PRO:HA	1.32	1.10
1:A:147:ALA:HB1	1:A:148:PRO:HA	1.29	1.06
1:A:359:ASP:HB2	4:A:395:HOH:O	1.62	1.00
1:A:388:ALA:HB2	4:A:397:HOH:O	1.63	0.98
1:A:359:ASP:HB3	1:A:388:ALA:HB1	1.54	0.86
1:B:319:THR:HG22	1:B:323:MET:HE2	1.56	0.85
1:A:147:ALA:HB1	1:A:148:PRO:CA	2.10	0.82
1:B:147:ALA:HB1	1:B:148:PRO:CA	2.09	0.81
1:A:120:LEU:HD11	1:A:197:LEU:HD22	1.63	0.79
1:B:235:GLN:HE22	1:B:266:VAL:H	1.33	0.76
1:B:120:LEU:HD11	1:B:197:LEU:HD22	1.69	0.75
1:B:235:GLN:NE2	1:B:266:VAL:H	1.84	0.75
1:B:147:ALA:CB	1:B:148:PRO:HA	2.17	0.71
1:A:377:THR:HG21	4:A:444:HOH:O	1.93	0.67
1:B:320:LEU:HA	1:B:323:MET:HE3	1.76	0.67
1:B:186:HIS:HE1	1:B:188:ASN:HD22	1.44	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:147:ALA:CB	1:A:148:PRO:HA	2.17	0.64
1:A:195:VAL:HG13	1:A:197:LEU:HD13	1.81	0.63
1:A:171:MET:HE1	1:A:201:MET:HE1	1.81	0.62
1:A:255:ALA:HA	1:A:258:LEU:HD22	1.82	0.61
1:B:177:GLU:HG3	1:B:272:GLY:HA2	1.83	0.61
1:A:353:PRO:HB2	1:A:356:CYS:HB2	1.84	0.58
1:B:288:GLU:H	1:B:288:GLU:CD	2.12	0.58
2:B:1:T95:H15	2:B:1:T95:N3	2.19	0.57
2:A:1:T95:N3	2:A:1:T95:H15	2.19	0.57
1:A:235:GLN:NE2	1:A:266:VAL:H	2.03	0.57
1:A:288:GLU:CD	1:A:288:GLU:H	2.12	0.56
1:B:180:ALA:HB1	1:B:274:MET:HE2	1.87	0.55
1:B:291:LYS:NZ	4:B:429:HOH:O	2.38	0.55
1:A:352:ARG:NH1	1:A:356:CYS:O	2.40	0.55
1:B:235:GLN:HE22	1:B:265:LEU:HA	1.73	0.53
1:A:319:THR:HG22	1:A:323:MET:HE2	1.93	0.51
1:B:186:HIS:CE1	1:B:188:ASN:HD22	2.27	0.51
1:A:222:GLY:C	1:A:224:PHE:N	2.65	0.51
1:B:297:CYS:HB2	1:B:302:LEU:HD13	1.92	0.50
1:A:222:GLY:O	1:A:224:PHE:N	2.44	0.50
1:A:222:GLY:O	1:A:223:HIS:C	2.53	0.50
1:B:314:TRP:C	1:B:314:TRP:CD1	2.90	0.49
1:A:186:HIS:HE1	1:A:188:ASN:HD22	1.61	0.49
1:B:186:HIS:HB3	1:B:189:LEU:HD22	1.93	0.49
1:A:230:SER:HB3	1:A:389:GLN:HG2	1.94	0.49
1:B:230:SER:HB2	1:B:389:GLN:HG3	1.96	0.48
1:A:383:ASP:O	1:A:387:GLU:HG2	2.13	0.48
1:A:222:GLY:C	1:A:224:PHE:H	2.21	0.48
1:B:137:PHE:O	1:B:158:LYS:HE3	2.13	0.47
1:B:256:ARG:NH2	1:B:293:PRO:HG2	2.30	0.47
1:A:147:ALA:HA	1:A:150:GLY:H	1.80	0.47
1:B:177:GLU:OE2	2:B:1:T95:H31	2.15	0.47
1:A:389:GLN:OE1	4:A:447:HOH:O	2.20	0.47
1:B:298:ALA:HB1	1:B:300:GLU:OE2	2.15	0.46
1:B:288:GLU:HA	1:B:305:ARG:CZ	2.45	0.46
1:B:341:HIS:CD2	1:B:345:LYS:HG3	2.51	0.46
1:A:180:ALA:HB1	1:A:274:MET:HE2	1.97	0.46
1:B:147:ALA:HA	1:B:150:GLY:H	1.81	0.45
2:B:1:T95:N3	2:B:1:T95:C15	2.80	0.45
1:A:284:TYR:OH	1:A:287:GLN:NE2	2.31	0.45
1:B:297:CYS:CB	1:B:302:LEU:HD13	2.48	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:120:LEU:HD12	1:A:120:LEU:HA	1.87	0.44
1:B:127:ARG:HH22	1:B:146:ASP:CG	2.26	0.44
1:B:181:MET:SD	1:B:203:MET:HE1	2.58	0.43
2:B:1:T95:H40A	4:B:398:HOH:O	2.19	0.43
1:A:235:GLN:HE22	1:A:266:VAL:H	1.66	0.43
1:A:302:LEU:HD12	1:A:302:LEU:HA	1.94	0.43
1:A:261:ALA:HB3	1:A:265:LEU:HD23	2.01	0.42
1:B:261:ALA:HB2	1:B:267:LYS:HD2	2.01	0.42
1:A:147:ALA:CB	1:A:148:PRO:CA	2.85	0.42
1:A:206:GLU:OE2	1:A:267:LYS:HE3	2.19	0.42
1:A:303:LYS:HB3	1:A:304:THR:HG23	2.00	0.42
1:A:377:THR:HG23	1:A:380:ALA:H	1.84	0.42
1:A:359:ASP:CB	4:A:395:HOH:O	2.41	0.42
1:A:232:TYR:O	1:A:236:VAL:HG23	2.20	0.42
2:A:1:T95:N3	2:A:1:T95:C15	2.81	0.41
1:B:171:MET:HE1	1:B:201:MET:HE1	2.01	0.41
1:B:319:THR:O	1:B:323:MET:HG3	2.21	0.41
1:A:220:HIS:O	1:A:221:GLN:C	2.64	0.41
1:B:227:GLY:H	1:B:392:ASP:HB3	1.86	0.41
1:A:308:SER:H	1:A:311:SER:HG	1.63	0.41
1:A:181:MET:SD	1:A:203:MET:HE1	2.61	0.41
1:A:256:ARG:NH2	1:A:293:PRO:HG2	2.36	0.40
1:A:325:THR:HB	1:A:328:GLN:HG3	2.03	0.40
1:B:184:LEU:HD11	1:B:274:MET:HE1	2.03	0.40
1:B:354:GLU:O	1:B:355:ASP:HB2	2.22	0.40
1:A:137:PHE:O	1:A:158:LYS:HE3	2.22	0.40
1:A:377:THR:O	1:A:381:LEU:HD22	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	264/276 (96%)	252 (96%)	9 (3%)	3 (1%)	11	13
1	B	266/276 (96%)	255 (96%)	9 (3%)	2 (1%)	16	20
All	All	530/552 (96%)	507 (96%)	18 (3%)	5 (1%)	14	17

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	221	GLN
1	B	147	ALA
1	A	147	ALA
1	A	270	ASP
1	B	390	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/240 (97%)	212 (91%)	20 (9%)	10	13
1	B	234/240 (98%)	215 (92%)	19 (8%)	11	14
All	All	466/480 (97%)	427 (92%)	39 (8%)	10	14

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	153	VAL
1	B	160	LEU
1	B	189	LEU
1	B	191	ARG
1	B	197	LEU
1	B	258	LEU
1	B	265	LEU
1	B	273	LEU
1	B	279	GLN
1	B	283	HIS
1	B	288	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	292	VAL
1	B	300	GLU
1	B	302	LEU
1	B	320	LEU
1	B	354	GLU
1	B	359	ASP
1	B	371	LYS
1	B	382	ARG
1	A	132	LEU
1	A	151	LYS
1	A	160	LEU
1	A	183	SER
1	A	195	VAL
1	A	197	LEU
1	A	206	GLU
1	A	223	HIS
1	A	258	LEU
1	A	273	LEU
1	A	279	GLN
1	A	283	HIS
1	A	291	LYS
1	A	292	VAL
1	A	300	GLU
1	A	303	LYS
1	A	354	GLU
1	A	371	LYS
1	A	377	THR
1	A	381	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	188	ASN
1	B	220	HIS
1	B	221	GLN
1	B	235	GLN
1	B	358	GLN
1	B	366	GLN
1	A	188	ASN
1	A	235	GLN
1	A	257	ASN
1	A	287	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	338	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	T95	B	1	-	47,47,47	0.95	2 (4%)	61,64,64	1.84	10 (16%)
2	T95	A	1	-	47,47,47	0.85	2 (4%)	61,64,64	2.01	12 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	T95	B	1	-	-	3/26/36/36	0/5/5/5
2	T95	A	1	-	-	4/26/36/36	0/5/5/5

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1	T95	C4-N3	3.58	1.37	1.32
2	A	1	T95	C9-N8	-3.56	1.36	1.43
2	B	1	T95	C9-N8	-3.18	1.37	1.43
2	A	1	T95	C4-N3	2.21	1.35	1.32

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	T95	N1-C2-N3	-7.73	118.95	126.42
2	B	1	T95	N1-C2-N3	-7.69	118.98	126.42
2	B	1	T95	C36-N20-C40	5.37	123.65	111.57
2	A	1	T95	C5-C4-N3	-4.94	119.76	124.40
2	A	1	T95	C6-N1-C2	4.88	122.50	115.81
2	B	1	T95	C5-C4-N3	-4.86	119.83	124.40
2	A	1	T95	C36-N20-C40	4.69	122.11	111.57
2	A	1	T95	C36-C37-N38	-4.05	102.48	110.65
2	B	1	T95	C6-N1-C2	4.02	121.32	115.81
2	A	1	T95	C5-C6-N1	-3.98	118.71	124.32
2	B	1	T95	C2-N3-C4	3.69	121.74	115.38
2	A	1	T95	C2-N3-C4	3.35	121.14	115.38
2	A	1	T95	C40-C39-N38	-3.34	103.92	110.65
2	B	1	T95	C40-C39-N38	-2.74	105.11	110.65
2	B	1	T95	C36-C37-N38	-2.65	105.30	110.65
2	A	1	T95	O26-C25-C11	2.47	120.86	115.75
2	B	1	T95	C5-C6-N1	-2.35	121.00	124.32
2	B	1	T95	C27-O26-C25	2.32	122.81	118.08
2	A	1	T95	C27-O26-C25	2.31	122.79	118.08
2	A	1	T95	O26-C25-C24	-2.26	119.03	123.95
2	A	1	T95	C30-C29-C9	2.23	120.86	117.76
2	B	1	T95	C30-C29-C9	2.16	120.76	117.76

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1	T95	C42-C41-N38-C39
2	B	1	T95	N38-C41-C42-O43
2	A	1	T95	C6-C5-C7-O12
2	B	1	T95	C6-C5-C7-O12
2	B	1	T95	C6-C5-C7-N8
2	A	1	T95	C6-C5-C7-N8

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	1	T95	N38-C41-C42-O43


There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	T95	4	0
2	A	1	T95	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	268/276 (97%)	0.64	27 (10%)	12 14	10, 24, 50, 60	0
1	B	270/276 (97%)	0.55	31 (11%)	9 10	10, 24, 49, 60	0
All	All	538/552 (97%)	0.60	58 (10%)	11 12	10, 24, 50, 60	0

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	390	PRO	10.6
1	B	292	VAL	5.1
1	A	389	GLN	5.1
1	B	117	LEU	4.9
1	B	284	TYR	4.7
1	A	284	TYR	4.6
1	A	388	ALA	4.2
1	A	292	VAL	3.9
1	B	160	LEU	3.9
1	A	223	HIS	3.8
1	B	168	PRO	3.8
1	B	288	GLU	3.4
1	B	134	ASP	3.4
1	A	124	LYS	3.3
1	B	279	GLN	3.3
1	B	283	HIS	3.1
1	A	289	HIS	3.0
1	B	390	PRO	3.0
1	B	287	GLN	2.9
1	A	294	PHE	2.8
1	A	147	ALA	2.8
1	A	170	ALA	2.8
1	A	168	PRO	2.8
1	A	117	LEU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	286	MET	2.8
1	A	167	GLN	2.7
1	A	287	GLN	2.7
1	B	170	ALA	2.6
1	B	172	ASP	2.6
1	A	283	HIS	2.6
1	B	167	GLN	2.6
1	B	285	VAL	2.6
1	A	222	GLY	2.5
1	B	148	PRO	2.5
1	A	285	VAL	2.5
1	B	359	ASP	2.4
1	B	281	ASP	2.4
1	B	129	LEU	2.4
1	B	280	ASN	2.3
1	A	221	GLN	2.3
1	B	199	PRO	2.2
1	B	133	GLY	2.2
1	A	288	GLU	2.2
1	A	279	GLN	2.2
1	A	132	LEU	2.2
1	A	169	GLU	2.2
1	B	153	VAL	2.1
1	A	134	ASP	2.1
1	B	169	GLU	2.1
1	B	147	ALA	2.1
1	B	132	LEU	2.1
1	A	150	GLY	2.1
1	B	176	ARG	2.1
1	B	275	ARG	2.1
1	B	128	LEU	2.0
1	A	282	ASP	2.0
1	B	123	GLU	2.0
1	B	120	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	T95	A	1	43/43	0.91	0.10	18,21,36,41	0
2	T95	B	1	43/43	0.92	0.10	17,22,36,39	0
3	CL	B	393	1/1	0.99	0.04	16,16,16,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.