



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 04:45 AM UTC

PDB ID : 2ER7 / pdb_00002er7
Title : X-RAY ANALYSES OF ASPARTIC PROTEINASES.III. THREE-DIMENSIONAL STRUCTURE OF ENDOTHAPEPSIN COMPLEXED WITH A TRANSITION-STATE ISOSTERE INHIBITOR OF RENIN AT 1.6 ANGSTROMS RESOLUTION
Authors : Veerapandian, B.; Cooper, J.B.; Szelke, M.; Blundell, T.L.
Deposited on : 1990-11-12
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	E	330	73% 24% .
2	I	8	38% 25% 38%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 2804 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ENDOTHIAPEPSIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	E	330	Total	C	N	O	S	0	0	0
			2389	1514	366	507	2			

- Molecule 2 is a protein called TRANSITION-STATE ISOSTERE INHIBITOR OF RENIN.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	I	8	Total	C	N	O	0	0	0
			79	55	13	11			

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	E	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	E	311	Total	O	0	0
			311	311		
4	I	10	Total	O	0	0
			10	10		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: ENDOTHIAPEPSIN



• Molecule 2: TRANSITION-STATE ISOSTERE INHIBITOR OF RENIN



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	43.00 Å 75.70 Å 42.90 Å 90.00° 97.00° 90.00°	Depositor
Resolution (Å)	20.00 – 1.60	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-1.60)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.142 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2804	wwPDB-VP
Average B, all atoms (Å ²)	0.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BOC, LOV, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	E	1.42	14/2445 (0.6%)	2.12	96/3345 (2.9%)
2	I	3.12	8/60 (13.3%)	3.72	8/78 (10.3%)
All	All	1.48	22/2505 (0.9%)	2.17	104/3423 (3.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	1
2	I	0	2
All	All	0	3

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	158	HIS	ND1-CE1	9.53	1.42	1.32
1	E	57	THR	C-N	9.18	1.45	1.34
2	I	2	HIS	C-N	8.63	1.43	1.33
1	E	129	ASN	C-N	7.77	1.43	1.33
2	I	3	PRO	N-CD	7.76	1.58	1.47
2	I	2	HIS	ND1-CE1	7.46	1.40	1.32
2	I	2	HIS	CE1-NE2	7.44	1.40	1.32
2	I	8	HIS	CE1-NE2	7.42	1.40	1.32
2	I	8	HIS	ND1-CE1	7.41	1.40	1.32
1	E	274	ASP	C-N	7.21	1.44	1.33
1	E	58	PRO	N-CD	7.19	1.57	1.47
2	I	5	HIS	ND1-CE1	6.99	1.39	1.32
1	E	57	THR	C-O	-6.41	1.19	1.25
2	I	5	HIS	CE1-NE2	6.34	1.38	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	51	ASP	CA-CB	5.97	1.61	1.53
1	E	99	GLN	CD-OE1	5.81	1.34	1.23
1	E	19	GLN	C-N	-5.59	1.26	1.33
1	E	187	GLN	CD-OE1	5.50	1.33	1.23
1	E	141	ASN	CG-OD1	5.27	1.33	1.23
1	E	312	VAL	N-CA	5.16	1.52	1.46
1	E	158	HIS	CE1-NE2	5.04	1.37	1.32
1	E	179	ILE	N-CA	5.03	1.52	1.46

All (104) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	2	HIS	CA-C-N	-15.64	104.98	120.31
2	I	2	HIS	C-N-CA	-15.64	104.98	120.31
1	E	51	ASP	CA-CB-CG	12.86	125.46	112.60
1	E	57	THR	CA-C-O	12.70	131.56	119.62
1	E	57	THR	CA-C-N	-12.11	107.33	119.56
1	E	57	THR	C-N-CA	-12.11	107.33	119.56
2	I	8	HIS	CA-CB-CG	-12.09	101.71	113.80
1	E	279	SER	O-C-N	-11.24	110.63	123.33
1	E	296	GLY	CA-C-N	10.38	135.16	120.42
1	E	296	GLY	C-N-CA	10.38	135.16	120.42
1	E	273	ILE	CA-C-O	9.53	131.11	119.58
1	E	299	ILE	O-C-N	9.03	132.66	122.82
1	E	155	LEU	CA-C-N	-8.69	111.98	122.15
1	E	155	LEU	C-N-CA	-8.69	111.98	122.15
1	E	114	ASP	CA-C-O	-8.67	111.87	121.58
1	E	200	GLY	O-C-N	8.32	132.01	122.61
1	E	129	ASN	CA-C-N	-7.68	110.62	122.60
1	E	129	ASN	C-N-CA	-7.68	110.62	122.60
1	E	125	PHE	CA-CB-CG	-7.58	106.22	113.80
1	E	266	ILE	CA-C-N	-7.45	113.43	123.12
1	E	266	ILE	C-N-CA	-7.45	113.43	123.12
1	E	284	PHE	CA-C-N	-7.36	111.20	121.13
1	E	284	PHE	C-N-CA	-7.36	111.20	121.13
1	E	261	VAL	O-C-N	7.30	130.11	123.03
2	I	2	HIS	O-C-N	7.29	134.67	123.00
1	E	66	LEU	CA-C-O	6.94	128.00	120.58
1	E	76	GLY	O-C-N	6.74	129.38	122.24
1	E	227	VAL	CA-C-O	6.71	127.96	120.85
1	E	284	PHE	CA-CB-CG	-6.60	107.20	113.80
1	E	27	LEU	CA-C-N	-6.54	114.34	122.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	27	LEU	C-N-CA	-6.54	114.34	122.84
1	E	275	PHE	CA-CB-CG	-6.50	107.30	113.80
1	E	263	SER	CA-C-O	6.32	127.41	119.12
1	E	67	SER	CA-C-N	-6.31	112.17	122.20
1	E	67	SER	C-N-CA	-6.31	112.17	122.20
1	E	149	PRO	CB-CA-C	-6.27	104.56	113.09
1	E	127	THR	O-C-N	-6.24	114.28	122.39
2	I	2	HIS	CB-CG-CD2	-6.20	123.14	131.20
1	E	114	ASP	CA-CB-CG	6.20	118.80	112.60
1	E	28	ASN	OD1-CG-ND2	-6.19	116.41	122.60
1	E	145	SER	CA-C-O	-6.18	112.34	119.14
2	I	5	HIS	CB-CG-CD2	-6.16	123.19	131.20
1	E	36	SER	CA-C-O	-6.16	113.27	120.53
1	E	103	SER	O-C-N	-6.15	116.06	123.13
1	E	266	ILE	CA-C-O	-6.10	114.00	120.53
1	E	242	SER	O-C-N	-6.07	114.81	122.27
1	E	274	ASP	CA-C-O	6.06	127.53	120.98
1	E	315	ASN	O-C-N	-6.04	115.69	122.93
1	E	259	PHE	CA-C-N	-6.03	115.72	121.57
1	E	259	PHE	C-N-CA	-6.03	115.72	121.57
1	E	306	ALA	CA-C-O	-5.99	114.14	120.55
1	E	266	ILE	O-C-N	5.99	130.10	123.10
1	E	105	LYS	CA-CB-CG	-5.97	102.15	114.10
2	I	8	HIS	N-CA-CB	5.95	120.61	110.50
1	E	263	SER	O-C-N	-5.90	113.66	122.39
1	E	229	SER	CA-C-O	-5.74	114.47	120.55
1	E	282(B)	SER	O-C-N	5.68	130.42	123.21
1	E	95	THR	O-C-N	5.65	130.39	123.21
1	E	76	GLY	CA-C-O	-5.64	114.30	120.40
1	E	72	SER	O-C-N	5.59	129.79	123.42
1	E	242	SER	CA-C-N	-5.50	113.73	121.55
1	E	242	SER	C-N-CA	-5.50	113.73	121.55
1	E	97	THR	O-C-N	-5.45	116.84	122.94
1	E	299	ILE	CA-C-N	-5.43	114.06	122.09
1	E	299	ILE	C-N-CA	-5.43	114.06	122.09
1	E	240	SER	O-C-N	5.40	129.54	123.27
1	E	178	SER	CA-C-N	-5.40	113.62	121.71
1	E	178	SER	C-N-CA	-5.40	113.62	121.71
1	E	40	VAL	CA-CB-CG2	5.39	119.57	110.40
1	E	150	VAL	N-CA-CB	-5.39	101.37	111.62
1	E	274	ASP	CA-C-N	-5.39	111.36	120.58
1	E	274	ASP	C-N-CA	-5.39	111.36	120.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	157	TYR	CG-CD1-CE1	5.39	129.29	121.20
1	E	181	TYR	O-C-N	5.38	129.28	123.10
1	E	112	THR	CA-C-O	-5.36	114.87	120.55
1	E	261	VAL	CA-C-O	-5.36	115.06	120.31
1	E	189	PHE	CD1-CG-CD2	5.34	126.61	118.60
1	E	187	GLN	O-C-N	5.29	128.96	122.34
1	E	152	THR	CA-C-N	-5.28	115.55	122.99
1	E	152	THR	C-N-CA	-5.28	115.55	122.99
1	E	325	SER	CA-CB-OG	-5.26	100.58	111.10
1	E	312	VAL	CA-C-N	-5.25	116.30	123.12
1	E	312	VAL	C-N-CA	-5.25	116.30	123.12
1	E	65	LEU	O-C-N	-5.24	116.45	122.95
1	E	140	ASP	CA-C-O	5.22	125.97	119.97
2	I	2	HIS	C-N-CD	5.21	146.35	125.00
1	E	189	PHE	CB-CG-CD1	-5.21	111.85	120.70
1	E	36	SER	CA-CB-OG	-5.20	100.70	111.10
1	E	243	VAL	CA-C-N	5.16	131.52	121.41
1	E	243	VAL	C-N-CA	5.16	131.52	121.41
1	E	51	ASP	CB-CA-C	5.16	119.94	111.74
1	E	227	VAL	O-C-N	-5.15	116.52	121.83
1	E	300	ASN	OD1-CG-ND2	5.12	127.72	122.60
1	E	199	VAL	N-CA-CB	-5.12	104.29	111.25
1	E	192	TRP	CE2-CD2-CE3	5.08	123.88	118.80
1	E	311	PHE	CA-C-N	-5.08	116.49	123.14
1	E	311	PHE	C-N-CA	-5.08	116.49	123.14
1	E	184(A)	SER	CA-C-N	-5.07	114.57	122.73
1	E	184(A)	SER	C-N-CA	-5.07	114.57	122.73
1	E	112	THR	N-CA-C	-5.05	105.78	111.28
1	E	38	LEU	O-C-N	5.04	129.07	122.87
1	E	91	VAL	O-C-N	5.03	128.37	122.99
1	E	315	ASN	OD1-CG-ND2	-5.02	117.58	122.60
1	E	87	ASP	O-C-N	5.02	128.53	123.26

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	151	PHE	Mainchain
2	I	6	LOV	Peptide,Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	2389	0	2280	16	0
2	I	79	0	72	6	0
3	E	15	0	0	0	0
4	E	311	0	0	3	14
4	I	10	0	0	0	2
All	All	2804	0	2352	19	14

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (19) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:297:ILE:HG22	1:E:299:ILE:H	1.50	0.77
2:I:8:HIS:ND1	2:I:8:HIS:O	2.29	0.65
1:E:129:ASN:ND2	1:E:135:GLN:H	1.98	0.61
2:I:8:HIS:O	2:I:8:HIS:CG	2.60	0.54
1:E:255:PRO:HG3	4:E:1048:HOH:O	2.07	0.54
1:E:221:LEU:HG	1:E:223:LEU:HD22	1.89	0.53
1:E:99:GLN:NE2	1:E:138:PHE:HA	2.25	0.50
1:E:213:ILE:HD11	2:I:6:LOV:HG21	1.93	0.49
1:E:46:THR:HG23	1:E:105:LYS:O	2.13	0.48
1:E:299:ILE:HG22	4:E:1017:HOH:O	2.14	0.47
2:I:5:HIS:CE1	2:I:6:LOV:HG13	2.51	0.46
1:E:10:LEU:O	1:E:11:ASP:HB2	2.16	0.45
1:E:132:SER:OG	1:E:133:PRO:HA	2.18	0.43
1:E:9:SER:HB2	4:E:1040:HOH:O	2.19	0.43
1:E:136:LYS:HD2	1:E:141:ASN:ND2	2.33	0.43
1:E:120:LEU:HD21	2:I:6:LOV:HD23	2.02	0.42
1:E:213:ILE:HD11	2:I:6:LOV:CG2	2.50	0.41
1:E:269:PRO:HG2	1:E:272:TYR:CE1	2.56	0.41
1:E:22:THR:HA	1:E:23:PRO:C	2.44	0.40

All (14) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:E:1001:HOH:O	4:E:1203:HOH:O[1_554]	0.11	2.09
4:E:1000:HOH:O	4:E:1204:HOH:O[1_554]	0.14	2.06
4:E:960:HOH:O	4:E:999:HOH:O[1_556]	0.22	1.98
4:E:1134:HOH:O	4:I:17:HOH:O[1_554]	0.25	1.95
4:E:1171:HOH:O	4:E:1189:HOH:O[1_556]	0.29	1.91
4:E:1040:HOH:O	4:E:1201:HOH:O[2_646]	0.42	1.78
4:E:1188:HOH:O	4:I:18:HOH:O[1_554]	0.42	1.78
4:E:1056:HOH:O	4:E:1202:HOH:O[2_646]	0.43	1.77
4:E:1011:HOH:O	4:E:1141:HOH:O[1_455]	0.55	1.65
4:E:1009:HOH:O	4:E:1131:HOH:O[1_655]	0.58	1.62
4:E:1154:HOH:O	4:E:1200:HOH:O[1_554]	0.61	1.59
4:E:980:HOH:O	4:E:1197:HOH:O[2_646]	0.62	1.58
4:E:1076:HOH:O	4:E:1224:HOH:O[2_646]	1.59	0.61
4:E:1088:HOH:O	4:E:1198:HOH:O[2_646]	2.19	0.01

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	328/330 (99%)	325 (99%)	2 (1%)	1 (0%)	36	20
2	I	5/8 (62%)	5 (100%)	0	0	100	100
All	All	333/338 (98%)	330 (99%)	2 (1%)	1 (0%)	36	20

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	317	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	263/263 (100%)	254 (97%)	9 (3%)	32	11
2	I	6/6 (100%)	6 (100%)	0	100	100
All	All	269/269 (100%)	260 (97%)	9 (3%)	33	12

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	18	VAL
1	E	46	THR
1	E	51	ASP
1	E	65	LEU
1	E	67	SER
1	E	150	VAL
1	E	186	LYS
1	E	223	LEU
1	E	299	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	99	GLN
1	E	129	ASN
1	E	141	ASN
1	E	166	ASN
1	E	300	ASN
2	I	5	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	LOV	I	6	2	14,14,15	0.91	0	13,18,20	0.72	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LOV	I	6	2	-	1/18/18/20	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	I	6	LOV	O-C-C1-CT

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	I	6	LOV	4	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	E	900	-	4,4,4	0.76	0	6,6,6	0.88	0
3	SO4	E	920	-	4,4,4	0.69	0	6,6,6	0.81	0
3	SO4	E	910	-	4,4,4	0.83	0	6,6,6	0.59	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.