



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:15 PM UTC

PDB ID : 3ER9 / pdb_00003er9
Title : Crystal structure of the heterodimeric vaccinia virus mRNA polyadenylate polymerase complex with UU and 3'-deoxy ATP
Authors : Li, C.; Li, H.; Zhou, S.; Poulos, T.L.; Gershon, P.D.
Deposited on : 2008-10-01
Resolution : 2.06 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3774 (2.08-2.04)
Clashscore	190562	3883 (2.08-2.04)
Ramachandran outliers	187476	3860 (2.08-2.04)
Sidechain outliers	187428	3860 (2.08-2.04)
RSRZ outliers	180081	3775 (2.08-2.04)
RNA backbone	3983	1030 (2.40-1.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	297	6% 74% 21% • •
2	B	479	5% 67% 24% • 7%
3	D	2	50% 50%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 6416 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cap-specific mRNA (nucleoside-2'-O-)-methyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	288	Total	C	N	O	S	0	0	0
			2382	1552	394	424	12			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	140	ALA	ARG	engineered mutation	UNP P07617
A	142	ALA	LYS	engineered mutation	UNP P07617
A	143	ALA	ARG	engineered mutation	UNP P07617

- Molecule 2 is a protein called Poly(A) polymerase catalytic subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	445	Total	C	N	O	S	0	0	0
			3627	2318	605	680	24			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	36	SER	LEU	engineered mutation	UNP P23371

- Molecule 3 is a RNA chain called 5'-R(UP*U)-3'.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	2	Total	C	N	O	P	0	0	0
			40	18	4	16	2			

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is 3'-DEOXYADENOSINE-5'-TRIPHOSPHATE (CCD ID: 3AT) (formula: $C_{10}H_{16}N_5O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	P	0	0
			30	10	5	12	3		

- Molecule 6 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	2	Total	Ca	0	0
			2	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	135	Total	O	0	0
			135	135		
7	B	182	Total	O	0	0
			182	182		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cap-specific mRNA (nucleoside-2'-O-)-methyltransferase



Chain D:  50% 50%

1600
1601

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	69.53Å 91.98Å 133.73Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.69 – 2.06 42.69 – 2.06	Depositor EDS
% Data completeness (in resolution range)	98.1 (42.69-2.06) 98.1 (42.69-2.06)	Depositor EDS
R_{merge}	0.53	Depositor
R_{sym}	0.53	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.46 (at 2.05Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.208 , 0.250 0.208 , 0.251	Depositor DCC
R_{free} test set	2660 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	29.6	Xtriage
Anisotropy	0.243	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 42.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6416	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, 3AT, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/2444	0.96	12/3308 (0.4%)
2	B	0.41	0/3686	0.89	7/4972 (0.1%)
3	D	0.59	0/43	1.11	0/64
All	All	0.44	0/6173	0.92	19/8344 (0.2%)

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	243	VAL	N-CA-C	8.32	118.37	110.30
1	A	180	PHE	CA-C-N	6.21	125.70	119.24
1	A	180	PHE	C-N-CA	6.21	125.70	119.24
2	B	234	ILE	CA-C-N	6.10	125.99	119.28
2	B	234	ILE	C-N-CA	6.10	125.99	119.28
2	B	290	SER	N-CA-C	-5.98	105.47	112.89
1	A	133	ILE	N-CA-C	5.78	116.26	108.17
1	A	214	TYR	N-CA-C	5.72	118.75	110.28
2	B	463	LYS	CA-C-N	5.72	126.04	119.92
2	B	463	LYS	C-N-CA	5.72	126.04	119.92
1	A	116	VAL	N-CA-C	5.55	117.31	108.87
1	A	261	PHE	N-CA-C	-5.48	105.22	111.14
1	A	276	PHE	CA-C-N	5.46	124.81	118.85
1	A	276	PHE	C-N-CA	5.46	124.81	118.85
1	A	17	ASP	N-CA-C	5.38	118.85	112.72
1	A	249	VAL	N-CA-C	5.28	117.65	111.05
2	B	394	ASN	N-CA-C	5.07	118.73	112.24
1	A	247	VAL	N-CA-C	-5.06	101.12	108.36
2	B	111	ILE	N-CA-C	5.02	115.31	110.74

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2382	0	2389	35	0
2	B	3627	0	3689	122	0
3	D	40	0	21	2	0
4	A	18	0	24	2	0
5	B	30	0	12	0	0
6	B	2	0	0	0	0
7	A	135	0	0	3	0
7	B	182	0	0	7	0
All	All	6416	0	6135	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:283:LEU:HD22	2:B:429:MET:HE2	1.23	1.16
2:B:280:PHE:HA	2:B:429:MET:HE1	1.26	1.15
2:B:444:ASN:HA	2:B:447:MET:HE3	1.39	1.02
2:B:413:HIS:HD2	2:B:415:ILE:H	1.13	0.96
2:B:61:LYS:HZ3	2:B:62:ARG:HG3	1.30	0.96
2:B:184:ILE:HD13	2:B:262:MET:HE1	1.48	0.93
2:B:283:LEU:CD2	2:B:429:MET:HE2	1.98	0.92
2:B:21:TYR:CZ	2:B:85:GLN:HG2	2.11	0.86
2:B:33:MET:HA	2:B:33:MET:HE2	1.60	0.81
2:B:231:LEU:HD22	2:B:241:MET:HE2	1.62	0.80
2:B:283:LEU:HD22	2:B:429:MET:CE	2.10	0.76
2:B:70:SER:OG	2:B:73:GLU:HG3	1.86	0.75
2:B:85:GLN:HB2	7:B:1221:HOH:O	1.86	0.74
2:B:316:VAL:CG1	2:B:322:ILE:HD12	2.18	0.72
2:B:134:MET:HE3	2:B:134:MET:HA	1.70	0.72
2:B:331:MET:HG3	2:B:332:PRO:HA	1.70	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:74:ILE:HD12	2:B:224:ILE:HA	1.71	0.72
2:B:280:PHE:HD1	2:B:429:MET:HE3	1.54	0.71
2:B:413:HIS:CD2	2:B:415:ILE:H	2.05	0.71
2:B:280:PHE:CA	2:B:429:MET:HE1	2.16	0.70
1:A:118:GLU:HG2	1:A:162:VAL:HG11	1.73	0.69
2:B:328:ARG:HG2	2:B:331:MET:O	1.91	0.69
2:B:331:MET:HE3	2:B:421:CYS:HB3	1.74	0.69
2:B:408:ASP:HB2	2:B:411:LYS:HD2	1.74	0.69
2:B:61:LYS:NZ	2:B:62:ARG:HG3	2.08	0.68
2:B:280:PHE:HA	2:B:429:MET:CE	2.16	0.68
1:A:164:ILE:HD11	1:A:174:LEU:HD11	1.73	0.68
2:B:280:PHE:CD1	2:B:429:MET:HE3	2.29	0.67
2:B:134:MET:HE2	2:B:137:LEU:HD22	1.78	0.66
2:B:22:LEU:HA	7:B:1221:HOH:O	1.96	0.66
2:B:327:LYS:O	2:B:327:LYS:HG3	1.96	0.65
2:B:235:PRO:HG3	2:B:466:ARG:O	1.96	0.65
1:A:23:GLU:HB3	1:A:25:GLU:OE1	1.97	0.65
2:B:324:PHE:HA	2:B:444:ASN:HD21	1.62	0.63
2:B:27:SER:OG	2:B:30:GLU:HG3	1.98	0.63
2:B:146:ASN:HD21	2:B:299:SER:HA	1.63	0.63
1:A:66:TYR:CD1	1:A:69:SER:HB3	2.34	0.63
2:B:297:ASP:HA	2:B:300:LYS:HE3	1.80	0.63
2:B:132:THR:HA	2:B:135:GLU:OE2	1.97	0.62
2:B:143:ASN:O	2:B:451:LYS:HE2	2.00	0.62
2:B:326:GLY:H	2:B:444:ASN:HD22	1.46	0.62
2:B:325:ASP:OD2	2:B:327:LYS:HG2	1.99	0.61
2:B:142:LEU:HA	2:B:145:MET:HE3	1.83	0.61
4:A:890:GOL:H32	7:A:1204:HOH:O	2.01	0.60
2:B:184:ILE:HG21	2:B:262:MET:HE1	1.84	0.60
2:B:82:PHE:C	2:B:85:GLN:HE22	2.09	0.60
2:B:443:LEU:HA	2:B:446:MET:HE3	1.82	0.60
2:B:413:HIS:HE1	2:B:452:ILE:O	1.86	0.59
2:B:378:SER:HB3	2:B:388:VAL:HG13	1.85	0.59
2:B:13:ILE:O	2:B:17:ILE:HG12	2.02	0.59
2:B:58:LYS:O	2:B:61:LYS:HG3	2.02	0.59
2:B:261:THR:O	2:B:265:VAL:HG23	2.02	0.58
2:B:316:VAL:HG11	2:B:322:ILE:HD12	1.84	0.58
1:A:253:TYR:OH	1:A:287:GLN:NE2	2.36	0.58
2:B:61:LYS:HD2	2:B:62:ARG:N	2.19	0.58
2:B:22:LEU:HD23	7:B:1221:HOH:O	2.03	0.57
2:B:139:ARG:HG2	2:B:306:ASN:ND2	2.20	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:21:TYR:OH	2:B:85:GLN:HG2	2.03	0.57
2:B:286:ILE:CD1	2:B:446:MET:HE1	2.35	0.57
2:B:142:LEU:HD23	2:B:145:MET:HE3	1.85	0.57
1:A:265:PHE:HA	1:A:268:ARG:HD3	1.85	0.56
2:B:230:ILE:HD12	2:B:230:ILE:N	2.20	0.56
2:B:74:ILE:CD1	2:B:224:ILE:HA	2.35	0.56
2:B:85:GLN:H	2:B:85:GLN:CD	2.14	0.56
2:B:245:ASP:OD1	2:B:249:ASN:HB2	2.05	0.56
2:B:189:TYR:CE2	2:B:193:LEU:HD21	2.40	0.56
2:B:326:GLY:H	2:B:444:ASN:ND2	2.03	0.55
2:B:134:MET:HE2	2:B:137:LEU:CD2	2.36	0.55
2:B:161:VAL:N	2:B:250:HIS:HB3	2.22	0.55
1:A:20:LEU:HD22	1:A:237:TYR:CE2	2.42	0.54
1:A:255:ASN:OD1	1:A:257:GLU:OE1	2.25	0.54
2:B:162:SER:OG	2:B:251:ILE:HD13	2.08	0.54
2:B:229:ILE:HD13	2:B:229:ILE:N	2.24	0.53
2:B:355:LYS:HE2	7:B:1264:HOH:O	2.07	0.53
2:B:31:TYR:O	2:B:35:LYS:HB2	2.08	0.53
2:B:229:ILE:C	2:B:230:ILE:HD12	2.33	0.53
2:B:57:LYS:HE2	2:B:71:ALA:HB1	1.90	0.52
2:B:331:MET:CG	2:B:332:PRO:HA	2.38	0.52
2:B:286:ILE:HD13	2:B:446:MET:HE1	1.92	0.52
2:B:348:THR:HB	2:B:352:PHE:HD1	1.74	0.52
1:A:132:LYS:HG3	1:A:170:VAL:HG11	1.91	0.52
1:A:196:MET:HE2	1:A:209:ARG:HB2	1.91	0.52
2:B:109:THR:O	2:B:114:VAL:HG23	2.11	0.51
2:B:444:ASN:ND2	2:B:447:MET:HE1	2.25	0.51
1:A:48:PHE:CB	1:A:266:MET:HE2	2.41	0.51
1:A:230:VAL:HG13	1:A:234:LYS:HE2	1.93	0.51
2:B:47:PHE:O	2:B:49:LYS:HE3	2.12	0.50
2:B:228:ASN:HB2	2:B:246:GLU:HG2	1.93	0.50
1:A:20:LEU:HD22	1:A:237:TYR:CD2	2.46	0.50
2:B:85:GLN:H	2:B:85:GLN:NE2	2.09	0.50
2:B:189:TYR:O	2:B:193:LEU:HD23	2.11	0.50
2:B:189:TYR:O	2:B:193:LEU:CD2	2.58	0.50
2:B:49:LYS:HD2	2:B:82:PHE:CG	2.47	0.50
2:B:83:SER:N	2:B:85:GLN:HE22	2.08	0.50
1:A:48:PHE:HB2	1:A:266:MET:HE2	1.94	0.50
2:B:139:ARG:O	2:B:143:ASN:ND2	2.45	0.49
2:B:229:ILE:HD13	2:B:229:ILE:H	1.76	0.49
2:B:117:ILE:HG23	3:D:600:U:C4	2.48	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:117:ILE:HG23	3:D:600:U:O4	2.14	0.48
2:B:32:HIS:CD2	2:B:33:MET:HE3	2.49	0.48
2:B:262:MET:O	2:B:262:MET:HE3	2.13	0.48
2:B:229:ILE:H	2:B:229:ILE:CD1	2.26	0.48
2:B:136:GLU:HG2	7:B:1272:HOH:O	2.13	0.48
1:A:96:GLY:HA3	1:A:115:PHE:CE1	2.48	0.47
1:A:126:LYS:NZ	1:A:126:LYS:HB2	2.30	0.47
4:A:880:GOL:H31	7:A:1306:HOH:O	2.15	0.46
2:B:260:ASP:OD1	2:B:261:THR:N	2.48	0.46
2:B:230:ILE:HD11	7:B:1110:HOH:O	2.15	0.46
2:B:142:LEU:HD23	2:B:145:MET:CE	2.45	0.46
2:B:297:ASP:HA	2:B:300:LYS:CE	2.45	0.46
1:A:230:VAL:CG1	1:A:234:LYS:HE2	2.45	0.46
2:B:408:ASP:HB2	2:B:411:LYS:CD	2.43	0.46
2:B:331:MET:CE	2:B:421:CYS:HB3	2.46	0.46
1:A:106:LEU:HB2	1:A:109:VAL:HG13	1.98	0.45
2:B:269:PHE:O	2:B:270:ILE:HD13	2.17	0.45
2:B:457:HIS:HD2	2:B:458:THR:O	1.99	0.45
1:A:25:GLU:H	1:A:25:GLU:CD	2.25	0.45
2:B:61:LYS:HD2	2:B:61:LYS:C	2.43	0.44
2:B:331:MET:CE	2:B:438:CYS:SG	3.06	0.44
2:B:58:LYS:HG2	2:B:61:LYS:NZ	2.32	0.44
1:A:184:TRP:CZ3	1:A:229:ALA:HB2	2.53	0.44
2:B:83:SER:CA	2:B:85:GLN:HE22	2.30	0.44
1:A:272:CYS:SG	7:A:1313:HOH:O	2.62	0.44
2:B:57:LYS:CE	2:B:71:ALA:HB1	2.47	0.44
2:B:193:LEU:HD12	2:B:271:ASP:OD1	2.18	0.44
2:B:33:MET:HA	2:B:33:MET:CE	2.41	0.43
1:A:119:GLU:HA	1:A:119:GLU:OE1	2.17	0.43
1:A:46:GLU:OE1	1:A:74:HIS:NE2	2.50	0.43
2:B:74:ILE:HD13	2:B:77:ARG:NH1	2.34	0.43
2:B:296:GLU:O	2:B:300:LYS:HE2	2.18	0.43
2:B:283:LEU:HD21	2:B:425:LEU:HB3	2.00	0.43
2:B:394:ASN:O	2:B:395:ILE:HD13	2.19	0.43
2:B:467:HIS:HE1	7:B:1130:HOH:O	2.01	0.43
2:B:44:ILE:HD13	2:B:101:GLN:HE21	1.83	0.43
2:B:235:PRO:HG3	2:B:466:ARG:C	2.44	0.42
2:B:308:ARG:HG3	2:B:308:ARG:HH11	1.84	0.42
1:A:43:LEU:HD13	1:A:290:ILE:HG23	2.01	0.42
2:B:19:GLU:HG3	2:B:24:ARG:O	2.19	0.42
1:A:215:THR:C	1:A:216:GLY:O	2.62	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:134:MET:HA	2:B:134:MET:CE	2.47	0.42
2:B:77:ARG:HD2	2:B:223:PHE:O	2.20	0.42
1:A:164:ILE:CD1	1:A:191:PRO:HG2	2.50	0.41
1:A:175:LYS:HE2	1:A:207:GLU:OE2	2.20	0.41
1:A:150:THR:HG23	1:A:179:PRO:HB3	2.02	0.41
2:B:359:VAL:HG11	2:B:420:LEU:CD2	2.51	0.41
2:B:21:TYR:CG	2:B:41:ILE:HG23	2.55	0.41
1:A:18:ASN:HB3	1:A:238:TYR:CE2	2.56	0.41
1:A:46:GLU:O	1:A:50:LEU:HB2	2.20	0.41
1:A:159:LEU:HG	1:A:163:MET:HE3	2.01	0.41
1:A:43:LEU:HD23	1:A:43:LEU:C	2.46	0.41
1:A:164:ILE:HD13	1:A:214:TYR:OH	2.20	0.41
2:B:333:MET:HB3	2:B:347:THR:O	2.21	0.41
1:A:219:MET:HE2	1:A:221:LEU:HD21	2.01	0.41
2:B:283:LEU:CD1	2:B:439:LEU:HD13	2.51	0.40
1:A:20:LEU:HD23	1:A:21:ASP:N	2.36	0.40
2:B:130:ASN:C	2:B:314:GLU:HG2	2.46	0.40
2:B:245:ASP:OD2	2:B:245:ASP:C	2.64	0.40
2:B:15:LEU:C	2:B:15:LEU:HD23	2.46	0.40
2:B:184:ILE:HD13	2:B:262:MET:CE	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	282/297 (95%)	275 (98%)	6 (2%)	1 (0%)	30	23
2	B	439/479 (92%)	426 (97%)	13 (3%)	0	100	100
All	All	721/776 (93%)	701 (97%)	19 (3%)	1 (0%)	48	44

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	146	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	266/270 (98%)	256 (96%)	10 (4%)	29	23
2	B	422/453 (93%)	411 (97%)	11 (3%)	40	37
All	All	688/723 (95%)	667 (97%)	21 (3%)	35	30

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	47	LEU
1	A	50	LEU
1	A	109	VAL
1	A	116	VAL
1	A	126	LYS
1	A	128	LEU
1	A	167	LEU
1	A	197	LEU
1	A	209	ARG
1	A	222	THR
2	B	61	LYS
2	B	85	GLN
2	B	117	ILE
2	B	134	MET
2	B	181	LYS
2	B	229	ILE
2	B	231	LEU
2	B	237	LEU
2	B	283	LEU
2	B	292	ILE
2	B	388	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	GLN
1	A	84	ASN
1	A	156	ASN
1	A	183	GLN
1	A	231	ASN
1	A	287	GLN
1	A	288	GLN
2	B	32	HIS
2	B	85	GLN
2	B	101	GLN
2	B	180	ASN
2	B	207	GLN
2	B	228	ASN
2	B	247	ASN
2	B	284	ASN
2	B	329	ASN
2	B	392	HIS
2	B	394	ASN
2	B	413	HIS
2	B	444	ASN
2	B	457	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
3	D	1/2 (50%)	0	0

There are no RNA backbone outliers to report.

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	GOL	A	890	-	5,5,5	0.58	0	5,5,5	0.35	0
4	GOL	A	880	-	5,5,5	0.56	0	5,5,5	0.31	0
4	GOL	A	900	-	5,5,5	0.54	0	5,5,5	0.33	0
5	3AT	B	800	6	30,32,32	1.89	5 (16%)	42,50,50	2.12	11 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	890	-	-	0/4/4/4	-
4	GOL	A	880	-	-	0/4/4/4	-
4	GOL	A	900	-	-	0/4/4/4	-
5	3AT	B	800	6	-	4/22/34/34	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	800	3AT	PB-O3B	5.20	1.65	1.59
5	B	800	3AT	PA-O3A	4.45	1.64	1.59
5	B	800	3AT	C5-C4	3.70	1.45	1.39
5	B	800	3AT	PG-O1G	3.00	1.59	1.50
5	B	800	3AT	C5-N7	-2.04	1.35	1.39

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	800	3AT	N3-C2-N1	-6.38	118.93	128.58
5	B	800	3AT	C5-C4-N3	-4.38	120.69	126.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	800	3AT	N3-C4-N9	4.20	134.31	127.17
5	B	800	3AT	C2-N3-C4	4.10	121.83	111.83
5	B	800	3AT	O4'-C4'-C3'	3.40	109.39	105.07
5	B	800	3AT	O4'-C1'-C2'	-3.26	103.45	106.51
5	B	800	3AT	PA-O5'-C5'	-3.16	103.25	121.35
5	B	800	3AT	C2-N1-C6	2.89	123.48	118.73
5	B	800	3AT	C5-N7-C8	2.78	107.82	103.45
5	B	800	3AT	O3G-PG-O3B	2.57	113.24	104.64
5	B	800	3AT	C3'-C4'-C5'	-2.04	109.11	113.30

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	B	800	3AT	C5'-O5'-PA-O2A
5	B	800	3AT	O4'-C4'-C5'-O5'
5	B	800	3AT	C5'-O5'-PA-O3A
5	B	800	3AT	PB-O3A-PA-O1A

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	890	GOL	1	0
4	A	880	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	288/297 (96%)	0.20	19 (6%) 24 24	17, 28, 50, 82	0
2	B	445/479 (92%)	0.50	25 (5%) 30 30	19, 34, 54, 85	0
3	D	2/2 (100%)	-0.09	0 100 100	47, 47, 47, 59	0
All	All	735/778 (94%)	0.38	44 (5%) 27 27	17, 31, 54, 85	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	132	THR	5.1
2	B	161	VAL	4.6
1	A	20	LEU	4.4
2	B	149	VAL	4.3
2	B	117	ILE	4.0
1	A	1	MET	3.9
1	A	146	ASN	3.8
2	B	131	VAL	3.8
1	A	145	GLY	3.6
2	B	130	ASN	3.6
2	B	270	ILE	3.5
2	B	28	VAL	3.3
2	B	68	ASN	3.1
1	A	140	ALA	3.0
2	B	133	SER	3.0
1	A	24	PRO	2.9
1	A	292	ARG	2.7
2	B	449	ARG	2.7
2	B	139	ARG	2.7
2	B	14	THR	2.7
2	B	13	ILE	2.6
1	A	216	GLY	2.6
2	B	15	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	327	LYS	2.5
1	A	115	PHE	2.5
2	B	61	LYS	2.4
2	B	199	ARG	2.4
2	B	464	PRO	2.4
1	A	33	LYS	2.4
1	A	141	SER	2.2
1	A	34	LEU	2.2
2	B	302	PRO	2.2
1	A	25	GLU	2.2
1	A	245	ASN	2.2
2	B	316	VAL	2.1
1	A	26	SER	2.1
2	B	36	SER	2.1
1	A	18	ASN	2.1
1	A	22	TYR	2.1
1	A	288	GLN	2.1
2	B	198	ILE	2.1
2	B	134	MET	2.0
1	A	217	GLU	2.0
2	B	65	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GOL	A	900	6/6	0.64	0.20	65,66,66,67	0
4	GOL	A	890	6/6	0.75	0.21	61,63,65,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GOL	A	880	6/6	0.83	0.15	57,58,59,62	0
6	CA	B	902	1/1	0.91	0.10	47,47,47,47	0
5	3AT	B	800	30/30	0.94	0.09	28,35,38,41	0
6	CA	B	901	1/1	0.95	0.06	33,33,33,33	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.