



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:29 AM UTC

PDB ID : 9ET9 / pdb_00009et9
Title : CDK2-cyclin A in complex with FragLite 4
Authors : Hope, I.; Martin, M.P.; Waring, M.J.; Noble, M.E.M.; Endicott, J.A.; Tatum, N.J.
Deposited on : 2024-03-26
Resolution : 2.49 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	268	3% 87% 10% .
1	D	268	11% 80% 16% ..
2	A	302	6% 72% 24% ...
2	C	302	9% 75% 19% . 5%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9263 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cyclin-A2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	D	259	Total	C	N	O	S	0	0	0
			2087	1351	340	386	10			
1	B	262	Total	C	N	O	S	0	0	0
			2110	1366	344	390	10			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	171	GLY	-	expression tag	UNP P30274
D	433	HIS	-	expression tag	UNP P30274
D	434	HIS	-	expression tag	UNP P30274
D	435	HIS	-	expression tag	UNP P30274
D	436	HIS	-	expression tag	UNP P30274
D	437	HIS	-	expression tag	UNP P30274
D	438	HIS	-	expression tag	UNP P30274
B	171	GLY	-	expression tag	UNP P30274
B	433	HIS	-	expression tag	UNP P30274
B	434	HIS	-	expression tag	UNP P30274
B	435	HIS	-	expression tag	UNP P30274
B	436	HIS	-	expression tag	UNP P30274
B	437	HIS	-	expression tag	UNP P30274
B	438	HIS	-	expression tag	UNP P30274


- Molecule 2 is a protein called Cyclin-dependent kinase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	A	297	Total	C	N	O	P S	0	4	0
			2417	1568	413	427	1 8			
2	C	287	Total	C	N	O	P S	0	1	0
			2306	1494	389	414	1 8			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP P24941
A	-2	PRO	-	expression tag	UNP P24941
A	-1	GLY	-	expression tag	UNP P24941
A	0	SER	-	expression tag	UNP P24941
C	-3	GLY	-	expression tag	UNP P24941
C	-2	PRO	-	expression tag	UNP P24941
C	-1	GLY	-	expression tag	UNP P24941
C	0	SER	-	expression tag	UNP P24941

- Molecule 3 is 4-bromanypyridin-2-amine (CCD ID: HEW) (formula: $C_5H_5BrN_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	D	1	Total	Br	C	N	0	0
			8	1	5	2		
3	A	1	Total	Br	C	N	0	0
			8	1	5	2		
3	A	1	Total	Br	C	N	0	1
			16	2	10	4		
3	A	1	Total	Br	C	N	0	0
			8	1	5	2		
3	A	1	Total	Br	C	N	0	0
			8	1	5	2		
3	A	1	Total	Br	C	N	0	0
			8	1	5	2		
3	B	1	Total	Br	C	N	0	0
			8	1	5	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	1	Total 8	Br 1	C 5	N 2	0	0
3	C	1	Total 16	Br 2	C 10	N 4	0	1
3	C	1	Total 8	Br 1	C 5	N 2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	24	Total 24	O 24	0	0
4	A	93	Total 93	O 93	0	0
4	B	84	Total 84	O 84	0	0
4	C	46	Total 46	O 46	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cyclin-A2




• Molecule 1: Cyclin-A2




• Molecule 2: Cyclin-dependent kinase 2



• Molecule 2: Cyclin-dependent kinase 2





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.21Å 133.84Å 148.06Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	99.48 – 2.49 99.28 – 2.49	Depositor EDS
% Data completeness (in resolution range)	92.9 (99.48-2.49) 92.7 (99.28-2.49)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.80 (at 2.48Å)	Xtriage
Refinement program	REFMAC 5.8.0425	Depositor
R, R_{free}	0.224 , 0.246 0.210 , 0.233	Depositor DCC
R_{free} test set	2541 reflections (4.78%)	wwPDB-VP
Wilson B-factor (Å ²)	60.9	Xtriage
Anisotropy	0.312	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 41.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9263	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.04% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, HEW

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.65	0/2160	1.16	2/2937 (0.1%)
1	D	0.65	1/2137 (0.0%)	1.14	3/2905 (0.1%)
2	A	0.71	0/2468	1.27	12/3346 (0.4%)
2	C	0.66	0/2350	1.15	2/3187 (0.1%)
All	All	0.67	1/9115 (0.0%)	1.18	19/12375 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2
1	D	0	3
2	A	0	9
2	C	0	4
All	All	0	18

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	191	VAL	C-N	5.42	1.41	1.34

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	248	PHE	CA-CB-CG	-6.48	107.32	113.80
2	A	222	PRO	N-CA-C	5.99	120.26	111.03
2	A	223	ASP	CA-CB-CG	5.95	118.55	112.60
2	A	185	ASP	CA-CB-CG	5.88	118.48	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	220	GLU	CB-CA-C	-5.50	102.24	110.88
2	A	61	PRO	N-CA-CB	-5.47	98.00	103.48
2	C	270	ASP	CA-CB-CG	5.47	118.07	112.60
2	A	97	THR	N-CA-C	-5.43	105.95	113.18
2	A	152	PHE	CA-CB-CG	5.42	119.22	113.80
1	D	305	ASP	CB-CA-C	-5.38	103.22	111.83
2	A	177	CYS	CB-CA-C	5.32	118.27	109.70
2	A	-1	GLY	N-CA-C	5.31	120.73	112.60
2	A	240	PHE	CB-CA-C	-5.31	101.38	109.50
2	A	121	HIS	CA-CB-CG	-5.28	108.52	113.80
2	A	80	PHE	CA-CB-CG	5.25	119.05	113.80
1	B	181	ASP	CA-CB-CG	5.19	117.79	112.60
2	C	1	MET	N-CA-C	-5.06	106.95	112.72
1	D	191	VAL	O-C-N	5.02	128.46	121.84
1	B	432	VAL	N-CA-CB	5.01	120.02	111.50

There are no chirality outliers.

All (18) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	A	122	ARG	Sidechain
2	A	157	ARG	Sidechain
2	A	200	ARG	Sidechain
2	A	217	ARG	Sidechain
2	A	297	ARG	Sidechain
2	A	36	ARG	Sidechain
2	A	50	ARG	Sidechain
2	A	83	LEU	Mainchain
2	A	84[A]	HIS	Mainchain
1	B	187	ARG	Sidechain
1	B	211	ARG	Sidechain
2	C	150	ARG	Sidechain
2	C	217	ARG	Sidechain
2	C	22	ARG	Sidechain
2	C	36	ARG	Sidechain
1	D	187	ARG	Sidechain
1	D	241	ARG	Sidechain
1	D	250	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2110	0	2128	26	0
1	D	2087	0	2102	28	0
2	A	2417	0	2453	58	0
2	C	2306	0	2351	47	0
3	A	48	0	0	4	0
3	B	16	0	0	0	0
3	C	24	0	0	0	0
3	D	8	0	0	0	0
4	A	93	0	0	3	0
4	B	84	0	0	6	0
4	C	46	0	0	1	0
4	D	24	0	0	1	0
All	All	9263	0	9034	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:329:VAL:HG11	1:D:364:LEU:HD23	1.35	1.08
1:B:396:GLN:HE21	1:B:400:ARG:CZ	1.82	0.93
2:C:148:LEU:HD13	4:C:822:HOH:O	1.77	0.84
2:A:212:LEU:HD11	2:A:216:PHE:CZ	2.18	0.79
1:D:329:VAL:HG11	1:D:364:LEU:CD2	2.12	0.78
2:A:9:LYS:NZ	2:A:12:GLU:HG3	2.03	0.73
2:A:122:ARG:HD3	1:B:186:LEU:HD21	1.71	0.73
2:A:22:ARG:HD3	4:A:989:HOH:O	1.88	0.72
1:B:293:ARG:NH2	2:C:2:GLU:HG2	2.05	0.72
1:B:396:GLN:HE21	1:B:400:ARG:NH1	1.88	0.72
2:C:148:LEU:HD12	2:C:148:LEU:N	2.05	0.71
1:B:396:GLN:HG2	4:B:976:HOH:O	1.96	0.65
2:A:9:LYS:HZ1	2:A:12:GLU:HG3	1.60	0.64
2:A:72:THR:HG23	2:A:75:LYS:HB2	1.79	0.64
1:D:329:VAL:CG1	1:D:364:LEU:HD23	2.21	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:400:ARG:HD3	4:B:976:HOH:O	1.98	0.63
2:A:212:LEU:CD1	2:A:216:PHE:CZ	2.81	0.62
2:C:284:PRO:HA	2:C:287:GLN:HG3	1.80	0.62
2:C:257:GLU:OE1	2:C:260:ARG:NH2	2.33	0.62
2:C:148:LEU:N	2:C:148:LEU:CD1	2.61	0.62
2:A:22:ARG:CD	4:A:989:HOH:O	2.48	0.60
2:A:122:ARG:HG2	1:B:182:ILE:HG23	1.83	0.60
1:B:396:GLN:NE2	1:B:400:ARG:NH1	2.49	0.60
2:A:198:THR:HB	2:A:200:ARG:HD3	1.84	0.60
2:C:14:THR:HG21	2:C:47:THR:HG21	1.86	0.58
1:B:233:HIS:HD2	4:B:946:HOH:O	1.87	0.57
1:B:396:GLN:HG2	1:B:400:ARG:HD2	1.85	0.57
1:D:347:TYR:OH	1:D:394:LEU:HA	2.04	0.57
2:A:157:ARG:HG3	2:A:159:TYR:CE1	2.40	0.57
2:A:214:ARG:HG3	2:A:217:ARG:HH11	1.70	0.57
2:A:177:CYS:SG	2:A:233:MET:HG2	2.45	0.56
2:A:9:LYS:NZ	2:A:12:GLU:CG	2.69	0.56
2:A:177:CYS:SG	2:A:233:MET:SD	3.04	0.56
1:B:196:LYS:HG2	4:B:901:HOH:O	2.07	0.55
1:D:401:ALA:HB3	1:D:402:PRO:HD3	1.89	0.55
2:C:284:PRO:O	2:C:287:GLN:HG3	2.06	0.55
2:C:235:ASP:O	2:C:235:ASP:OD1	2.25	0.55
2:A:4:PHE:O	3:A:803:HEW:N1	2.40	0.55
1:B:388:LYS:HB3	1:B:389:PRO:HD3	1.89	0.55
1:D:268:GLU:O	2:C:150:ARG:NH2	2.39	0.54
2:A:14:THR:HG23	2:A:15:TYR:CG	2.42	0.54
1:D:396:GLN:HE21	1:D:400:ARG:NH1	2.06	0.53
2:A:163:VAL:HG13	2:A:164:VAL:HG23	1.91	0.53
2:C:251:VAL:HG23	2:C:252:VAL:HG22	1.91	0.53
2:A:268:HIS:HD2	2:A:270:ASP:H	1.55	0.53
1:B:400:ARG:CD	4:B:976:HOH:O	2.56	0.53
2:A:85:GLN:NE2	2:A:90:PHE:HB2	2.24	0.53
1:B:396:GLN:HG3	1:B:400:ARG:HH11	1.74	0.52
1:B:203:GLN:HB3	1:B:206:ILE:HG12	1.90	0.52
2:C:147:GLY:C	2:C:148:LEU:HD12	2.33	0.52
2:C:236:TYR:O	2:C:237:LYS:HG3	2.09	0.52
1:D:428:GLU:O	1:D:429:THR:HG23	2.08	0.52
1:D:419:HIS:O	1:D:420:GLY:C	2.53	0.52
1:D:360:PHE:CE2	1:D:364:LEU:HD11	2.46	0.51
2:A:249:SER:HA	2:A:260:ARG:HD3	1.93	0.51
2:A:161:HIS:CD2	2:A:162:GLU:H	2.30	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:366:THR:HG23	1:D:427:PRO:HD3	1.94	0.49
2:A:9:LYS:HZ2	2:A:12:GLU:HG3	1.77	0.49
2:A:88:LYS:HA	2:A:91:MET:CE	2.43	0.49
2:A:88:LYS:HA	2:A:91:MET:HE2	1.93	0.49
1:B:293:ARG:HB3	2:C:25:LEU:HD11	1.95	0.49
2:A:6:LYS:CG	3:A:803:HEW:BR1	3.16	0.49
2:C:150:ARG:NH1	2:C:160:TPO:O1P	2.46	0.48
1:D:204:PRO:HD2	4:D:707:HOH:O	2.13	0.48
2:A:14:THR:HG23	2:A:15:TYR:CD1	2.49	0.48
2:C:65:LYS:HD2	2:C:67:LEU:HD23	1.96	0.48
2:A:83:LEU:O	3:A:802[A]:HEW:BR1	2.87	0.48
1:D:428:GLU:N	1:D:428:GLU:OE1	2.47	0.48
2:C:282:ALA:O	2:C:283:HIS:C	2.57	0.47
1:B:346:PRO:O	1:B:349:LYS:HG2	2.14	0.47
2:A:95:ALA:O	2:A:96:LEU:HB2	2.15	0.47
2:C:36:ARG:HA	2:C:36:ARG:HD3	1.66	0.47
2:A:212:LEU:HD11	2:A:216:PHE:CE1	2.49	0.47
2:A:212:LEU:CD1	2:A:216:PHE:CE1	2.98	0.47
2:C:250:LYS:HG2	2:C:253:PRO:HG3	1.97	0.47
1:B:395:HIS:HE1	1:B:427:PRO:O	1.98	0.46
2:C:15:TYR:CG	2:C:35:ILE:HG12	2.50	0.46
2:A:14:THR:HG23	2:A:15:TYR:N	2.29	0.46
2:A:161:HIS:HD2	4:A:990:HOH:O	1.99	0.46
2:A:1:MET:HE1	2:A:32:LEU:HD13	1.98	0.46
1:D:174:GLU:O	1:D:175:VAL:C	2.58	0.46
2:C:60:HIS:CD2	2:C:61:PRO:HD2	2.51	0.46
2:A:15:TYR:CE2	2:A:33:LYS:HE2	2.51	0.45
1:D:361:HIS:O	1:D:362:LEU:C	2.59	0.45
1:D:216:ASP:CB	1:D:406:GLN:HG3	2.47	0.45
2:A:15:TYR:HB3	2:A:35:ILE:HG13	1.98	0.45
2:C:88:LYS:HB2	2:C:130:PRO:HB2	1.99	0.45
2:C:231:THR:HA	2:C:236:TYR:CD1	2.51	0.45
1:D:216:ASP:HB2	1:D:406:GLN:CG	2.47	0.45
2:C:1:MET:HB3	2:C:1:MET:HE3	1.69	0.45
2:A:72:THR:OG1	2:A:73:GLU:N	2.47	0.45
2:A:212:LEU:HD11	2:A:216:PHE:HZ	1.75	0.44
2:A:278:LYS:NZ	1:B:181:ASP:OD2	2.38	0.44
2:A:15:TYR:CG	2:A:35:ILE:HG13	2.52	0.44
1:D:345:ASP:HA	1:D:346:PRO:HA	1.80	0.44
2:C:227:TRP:CE3	2:C:269:TYR:HB3	2.52	0.44
2:A:161:HIS:CG	2:A:162:GLU:N	2.86	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:293:ARG:NH2	2:C:2:GLU:CG	2.77	0.44
2:C:288:ASP:OD1	2:C:288:ASP:N	2.50	0.44
2:A:33:LYS:HB3	2:A:78:LEU:HB2	2.00	0.43
2:A:69:VAL:HG22	2:A:78:LEU:HD22	1.99	0.43
2:A:230:VAL:HA	2:A:233:MET:SD	2.58	0.43
2:A:6:LYS:HG3	3:A:803:HEW:C2	2.49	0.43
2:C:220:GLY:O	2:C:221:THR:C	2.60	0.43
2:A:176:GLY:O	2:A:234:PRO:HG2	2.19	0.43
1:B:348:LEU:HD23	1:B:348:LEU:HA	1.91	0.43
1:B:396:GLN:NE2	1:B:400:ARG:CZ	2.64	0.43
2:C:222:PRO:HB2	2:C:230:VAL:HG21	2.00	0.43
2:A:195:GLU:O	2:A:199:ARG:N	2.48	0.43
2:C:127:ASP:OD2	2:C:148:LEU:HD22	2.19	0.43
2:C:9:LYS:HG3	2:C:17:VAL:CG1	2.49	0.43
1:D:388:LYS:HB3	1:D:389:PRO:HD3	2.01	0.43
1:B:338:GLU:HG3	4:B:911:HOH:O	2.19	0.43
1:D:306:LEU:HD12	2:C:49:ILE:HG23	2.00	0.43
1:B:396:GLN:HG3	1:B:400:ARG:NH1	2.34	0.42
2:C:107:TYR:O	2:C:111:LEU:HG	2.19	0.42
2:A:105:LYS:HG3	2:A:285:PHE:CE2	2.55	0.42
2:A:251:VAL:HG12	2:A:252:VAL:HG23	2.01	0.42
2:C:15:TYR:OH	2:C:47:THR:HG22	2.20	0.42
2:C:236:TYR:O	2:C:237:LYS:CG	2.67	0.42
2:A:148[A]:LEU:HD21	2:A:163:VAL:CG2	2.50	0.42
2:A:214:ARG:HA	2:A:217:ARG:HE	1.85	0.42
2:A:14:THR:CG2	2:A:15:TYR:N	2.83	0.42
2:C:91:MET:HE1	2:C:130:PRO:CG	2.48	0.42
2:C:275:ILE:HG12	2:C:279:ALA:HB3	2.00	0.42
1:D:190:GLU:HG3	1:D:351:LEU:HD22	2.02	0.42
2:C:91:MET:HE1	2:C:130:PRO:CB	2.49	0.42
2:A:83:LEU:HD23	2:A:136:ASN:HB3	2.01	0.42
2:C:127:ASP:CG	2:C:148:LEU:HD22	2.45	0.42
2:C:284:PRO:HA	2:C:287:GLN:CG	2.50	0.42
1:B:345:ASP:HA	1:B:346:PRO:HA	1.73	0.42
1:D:287:THR:HG23	1:D:290:GLN:H	1.85	0.41
2:C:283:HIS:HA	2:C:284:PRO:HD2	1.83	0.41
2:C:122:ARG:HA	2:C:152:PHE:CE1	2.55	0.41
1:D:246:MET:HE3	1:D:246:MET:HB3	1.95	0.41
1:D:287:THR:HG22	1:D:290:GLN:OE1	2.21	0.41
1:D:388:LYS:O	1:D:389:PRO:C	2.64	0.41
1:D:219:VAL:HG22	1:D:232:LEU:HD21	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:9:LYS:HZ2	2:A:12:GLU:CG	2.34	0.41
2:A:15:TYR:CB	2:A:35:ILE:HG13	2.51	0.41
2:C:15:TYR:HB3	2:C:35:ILE:HG12	2.02	0.41
2:C:168:TYR:OH	2:C:195:GLU:OE1	2.37	0.41
2:C:195:GLU:O	2:C:199:ARG:N	2.42	0.41
2:C:252:VAL:HG21	2:C:255:LEU:CD2	2.50	0.41
2:A:36:ARG:HA	2:A:36:ARG:HD2	1.36	0.40
2:A:212:LEU:HG	2:A:216:PHE:CZ	2.56	0.40
1:D:419:HIS:O	1:D:421:VAL:N	2.53	0.40
1:D:216:ASP:HB2	1:D:406:GLN:HG3	2.04	0.40
2:A:44:VAL:HA	2:A:45:PRO:HD3	1.92	0.40
2:C:161:HIS:O	2:C:163:VAL:N	2.54	0.40
1:B:193:CYS:O	1:B:241:ARG:HD2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	260/268 (97%)	257 (99%)	3 (1%)	0	100	100
1	D	257/268 (96%)	249 (97%)	7 (3%)	1 (0%)	30	49
2	A	296/302 (98%)	286 (97%)	9 (3%)	1 (0%)	36	55
2	C	283/302 (94%)	271 (96%)	11 (4%)	1 (0%)	30	49
All	All	1096/1140 (96%)	1063 (97%)	30 (3%)	3 (0%)	36	55

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	420	GLY
2	A	164	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	164	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	234/240 (98%)	229 (98%)	5 (2%)	47	74
1	D	231/240 (96%)	227 (98%)	4 (2%)	53	78
2	A	263/264 (100%)	248 (94%)	15 (6%)	18	39
2	C	253/264 (96%)	251 (99%)	2 (1%)	73	88
All	All	981/1008 (97%)	955 (97%)	26 (3%)	40	67

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	224	GLU
1	D	245	SER
1	D	305	ASP
1	D	342	ILE
2	A	0	SER
2	A	2	GLU
2	A	17	VAL
2	A	36	ARG
2	A	71	HIS
2	A	83	LEU
2	A	85	GLN
2	A	122	ARG
2	A	137	THR
2	A	143	LEU
2	A	157	ARG
2	A	200	ARG
2	A	218	THR
2	A	256[A]	ASP
2	A	256[B]	ASP
1	B	188	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	189	MET
1	B	201	LYS
1	B	296	HIS
1	B	328	LYS
2	C	9	LYS
2	C	101	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	179	HIS
1	D	233	HIS
1	D	254	GLN
1	D	326	ASN
1	D	395	HIS
1	D	396	GLN
1	D	406	GLN
2	A	3	ASN
2	A	161	HIS
2	A	246	GLN
2	A	268	HIS
1	B	183	HIS
1	B	254	GLN
1	B	296	HIS
1	B	312	ASN
1	B	313	GLN
1	B	317	GLN
1	B	322	GLN
1	B	378	GLN
1	B	395	HIS
1	B	396	GLN
1	B	406	GLN
1	B	425	ASN
1	B	431	ASN
2	C	59	ASN
2	C	265	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TPO	C	160	2	8,10,11	0.69	0	10,14,16	1.13	1 (10%)
2	TPO	A	160	2	8,10,11	0.71	0	10,14,16	1.04	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TPO	C	160	2	-	1/9/11/13	-
2	TPO	A	160	2	-	1/9/11/13	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	160	TPO	O-C-CA	-2.74	117.72	124.77
2	A	160	TPO	O-C-CA	-2.54	118.23	124.77

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	160	TPO	O-C-CA-CB
2	C	160	TPO	O-C-CA-CB

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	160	TPO	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	HEW	A	802[B]	-	8,8,8	1.03	1 (12%)	9,10,10	0.75	0
3	HEW	A	804	-	8,8,8	0.72	0	9,10,10	0.92	0
3	HEW	A	805	-	8,8,8	0.73	0	9,10,10	0.91	0
3	HEW	C	702	-	8,8,8	0.43	0	9,10,10	0.52	0
3	HEW	A	802[A]	-	8,8,8	0.40	0	9,10,10	0.45	0
3	HEW	B	802	-	8,8,8	0.48	0	9,10,10	0.89	0
3	HEW	C	701[B]	-	8,8,8	1.07	1 (12%)	9,10,10	0.67	0
3	HEW	A	803	-	8,8,8	0.67	0	9,10,10	0.89	0
3	HEW	D	601	-	8,8,8	0.38	0	9,10,10	0.83	0
3	HEW	A	801	-	8,8,8	0.61	0	9,10,10	0.67	0
3	HEW	B	801	-	8,8,8	0.62	0	9,10,10	0.80	0
3	HEW	C	701[A]	-	8,8,8	0.48	0	9,10,10	0.38	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEW	A	802[B]	-	-	-	0/1/1/1
3	HEW	A	804	-	-	-	0/1/1/1
3	HEW	A	805	-	-	-	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEW	C	702	-	-	-	0/1/1/1
3	HEW	A	802[A]	-	-	-	0/1/1/1
3	HEW	B	802	-	-	-	0/1/1/1
3	HEW	C	701[B]	-	-	-	0/1/1/1
3	HEW	A	803	-	-	-	0/1/1/1
3	HEW	D	601	-	-	-	0/1/1/1
3	HEW	A	801	-	-	-	0/1/1/1
3	HEW	B	801	-	-	-	0/1/1/1
3	HEW	C	701[A]	-	-	-	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	701[B]	HEW	C1-N1	-2.29	1.28	1.35
3	A	802[B]	HEW	C1-N1	-2.01	1.29	1.35

There are no bond angle outliers.

There are no chirality outliers.



There are no torsion outliers.



There are no ring outliers.



2 monomers are involved in 4 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	802[A]	HEW	1	0
3	A	803	HEW	3	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	262/268 (97%)	-0.10	7 (2%) 56 51	35, 51, 76, 114	0
1	D	259/268 (96%)	0.68	29 (11%) 10 8	40, 70, 119, 143	0
2	A	296/302 (98%)	0.08	18 (6%) 27 23	22, 46, 95, 153	4 (1%)
2	C	286/302 (94%)	0.61	26 (9%) 15 13	26, 66, 135, 155	1 (0%)
All	All	1103/1140 (96%)	0.31	80 (7%) 21 19	22, 57, 112, 155	5 (0%)

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	238	PRO	6.2
2	A	15	TYR	5.4
1	D	429	THR	4.5
2	A	217	ARG	4.3
2	A	-2	PRO	4.1
2	C	221	THR	4.1
1	D	391	LEU	4.1
2	C	226	VAL	4.1
2	A	37	LEU	3.6
1	B	432	VAL	3.5
2	C	249	SER	3.5
2	C	225	VAL	3.4
2	C	235	ASP	3.4
1	D	364	LEU	3.2
2	C	251	VAL	3.2
2	A	96	LEU	3.2
2	C	148	LEU	3.1
2	C	227	TRP	3.1
1	D	424	LEU	3.0
1	D	175	VAL	3.0
1	D	390	CYS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	222	PRO	2.9
1	D	373	PRO	2.8
2	A	97	THR	2.8
2	A	162	GLU	2.8
2	C	296	LEU	2.8
1	D	398	TYR	2.7
1	B	198	GLY	2.7
2	C	59	ASN	2.7
1	D	241	ARG	2.7
2	A	297	ARG	2.6
1	D	423	LEU	2.6
2	C	236	TYR	2.6
1	D	392	LEU	2.6
1	D	324	PRO	2.5
2	A	84[A]	HIS	2.5
2	A	95	ALA	2.5
1	D	420	GLY	2.5
1	D	362	LEU	2.4
2	C	217	ARG	2.4
1	D	329	VAL	2.4
1	D	372	TRP	2.4
2	C	231	THR	2.4
2	C	84	HIS	2.3
2	C	234	PRO	2.3
2	A	71	HIS	2.3
1	D	360	PHE	2.3
2	A	17	VAL	2.3
2	A	-1	GLY	2.3
2	A	94	SER	2.3
2	A	72	THR	2.3
1	D	387	LEU	2.3
2	C	286	PHE	2.3
1	D	172	VAL	2.3
2	A	14	THR	2.2
1	D	374	GLU	2.2
2	C	229	GLY	2.2
1	D	384	LEU	2.2
2	C	209	ILE	2.2
2	A	81	GLU	2.2
2	C	230	VAL	2.2
2	C	15	TYR	2.2
2	A	122	ARG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	418	TYR	2.1
1	D	181	ASP	2.1
1	D	375	SER	2.1
1	D	426	PRO	2.1
1	D	419	HIS	2.1
1	B	280	TYR	2.1
2	C	269	TYR	2.1
2	C	233	MET	2.1
1	B	324	PRO	2.1
2	C	228	PRO	2.1
1	B	197	VAL	2.0
1	D	177	ASP	2.0
1	D	321	HIS	2.0
1	B	396	GLN	2.0
2	C	14	THR	2.0
1	D	318	TYR	2.0
1	B	209	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	TPO	C	160	11/12	0.96	0.07	55,60,71,71	0
2	TPO	A	160	11/12	0.97	0.06	41,45,47,49	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	HEW	A	802[A]	8/8	0.84	0.20	30,30,30,30	8
3	HEW	A	802[B]	8/8	0.84	0.20	31,32,35,44	8
3	HEW	A	805	8/8	0.84	0.23	93,122,129,133	0
3	HEW	A	804	8/8	0.86	0.17	86,96,99,112	0
3	HEW	A	803	8/8	0.87	0.17	101,106,108,114	0
3	HEW	B	801	8/8	0.89	0.17	83,92,102,111	0
3	HEW	D	601	8/8	0.90	0.17	103,106,122,129	0
3	HEW	B	802	8/8	0.91	0.14	106,117,120,123	0
3	HEW	C	701[A]	8/8	0.94	0.15	30,30,30,30	8
3	HEW	C	701[B]	8/8	0.94	0.15	31,34,36,46	8
3	HEW	C	702	8/8	0.95	0.09	78,81,86,100	0
3	HEW	A	801	8/8	0.97	0.09	53,57,59,61	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEW A 802 (A):

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEW A 802 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HEW A 805:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEW A 804:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HEW A 803:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEW B 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HEW D 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEW B 802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HEW C 701 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEW C 701 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HEW C 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEW A 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.