



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 06:42 PM UTC

PDB ID : 1EUI / pdb_00001eui
Title : ESCHERICHIA COLI URACIL-DNA GLYCOSYLASE COMPLEX WITH
URACIL-DNA GLYCOSYLASE INHIBITOR PROTEIN
Authors : Ravishankar, R.; Sagar, M.B.; Roy, S.; Purnapatre, K.; Handa, P.; Varshney,
U.; Vijayan, M.
Deposited on : 1998-06-18
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1466 (3.20-3.20)
Clashscore	190562	1573 (3.20-3.20)
Ramachandran outliers	187476	1548 (3.20-3.20)
Sidechain outliers	187428	1547 (3.20-3.20)
RSRZ outliers	180081	1466 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	228	48% 34% 11% • •
1	B	228	48% 35% 12% • •
2	C	84	48% 31% 5% 17%
2	D	84	57% 24% • • 17%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4687 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called URACIL-DNA GLYCOSYLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	221	Total	C	N	O	S	0	0	0
			1738	1119	310	306	3			
1	B	220	Total	C	N	O	S	0	0	0
			1725	1112	306	304	3			

- Molecule 2 is a protein called URACIL-DNA GLYCOSYLASE INHIBITOR PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	70	Total	C	N	O	S	0	0	0
			554	349	84	118	3			
2	D	70	Total	C	N	O	S	0	0	0
			554	349	84	118	3			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	46	Total	O	0	0
			46	46		
3	B	44	Total	O	0	0
			44	44		
3	C	17	Total	O	0	0
			17	17		
3	D	9	Total	O	0	0
			9	9		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: URACIL-DNA GLYCOSYLASE




• Molecule 1: URACIL-DNA GLYCOSYLASE



• Molecule 2: URACIL-DNA GLYCOSYLASE INHIBITOR PROTEIN



• Molecule 2: URACIL-DNA GLYCOSYLASE INHIBITOR PROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	51.37Å 89.77Å 142.13Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 3.20 10.00 – 3.20	Depositor EDS
% Data completeness (in resolution range)	90.7 (10.00-3.20) 87.3 (10.00-3.20)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.30 (at 3.22Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.205 , 0.274 0.195 , 0.262	Depositor DCC
R_{free} test set	1058 reflections (10.32%)	wwPDB-VP
Wilson B-factor (Å ²)	42.7	Xtriage
Anisotropy	0.305	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.21 , 65.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	4687	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.80	3/1794 (0.2%)	1.26	25/2451 (1.0%)
1	B	0.70	0/1781	1.16	13/2434 (0.5%)
2	C	0.69	0/562	1.08	3/763 (0.4%)
2	D	0.73	0/562	1.00	1/763 (0.1%)
All	All	0.74	3/4699 (0.1%)	1.17	42/6411 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	51	THR	CB-CG2	-6.07	1.32	1.52
1	A	226	ALA	C-O	6.01	1.35	1.23
1	A	225	PRO	CA-C	5.55	1.60	1.52

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	179	ARG	N-CA-C	-11.10	100.46	114.56
1	A	8	HIS	N-CA-C	-9.88	97.17	111.30
1	B	103	PHE	N-CA-C	9.21	123.21	109.95
1	A	38	TYR	N-CA-C	9.14	130.02	109.81
1	B	8	HIS	N-CA-C	-8.51	103.42	113.21
1	A	126	LEU	N-CA-C	7.72	122.52	113.18
1	B	85	ILE	CA-C-N	7.10	124.84	119.66
1	B	85	ILE	C-N-CA	7.10	124.84	119.66
1	A	85	ILE	CA-C-N	6.93	124.72	119.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	85	ILE	C-N-CA	6.93	124.72	119.66
1	B	38	TYR	N-CA-C	6.91	125.09	109.81
2	D	77	GLY	N-CA-C	6.83	125.42	114.90
1	B	126	LEU	N-CA-C	6.81	121.59	113.28
1	B	11	LEU	N-CA-C	-6.80	104.09	112.38
1	A	45	PHE	N-CA-C	6.80	120.47	112.72
1	A	103	PHE	N-CA-C	6.48	124.60	110.80
2	C	77	GLY	N-CA-C	6.44	124.82	114.90
1	B	169	GLN	N-CA-C	-6.41	102.07	110.53
1	A	104	THR	N-CA-C	-6.23	97.53	110.80
1	A	211	GLU	N-CA-C	-6.13	104.59	111.28
1	B	21	LEU	N-CA-C	-6.13	105.46	113.12
1	B	148	VAL	N-CA-C	6.05	116.71	110.36
1	A	169	GLN	N-CA-C	-5.75	102.92	110.33
1	A	123	ASN	N-CA-C	-5.69	101.27	110.32
1	A	80	ARG	CA-C-N	5.64	126.89	119.84
1	A	80	ARG	C-N-CA	5.64	126.89	119.84
1	A	103	PHE	CA-C-N	5.58	132.19	121.54
1	A	103	PHE	C-N-CA	5.58	132.19	121.54
1	A	225	PRO	N-CA-C	5.54	123.88	112.47
1	B	45	PHE	N-CA-C	5.37	119.81	112.88
1	B	80	ARG	CA-C-N	5.32	126.49	119.84
1	B	80	ARG	C-N-CA	5.32	126.49	119.84
1	A	102	GLY	CA-C-N	5.25	131.57	121.54
1	A	102	GLY	C-N-CA	5.25	131.57	121.54
1	A	194	HIS	N-CA-CB	5.15	117.87	110.45
1	A	68	GLY	CA-C-N	5.12	125.28	119.90
1	A	68	GLY	C-N-CA	5.12	125.28	119.90
1	A	146	ASP	N-CA-C	-5.09	105.81	111.36
1	A	152	ILE	N-CA-C	-5.09	105.58	110.72
2	C	66	LYS	CA-C-N	5.04	125.04	119.90
2	C	66	LYS	C-N-CA	5.04	125.04	119.90
1	A	69	PRO	N-CA-C	5.02	118.37	110.80

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	19	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1738	0	1681	101	0
1	B	1725	0	1660	98	0
2	C	554	0	544	18	0
2	D	554	0	544	12	0
3	A	46	0	0	9	0
3	B	44	0	0	3	0
3	C	17	0	0	2	0
3	D	9	0	0	0	0
All	All	4687	0	4429	224	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (224) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:VAL:HB	1:A:151:LEU:HD22	1.48	0.95
2:D:23:LEU:HD11	2:D:40:ASP:HB3	1.51	0.91
1:A:223:VAL:HG13	1:A:224:LEU:H	1.35	0.91
2:D:26:PRO:HA	2:D:37:PRO:HG2	1.57	0.87
2:C:23:LEU:HD11	2:C:40:ASP:HB3	1.59	0.84
1:B:7:TRP:O	1:B:11:LEU:HB2	1.77	0.84
1:B:39:PRO:HD2	3:B:264:HOH:O	1.79	0.82
1:A:124:THR:HA	1:A:145:THR:HG21	1.61	0.82
1:A:201:ASN:HB3	1:A:204:VAL:HG12	1.62	0.81
1:B:153:ASN:HA	1:B:180:HIS:HE1	1.46	0.79
1:B:153:ASN:HA	1:B:180:HIS:CE1	2.19	0.77
1:A:96:LEU:HD12	1:A:100:ILE:HG22	1.66	0.76
1:B:103:PHE:HD2	1:B:221:MET:SD	2.08	0.75
1:B:201:ASN:HB3	1:B:204:VAL:HG12	1.68	0.75
2:C:26:PRO:HA	2:C:37:PRO:HG2	1.68	0.75
1:A:14:GLU:HG3	1:A:147:LYS:HG2	1.70	0.74
1:A:106:PRO:O	1:A:107:ASN:HB2	1.88	0.73
1:B:126:LEU:HD12	1:B:141:TRP:CZ3	2.24	0.73
1:A:10:VAL:HB	1:A:151:LEU:HD13	1.71	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:209:TRP:O	1:A:213:ARG:HG3	1.88	0.72
1:B:7:TRP:C	1:B:9:ASP:H	1.97	0.72
1:A:191:LEU:O	1:A:191:LEU:HG	1.90	0.72
1:A:178:GLN:O	1:A:178:GLN:HG3	1.90	0.71
1:A:96:LEU:HD12	1:A:100:ILE:CG2	2.21	0.71
1:A:191:LEU:HB2	2:C:56:MET:SD	2.31	0.71
1:B:36:THR:HG21	3:B:272:HOH:O	1.90	0.70
1:B:191:LEU:HG	1:B:191:LEU:O	1.90	0.70
1:A:153:ASN:ND2	1:A:176:ASP:H	1.90	0.70
1:B:152:ILE:O	1:B:156:ARG:HB2	1.93	0.69
1:A:10:VAL:HB	1:A:151:LEU:CD2	2.22	0.69
1:A:51:THR:CG2	3:A:264:HOH:O	2.40	0.69
1:B:6:THR:C	1:B:8:HIS:H	2.00	0.69
1:A:114:TRP:HZ2	3:A:248:HOH:O	1.77	0.67
1:A:201:ASN:HB3	1:A:204:VAL:CG1	2.24	0.67
1:A:223:VAL:O	1:A:224:LEU:HB2	1.93	0.67
1:B:38:TYR:HB3	1:B:39:PRO:HD3	1.76	0.66
1:B:191:LEU:HB2	2:D:56:MET:SD	2.36	0.65
2:C:44:HIS:HE1	2:C:59:THR:OG1	1.79	0.64
1:B:124:THR:HA	1:B:145:THR:HG21	1.78	0.64
2:D:44:HIS:HE1	2:D:59:THR:OG1	1.81	0.63
1:A:106:PRO:HG3	1:A:222:PRO:HG2	1.81	0.63
1:B:50:PHE:HD2	1:B:75:LEU:HD21	1.62	0.63
1:B:64:ASP:HB3	1:B:125:VAL:HG13	1.80	0.62
1:B:103:PHE:HB2	1:B:221:MET:SD	2.39	0.62
1:A:223:VAL:HG13	1:A:224:LEU:N	2.10	0.62
1:B:96:LEU:HD12	1:B:100:ILE:CG2	2.30	0.62
1:A:147:LYS:O	1:A:151:LEU:HD12	2.00	0.61
1:A:153:ASN:HD21	1:A:176:ASP:H	1.48	0.61
1:A:6:THR:HG23	1:A:6:THR:O	1.99	0.60
1:B:64:ASP:HB3	1:B:125:VAL:CG1	2.31	0.59
1:A:153:ASN:HA	1:A:180:HIS:CE1	2.37	0.59
2:C:70:LEU:HD13	3:C:97:HOH:O	2.04	0.58
1:A:10:VAL:CB	1:A:151:LEU:HD22	2.29	0.58
1:B:103:PHE:CD2	1:B:221:MET:SD	2.94	0.58
1:B:201:ASN:HB3	1:B:204:VAL:CG1	2.32	0.58
1:B:213:ARG:HG2	1:B:213:ARG:HH11	1.68	0.58
1:A:50:PHE:HD2	1:A:75:LEU:HD21	1.68	0.58
1:A:194:HIS:O	1:A:195:ARG:C	2.47	0.57
1:B:38:TYR:O	1:B:39:PRO:C	2.46	0.57
1:B:104:THR:HG23	1:B:105:ARG:H	1.68	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:57:LEU:HG	3:C:97:HOH:O	2.04	0.57
1:A:30:GLU:CB	1:A:37:ILE:HD11	2.34	0.57
1:B:14:GLU:HG3	1:B:147:LYS:HG2	1.87	0.57
1:B:186:PRO:HB2	1:B:197:PHE:HB2	1.87	0.57
1:A:51:THR:HG22	3:A:264:HOH:O	2.03	0.56
1:B:96:LEU:HB3	1:B:103:PHE:CE1	2.40	0.56
2:D:15:GLN:O	2:D:16:LEU:C	2.49	0.56
1:B:90:LEU:O	1:B:93:TYR:HB2	2.06	0.56
1:A:176:ASP:CG	1:A:179:ARG:HB2	2.30	0.56
1:B:104:THR:HG23	1:B:105:ARG:N	2.20	0.56
1:A:223:VAL:CG1	1:A:224:LEU:H	2.15	0.55
1:B:30:GLU:CB	1:B:37:ILE:HD11	2.35	0.55
1:A:163:LEU:HB3	1:A:169:GLN:HA	1.88	0.55
1:B:15:LYS:O	1:B:15:LYS:HG3	2.06	0.55
1:A:210:LEU:N	3:A:266:HOH:O	2.39	0.54
1:B:64:ASP:HB2	1:B:65:PRO:HD2	1.88	0.54
1:A:10:VAL:CB	1:A:151:LEU:HD13	2.37	0.54
1:B:38:TYR:HB3	1:B:39:PRO:CD	2.37	0.54
1:A:10:VAL:CG2	1:A:151:LEU:HD13	2.36	0.54
1:A:209:TRP:CD1	1:A:209:TRP:C	2.85	0.54
1:A:213:ARG:HG2	1:A:213:ARG:HH11	1.73	0.53
1:A:10:VAL:HB	1:A:151:LEU:CD1	2.38	0.53
1:B:159:VAL:H	1:B:180:HIS:HD2	1.56	0.53
1:B:147:LYS:HG3	1:B:151:LEU:CD1	2.38	0.53
1:A:147:LYS:HG3	1:A:151:LEU:CD1	2.39	0.53
1:B:75:LEU:HB2	1:B:78:SER:HB3	1.91	0.53
1:B:106:PRO:HG3	1:B:222:PRO:HG2	1.90	0.53
1:B:6:THR:C	1:B:8:HIS:N	2.65	0.52
1:B:50:PHE:CD2	1:B:75:LEU:HD21	2.43	0.52
1:A:223:VAL:CG1	1:A:224:LEU:N	2.73	0.52
2:C:30:GLU:OE1	2:C:36:LYS:HD3	2.10	0.52
1:B:147:LYS:O	1:B:151:LEU:HD12	2.09	0.51
1:B:96:LEU:HB3	1:B:103:PHE:CZ	2.46	0.51
2:D:18:ILE:HD13	2:D:46:ALA:HB2	1.92	0.51
1:B:26:THR:HG21	1:B:139:LEU:HG	1.93	0.51
1:A:95:GLU:O	1:A:99:THR:HG22	2.10	0.51
1:A:191:LEU:HD22	2:C:58:LEU:HD21	1.91	0.51
1:A:11:LEU:O	1:A:15:LYS:HB2	2.10	0.51
1:B:39:PRO:O	1:B:40:PRO:C	2.54	0.51
1:B:96:LEU:HD12	1:B:100:ILE:HG22	1.92	0.51
1:B:100:ILE:HD11	3:B:268:HOH:O	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:9:ASP:OD2	1:B:151:LEU:HD23	2.11	0.51
1:A:38:TYR:O	1:A:39:PRO:C	2.54	0.51
1:A:188:PRO:O	1:A:193:ALA:HB2	2.11	0.50
1:B:163:LEU:HB3	1:B:169:GLN:HA	1.93	0.50
1:A:6:THR:C	1:A:8:HIS:H	2.18	0.50
1:B:95:GLU:O	1:B:99:THR:HG22	2.12	0.50
1:A:30:GLU:HB2	1:A:37:ILE:HD11	1.93	0.50
2:C:18:ILE:HD13	2:C:46:ALA:HB2	1.93	0.50
1:A:31:ARG:NH1	1:A:41:GLN:OE1	2.45	0.50
1:B:165:GLY:O	1:B:169:GLN:HG2	2.11	0.50
1:A:113:SER:OG	1:A:223:VAL:HG12	2.10	0.49
1:B:65:PRO:HG2	1:B:128:VAL:HG12	1.94	0.49
1:A:96:LEU:HD23	3:A:248:HOH:O	2.11	0.49
1:A:58:VAL:CG1	1:A:162:LEU:HD22	2.42	0.49
2:D:43:VAL:HG22	2:D:58:LEU:HD22	1.93	0.49
1:B:30:GLU:HB2	1:B:37:ILE:HD11	1.94	0.49
1:B:52:GLU:HG3	1:B:53:LEU:N	2.28	0.49
1:A:209:TRP:NE1	1:A:213:ARG:HD2	2.28	0.48
1:B:163:LEU:HB3	1:B:169:GLN:CA	2.43	0.48
1:A:30:GLU:HB3	1:A:37:ILE:HD11	1.94	0.48
1:B:30:GLU:HB3	1:B:37:ILE:HD11	1.94	0.48
1:A:49:ARG:NH1	1:A:49:ARG:HG2	2.28	0.48
1:A:163:LEU:HD13	1:A:169:GLN:HA	1.95	0.48
1:B:24:LEU:HD12	1:B:24:LEU:HA	1.74	0.48
1:B:191:LEU:HD22	2:D:58:LEU:HD21	1.95	0.48
1:A:108:HIS:CE1	1:A:223:VAL:O	2.66	0.48
2:C:73:GLN:HA	2:C:78:GLU:O	2.14	0.48
1:A:64:ASP:HB3	1:A:125:VAL:HG13	1.95	0.47
1:B:170:LYS:O	1:B:171:LYS:C	2.56	0.47
1:A:210:LEU:CD1	1:A:217:PRO:HA	2.45	0.47
1:A:40:PRO:O	1:A:42:LYS:N	2.46	0.47
1:A:190:PRO:C	1:A:192:SER:H	2.23	0.47
1:A:103:PHE:CD2	1:A:104:THR:O	2.68	0.47
1:B:153:ASN:HD22	1:B:175:ILE:HG23	1.80	0.47
1:B:190:PRO:C	1:B:192:SER:H	2.23	0.47
1:B:147:LYS:HE3	1:B:151:LEU:HD11	1.96	0.46
1:A:163:LEU:HB3	1:A:169:GLN:CA	2.45	0.46
1:B:176:ASP:C	1:B:178:GLN:H	2.23	0.46
1:A:157:GLU:HG2	1:A:179:ARG:HD3	1.96	0.46
1:A:153:ASN:HD22	1:A:175:ILE:HG23	1.81	0.46
1:B:153:ASN:ND2	1:B:176:ASP:H	2.14	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:49:ARG:HG2	1:A:49:ARG:HH11	1.81	0.46
1:A:79:VAL:HG22	1:A:109:GLY:HA3	1.98	0.46
1:A:170:LYS:O	1:A:171:LYS:C	2.57	0.46
1:B:209:TRP:O	1:B:213:ARG:HG3	2.16	0.45
2:C:15:GLN:HE21	2:C:15:GLN:HB2	1.58	0.45
1:A:148:VAL:O	1:A:152:ILE:HG13	2.16	0.45
1:B:38:TYR:O	1:B:40:PRO:N	2.49	0.45
1:A:38:TYR:O	1:A:40:PRO:N	2.50	0.45
1:A:51:THR:HG21	3:A:264:HOH:O	2.12	0.45
1:A:201:ASN:O	1:A:204:VAL:HG12	2.16	0.45
1:B:11:LEU:O	1:B:15:LYS:HB3	2.17	0.45
2:C:15:GLN:HB3	2:C:16:LEU:H	1.66	0.45
1:B:10:VAL:C	1:B:12:ALA:N	2.72	0.45
1:B:124:THR:HG22	1:B:145:THR:HG21	1.99	0.45
2:C:42:LEU:HD12	2:C:60:SER:O	2.16	0.45
1:A:64:ASP:HB3	1:A:125:VAL:CG1	2.47	0.45
1:A:209:TRP:HD1	3:A:266:HOH:O	1.99	0.45
2:C:21:SER:OG	2:C:44:HIS:HD2	2.00	0.44
1:A:50:PHE:CD2	1:A:75:LEU:HD21	2.50	0.44
1:B:96:LEU:HD13	1:B:203:PHE:CD2	2.52	0.44
2:C:15:GLN:O	2:C:17:VAL:HG23	2.17	0.44
1:B:7:TRP:HE1	1:B:52:GLU:HA	1.81	0.44
1:B:194:HIS:C	1:B:196:GLY:H	2.26	0.44
1:B:65:PRO:HG2	1:B:128:VAL:CG1	2.48	0.43
1:B:201:ASN:O	1:B:204:VAL:HG12	2.17	0.43
1:B:23:THR:O	1:B:27:VAL:HG23	2.18	0.43
2:D:26:PRO:HA	2:D:37:PRO:CG	2.36	0.43
1:A:106:PRO:HB3	1:A:222:PRO:HB2	2.00	0.43
1:A:152:ILE:O	1:A:156:ARG:HB2	2.18	0.43
1:A:154:GLN:HB3	1:A:155:HIS:ND1	2.33	0.43
1:A:96:LEU:HA	1:A:99:THR:HG22	2.00	0.43
1:B:100:ILE:HG12	1:B:100:ILE:O	2.19	0.43
1:B:163:LEU:HB3	1:B:169:GLN:HB3	2.01	0.43
2:D:23:LEU:CD1	2:D:40:ASP:HB3	2.36	0.43
1:B:32:GLN:H	1:B:32:GLN:HG3	1.66	0.43
1:A:192:SER:O	1:A:194:HIS:O	2.36	0.43
1:A:221:MET:N	3:A:268:HOH:O	2.51	0.43
1:B:29:SER:O	1:B:30:GLU:C	2.62	0.43
1:B:96:LEU:HB3	1:B:103:PHE:HE1	1.83	0.43
1:B:153:ASN:HD21	1:B:176:ASP:H	1.65	0.43
1:B:39:PRO:HA	1:B:40:PRO:HD2	1.88	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:188:PRO:O	1:B:193:ALA:HB2	2.19	0.42
1:B:191:LEU:CD1	2:D:32:VAL:HG11	2.48	0.42
1:A:126:LEU:HD12	1:A:141:TRP:CZ3	2.54	0.42
1:B:96:LEU:O	1:B:100:ILE:HG23	2.19	0.42
1:A:144:PHE:O	1:A:147:LYS:HB3	2.18	0.42
1:A:24:LEU:HD12	1:A:24:LEU:HA	1.78	0.42
1:A:40:PRO:C	1:A:42:LYS:N	2.77	0.42
1:A:75:LEU:HB2	1:A:78:SER:HB3	2.01	0.42
1:B:96:LEU:HA	1:B:99:THR:HG22	2.00	0.42
1:B:148:VAL:O	1:B:152:ILE:HG13	2.19	0.42
1:B:186:PRO:HG2	1:B:196:GLY:O	2.19	0.42
1:A:29:SER:O	1:A:30:GLU:C	2.62	0.42
1:A:58:VAL:HG11	1:A:162:LEU:HD22	2.02	0.42
1:B:6:THR:O	1:B:8:HIS:N	2.52	0.42
1:A:147:LYS:HE3	1:A:151:LEU:HD11	2.01	0.42
1:A:213:ARG:HG2	1:A:213:ARG:NH1	2.33	0.42
2:C:36:LYS:HA	2:C:37:PRO:HD2	1.93	0.42
1:A:52:GLU:HG3	1:A:53:LEU:N	2.35	0.42
1:A:64:ASP:HB2	1:A:65:PRO:HD2	2.02	0.42
1:A:10:VAL:O	1:A:10:VAL:HG22	2.19	0.41
2:D:21:SER:HA	2:D:43:VAL:O	2.20	0.41
1:A:200:CYS:HB2	1:A:202:HIS:HD2	1.84	0.41
1:B:61:LEU:HD22	1:B:163:LEU:CD2	2.50	0.41
1:A:39:PRO:O	1:A:40:PRO:C	2.64	0.41
1:A:210:LEU:HD12	1:A:217:PRO:HA	2.02	0.41
1:B:16:GLN:O	1:B:16:GLN:HG3	2.20	0.41
2:C:26:PRO:HA	2:C:37:PRO:CG	2.44	0.41
1:A:170:LYS:O	1:A:173:ALA:N	2.53	0.41
1:A:209:TRP:CD1	3:A:266:HOH:O	2.72	0.41
1:A:209:TRP:O	1:A:212:GLN:HB3	2.20	0.41
1:B:37:ILE:HD13	1:B:136:HIS:HE1	1.85	0.41
1:B:193:ALA:HA	1:B:197:PHE:HB3	2.03	0.41
1:A:165:GLY:O	1:A:169:GLN:HG2	2.20	0.41
1:B:108:HIS:CE1	1:B:224:LEU:HD13	2.56	0.41
1:B:112:GLU:OE2	1:B:116:ARG:HD2	2.21	0.41
1:A:193:ALA:HA	1:A:197:PHE:HB3	2.03	0.40
1:B:15:LYS:HA	1:B:20:PHE:CD2	2.56	0.40
2:C:42:LEU:O	2:C:58:LEU:HA	2.21	0.40
1:B:73:HIS:CE1	1:B:110:TYR:HE1	2.40	0.40
1:B:155:HIS:ND1	1:B:155:HIS:N	2.68	0.40
1:B:84:ALA:O	1:B:86:PRO:HD3	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	219/228 (96%)	175 (80%)	27 (12%)	17 (8%)	1	5
1	B	218/228 (96%)	172 (79%)	32 (15%)	14 (6%)	1	8
2	C	68/84 (81%)	63 (93%)	3 (4%)	2 (3%)	3	24
2	D	68/84 (81%)	63 (93%)	3 (4%)	2 (3%)	3	24
All	All	573/624 (92%)	473 (82%)	65 (11%)	35 (6%)	1	9

All (35) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	38	TYR
1	A	103	PHE
1	A	106	PRO
1	A	107	ASN
1	A	171	LYS
1	A	223	VAL
1	A	224	LEU
1	B	38	TYR
1	B	39	PRO
1	B	56	VAL
1	B	171	LYS
1	A	11	LEU
1	A	56	VAL
1	A	81	PRO
1	A	198	PHE
1	B	10	VAL
1	B	81	PRO
1	B	177	LYS
1	B	195	ARG
1	B	222	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	223	VAL
2	D	16	LEU
1	A	41	GLN
1	A	63	GLN
1	A	192	SER
1	A	222	PRO
1	B	192	SER
1	B	198	PHE
2	C	16	LEU
1	A	39	PRO
2	C	50	SER
1	A	166	SER
2	D	50	SER
1	B	176	ASP
1	B	44	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	182/193 (94%)	157 (86%)	25 (14%)	3	18
1	B	180/193 (93%)	152 (84%)	28 (16%)	2	13
2	C	65/78 (83%)	57 (88%)	8 (12%)	4	22
2	D	65/78 (83%)	58 (89%)	7 (11%)	6	27
All	All	492/542 (91%)	424 (86%)	68 (14%)	3	18

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	HIS
1	A	13	GLU
1	A	17	GLN
1	A	24	LEU
1	A	36	THR
1	A	49	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	51	THR
1	A	61	LEU
1	A	87	PRO
1	A	95	GLU
1	A	96	LEU
1	A	100	ILE
1	A	113	SER
1	A	125	VAL
1	A	143	THR
1	A	145	THR
1	A	154	GLN
1	A	155	HIS
1	A	157	GLU
1	A	162	LEU
1	A	179	ARG
1	A	192	SER
1	A	205	LEU
1	A	209	TRP
1	A	223	VAL
1	B	21	LEU
1	B	24	LEU
1	B	25	GLN
1	B	32	GLN
1	B	36	THR
1	B	39	PRO
1	B	51	THR
1	B	61	LEU
1	B	81	PRO
1	B	95	GLU
1	B	96	LEU
1	B	97	GLU
1	B	100	ILE
1	B	103	PHE
1	B	125	VAL
1	B	142	GLU
1	B	143	THR
1	B	145	THR
1	B	155	HIS
1	B	162	LEU
1	B	178	GLN
1	B	205	LEU
1	B	208	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	209	TRP
1	B	210	LEU
1	B	213	ARG
1	B	223	VAL
1	B	224	LEU
2	C	15	GLN
2	C	26	PRO
2	C	29	VAL
2	C	49	GLU
2	C	57	LEU
2	C	63	PRO
2	C	76	ASN
2	C	80	LYS
2	D	16	LEU
2	D	26	PRO
2	D	36	LYS
2	D	57	LEU
2	D	63	PRO
2	D	76	ASN
2	D	80	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	GLN
1	A	22	ASN
1	A	25	GLN
1	A	46	ASN
1	A	91	ASN
1	A	123	ASN
1	A	153	ASN
1	A	154	GLN
1	A	169	GLN
1	A	178	GLN
1	A	202	HIS
1	B	22	ASN
1	B	25	GLN
1	B	41	GLN
1	B	46	ASN
1	B	91	ASN
1	B	134	HIS
1	B	153	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	202	HIS
2	C	15	GLN
2	C	44	HIS
2	D	15	GLN
2	D	35	ASN
2	D	44	HIS
2	D	54	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	221/228 (96%)	-0.20	3 (1%) 73 54	2, 11, 50, 79	0
1	B	220/228 (96%)	-0.24	1 (0%) 87 76	2, 17, 59, 73	0
2	C	70/84 (83%)	-0.44	0 100 100	2, 7, 49, 68	0
2	D	70/84 (83%)	-0.34	0 100 100	2, 20, 61, 79	0
All	All	581/624 (93%)	-0.26	4 (0%) 84 69	2, 15, 56, 79	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	193	ALA	3.7
1	A	192	SER	3.6
1	A	6	THR	3.5
1	B	197	PHE	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.