



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 2, 2026 – 12:34 AM UTC

PDB ID : 1EVI / pdb_00001evi
Title : THREE-DIMENSIONAL STRUCTURE OF THE PURPLE INTERMEDIATE OF PORCINE KIDNEY D-AMINO ACID OXIDASE
Authors : Mizutani, H.; Miyahara, I.; Hirotsu, K.; Nishina, Y.; Shiga, K.; Setoyama, C.; Miura, R.
Deposited on : 2000-04-20
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	340	
1	B	340	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 5887 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-AMINO ACID OXIDASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	340	Total	C	N	O	S	0	0	0
			2729	1755	474	491	9			
1	B	340	Total	C	N	O	S	0	0	0
			2729	1755	474	491	9			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (CCD ID: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is 3,4-DIHYDRO-2H-PYRROLIUM-5-CARBOXYLATE (CCD ID: 2PC) (formula: $C_5H_7NO_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			8	5	1	2		
3	B	1	Total	C	N	O	0	0
			8	5	1	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	155	Total	O	0	0
			155	155		
4	B	152	Total	O	0	0
			152	152		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: D-AMINO ACID OXIDASE

Chain A: 



• Molecule 1: D-AMINO ACID OXIDASE

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	107.73Å 91.37Å 71.24Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.50	Depositor
% Data completeness (in resolution range)	85.6 (10.00-2.50)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.232 , 0.298	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5887	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, 2PC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/2805	0.94	10/3819 (0.3%)
1	B	0.43	0/2805	0.94	7/3819 (0.2%)
All	All	0.43	0/5610	0.94	17/7638 (0.2%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	28	GLN	CA-C-N	-8.21	110.13	120.23
1	A	28	GLN	C-N-CA	-8.21	110.13	120.23
1	B	28	GLN	CA-C-N	-7.69	110.22	119.84
1	B	28	GLN	C-N-CA	-7.69	110.22	119.84
1	B	319	HIS	N-CA-C	7.11	119.64	111.11
1	A	267	GLU	CA-C-N	6.12	127.49	119.84
1	A	267	GLU	C-N-CA	6.12	127.49	119.84
1	A	207	ALA	CA-C-N	5.44	125.11	119.56
1	A	207	ALA	C-N-CA	5.44	125.11	119.56
1	B	190	GLN	CA-C-N	5.41	125.72	119.93
1	B	190	GLN	C-N-CA	5.41	125.72	119.93
1	A	190	GLN	CA-C-N	5.37	126.55	119.84
1	A	190	GLN	C-N-CA	5.37	126.55	119.84
1	A	279	TYR	N-CA-C	5.32	117.77	109.52
1	B	125	PHE	CA-C-N	5.22	125.02	119.28
1	B	125	PHE	C-N-CA	5.22	125.02	119.28
1	A	94	GLY	N-CA-C	5.17	118.13	110.42

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2729	0	2686	109	0
1	B	2729	0	2686	94	0
2	A	53	0	31	7	0
2	B	53	0	31	9	0
3	A	8	0	7	0	0
3	B	8	0	7	0	0
4	A	155	0	0	6	0
4	B	152	0	0	12	0
All	All	5887	0	5448	204	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (204) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:28:GLN:HB2	1:B:29:PRO:CD	2.09	0.82
1:A:21:GLU:HG2	1:A:155:ARG:HH12	1.45	0.81
1:A:18:CYS:SG	1:A:324:LEU:HD12	2.22	0.80
1:A:28:GLN:HB2	1:A:29:PRO:CD	2.14	0.78
1:A:28:GLN:OE1	1:A:29:PRO:HD2	1.85	0.76
1:B:18:CYS:SG	1:B:324:LEU:HD12	2.28	0.74
1:A:199:ARG:HH11	1:A:243:GLN:HE22	1.36	0.74
1:B:199:ARG:HH11	1:B:243:GLN:HE22	1.34	0.73
1:B:28:GLN:HB2	1:B:29:PRO:HD2	1.70	0.72
1:B:178:ILE:HB	1:B:305:VAL:HG22	1.70	0.72
1:A:21:GLU:HG2	1:A:155:ARG:NH1	2.06	0.69
1:B:286:ARG:NH1	1:B:290:ARG:HD2	2.07	0.69
1:B:7:GLY:HA2	2:B:353:FAD:H4B	1.75	0.68
1:A:335:GLU:HG2	1:A:340:LEU:HB2	1.76	0.68
1:A:291:LEU:HA	1:A:307:HIS:O	1.93	0.68
1:B:286:ARG:HH12	1:B:290:ARG:HD2	1.60	0.67
1:A:291:LEU:HD21	1:A:325:GLU:HB3	1.76	0.67
1:A:151:ARG:O	1:A:155:ARG:HG2	1.94	0.67
1:A:88:GLY:HA2	1:A:233:LEU:HD21	1.77	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:151:ARG:O	1:B:155:ARG:HG2	1.95	0.66
1:A:205:VAL:HG23	1:A:275:ILE:HA	1.77	0.66
1:B:337:ARG:HG3	1:B:337:ARG:HH11	1.61	0.66
1:A:34:VAL:HB	1:A:159:PHE:HD2	1.62	0.65
1:B:324:LEU:O	1:B:328:LYS:HD3	1.98	0.62
1:B:27:LEU:HD11	1:B:334:LEU:HD21	1.81	0.62
1:B:21:GLU:HG2	1:B:155:ARG:HH12	1.64	0.62
1:B:267:GLU:O	1:B:270:LEU:HB2	2.01	0.61
1:B:43:THR:HB	2:B:353:FAD:O1A	2.01	0.61
1:B:28:GLN:H	1:B:28:GLN:CD	2.09	0.61
1:B:30:LEU:HB3	4:B:649:HOH:O	2.01	0.60
1:A:337:ARG:HG3	1:A:337:ARG:HH11	1.67	0.60
1:B:41:PRO:HA	1:B:46:ASP:CG	2.26	0.60
1:A:38:ARG:HD2	2:A:351:FAD:O2B	2.02	0.59
1:B:205:VAL:HG23	1:B:275:ILE:HA	1.83	0.59
1:A:315:GLY:HA3	2:A:351:FAD:O3'	2.02	0.59
1:B:195:LEU:HD12	1:B:285:VAL:O	2.03	0.58
1:B:8:ALA:H	2:B:353:FAD:H4B	1.68	0.58
1:B:199:ARG:NH1	1:B:243:GLN:HE22	2.01	0.58
1:B:66:ASN:O	1:B:70:GLN:HG3	2.04	0.58
1:B:291:LEU:HD11	1:B:326:VAL:CG2	2.34	0.58
1:A:7:GLY:O	1:A:12:GLY:HA3	2.04	0.58
1:A:78:HIS:CD2	1:A:87:MET:HE1	2.39	0.58
1:A:197:PRO:O	1:A:244:VAL:HA	2.04	0.57
1:B:140:GLU:HG2	4:B:559:HOH:O	2.03	0.57
1:A:28:GLN:NE2	1:A:28:GLN:H	2.02	0.57
1:B:11:ILE:HB	2:B:353:FAD:O2P	2.03	0.57
1:A:201:GLN:HA	1:A:279:TYR:O	2.06	0.55
1:A:324:LEU:O	1:A:328:LYS:HD3	2.07	0.55
1:B:28:GLN:CD	1:B:28:GLN:N	2.64	0.55
1:B:199:ARG:HH11	1:B:243:GLN:NE2	2.05	0.55
1:B:257:ASN:O	1:B:261:GLU:HB3	2.07	0.54
1:A:43:THR:HB	2:A:351:FAD:O1A	2.08	0.54
1:B:264:CYS:SG	4:B:527:HOH:O	2.58	0.54
1:A:295:GLN:O	1:A:296:LEU:HD23	2.09	0.53
1:A:78:HIS:HD2	1:A:87:MET:HE1	1.72	0.53
1:B:66:ASN:HB2	4:B:417:HOH:O	2.08	0.53
1:A:104:ASP:OD1	1:A:116:LYS:HE2	2.10	0.52
1:B:28:GLN:CB	1:B:29:PRO:HD2	2.39	0.52
1:A:168:GLU:HG2	1:A:298:PHE:CD2	2.44	0.51
1:B:337:ARG:HB3	1:B:339:LEU:HD13	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:171:ALA:HB1	1:A:303:THR:OG1	2.11	0.51
1:B:18:CYS:SG	1:B:324:LEU:CD1	2.98	0.51
1:B:151:ARG:O	1:B:154:GLU:HG2	2.10	0.51
1:B:297:ARG:HA	1:B:302:ASN:HA	1.91	0.51
1:A:304:GLU:HG2	1:A:333:VAL:HG22	1.93	0.51
1:A:35:TYR:CD2	1:A:160:PHE:HB2	2.45	0.51
1:A:18:CYS:O	1:A:22:ARG:HB2	2.10	0.50
1:A:48:ALA:HB2	2:A:351:FAD:O2'	2.11	0.50
1:A:118:THR:HB	1:A:119:PRO:HD2	1.93	0.50
1:A:8:ALA:H	2:A:351:FAD:H4B	1.77	0.50
1:A:199:ARG:NH1	1:A:243:GLN:HE22	2.04	0.50
1:B:28:GLN:H	1:B:28:GLN:NE2	2.09	0.50
1:A:67:TRP:HA	1:A:70:GLN:HE21	1.76	0.50
1:B:291:LEU:HD11	1:B:326:VAL:HG23	1.94	0.50
1:B:8:ALA:N	2:B:353:FAD:H4B	2.26	0.50
1:B:291:LEU:HA	1:B:307:HIS:O	2.11	0.50
1:A:304:GLU:HG2	1:A:333:VAL:CG2	2.42	0.49
1:B:1:MET:HG2	1:B:2:ARG:N	2.28	0.49
1:A:88:GLY:HA2	1:A:233:LEU:CD2	2.41	0.49
1:A:35:TYR:HE2	1:A:160:PHE:CD1	2.30	0.49
1:B:195:LEU:HA	1:B:285:VAL:O	2.13	0.49
1:B:87:MET:HG2	1:B:147:TRP:CE2	2.47	0.49
1:B:287:PRO:HB2	1:B:288:GLN:HE21	1.77	0.49
2:B:353:FAD:H51A	4:B:402:HOH:O	2.12	0.49
1:A:1:MET:N	1:A:29:PRO:O	2.43	0.49
1:B:7:GLY:CA	2:B:353:FAD:H4B	2.41	0.49
1:A:228:TYR:CE2	1:A:239:GLY:HA3	2.47	0.49
1:A:295:GLN:H	1:A:295:GLN:CD	2.21	0.49
1:B:117:LEU:HD12	1:B:131:GLY:HA3	1.93	0.49
1:B:49:ALA:HB3	2:B:353:FAD:O4	2.13	0.49
1:B:205:VAL:CG2	1:B:273:ALA:HB1	2.43	0.49
1:A:50:GLY:HA2	1:A:316:LEU:HD13	1.94	0.48
1:B:142:ARG:O	1:B:146:GLN:HG3	2.13	0.48
1:B:51:LEU:HD11	4:B:643:HOH:O	2.13	0.48
1:A:15:THR:HA	1:A:323:ALA:HB1	1.96	0.48
1:B:2:ARG:HH21	1:B:33:LYS:HE2	1.78	0.48
1:A:2:ARG:HH21	1:A:33:LYS:HE2	1.78	0.47
1:A:151:ARG:HG3	4:A:673:HOH:O	2.14	0.47
1:A:18:CYS:SG	1:A:22:ARG:NH2	2.88	0.47
1:B:28:GLN:CB	1:B:29:PRO:CD	2.88	0.47
1:B:311:HIS:HE1	1:B:322:CYS:SG	2.37	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:PRO:HA	4:A:599:HOH:O	2.15	0.46
1:A:10:VAL:HB	1:A:45:THR:HG21	1.97	0.46
1:A:151:ARG:O	1:A:154:GLU:HG2	2.16	0.46
1:A:190:GLN:NE2	1:A:290:ARG:HH22	2.13	0.46
1:B:337:ARG:HG3	1:B:337:ARG:NH1	2.29	0.46
1:A:41:PRO:HA	1:A:46:ASP:CG	2.41	0.46
1:A:337:ARG:HB3	1:A:339:LEU:HD13	1.98	0.46
1:A:293:ARG:HH11	1:A:332:LYS:HE2	1.79	0.46
1:A:334:LEU:HB3	1:A:340:LEU:CD1	2.44	0.46
1:B:325:GLU:O	1:B:329:LEU:HG	2.15	0.45
1:B:311:HIS:HD2	4:B:405:HOH:O	1.98	0.45
1:A:75:LEU:O	1:A:89:LEU:HD21	2.16	0.45
1:A:319:HIS:CG	1:A:320:TRP:N	2.83	0.45
1:A:334:LEU:HD23	1:A:340:LEU:HD21	1.98	0.45
1:A:11:ILE:HG13	1:A:311:HIS:CD2	2.52	0.45
1:A:34:VAL:HB	1:A:159:PHE:CD2	2.47	0.45
1:A:63:GLN:HE21	1:A:63:GLN:HA	1.82	0.45
1:B:93:SER:HB3	1:B:133:PHE:CZ	2.52	0.45
1:A:200:GLY:O	1:A:280:THR:HA	2.17	0.45
1:A:35:TYR:HD2	1:A:160:PHE:HB2	1.82	0.45
1:A:182:THR:HG1	1:A:186:ALA:HA	1.82	0.45
1:B:205:VAL:HG22	1:B:273:ALA:HB1	1.98	0.45
1:A:28:GLN:HB2	1:A:29:PRO:HD2	1.95	0.44
1:A:105:PRO:HA	4:A:516:HOH:O	2.17	0.44
1:B:184:VAL:HA	1:B:195:LEU:HD21	1.99	0.44
1:A:291:LEU:HD12	1:A:307:HIS:O	2.16	0.44
1:B:295:GLN:NE2	1:B:295:GLN:H	2.15	0.44
1:A:334:LEU:HB3	1:A:340:LEU:HD11	1.99	0.44
1:B:51:LEU:HG	1:B:52:TRP:N	2.33	0.44
1:B:2:ARG:NH2	1:B:33:LYS:HE2	2.33	0.44
1:A:87:MET:HG2	1:A:147:TRP:CE2	2.52	0.44
1:A:142:ARG:O	1:A:146:GLN:HG3	2.18	0.44
1:B:180:ASN:HD21	1:B:189:LEU:HD12	1.81	0.44
1:B:219:LEU:HD23	4:B:691:HOH:O	2.17	0.44
1:A:27:LEU:HD11	1:A:334:LEU:HD21	2.00	0.44
1:A:293:ARG:NH1	1:A:332:LYS:HE2	2.33	0.44
1:B:299:GLY:O	1:B:300:SER:HB3	2.17	0.44
1:A:1:MET:HE3	1:A:339:LEU:CD2	2.47	0.44
1:A:112:LEU:HG	1:B:121:GLU:HG2	1.99	0.44
1:A:199:ARG:HD3	1:A:243:GLN:NE2	2.33	0.44
1:A:105:PRO:HD3	1:A:132:TRP:CZ2	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:182:THR:O	2:A:351:FAD:H8A	2.18	0.43
1:B:284:PRO:HG3	4:B:658:HOH:O	2.18	0.43
1:A:249:GLU:CD	1:A:249:GLU:H	2.27	0.43
1:B:291:LEU:HD21	1:B:325:GLU:HB3	1.99	0.43
1:A:17:LEU:O	1:A:21:GLU:HG3	2.19	0.43
1:A:224:TYR:HA	4:A:454:HOH:O	2.17	0.43
1:B:180:ASN:ND2	1:B:189:LEU:HD12	2.33	0.43
1:A:32:VAL:HB	1:A:157:VAL:HG22	2.00	0.43
4:A:441:HOH:O	1:B:91:PRO:HB2	2.19	0.43
1:A:11:ILE:HB	2:A:351:FAD:O2P	2.19	0.43
1:A:53:GLN:NE2	1:A:96:ASN:HD21	2.17	0.43
1:B:20:HIS:O	1:B:24:HIS:HB3	2.18	0.43
1:A:2:ARG:HA	1:A:31:ASP:HB2	2.00	0.43
1:B:201:GLN:HG3	1:B:280:THR:OG1	2.19	0.43
1:B:291:LEU:HD11	1:B:326:VAL:HG22	2.01	0.43
1:A:40:THR:HA	1:A:46:ASP:OD2	2.19	0.43
1:A:66:ASN:O	1:A:70:GLN:HG3	2.19	0.43
1:A:314:TYR:O	1:A:318:ILE:HG22	2.19	0.42
1:B:21:GLU:HG2	1:B:155:ARG:NH1	2.33	0.42
1:B:247:TRP:HB3	4:B:670:HOH:O	2.18	0.42
1:B:47:VAL:O	1:B:202:ILE:HD13	2.20	0.42
1:A:291:LEU:HD11	1:A:326:VAL:CG2	2.49	0.42
1:A:164:VAL:O	1:A:189:LEU:HD21	2.19	0.42
1:A:52:TRP:HE3	1:A:52:TRP:O	2.02	0.42
1:A:166:SER:O	1:A:169:GLU:HG2	2.20	0.42
1:B:61:ASN:HA	1:B:62:PRO:HD2	1.93	0.42
1:A:67:TRP:HB2	1:A:318:ILE:HD11	2.01	0.42
1:B:293:ARG:HG3	1:B:329:LEU:HD13	2.01	0.42
2:B:353:FAD:H9	2:B:353:FAD:H1'1	1.75	0.42
1:B:101:ALA:HA	1:B:130:TYR:CG	2.55	0.42
1:B:230:ILE:HA	1:B:231:PRO:HD2	1.89	0.42
1:A:145:LEU:HD12	1:A:145:LEU:HA	1.89	0.41
1:A:194:LEU:HB3	1:A:287:PRO:HD2	2.02	0.41
1:B:104:ASP:HB3	1:B:108:LYS:HD3	2.02	0.41
1:A:204:LYS:HG3	1:A:279:TYR:HE2	1.83	0.41
1:A:299:GLY:O	1:A:300:SER:HB3	2.20	0.41
1:B:1:MET:N	1:B:29:PRO:O	2.41	0.41
1:B:38:ARG:O	1:B:38:ARG:HG2	2.20	0.41
1:A:28:GLN:CD	1:A:29:PRO:HD2	2.45	0.41
1:A:30:LEU:HD12	1:A:30:LEU:HA	1.87	0.41
1:A:216:THR:HG23	1:A:266:LEU:HD11	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:95:TYR:HD2	1:B:117:LEU:HD21	1.86	0.41
1:B:92:VAL:CG2	1:B:138:ILE:HG12	2.51	0.41
1:B:324:LEU:HD12	1:B:324:LEU:HA	1.92	0.41
1:A:53:GLN:HA	1:A:54:PRO:HD3	1.94	0.41
1:A:267:GLU:HB3	1:A:270:LEU:CD2	2.51	0.41
1:A:333:VAL:O	1:A:336:GLU:HG2	2.21	0.41
1:B:1:MET:HE2	4:B:403:HOH:O	2.20	0.41
1:B:85:ALA:HB3	4:B:435:HOH:O	2.21	0.41
1:B:104:ASP:OD1	1:B:116:LYS:HE2	2.21	0.41
1:A:28:GLN:H	1:A:28:GLN:HE21	1.67	0.41
1:B:40:THR:HB	1:B:145:LEU:HD23	2.03	0.41
1:B:199:ARG:HD3	1:B:243:GLN:NE2	2.36	0.41
1:A:320:TRP:O	1:A:324:LEU:HB2	2.21	0.40
1:B:194:LEU:HB3	1:B:287:PRO:HD2	2.03	0.40
1:B:290:ARG:HD3	1:B:309:TYR:OH	2.20	0.40
1:A:168:GLU:O	1:A:172:ARG:HG2	2.21	0.40
1:A:13:LEU:HD21	4:A:702:HOH:O	2.20	0.40
1:A:21:GLU:HA	1:A:155:ARG:HH22	1.86	0.40
1:A:52:TRP:CZ2	1:A:72:PHE:HB2	2.57	0.40
1:A:205:VAL:HG23	1:A:275:ILE:CA	2.49	0.40
1:B:334:LEU:HB3	1:B:340:LEU:HG	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	338/340 (99%)	313 (93%)	23 (7%)	2 (1%)	21	38
1	B	338/340 (99%)	311 (92%)	25 (7%)	2 (1%)	21	38
All	All	676/680 (99%)	624 (92%)	48 (7%)	4 (1%)	21	38

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	28	GLN
1	B	28	GLN
1	B	240	GLY
1	A	240	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	291/291 (100%)	269 (92%)	22 (8%)	12	26
1	B	291/291 (100%)	271 (93%)	20 (7%)	14	30
All	All	582/582 (100%)	540 (93%)	42 (7%)	13	28

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	ARG
1	A	28	GLN
1	A	38	ARG
1	A	41	PRO
1	A	76	LEU
1	A	112	LEU
1	A	132	TRP
1	A	139	LEU
1	A	145	LEU
1	A	151	ARG
1	A	168	GLU
1	A	228	TYR
1	A	234	GLN
1	A	238	LEU
1	A	243	GLN
1	A	266	LEU
1	A	270	LEU
1	A	286	ARG
1	A	287	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	288	GLN
1	A	334	LEU
1	A	335	GLU
1	B	22	ARG
1	B	28	GLN
1	B	38	ARG
1	B	76	LEU
1	B	90	THR
1	B	92	VAL
1	B	112	LEU
1	B	116	LYS
1	B	134	ASN
1	B	139	LEU
1	B	151	ARG
1	B	162	ARG
1	B	168	GLU
1	B	234	GLN
1	B	266	LEU
1	B	270	LEU
1	B	286	ARG
1	B	288	GLN
1	B	324	LEU
1	B	335	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	GLN
1	A	63	GLN
1	A	70	GLN
1	A	78	HIS
1	A	180	ASN
1	A	190	GLN
1	A	234	GLN
1	A	243	GLN
1	A	295	GLN
1	A	311	HIS
1	B	24	HIS
1	B	68	ASN
1	B	70	GLN
1	B	83	ASN
1	B	86	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	96	ASN
1	B	134	ASN
1	B	180	ASN
1	B	190	GLN
1	B	243	GLN
1	B	288	GLN
1	B	295	GLN
1	B	311	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FAD	B	353	-	58,58,58	2.18	9 (15%)	85,89,89	1.29	8 (9%)
2	FAD	A	351	-	58,58,58	2.40	10 (17%)	85,89,89	1.26	8 (9%)
3	2PC	A	352	-	6,8,8	2.00	2 (33%)	5,10,10	3.86	3 (60%)
3	2PC	B	354	-	6,8,8	1.85	2 (33%)	5,10,10	3.78	3 (60%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	B	353	-	-	7/34/50/50	0/6/6/6
2	FAD	A	351	-	-	5/34/50/50	0/6/6/6
3	2PC	A	352	-	-	0/2/11/11	0/1/1/1
3	2PC	B	354	-	-	0/2/11/11	0/1/1/1

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	351	FAD	P-O3P	-14.17	1.44	1.59
2	B	353	FAD	P-O3P	-12.37	1.46	1.59
2	B	353	FAD	PA-O2A	-4.43	1.34	1.55
2	A	351	FAD	PA-O2A	-4.43	1.34	1.55
2	B	353	FAD	O5'-C5'	4.19	1.60	1.44
2	A	351	FAD	O5'-C5'	4.08	1.60	1.44
2	A	351	FAD	P-O1P	-3.73	1.37	1.50
3	A	352	2PC	C2-N1	3.62	1.32	1.27
2	B	353	FAD	P-O1P	-3.55	1.38	1.50
3	B	354	2PC	C2-N1	3.10	1.32	1.27
3	A	352	2PC	O8-C6	-2.66	1.23	1.30
3	B	354	2PC	O8-C6	-2.63	1.23	1.30
2	A	351	FAD	O2-C2	-2.58	1.19	1.24
2	A	351	FAD	PA-O3P	-2.56	1.56	1.59
2	B	353	FAD	C5A-C6A	2.41	1.47	1.41
2	A	351	FAD	C6-C7	-2.40	1.36	1.39
2	B	353	FAD	O2-C2	-2.38	1.19	1.24
2	A	351	FAD	C5A-C6A	2.36	1.47	1.41
2	B	353	FAD	O4B-C1B	2.31	1.47	1.42
2	A	351	FAD	C1'-C2'	2.29	1.55	1.52
2	B	353	FAD	C1'-C2'	2.21	1.55	1.52
2	A	351	FAD	O4B-C1B	2.17	1.47	1.42
2	B	353	FAD	C6-C7	-2.13	1.36	1.39

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	352	2PC	C3-C2-N1	-6.62	110.67	115.62
3	B	354	2PC	C3-C2-N1	-6.33	110.88	115.62
2	B	353	FAD	C4B-O4B-C1B	-5.67	96.95	109.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	351	FAD	C4B-O4B-C1B	-5.15	98.10	109.47
3	B	354	2PC	O8-C6-O7	3.97	133.35	123.90
3	A	352	2PC	O8-C6-O7	3.69	132.69	123.90
3	A	352	2PC	C5-N1-C2	3.59	113.26	108.22
3	B	354	2PC	C5-N1-C2	3.55	113.20	108.22
2	B	353	FAD	O2A-PA-O3P	3.25	116.05	107.27
2	A	351	FAD	O2A-PA-O3P	3.15	115.78	107.27
2	B	353	FAD	O5B-PA-O1A	-2.73	98.11	108.94
2	A	351	FAD	C5'-C4'-C3'	-2.73	107.07	112.22
2	B	353	FAD	O4B-C1B-C2B	-2.72	100.79	106.62
2	A	351	FAD	O4B-C1B-C2B	-2.57	101.11	106.62
2	B	353	FAD	C4-N3-C2	-2.52	121.17	125.64
2	A	351	FAD	C2A-N1A-C6A	2.47	122.79	118.73
2	A	351	FAD	C4-N3-C2	-2.45	121.28	125.64
2	B	353	FAD	C2A-N1A-C6A	2.40	122.67	118.73
2	A	351	FAD	O5B-PA-O1A	-2.36	99.57	108.94
2	B	353	FAD	C5'-C4'-C3'	-2.20	108.06	112.22
2	B	353	FAD	C4X-C10-N10	2.11	119.50	116.48
2	A	351	FAD	C1'-N10-C9A	-2.01	116.73	120.63

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	351	FAD	C5'-O5'-P-O1P
2	A	351	FAD	C5'-O5'-P-O2P
2	A	351	FAD	C5'-O5'-P-O3P
2	B	353	FAD	C5'-O5'-P-O1P
2	B	353	FAD	C5'-O5'-P-O3P
2	B	353	FAD	O4B-C4B-C5B-O5B
2	B	353	FAD	C3B-C4B-C5B-O5B
2	A	351	FAD	P-O3P-PA-O1A
2	B	353	FAD	P-O3P-PA-O1A
2	A	351	FAD	P-O3P-PA-O2A
2	B	353	FAD	P-O3P-PA-O2A
2	B	353	FAD	C5'-O5'-P-O2P


There are no ring outliers.

2 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	353	FAD	9	0
2	A	351	FAD	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.