



# wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2026 – 03:15 PM UTC

PDB ID : 4EVA / pdb\_00004eva  
Title : Crystal Structure of Mouse Catenin beta-59 in 5.6M urea  
Authors : Wang, C.; Zhang, G.Y.  
Deposited on : 2012-04-26  
Resolution : 2.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : 2.0  
EDS : 3.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	538	 8% 81% 10% 9%
1	C	538	 8% 78% 11% 9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	URE	A	726	-	-	X	-
2	URE	A	732	-	-	X	-
2	URE	A	737	-	-	X	-
2	URE	C	706	-	-	X	-
2	URE	C	710	-	-	X	-
2	URE	C	717	-	-	X	-
2	URE	C	730	-	-	X	-

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 8423 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Catenin beta-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	491	Total 3738	C 2346	N 682	O 684	S 26	0	0	0
1	C	488	Total 3717	C 2335	N 678	O 678	S 26	0	0	0

- Molecule 2 is UREA (CCD ID: URE) (formula: CH<sub>4</sub>N<sub>2</sub>O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	Total 4	C 1	N 2	O 1	0	0
2	A	1	Total 4	C 1	N 2	O 1	0	0
2	A	1	Total 4	C 1	N 2	O 1	0	0
2	A	1	Total 4	C 1	N 2	O 1	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total 4	C 1	N 2	O 1	1	0
2	A	1	Total 4	C 1	N 2	O 1	0	0
2	A	1	Total 4	C 1	N 2	O 1	0	0
2	A	1	Total 4	C 1	N 2	O 1	1	0
2	A	1	Total 4	C 1	N 2	O 1	1	0
2	A	1	Total 4	C 1	N 2	O 1	0	0
2	A	1	Total 4	C 1	N 2	O 1	0	0
2	A	1	Total 4	C 1	N 2	O 1	0	0
2	A	1	Total 4	C 1	N 2	O 1	0	0
2	A	1	Total 4	C 1	N 2	O 1	0	0
2	A	1	Total 4	C 1	N 2	O 1	0	0
2	A	1	Total 4	C 1	N 2	O 1	0	0
2	A	1	Total 4	C 1	N 2	O 1	0	0
2	A	1	Total 4	C 1	N 2	O 1	0	0
2	A	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	1	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0
2	C	1	Total 4	C 1	N 2	O 1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	400	Total 400	O 400	0	0
3	C	280	Total 280	O 280	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Catenin beta-1



- Molecule 1: Catenin beta-1



## 4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	64.27Å 102.72Å 187.56Å 90.00° 90.14° 90.00°	Depositor
Resolution (Å)	28.61 – 2.00 28.61 – 2.00	Depositor EDS
% Data completeness (in resolution range)	85.8 (28.61-2.00) 60.1 (28.61-2.00)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.69 (at 2.00Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, $R_{free}$	0.200 , 0.228 (Not available) , 0.224	Depositor DCC
$R_{free}$ test set	3543 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	27.7	Xtrriage
Anisotropy	0.424	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 52.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.397 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8423	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	43.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.58% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: URE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.31	0/3790	0.71	0/5142
1	C	0.33	0/3769	0.76	2/5113 (0.0%)
All	All	0.32	0/7559	0.73	2/10255 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	167	VAL	N-CA-C	10.81	121.65	110.62
1	C	166	VAL	CB-CA-C	-5.36	103.86	112.16

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3738	0	3872	44	0
1	C	3717	0	3860	56	0
2	A	152	0	152	11	0
2	C	136	0	136	15	0
3	A	400	0	0	9	0
3	C	280	0	0	5	0
All	All	8423	0	8020	103	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 103 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:371:THR:OG1	3:C:1019:HOH:O	1.82	0.98
1:C:168:VAL:HG13	1:C:170:LYS:H	1.31	0.95
1:C:168:VAL:HG13	1:C:169:ASN:N	1.91	0.85
1:C:165:GLN:OE1	1:C:167:VAL:HB	1.81	0.80
1:A:584:VAL:H	2:A:732:URE:HN12	1.31	0.76

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	487/538 (90%)	481 (99%)	3 (1%)	3 (1%)	21	17
1	C	484/538 (90%)	475 (98%)	6 (1%)	3 (1%)	21	17
All	All	971/1076 (90%)	956 (98%)	9 (1%)	6 (1%)	21	17

5 of 6 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	167	VAL
1	A	162	ASP
1	A	193	GLN
1	C	193	GLN
1	C	192	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	405/447 (91%)	401 (99%)	4 (1%)	68	75
1	C	403/447 (90%)	398 (99%)	5 (1%)	63	70
All	All	808/894 (90%)	799 (99%)	9 (1%)	65	73

5 of 9 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	194	MET
1	C	195	VAL
1	A	562	GLU
1	C	163	GLU
1	C	165	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	186	HIS
1	C	220	ASN
1	C	516	ASN
1	C	224	HIS
1	A	585	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

72 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	URE	C	708	-	3,3,3	1.28	1 (33%)	3,3,3	0.81	0
2	URE	A	717	-	3,3,3	1.29	1 (33%)	3,3,3	0.90	0
2	URE	C	711	-	3,3,3	1.31	1 (33%)	3,3,3	0.83	0
2	URE	A	711	-	3,3,3	1.28	1 (33%)	3,3,3	0.80	0
2	URE	C	709	-	3,3,3	1.28	1 (33%)	3,3,3	0.82	0
2	URE	A	737	-	3,3,3	1.29	1 (33%)	3,3,3	0.86	0
2	URE	C	720	-	3,3,3	1.29	1 (33%)	3,3,3	0.73	0
2	URE	A	707	-	3,3,3	1.29	1 (33%)	3,3,3	0.81	0
2	URE	C	733	-	3,3,3	1.29	1 (33%)	3,3,3	0.76	0
2	URE	A	723	-	3,3,3	1.28	1 (33%)	3,3,3	0.76	0
2	URE	C	714	-	3,3,3	1.30	1 (33%)	3,3,3	0.79	0
2	URE	A	710	-	3,3,3	1.29	1 (33%)	3,3,3	0.83	0
2	URE	C	710	-	3,3,3	1.24	1 (33%)	3,3,3	0.80	0
2	URE	A	704	-	3,3,3	1.29	1 (33%)	3,3,3	0.81	0
2	URE	A	720	-	3,3,3	1.30	1 (33%)	3,3,3	0.82	0
2	URE	C	726	-	3,3,3	1.29	1 (33%)	3,3,3	0.74	0
2	URE	A	736	-	3,3,3	1.28	1 (33%)	3,3,3	0.78	0
2	URE	A	705	-	3,3,3	1.30	1 (33%)	3,3,3	0.80	0
2	URE	A	702	-	3,3,3	1.28	1 (33%)	3,3,3	0.82	0
2	URE	C	707	-	3,3,3	1.27	0	3,3,3	0.83	0
2	URE	A	714	-	3,3,3	1.29	1 (33%)	3,3,3	0.80	0
2	URE	C	727	-	3,3,3	1.28	1 (33%)	3,3,3	0.77	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	URE	C	724	-	3,3,3	1.29	1 (33%)	3,3,3	0.82	0
2	URE	C	731	-	3,3,3	1.28	1 (33%)	3,3,3	0.80	0
2	URE	C	716	-	3,3,3	1.28	1 (33%)	3,3,3	0.83	0
2	URE	A	706	-	3,3,3	1.28	1 (33%)	3,3,3	0.81	0
2	URE	C	718	-	3,3,3	1.29	1 (33%)	3,3,3	0.76	0
2	URE	C	729	-	3,3,3	1.30	1 (33%)	3,3,3	0.78	0
2	URE	C	706	-	3,3,3	1.29	1 (33%)	3,3,3	0.80	0
2	URE	A	701	-	3,3,3	1.30	1 (33%)	3,3,3	0.87	0
2	URE	A	734	-	3,3,3	1.30	1 (33%)	3,3,3	0.86	0
2	URE	A	730	-	3,3,3	1.26	1 (33%)	3,3,3	0.78	0
2	URE	C	705	-	3,3,3	1.30	1 (33%)	3,3,3	0.84	0
2	URE	C	721	-	3,3,3	1.29	1 (33%)	3,3,3	0.84	0
2	URE	C	725	-	3,3,3	1.29	1 (33%)	3,3,3	0.82	0
2	URE	A	728	-	3,3,3	1.30	1 (33%)	3,3,3	0.81	0
2	URE	C	704	-	3,3,3	1.29	1 (33%)	3,3,3	0.79	0
2	URE	A	715	-	3,3,3	1.28	1 (33%)	3,3,3	0.83	0
2	URE	C	712	-	3,3,3	1.30	1 (33%)	3,3,3	0.80	0
2	URE	A	721	-	3,3,3	1.31	1 (33%)	3,3,3	0.84	0
2	URE	C	715	-	3,3,3	1.29	1 (33%)	3,3,3	0.82	0
2	URE	C	719	-	3,3,3	1.30	1 (33%)	3,3,3	0.84	0
2	URE	C	728	-	3,3,3	1.29	1 (33%)	3,3,3	0.87	0
2	URE	C	734	-	3,3,3	1.29	1 (33%)	3,3,3	0.84	0
2	URE	C	723	-	3,3,3	1.28	1 (33%)	3,3,3	0.80	0
2	URE	C	730	-	3,3,3	1.29	1 (33%)	3,3,3	0.82	0
2	URE	A	732	-	3,3,3	1.30	1 (33%)	3,3,3	0.86	0
2	URE	C	732	-	3,3,3	1.27	0	3,3,3	0.80	0
2	URE	A	716	-	3,3,3	1.29	1 (33%)	3,3,3	0.84	0
2	URE	C	717	-	3,3,3	1.29	1 (33%)	3,3,3	0.78	0
2	URE	A	719	-	3,3,3	1.29	1 (33%)	3,3,3	0.80	0
2	URE	A	722	-	3,3,3	1.30	1 (33%)	3,3,3	0.86	0
2	URE	A	733	-	3,3,3	1.28	1 (33%)	3,3,3	0.79	0
2	URE	A	729	-	3,3,3	1.27	1 (33%)	3,3,3	0.79	0
2	URE	A	726	-	3,3,3	1.28	1 (33%)	3,3,3	0.85	0
2	URE	C	701	-	3,3,3	1.31	1 (33%)	3,3,3	0.79	0
2	URE	A	727	-	3,3,3	1.27	1 (33%)	3,3,3	0.83	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	URE	A	724	-	3,3,3	1.30	1 (33%)	3,3,3	0.73	0
2	URE	A	731	-	3,3,3	1.30	1 (33%)	3,3,3	0.89	0
2	URE	A	738	-	3,3,3	1.29	1 (33%)	3,3,3	0.83	0
2	URE	C	722	-	3,3,3	1.30	1 (33%)	3,3,3	0.80	0
2	URE	A	713	-	3,3,3	1.28	1 (33%)	3,3,3	0.82	0
2	URE	C	713	-	3,3,3	1.28	1 (33%)	3,3,3	0.82	0
2	URE	C	703	-	3,3,3	1.29	1 (33%)	3,3,3	0.79	0
2	URE	A	703	-	3,3,3	1.29	1 (33%)	3,3,3	0.81	0
2	URE	A	718	-	3,3,3	1.29	1 (33%)	3,3,3	0.80	0
2	URE	A	708	-	3,3,3	1.29	1 (33%)	3,3,3	0.79	0
2	URE	A	709	-	3,3,3	1.29	1 (33%)	3,3,3	0.81	0
2	URE	A	725	-	3,3,3	1.27	0	3,3,3	0.84	0
2	URE	A	735	-	3,3,3	1.28	1 (33%)	3,3,3	0.79	0
2	URE	C	702	-	3,3,3	1.28	1 (33%)	3,3,3	0.85	0
2	URE	A	712	-	3,3,3	1.29	1 (33%)	3,3,3	0.82	0

The worst 5 of 69 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	731	URE	O-C	-2.06	1.18	1.26
2	A	720	URE	O-C	-2.06	1.18	1.26
2	A	721	URE	O-C	-2.06	1.18	1.26
2	A	705	URE	O-C	-2.06	1.18	1.26
2	C	701	URE	O-C	-2.05	1.18	1.26

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

20 monomers are involved in 25 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	717	URE	1	0
2	A	737	URE	2	0
2	C	720	URE	1	0
2	C	710	URE	2	0
2	C	726	URE	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	718	URE	1	0
2	C	729	URE	1	0
2	C	706	URE	2	0
2	A	734	URE	1	0
2	C	721	URE	1	0
2	C	719	URE	1	0
2	C	730	URE	2	0
2	A	732	URE	2	0
2	A	716	URE	1	0
2	C	717	URE	2	0
2	A	733	URE	1	0
2	A	729	URE	1	0
2	A	726	URE	2	0
2	C	701	URE	1	0
2	A	709	URE	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	491/538 (91%)	0.22	41 (8%) 17 15	16, 29, 98, 115	1 (0%)
1	C	488/538 (90%)	0.30	41 (8%) 17 15	23, 36, 103, 116	2 (0%)
All	All	979/1076 (90%)	0.26	82 (8%) 17 15	16, 33, 101, 116	3 (0%)

The worst 5 of 82 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	164	ASP	5.9
1	C	216	GLY	5.5
1	A	183	ALA	5.0
1	A	171	ALA	5.0
1	A	166	VAL	5.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	URE	A	718	4/4	0.51	0.11	61,66,66,68	3
2	URE	C	710	4/4	0.55	0.14	102,103,107,112	0
2	URE	C	726	4/4	0.62	0.12	71,72,75,77	3
2	URE	C	732	4/4	0.64	0.15	60,65,66,68	1
2	URE	A	734	4/4	0.71	0.23	51,55,58,58	2
2	URE	C	701	4/4	0.75	0.15	53,57,57,60	4
2	URE	C	722	4/4	0.76	0.17	67,70,71,71	2
2	URE	A	712	4/4	0.78	0.21	68,71,72,78	2
2	URE	A	725	4/4	0.78	0.15	46,48,48,48	2
2	URE	C	733	4/4	0.78	0.15	59,64,65,68	3
2	URE	C	712	4/4	0.80	0.15	86,91,92,97	2
2	URE	C	714	4/4	0.80	0.16	58,60,62,62	4
2	URE	A	717	4/4	0.82	0.10	49,52,52,55	2
2	URE	A	713	4/4	0.82	0.13	60,63,63,64	3
2	URE	C	734	4/4	0.82	0.12	66,69,70,71	2
2	URE	A	719	4/4	0.83	0.14	48,50,50,53	3
2	URE	C	711	4/4	0.83	0.15	78,81,86,89	2
2	URE	A	730	4/4	0.83	0.14	45,50,53,54	1
2	URE	C	729	4/4	0.84	0.16	61,62,65,66	3
2	URE	C	725	4/4	0.84	0.08	86,93,94,96	0
2	URE	C	731	4/4	0.85	0.19	48,50,53,56	4
2	URE	C	708	4/4	0.85	0.12	56,56,57,59	3
2	URE	C	702	4/4	0.85	0.13	49,50,50,50	1
2	URE	C	723	4/4	0.85	0.14	59,62,65,72	2
2	URE	A	733	4/4	0.86	0.11	50,56,57,60	1
2	URE	A	732	4/4	0.86	0.15	45,46,49,58	3
2	URE	A	715	4/4	0.87	0.10	55,57,59,61	3
2	URE	A	716	4/4	0.87	0.11	47,49,50,52	3
2	URE	C	717	4/4	0.88	0.15	54,61,62,68	3
2	URE	C	720	4/4	0.88	0.09	53,59,62,64	2
2	URE	C	721	4/4	0.88	0.13	55,57,60,63	4
2	URE	A	726	4/4	0.88	0.10	48,52,54,54	1
2	URE	C	713	4/4	0.88	0.16	59,61,65,74	2
2	URE	A	711	4/4	0.88	0.10	48,48,49,53	2
2	URE	C	718	4/4	0.89	0.16	57,61,63,64	4
2	URE	A	721	4/4	0.89	0.13	63,68,69,76	3
2	URE	A	723	4/4	0.89	0.11	44,46,46,46	3
2	URE	A	736	4/4	0.89	0.11	63,64,64,65	3
2	URE	C	724	4/4	0.90	0.14	52,56,57,58	3
2	URE	A	705	4/4	0.90	0.11	34,36,37,37	1
2	URE	A	722	4/4	0.90	0.11	55,59,60,62	3
2	URE	C	715	4/4	0.90	0.12	52,53,54,58	3
2	URE	C	706	4/4	0.91	0.12	36,39,39,40	1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	URE	C	727	4/4	0.91	0.12	51,53,55,57	2
2	URE	A	727	4/4	0.91	0.09	45,49,49,50	4
2	URE	A	724	4/4	0.91	0.14	45,50,55,59	2
2	URE	C	716	4/4	0.91	0.09	51,55,57,61	2
2	URE	A	720	4/4	0.91	0.16	54,56,57,61	4
2	URE	A	707	4/4	0.91	0.11	47,48,52,54	2
2	URE	A	729	4/4	0.92	0.09	47,49,51,52	1
2	URE	A	703	4/4	0.92	0.14	40,46,47,49	1
2	URE	C	705	4/4	0.92	0.07	33,33,34,37	2
2	URE	A	728	4/4	0.93	0.15	41,43,46,46	2
2	URE	C	730	4/4	0.93	0.13	58,61,63,67	4
2	URE	A	737	4/4	0.93	0.10	45,49,50,58	3
2	URE	A	714	4/4	0.94	0.11	46,47,47,47	4
2	URE	A	731	4/4	0.94	0.12	51,52,53,54	4
2	URE	A	702	4/4	0.94	0.08	32,33,33,34	1
2	URE	A	709	4/4	0.94	0.07	59,59,61,64	3
2	URE	A	710	4/4	0.94	0.11	53,55,57,65	3
2	URE	C	709	4/4	0.95	0.10	40,42,44,45	1
2	URE	C	703	4/4	0.95	0.10	33,34,35,36	1
2	URE	C	704	4/4	0.95	0.08	48,54,55,62	3
2	URE	A	738	4/4	0.95	0.10	49,53,53,61	3
2	URE	A	701	4/4	0.95	0.07	26,29,31,31	1
2	URE	A	735	4/4	0.95	0.09	50,51,52,52	2
2	URE	A	706	4/4	0.96	0.10	36,38,39,41	1
2	URE	A	704	4/4	0.96	0.08	32,32,35,35	1
2	URE	C	719	4/4	0.96	0.08	38,38,38,38	2
2	URE	C	728	4/4	0.96	0.11	46,50,52,53	3
2	URE	C	707	4/4	0.96	0.09	41,43,43,44	1
2	URE	A	708	4/4	0.97	0.09	35,35,37,39	2

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.