



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 24, 2026 – 10:00 PM EDT

PDB ID : 1EW9 / pdb_00001ew9
Title : ALKALINE PHOSPHATASE (E.C. 3.1.3.1) COMPLEX WITH MERCAP-
TOMETHYL PHOSPHONATE
Authors : Holtz, K.M.; Stec, B.; Meyers, J.K.; Antonelli, S.M.; Widlanski, T.S.;
Kantrowitz, E.R.
Deposited on : 2000-04-24
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	449	% 80% 18% .
1	B	449	2% 73% 21% 5% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	MMQ	A	559	-	-	X	-
5	MMQ	B	559	-	-	X	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 7193 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALKALINE PHOSPHATASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	449	Total	C	N	O	S	0	0	0
			3303	2042	581	668	12			
1	B	449	Total	C	N	O	S	0	0	0
			3303	2042	581	668	12			

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	Zn	0	1
			3	3		
2	B	3	Total	Zn	0	1
			3	3		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	1
4	B	1	Total Mg 1 1	0	1

- Molecule 5 is MERCAPTOMETHYL PHOSPHONATE (CCD ID: MMQ) (formula: CH₃O₃PS).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O P S 6 1 3 1 1	0	0
5	B	1	Total C O P S 6 1 3 1 1	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	327	Total O 327 327	0	6

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	230	Total 230	O 230	0	6


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ALKALINE PHOSPHATASE



• Molecule 1: ALKALINE PHOSPHATASE



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	194.83Å 167.10Å 76.67Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	12.00 – 2.00 12.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.1 (12.00-2.00) 91.6 (12.00-2.00)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.61 (at 2.00Å)	Xtriage
Refinement program	SHELXL-97	Depositor
R, R_{free}	0.175 , 0.229 0.176 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	16.2	Xtriage
Anisotropy	0.258	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 78.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7193	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, ZN, MG, MMQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.00	0/3358	1.51	16/4560 (0.4%)
1	B	0.99	0/3358	1.52	32/4560 (0.7%)
All	All	1.00	0/6716	1.51	48/9120 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	7
All	All	0	11

There are no bond length outliers.

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	281	LYS	CA-C-N	9.40	129.35	119.85
1	B	281	LYS	C-N-CA	9.40	129.35	119.85
1	B	4	MET	CB-CA-C	9.29	120.83	110.15
1	B	71	PHE	CA-CB-CG	8.88	122.68	113.80
1	A	330	ASP	CA-CB-CG	8.62	121.22	112.60
1	B	143	THR	CA-C-N	8.08	127.15	121.65
1	B	143	THR	C-N-CA	8.08	127.15	121.65
1	A	13	GLN	CA-C-N	-7.93	116.05	122.16
1	A	13	GLN	C-N-CA	-7.93	116.05	122.16
1	A	98	TYR	N-CA-C	7.83	120.71	111.71
1	A	293	ASN	N-CA-C	7.27	126.30	110.80
1	A	266	VAL	CA-C-N	6.66	129.75	120.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	266	VAL	C-N-CA	6.66	129.75	120.29
1	B	4	MET	O-C-N	6.65	129.53	121.29
1	B	127	LYS	CA-C-N	6.33	129.86	120.87
1	B	127	LYS	C-N-CA	6.33	129.86	120.87
1	B	2	PRO	N-CA-C	-6.27	106.31	114.03
1	B	98	TYR	N-CA-C	6.27	119.77	111.75
1	B	5	PRO	O-C-N	-6.25	115.37	123.06
1	B	177	LYS	N-CA-C	6.24	120.09	112.23
1	B	293	ASN	N-CA-C	6.22	124.05	110.80
1	B	49	ILE	N-CA-C	6.19	116.77	107.80
1	B	93	THR	N-CA-C	5.91	120.76	113.50
1	A	358	LYS	CA-C-N	5.89	128.45	120.38
1	A	358	LYS	C-N-CA	5.89	128.45	120.38
1	B	324	ALA	N-CA-C	5.84	117.73	111.36
1	A	324	ALA	N-CA-C	5.76	117.64	111.36
1	B	2	PRO	O-C-N	5.71	130.34	122.35
1	A	425	HIS	CA-CB-CG	-5.70	108.10	113.80
1	B	358	LYS	N-CA-CB	5.58	118.17	110.07
1	A	411	GLU	N-CA-C	5.43	118.96	110.32
1	B	286	CYS	CA-C-N	5.42	131.87	122.28
1	B	286	CYS	C-N-CA	5.42	131.87	122.28
1	B	323	GLY	CA-C-N	5.34	127.88	120.29
1	B	323	GLY	C-N-CA	5.34	127.88	120.29
1	B	97	ASP	CA-CB-CG	5.33	117.93	112.60
1	B	176	GLU	CA-C-N	5.24	129.59	120.68
1	B	176	GLU	C-N-CA	5.24	129.59	120.68
1	B	287	THR	CB-CA-C	-5.21	104.16	110.15
1	A	292	ARG	N-CA-CB	5.21	117.70	109.94
1	B	78	LEU	CA-C-N	5.20	124.70	119.19
1	B	78	LEU	C-N-CA	5.20	124.70	119.19
1	A	293	ASN	CA-C-O	5.14	127.86	120.51
1	A	292	ARG	CB-CA-C	5.14	119.03	110.81
1	A	325	SER	N-CA-C	5.12	119.37	113.18
1	B	246	VAL	N-CA-C	5.06	119.87	109.34
1	B	170	GLY	CA-C-N	5.01	126.10	119.84
1	B	170	GLY	C-N-CA	5.01	126.10	119.84

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	166	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	226	ARG	Sidechain
1	A	292	ARG	Sidechain
1	A	418	ARG	Sidechain
1	B	10	ARG	Sidechain
1	B	226	ARG	Sidechain
1	B	267	ARG	Sidechain
1	B	292	ARG	Sidechain
1	B	351	ARG	Sidechain
1	B	418	ARG	Sidechain
1	B	5	PRO	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3303	0	3248	51	0
1	B	3303	0	3248	78	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	6	0	2	7	0
5	B	6	0	2	6	0
6	A	327	0	0	8	1
6	B	230	0	0	6	0
All	All	7193	0	6500	127	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:166:ARG:HH12	5:B:559:MMQ:HC11	1.16	1.05

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:166:ARG:HH12	5:A:559:MMQ:HC11	1.22	0.99
1:A:166:ARG:NH1	5:A:559:MMQ:HC11	1.84	0.91
1:A:224:THR:OG1	1:A:227:GLU:HG3	1.70	0.91
1:A:291:GLN:HG3	6:A:699:HOH:O	1.75	0.87
1:A:298:THR:OG1	1:A:301:GLN:HG3	1.80	0.81
1:A:239:ASP:OD2	1:A:242:SER:OG	1.98	0.81
1:B:298:THR:OG1	1:B:301:GLN:HG3	1.85	0.76
1:B:166:ARG:NH1	5:B:559:MMQ:HC11	1.96	0.76
1:B:41:PRO:HB3	6:B:1070:HOH:O	1.87	0.73
1:A:137:LYS:HE3	1:A:199:ARG:O	1.90	0.72
1:B:3:GLU:O	1:B:5:PRO:HD3	1.89	0.71
1:B:253:LYS:HE2	1:B:253:LYS:HA	1.74	0.69
1:A:346:ASP:O	1:A:350:GLN:HG3	1.95	0.66
1:B:243:LEU:O	1:B:305:LYS:HE2	1.96	0.66
1:B:235:GLN:HG3	1:B:254:PRO:O	1.97	0.64
1:B:239:ASP:OD2	1:B:242:SER:OG	2.16	0.63
1:B:1:THR:CG2	1:B:3:GLU:HB2	2.29	0.62
1:A:166:ARG:HH12	5:A:559:MMQ:C1P	2.06	0.62
1:A:102:SER:H	5:A:559:MMQ:HC12	1.64	0.61
1:A:128:ASP:OD1	1:A:188:LYS:HE3	2.01	0.61
1:B:253:LYS:HE2	1:B:253:LYS:CA	2.27	0.61
1:B:346:ASP:O	1:B:350:GLN:HG3	2.03	0.59
1:B:359:GLU:OE2	1:B:361:ASN:N	2.33	0.58
1:B:267:ARG:NH2	1:B:347:GLU:OE2	2.32	0.58
1:B:43:LYS:HD3	1:B:316:GLY:HA2	1.85	0.58
1:B:43:LYS:NZ	6:B:1105:HOH:O	2.29	0.58
1:B:281:LYS:HB3	1:B:282:PRO:HD2	1.86	0.57
1:B:412:HIS:HE1	5:B:559:MMQ:HC12	1.69	0.57
1:B:102:SER:H	5:B:559:MMQ:HC12	1.70	0.57
1:A:224:THR:OG1	1:A:227:GLU:CG	2.51	0.56
1:B:293:ASN:HB3	1:B:296:VAL:HG23	1.87	0.56
1:A:102:SER:OG	5:A:559:MMQ:S1	2.64	0.55
1:B:120:LEU:O	1:B:162:HIS:HA	2.06	0.55
1:B:448:LEU:C	1:B:449:LYS:HG2	2.31	0.54
1:A:2:PRO:O	1:A:3:GLU:C	2.49	0.54
1:A:295:SER:HA	6:A:758:HOH:O	2.06	0.54
1:A:424:PRO:O	1:A:425:HIS:HB2	2.05	0.54
1:A:403:GLY:HA2	6:A:628:HOH:O	2.06	0.54
1:A:43:LYS:HE3	1:A:314:GLU:O	2.08	0.54
1:A:297:PRO:HA	1:A:301:GLN:OE1	2.08	0.53
1:A:92:LYS:HG2	1:A:93:THR:HG23	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:354:GLU:O	1:B:358:LYS:HG3	2.09	0.53
1:A:90:ASN:OD1	1:A:92:LYS:HD3	2.10	0.51
1:B:137:LYS:HE3	1:B:251:GLN:OE1	2.10	0.51
1:A:304:ASP:CG	1:A:351:ARG:HH21	2.20	0.50
1:B:78:LEU:HD12	1:B:78:LEU:H	1.76	0.50
1:B:242:SER:O	1:B:245:SER:HB2	2.11	0.50
1:A:166:ARG:NH2	6:A:877:HOH:O	2.44	0.50
1:B:153:ASP:O	1:B:156:PRO:HD2	2.11	0.50
1:A:120:LEU:O	1:A:162:HIS:HA	2.13	0.49
1:B:127:LYS:HD2	1:B:128:ASP:O	2.13	0.49
1:A:53:MET:O	1:A:53:MET:HG2	2.12	0.49
1:A:412:HIS:HE1	5:A:559:MMQ:HC12	1.77	0.48
1:B:449:LYS:HA	6:B:1124:HOH:O	2.12	0.48
1:A:359:GLU:OE2	1:A:361:ASN:N	2.40	0.48
1:B:1:THR:N	1:B:357:LYS:O	2.44	0.48
1:B:6:VAL:HG12	1:B:422:TYR:CE1	2.48	0.48
1:B:211:PHE:HA	1:B:225:LEU:HB2	1.96	0.48
1:B:43:LYS:HD2	1:B:44:ASN:CG	2.38	0.48
1:B:15:ASP:O	1:B:21:GLY:HA3	2.13	0.47
1:B:1:THR:C	1:B:3:GLU:N	2.73	0.47
1:A:250:ASN:CG	1:A:252:GLN:OE1	2.58	0.47
1:A:393:LYS:O	1:A:393:LYS:HG3	2.14	0.47
1:B:13:GLN:HG2	1:B:23:ARG:O	2.15	0.47
1:B:40:LYS:HA	1:B:40:LYS:HD2	1.45	0.47
1:A:337:GLY:O	1:A:341:GLU:HG2	2.14	0.46
1:A:245:SER:HB2	6:A:834:HOH:O	2.15	0.46
1:A:408:ASP:OD2	1:A:408:ASP:N	2.48	0.46
1:B:133:LEU:C	1:B:133:LEU:HD23	2.40	0.46
1:B:1:THR:HB	1:B:3:GLU:HB2	1.98	0.46
1:B:102:SER:H	5:B:559:MMQ:C1P	2.29	0.46
1:B:43:LYS:HD2	1:B:44:ASN:OD1	2.16	0.46
1:A:199:ARG:HA	1:A:234:TYR:OH	2.16	0.45
1:A:432:LEU:O	1:B:10:ARG:HD2	2.17	0.45
1:B:173:ALA:O	1:B:177:LYS:HG2	2.16	0.45
1:A:7:LEU:HD21	1:A:79:PRO:HB3	1.99	0.45
1:B:443:LYS:HE2	6:B:1124:HOH:O	2.15	0.45
1:A:60:ALA:HB2	6:A:753:HOH:O	2.16	0.45
1:B:102:SER:OG	5:B:559:MMQ:S1	2.75	0.45
1:A:128:ASP:OD1	1:A:188:LYS:CE	2.63	0.44
1:A:230:GLN:O	6:A:878:HOH:O	2.20	0.44
1:B:90:ASN:OD1	1:B:92:LYS:HB2	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:219:GLU:HB3	1:B:220:TRP:CE3	2.52	0.44
1:A:149:ALA:HB2	1:A:324:ALA:CB	2.47	0.44
1:A:252:GLN:H	1:A:252:GLN:CD	2.25	0.44
1:B:220:TRP:O	1:B:221:GLN:C	2.58	0.44
1:B:43:LYS:HD3	1:B:316:GLY:CA	2.46	0.44
1:B:365:ILE:HD13	1:B:438:LEU:HD11	2.00	0.43
1:B:402:TYR:HB3	1:B:410:GLN:HG3	2.00	0.43
1:B:1:THR:C	1:B:3:GLU:H	2.25	0.43
1:B:220:TRP:O	1:B:223:LYS:HG3	2.17	0.43
1:B:355:PHE:CZ	1:B:359:GLU:HG3	2.54	0.43
1:B:4:MET:O	1:B:422:TYR:OH	2.23	0.43
1:B:78:LEU:HD12	1:B:78:LEU:N	2.33	0.43
1:B:43:LYS:HD2	1:B:44:ASN:ND2	2.34	0.43
1:B:142:ALA:HB3	1:B:317:PHE:HB3	2.01	0.43
1:B:184:GLU:C	1:B:186:GLY:H	2.26	0.43
1:B:337:GLY:O	1:B:341:GLU:HG2	2.19	0.43
1:B:293:ASN:OD1	1:B:294:ASP:N	2.50	0.42
1:B:2:PRO:HA	6:B:1150:HOH:O	2.19	0.42
1:A:331:HIS:ND1	1:A:410:GLN:O	2.46	0.42
1:A:223:LYS:HE3	1:A:223:LYS:HB3	1.68	0.42
1:B:293:ASN:ND2	1:B:295:SER:OG	2.52	0.42
1:A:353:LEU:O	1:A:357:LYS:HG3	2.19	0.42
1:B:370:HIS:CE1	1:B:412:HIS:CE1	3.08	0.42
1:A:102:SER:H	5:A:559:MMQ:C1P	2.32	0.42
1:B:168:CYS:SG	1:B:177:LYS:HB2	2.60	0.41
1:B:297:PRO:HA	1:B:301:GLN:OE1	2.20	0.41
1:B:91:LYS:NZ	1:B:126:GLU:OE1	2.48	0.41
1:B:177:LYS:C	1:B:179:PRO:HD3	2.45	0.41
1:A:228:GLN:OE1	1:A:232:ARG:NH2	2.47	0.41
1:A:365:ILE:HD13	1:A:438:LEU:HD11	2.02	0.41
1:B:438:LEU:O	1:B:442:MET:HG3	2.20	0.41
1:B:287:THR:HG22	1:B:288:PRO:O	2.21	0.41
1:B:408:ASP:OD2	1:B:408:ASP:N	2.51	0.41
1:A:19:PRO:HG3	1:B:129:HIS:CE1	2.56	0.41
1:B:1:THR:CB	1:B:3:GLU:HB2	2.51	0.41
1:B:91:LYS:HD2	1:B:116:TYR:CD1	2.56	0.41
1:B:178:CYS:N	1:B:179:PRO:HD3	2.36	0.41
1:A:188:LYS:HE3	6:A:736:HOH:O	2.20	0.41
1:A:128:ASP:OD1	1:A:188:LYS:NZ	2.51	0.40
1:B:127:LYS:HD3	6:B:1142:HOH:O	2.21	0.40
1:A:87:TYR:CE1	1:A:114:LYS:HE3	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:155:THR:HB	1:A:156:PRO:HD3	2.03	0.40
1:B:124:ILE:HD13	1:B:124:ILE:HG21	1.90	0.40
1:B:363:LEU:HD21	1:B:365:ILE:HD11	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:704:HOH:O	6:A:704:HOH:O[3_656]	2.10	0.10

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	447/449 (100%)	437 (98%)	10 (2%)	0	100	100
1	B	447/449 (100%)	434 (97%)	13 (3%)	0	100	100
All	All	894/898 (100%)	871 (97%)	23 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	340/340 (100%)	316 (93%)	24 (7%)	13	10

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	340/340 (100%)	313 (92%)	27 (8%)	11	8
All	All	680/680 (100%)	629 (92%)	51 (8%)	12	9

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	VAL
1	A	8	GLU
1	A	33	LEU
1	A	40	LYS
1	A	73	LYS
1	A	84	TYR
1	A	92	LYS
1	A	167	LYS
1	A	223	LYS
1	A	236	LEU
1	A	242	SER
1	A	261	ASP
1	A	279	ILE
1	A	281	LYS
1	A	293	ASN
1	A	294	ASP
1	A	304	ASP
1	A	312	LYS
1	A	315	LYS
1	A	354	GLU
1	A	358	LYS
1	A	393	LYS
1	A	408	ASP
1	A	449	LYS
1	B	1	THR
1	B	3	GLU
1	B	33	LEU
1	B	40	LYS
1	B	43	LYS
1	B	73	LYS
1	B	84	TYR
1	B	113	VAL
1	B	127	LYS
1	B	172	SER
1	B	177	LYS
1	B	209	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	223	LYS
1	B	226	ARG
1	B	235	GLN
1	B	236	LEU
1	B	242	SER
1	B	245	SER
1	B	248	GLU
1	B	253	LYS
1	B	294	ASP
1	B	304	ASP
1	B	357	LYS
1	B	358	LYS
1	B	382	LYS
1	B	408	ASP
1	B	449	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	83	GLN
1	A	251	GLN
1	A	388	GLN
1	A	425	HIS
1	B	9	ASN
1	B	13	GLN
1	B	252	GLN
1	B	375	GLN
1	B	388	GLN
1	B	391	ASN
1	B	410	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	MMQ	A	559	2	4,5,5	2.39	2 (50%)	6,7,7	1.27	1 (16%)
3	SO4	A	558	-	4,4,4	0.51	0	6,6,6	0.22	0
3	SO4	B	958	-	4,4,4	0.49	0	6,6,6	0.09	0
5	MMQ	B	559	2	4,5,5	2.42	1 (25%)	6,7,7	1.70	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MMQ	A	559	2	-	0/0/3/3	-
5	MMQ	B	559	2	-	0/0/3/3	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	559	MMQ	P-O3P	-4.40	1.45	1.55
5	A	559	MMQ	P-O3P	-3.99	1.46	1.55
5	A	559	MMQ	P-O1P	2.08	1.54	1.50

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	559	MMQ	O3P-P-C1P	3.40	115.22	104.92
5	A	559	MMQ	O3P-P-C1P	2.01	111.01	104.92

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	559	MMQ	7	0
5	B	559	MMQ	6	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	449/449 (100%)	-0.41	3 (0%) 84 84	8, 17, 44, 132	0
1	B	449/449 (100%)	-0.13	9 (2%) 65 64	9, 22, 57, 135	0
All	All	898/898 (100%)	-0.27	12 (1%) 75 74	8, 19, 51, 135	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1	THR	6.5
1	A	1	THR	5.1
1	B	293	ASN	4.9
1	A	2	PRO	4.5
1	B	2	PRO	4.0
1	B	449	LYS	3.0
1	B	223	LYS	2.9
1	B	294	ASP	2.7
1	B	292	ARG	2.4
1	B	3	GLU	2.2
1	B	253	LYS	2.2
1	A	408	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	B	958	5/5	0.84	0.12	67,82,84,87	5
5	MMQ	A	559	6/6	0.89	0.22	23,77,86,88	6
5	MMQ	B	559	6/6	0.89	0.14	33,42,51,59	6
3	SO4	A	558	5/5	0.93	0.09	35,50,55,59	0
2	ZN	B	453[B]	1/1	0.97	0.03	22,22,22,22	1
4	MG	B	452[A]	1/1	0.97	0.03	22,22,22,22	1
4	MG	A	452[A]	1/1	0.98	0.03	17,17,17,17	1
2	ZN	A	453[B]	1/1	0.98	0.03	17,17,17,17	1
2	ZN	B	450	1/1	0.99	0.02	18,18,18,18	0
2	ZN	B	451	1/1	0.99	0.04	15,15,15,15	0
2	ZN	A	451	1/1	0.99	0.03	13,13,13,13	0
2	ZN	A	450	1/1	1.00	0.03	13,13,13,13	0

6.5 Other polymers

There are no such residues in this entry.