



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 10:22 AM UTC

PDB ID : 3EW3 / pdb_00003ew3
Title : the 1:2 complex between a Nterminal elongated prolactin and the extra cellular domain of the rat prolactin receptor
Authors : Broutin, I.; Jomain, J.B.; England, P.; Goffin, V.
Deposited on : 2008-10-14
Resolution : 3.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1065 (3.96-3.64)
Clashscore	190562	1012 (3.94-3.66)
Ramachandran outliers	187476	1048 (3.96-3.64)
Sidechain outliers	187428	1043 (3.96-3.64)
RSRZ outliers	180081	1064 (3.96-3.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	203	 40% 38% 11% 9%
2	B	221	 41% 43% 8% 8%
2	C	221	 40% 33% 8% 18%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4694 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prolactin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	185	Total	C	N	O	S	0	0	0
			1513	954	267	283	9			

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	MET	-	initiating methionine	UNP P01236
A	-2	ALA	-	SEE REMARK 999	UNP P01236
A	-1	GLN	-	SEE REMARK 999	UNP P01236
A	0	HIS	-	SEE REMARK 999	UNP P01236
A	1	PRO	-	SEE REMARK 999	UNP P01236
A	2	PRO	-	SEE REMARK 999	UNP P01236
A	3	TYR	-	SEE REMARK 999	UNP P01236
A	4	CYS	-	SEE REMARK 999	UNP P01236
A	5	ARG	-	SEE REMARK 999	UNP P01236
A	6	ASN	-	SEE REMARK 999	UNP P01236
A	7	GLN	-	SEE REMARK 999	UNP P01236
A	8	PRO	-	SEE REMARK 999	UNP P01236
A	9	GLY	-	SEE REMARK 999	UNP P01236
A	10	LYS	-	SEE REMARK 999	UNP P01236
A	11	CYS	-	SEE REMARK 999	UNP P01236
A	12	GLN	-	SEE REMARK 999	UNP P01236
A	13	ILE	-	SEE REMARK 999	UNP P01236
A	14	PRO	-	SEE REMARK 999	UNP P01236

- Molecule 2 is a protein called Prolactin receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	203	Total	C	N	O	S	0	0	0
			1676	1078	268	321	9			
2	C	181	Total	C	N	O	S	0	0	0
			1505	971	240	287	7			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	initiating methionine	UNP P05710
B	211	ARG	-	expression tag	UNP P05710
B	212	SER	-	expression tag	UNP P05710
B	213	ARG	-	expression tag	UNP P05710
B	214	SER	-	expression tag	UNP P05710
B	215	HIS	-	expression tag	UNP P05710
B	216	HIS	-	expression tag	UNP P05710
B	217	HIS	-	expression tag	UNP P05710
B	218	HIS	-	expression tag	UNP P05710
B	219	HIS	-	expression tag	UNP P05710
B	220	HIS	-	expression tag	UNP P05710
C	0	MET	-	initiating methionine	UNP P05710
C	211	ARG	-	expression tag	UNP P05710
C	212	SER	-	expression tag	UNP P05710
C	213	ARG	-	expression tag	UNP P05710
C	214	SER	-	expression tag	UNP P05710
C	215	HIS	-	expression tag	UNP P05710
C	216	HIS	-	expression tag	UNP P05710
C	217	HIS	-	expression tag	UNP P05710
C	218	HIS	-	expression tag	UNP P05710
C	219	HIS	-	expression tag	UNP P05710
C	220	HIS	-	expression tag	UNP P05710



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	92.12Å 92.12Å 215.85Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 3.80 15.00 – 3.80	Depositor EDS
% Data completeness (in resolution range)	98.7 (15.00-3.80) 96.7 (15.00-3.80)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.64 (at 3.67Å)	Xtriage
Refinement program	CNS, PHENIX	Depositor
R, R_{free}	0.252 , 0.324 0.261 , 0.324	Depositor DCC
R_{free} test set	547 reflections (5.25%)	wwPDB-VP
Wilson B-factor (Å ²)	88.1	Xtriage
Anisotropy	0.597	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , 36.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	4694	wwPDB-VP
Average B, all atoms (Å ²)	107.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/1544	1.01	5/2086 (0.2%)
2	B	0.58	0/1734	1.03	5/2363 (0.2%)
2	C	0.53	0/1556	0.92	4/2118 (0.2%)
All	All	0.56	0/4834	0.99	14/6567 (0.2%)

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	105	PRO	CA-C-N	9.90	129.99	119.89
2	B	105	PRO	C-N-CA	9.90	129.99	119.89
1	A	147	TYR	CA-C-N	8.17	128.66	119.83
1	A	147	TYR	C-N-CA	8.17	128.66	119.83
2	C	51	CYS	CA-C-N	7.32	128.99	119.84
2	C	51	CYS	C-N-CA	7.32	128.99	119.84
2	B	129	PRO	CA-C-N	6.93	127.32	119.83
2	B	129	PRO	C-N-CA	6.93	127.32	119.83
1	A	196	ASN	N-CA-C	-6.23	105.67	113.28
2	C	102	GLU	CA-C-N	6.02	127.37	119.84
2	C	102	GLU	C-N-CA	6.02	127.37	119.84
2	B	184	CYS	N-CA-C	6.02	118.21	108.34
1	A	68	ASP	N-CA-C	-5.52	100.55	108.60
1	A	33	SER	N-CA-C	-5.19	106.95	113.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1513	0	1495	82	1
2	B	1676	0	1595	79	1
2	C	1505	0	1424	75	0
All	All	4694	0	4514	224	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (224) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:146:ILE:HG22	2:C:182:THR:HG22	1.44	1.00
2:B:1:GLN:O	2:B:85:MET:HE3	1.67	0.93
2:C:75:TYR:HB2	2:C:95:VAL:HG23	1.52	0.91
1:A:15:LEU:HD11	1:A:133:ILE:HD11	1.53	0.91
1:A:36:MET:HG3	1:A:115:LYS:HB2	1.54	0.89
2:B:7:PRO:HG3	2:B:81:ALA:HB2	1.59	0.82
1:A:5:ARG:HG3	1:A:6:ASN:H	1.44	0.82
1:A:13:ILE:HD12	1:A:13:ILE:H	1.45	0.81
2:C:32:LEU:HD23	2:C:33:PRO:HD2	1.62	0.80
2:B:32:LEU:HD13	2:B:83:ASN:OD1	1.82	0.79
2:C:66:LYS:H	2:C:66:LYS:HD3	1.49	0.78
2:C:149:LYS:HD2	2:C:151:GLU:H	1.50	0.77
2:B:175:GLY:HA2	2:B:202:MET:O	1.84	0.76
1:A:2:PRO:HG3	2:C:99:TYR:CD2	2.19	0.76
2:B:183:ARG:HD3	2:B:194:TRP:CZ2	2.23	0.74
2:B:146:ILE:HG22	2:B:182:THR:HG22	1.68	0.74
2:B:1:GLN:O	2:B:85:MET:CE	2.37	0.72
2:C:42:LYS:HE3	2:C:49:TYR:OH	1.90	0.72
2:B:111:LEU:HD22	2:B:180:VAL:HG11	1.72	0.71
1:A:5:ARG:HG3	1:A:6:ASN:N	2.06	0.70
2:B:183:ARG:HD3	2:B:194:TRP:CH2	2.28	0.69
2:B:141:THR:O	2:B:187:ASP:N	2.26	0.68
2:C:160:PHE:CE1	2:C:162:GLY:HA2	2.30	0.67
2:B:149:LYS:HD2	2:B:153:ALA:HB3	1.77	0.66
2:B:106:PRO:HD3	2:B:184:CYS:SG	2.36	0.66
2:B:76:ILE:HG23	2:B:94:TYR:CE2	2.32	0.65
2:B:150:PRO:HD3	2:B:178:TYR:CE1	2.32	0.65
1:A:99:VAL:O	1:A:103:ARG:HB2	1.97	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:200:VAL:HG22	2:C:201:GLU:H	1.60	0.64
2:B:176:GLN:HB3	2:B:178:TYR:CE2	2.33	0.64
2:C:166:GLN:HE21	2:C:166:GLN:C	2.04	0.64
1:A:15:LEU:O	1:A:16:ARG:C	2.41	0.63
1:A:80:PHE:HB3	1:A:189:LEU:HD21	1.79	0.63
1:A:78:LYS:NZ	1:A:137:VAL:HG12	2.14	0.63
2:C:149:LYS:HD3	2:C:153:ALA:O	1.99	0.63
1:A:32:LEU:HD22	1:A:119:ILE:HG12	1.81	0.62
2:B:181:GLN:HG3	2:B:197:GLU:HB3	1.81	0.62
2:B:141:THR:HG23	2:B:187:ASP:HB2	1.82	0.62
2:B:129:PRO:HG3	2:B:144:TYR:OH	2.00	0.61
2:C:147:ARG:HB3	2:C:158:ILE:HG23	1.82	0.61
1:A:15:LEU:HD11	1:A:133:ILE:CD1	2.27	0.61
1:A:33:SER:HB2	1:A:175:LEU:CD2	2.30	0.61
1:A:33:SER:HB2	1:A:175:LEU:HD23	1.82	0.60
1:A:196:ASN:N	1:A:196:ASN:ND2	2.48	0.60
1:A:196:ASN:ND2	1:A:196:ASN:H	1.99	0.60
2:C:7:PRO:HB2	2:C:90:SER:HB3	1.83	0.60
1:A:76:ASN:HD21	1:A:78:LYS:HB2	1.66	0.60
1:A:161:GLU:O	1:A:165:LEU:HB2	2.02	0.60
2:C:76:ILE:HG12	2:C:94:TYR:CE2	2.37	0.59
2:B:151:GLU:OE1	2:B:177:LYS:HD3	2.01	0.59
1:A:3:TYR:CD2	1:A:14:PRO:HD3	2.37	0.59
2:B:176:GLN:HB3	2:B:178:TYR:HE2	1.67	0.59
1:A:69:LYS:HD2	2:B:139:TRP:CD1	2.37	0.59
1:A:30:HIS:O	1:A:34:SER:HB2	2.03	0.59
2:C:82:THR:HG23	2:C:87:SER:HB3	1.84	0.59
1:A:2:PRO:HG3	2:C:99:TYR:CE2	2.38	0.58
2:C:149:LYS:HD2	2:C:151:GLU:N	2.17	0.58
2:B:75:TYR:HB2	2:B:95:VAL:O	2.03	0.58
1:A:65:THR:HG21	1:A:181:LYS:HD3	1.85	0.58
1:A:3:TYR:CE2	1:A:14:PRO:HD3	2.38	0.58
2:B:125:VAL:HG23	2:B:167:PHE:O	2.03	0.58
1:A:195:HIS:CD2	1:A:195:HIS:H	2.22	0.58
2:B:8:GLU:HB2	2:B:25:ASN:HB2	1.86	0.57
2:C:15:PRO:HA	2:C:102:GLU:O	2.04	0.57
2:B:147:ARG:HA	2:B:157:GLU:O	2.04	0.56
1:A:177:ARG:HH11	1:A:177:ARG:HB3	1.70	0.56
2:C:4:PRO:N	2:C:86:GLY:HA2	2.20	0.56
1:A:21:ARG:NH1	2:C:71:ILE:O	2.38	0.56
1:A:25:LEU:HD13	1:A:126:LEU:HB2	1.88	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:146:ILE:HG22	2:B:182:THR:CG2	2.36	0.56
2:B:32:LEU:HD22	2:B:84:GLN:HB3	1.88	0.56
2:C:70:SER:HB3	2:C:73:LYS:HE2	1.87	0.56
1:A:32:LEU:HD22	1:A:119:ILE:CG1	2.36	0.56
1:A:97:HIS:O	1:A:101:GLU:HB2	2.07	0.55
2:B:124:TRP:CD1	2:B:168:LYS:HG2	2.41	0.55
2:C:7:PRO:O	2:C:90:SER:HB2	2.06	0.54
1:A:32:LEU:HD23	1:A:32:LEU:O	2.07	0.54
2:B:143:GLU:HA	2:B:163:HIS:H	1.71	0.54
1:A:81:LEU:O	1:A:85:VAL:HG23	2.08	0.54
2:B:114:LYS:HB2	2:B:122:TYR:CZ	2.42	0.54
2:C:170:PHE:O	2:C:172:LEU:HD12	2.08	0.54
1:A:127:LEU:O	1:A:127:LEU:HD23	2.08	0.54
1:A:9:GLY:O	1:A:10:LYS:HB2	2.08	0.53
2:C:108:ASN:O	2:C:127:TRP:HA	2.07	0.53
1:A:127:LEU:O	1:A:130:MET:HB2	2.08	0.53
2:B:37:SER:O	2:B:79:VAL:HG23	2.09	0.53
2:B:131:THR:HG23	2:B:132:ILE:HD13	1.90	0.53
1:A:95:LEU:HB3	1:A:120:GLU:HG2	1.90	0.53
2:C:75:TYR:HB2	2:C:95:VAL:CG2	2.33	0.53
2:C:45:GLU:O	2:C:45:GLU:HG2	2.09	0.52
1:A:32:LEU:HB3	1:A:119:ILE:HD11	1.91	0.52
2:B:21:THR:OG1	2:B:63:PHE:HD1	1.93	0.52
2:B:38:LEU:HD23	2:B:39:THR:N	2.25	0.52
2:B:124:TRP:HE1	2:B:166:GLN:HE21	1.57	0.52
2:B:174:PRO:HA	2:B:202:MET:HE3	1.91	0.52
2:B:161:THR:O	2:B:162:GLY:C	2.52	0.52
2:C:101:VAL:HB	2:C:186:PRO:HG3	1.90	0.52
2:B:167:PHE:HE1	2:C:163:HIS:HB2	1.75	0.52
2:C:9:ILE:HG21	2:C:93:LEU:HD22	1.91	0.51
2:B:105:PRO:HD3	2:B:193:ARG:CD	2.40	0.51
2:C:178:TYR:HB2	2:C:200:VAL:HG12	1.92	0.51
2:C:19:THR:HB	2:C:64:PHE:O	2.11	0.51
1:A:44:TYR:HB3	1:A:165:LEU:HD21	1.93	0.51
2:B:115:GLN:OE1	2:B:121:THR:HG22	2.11	0.51
1:A:5:ARG:O	1:A:7:GLN:N	2.44	0.51
2:B:111:LEU:HD11	2:B:123:LEU:HG	1.92	0.51
2:C:141:THR:HG22	2:C:142:MET:H	1.76	0.51
1:A:69:LYS:HB2	2:B:139:TRP:CE2	2.46	0.51
1:A:30:HIS:NE2	1:A:180:HIS:HB2	2.26	0.51
2:C:114:LYS:O	2:C:114:LYS:HG3	2.09	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:171:ASP:C	2:B:172:LEU:HG	2.35	0.50
1:A:195:HIS:CD2	1:A:195:HIS:N	2.78	0.50
1:A:78:LYS:HZ3	1:A:137:VAL:HG12	1.76	0.50
2:C:124:TRP:HZ3	2:C:168:LYS:HD2	1.77	0.50
2:C:103:PRO:HG2	2:C:186:PRO:HD3	1.92	0.50
2:B:18:GLU:OE1	2:B:66:LYS:HE2	2.11	0.50
2:B:135:VAL:HG12	2:B:140:PHE:O	2.11	0.49
2:B:175:GLY:H	2:B:202:MET:HG3	1.77	0.49
2:C:143:GLU:HA	2:C:162:GLY:O	2.12	0.49
1:A:88:LEU:CD1	1:A:130:MET:HG3	2.43	0.49
2:B:105:PRO:HD3	2:B:193:ARG:HD2	1.95	0.49
1:A:190:LYS:O	1:A:194:ILE:HB	2.12	0.49
2:B:38:LEU:HD23	2:B:38:LEU:C	2.38	0.49
2:B:186:PRO:O	2:B:187:ASP:C	2.56	0.49
2:C:149:LYS:HD2	2:C:151:GLU:HA	1.95	0.49
2:C:148:LEU:HA	2:C:179:LEU:O	2.12	0.48
1:A:55:ILE:HD11	1:A:57:SER:O	2.13	0.48
2:C:33:PRO:O	2:C:83:ASN:HB3	2.13	0.48
1:A:55:ILE:HD13	1:A:170:ASN:CG	2.39	0.48
2:B:124:TRP:HD1	2:B:168:LYS:HG2	1.79	0.48
2:C:178:TYR:O	2:C:199:SER:HA	2.14	0.48
2:C:124:TRP:CE3	2:C:168:LYS:HG3	2.48	0.48
2:C:200:VAL:HG22	2:C:201:GLU:N	2.28	0.48
2:C:105:PRO:HB3	2:C:195:SER:HA	1.96	0.48
1:A:93:GLU:N	1:A:94:PRO:HD2	2.29	0.47
2:B:179:LEU:HD22	2:B:197:GLU:OE1	2.15	0.47
2:C:113:VAL:HG12	2:C:114:LYS:H	1.79	0.47
2:B:102:GLU:HA	2:B:103:PRO:HD3	1.66	0.47
2:B:111:LEU:HD11	2:B:123:LEU:CG	2.44	0.47
2:C:4:PRO:CA	2:C:86:GLY:HA2	2.44	0.47
2:C:38:LEU:HD23	2:C:39:THR:N	2.29	0.47
2:B:76:ILE:HG12	2:B:94:TYR:CE2	2.50	0.47
2:C:57:SER:HB2	2:C:61:SER:OG	2.13	0.47
1:A:28:TYR:O	1:A:32:LEU:HB2	2.14	0.47
2:B:116:LEU:HB3	2:B:120:LYS:HZ3	1.79	0.47
2:B:23:TRP:CD1	2:B:61:SER:HB3	2.50	0.47
2:B:74:ILE:O	2:B:74:ILE:HG22	2.14	0.47
2:B:176:GLN:HE21	2:B:177:LYS:H	1.63	0.47
2:B:105:PRO:HD3	2:B:193:ARG:NE	2.30	0.47
2:C:150:PRO:O	2:C:151:GLU:HB3	2.14	0.47
1:A:109:PRO:O	1:A:110:GLU:C	2.58	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:58:GLY:HA3	2:B:59:PRO:HD3	1.75	0.46
2:C:124:TRP:HE3	2:C:168:LYS:HG3	1.81	0.46
1:A:43:ARG:C	1:A:44:TYR:CD1	2.93	0.46
1:A:98:LEU:O	1:A:102:VAL:HG23	2.16	0.46
1:A:56:ASN:HD22	2:B:43:GLU:HG3	1.80	0.46
2:C:39:THR:HG22	2:C:50:GLU:HA	1.98	0.46
2:C:104:GLU:O	2:C:105:PRO:C	2.59	0.46
1:A:76:ASN:ND2	1:A:78:LYS:HB2	2.30	0.46
1:A:36:MET:HG3	1:A:115:LYS:CB	2.37	0.46
2:B:181:GLN:CG	2:B:197:GLU:HB3	2.44	0.46
2:C:84:GLN:O	2:C:85:MET:HG2	2.15	0.46
2:C:166:GLN:O	2:C:166:GLN:NE2	2.39	0.45
2:C:144:TYR:CE1	2:C:184:CYS:HB3	2.51	0.45
2:C:130:PRO:HB2	2:C:131:THR:H	1.67	0.45
2:C:144:TYR:HA	2:C:183:ARG:O	2.17	0.45
1:A:65:THR:HG21	1:A:181:LYS:NZ	2.32	0.45
2:B:111:LEU:HD11	2:B:123:LEU:HD21	1.98	0.45
2:C:143:GLU:O	2:C:184:CYS:HA	2.17	0.45
1:A:21:ARG:NH2	2:C:96:ASP:OD2	2.48	0.44
1:A:20:ASP:O	1:A:24:VAL:HG23	2.18	0.44
1:A:75:MET:HB3	1:A:80:PHE:CE1	2.52	0.44
1:A:189:LEU:O	1:A:193:ILE:HG13	2.17	0.44
1:A:130:MET:O	1:A:133:ILE:HG22	2.18	0.44
1:A:146:ILE:H	1:A:146:ILE:HG13	1.57	0.44
2:B:167:PHE:CE1	2:C:163:HIS:HB2	2.53	0.44
2:C:160:PHE:CE1	2:C:162:GLY:CA	3.00	0.44
1:A:108:ALA:HA	1:A:109:PRO:HD3	1.86	0.44
2:C:111:LEU:HB3	2:C:123:LEU:HD11	2.00	0.44
1:A:7:GLN:HA	1:A:8:PRO:HD2	1.79	0.44
2:B:4:PRO:HD3	2:B:83:ASN:ND2	2.33	0.44
2:B:20:PHE:CE2	2:B:64:PHE:CD1	3.06	0.44
2:C:81:ALA:O	2:C:87:SER:HA	2.17	0.44
1:A:130:MET:HA	1:A:133:ILE:HG22	1.99	0.43
1:A:15:LEU:CD1	1:A:133:ILE:CD1	2.95	0.43
1:A:91:TRP:O	1:A:94:PRO:HG2	2.18	0.43
2:B:96:ASP:O	2:B:96:ASP:OD2	2.35	0.43
2:B:1:GLN:HB2	2:B:85:MET:HE2	2.00	0.43
2:B:143:GLU:OE1	2:B:185:LYS:HE3	2.18	0.43
2:C:149:LYS:HD2	2:C:151:GLU:CA	2.49	0.42
2:B:111:LEU:HD11	2:B:123:LEU:CD2	2.49	0.42
1:A:15:LEU:CD1	1:A:133:ILE:HD11	2.38	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:83:LEU:HA	1:A:83:LEU:HD22	1.77	0.42
2:C:42:LYS:HD3	2:C:73:LYS:NZ	2.34	0.42
1:A:0:HIS:HD2	1:A:1:PRO:HD2	1.84	0.42
2:C:112:GLU:HB3	2:C:124:TRP:HB3	2.00	0.42
1:A:36:MET:CG	1:A:115:LYS:HB2	2.38	0.42
2:B:173:TYR:HB2	2:C:170:PHE:CZ	2.54	0.42
2:C:111:LEU:HD12	2:C:111:LEU:N	2.35	0.42
1:A:127:LEU:HD23	1:A:127:LEU:C	2.45	0.42
2:B:25:ASN:HA	2:B:26:PRO:HD2	1.92	0.41
1:A:25:LEU:O	1:A:29:ILE:HG13	2.21	0.41
1:A:122:GLN:NE2	1:A:125:ARG:HH21	2.19	0.41
2:C:112:GLU:O	2:C:113:VAL:O	2.38	0.41
1:A:118:GLU:O	1:A:122:GLN:HG2	2.20	0.41
2:C:4:PRO:N	2:C:86:GLY:CA	2.83	0.41
1:A:69:LYS:HE2	2:B:134:ASP:OD2	2.20	0.41
1:A:191:CYS:C	1:A:195:HIS:O	2.64	0.41
1:A:104:GLY:C	1:A:106:GLN:H	2.28	0.41
2:C:22:CYS:O	2:C:61:SER:HA	2.20	0.41
2:B:116:LEU:HB3	2:B:120:LYS:NZ	2.35	0.41
2:C:186:PRO:O	2:C:187:ASP:C	2.63	0.41
2:B:21:THR:HG21	2:B:57:SER:OG	2.22	0.40
1:A:155:SER:HB2	1:A:167:ALA:HB1	2.02	0.40
2:C:96:ASP:OD1	2:C:96:ASP:C	2.64	0.40
1:A:72:ALA:C	1:A:74:GLN:H	2.27	0.40
1:A:30:HIS:CD2	1:A:180:HIS:HB2	2.56	0.40
2:B:40:TYR:CE2	2:B:49:TYR:HB2	2.56	0.40
2:B:148:LEU:HA	2:B:179:LEU:O	2.22	0.40
2:C:150:PRO:HG3	2:C:178:TYR:CE1	2.57	0.40
1:A:0:HIS:HA	1:A:1:PRO:HD3	1.89	0.40
2:B:125:VAL:O	2:B:166:GLN:HA	2.22	0.40
2:B:169:VAL:HA	2:C:164:GLN:OE1	2.22	0.40
2:C:84:GLN:C	2:C:85:MET:HG2	2.47	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:74:GLN:OE1	2:B:0:MET:O[3_554]	2.11	0.09

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	177/203 (87%)	148 (84%)	22 (12%)	7 (4%)	2	20
2	B	201/221 (91%)	178 (89%)	18 (9%)	5 (2%)	4	28
2	C	173/221 (78%)	148 (86%)	19 (11%)	6 (4%)	3	23
All	All	551/645 (85%)	474 (86%)	59 (11%)	18 (3%)	3	24

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	163	HIS
2	C	113	VAL
1	A	16	ARG
2	B	187	ASP
2	C	26	PRO
2	C	130	PRO
1	A	6	ASN
1	A	12	GLN
2	B	118	ASP
2	C	10	HIS
2	B	119	LYS
1	A	10	LYS
1	A	11	CYS
2	B	162	GLY
2	C	108	ASN
2	C	86	GLY
1	A	194	ILE
1	A	104	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	173/187 (92%)	139 (80%)	34 (20%)	1	8
2	B	190/208 (91%)	161 (85%)	29 (15%)	3	16
2	C	171/208 (82%)	147 (86%)	24 (14%)	3	18
All	All	534/603 (89%)	447 (84%)	87 (16%)	2	14

All (87) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	0	HIS
1	A	13	ILE
1	A	16	ARG
1	A	34	SER
1	A	36	MET
1	A	39	GLU
1	A	43	ARG
1	A	45	THR
1	A	53	LYS
1	A	55	ILE
1	A	65	THR
1	A	77	GLN
1	A	80	PHE
1	A	83	LEU
1	A	98	LEU
1	A	101	GLU
1	A	107	GLU
1	A	112	ILE
1	A	113	LEU
1	A	114	SER
1	A	120	GLU
1	A	121	GLU
1	A	132	LEU
1	A	146	ILE
1	A	165	LEU
1	A	172	LEU
1	A	176	ARG
1	A	177	ARG
1	A	184	ASN
1	A	189	LEU
1	A	191	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	195	HIS
1	A	196	ASN
1	A	197	ASN
2	B	10	HIS
2	B	15	PRO
2	B	29	ASP
2	B	46	LYS
2	B	47	THR
2	B	71	ILE
2	B	82	THR
2	B	83	ASN
2	B	85	MET
2	B	97	VAL
2	B	98	THR
2	B	99	TYR
2	B	104	GLU
2	B	113	VAL
2	B	115	GLN
2	B	116	LEU
2	B	117	LYS
2	B	120	LYS
2	B	125	VAL
2	B	141	THR
2	B	148	LEU
2	B	154	GLU
2	B	163	HIS
2	B	166	GLN
2	B	172	LEU
2	B	193	ARG
2	B	197	GLU
2	B	201	GLU
2	B	202	MET
2	C	8	GLU
2	C	32	LEU
2	C	42	LYS
2	C	43	GLU
2	C	49	TYR
2	C	51	CYS
2	C	53	ASP
2	C	66	LYS
2	C	80	ASN
2	C	83	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	84	GLN
2	C	87	SER
2	C	95	VAL
2	C	97	VAL
2	C	101	VAL
2	C	102	GLU
2	C	107	ARG
2	C	113	VAL
2	C	125	VAL
2	C	141	THR
2	C	158	ILE
2	C	166	GLN
2	C	187	ASP
2	C	197	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	ASN
1	A	7	GLN
1	A	31	ASN
1	A	56	ASN
1	A	76	ASN
1	A	138	HIS
1	A	184	ASN
1	A	196	ASN
2	B	1	GLN
2	B	84	GLN
2	B	159	HIS
2	B	166	GLN
2	B	176	GLN
2	B	188	HIS
2	C	10	HIS
2	C	60	ASN
2	C	67	GLN
2	C	176	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	185/203 (91%)	0.00	3 (1%) 70 48	70, 94, 162, 178	0
2	B	203/221 (91%)	-0.05	0 100 100	77, 95, 145, 167	0
2	C	181/221 (81%)	0.06	1 (0%) 85 68	90, 122, 154, 168	0
All	All	569/645 (88%)	0.00	4 (0%) 84 65	70, 103, 154, 178	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	87	SER	2.6
1	A	93	GLU	2.4
1	A	128	GLU	2.2
1	A	68	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.