



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 09:09 AM UTC

PDB ID : 6EWJ / pdb_00006ewj
Title : Putative sugar aminotransferase Spr1654 from *Streptococcus pneumoniae*, apo-form
Authors : Achour, A.; Sun, R.; Sandalova, T.; Han, X.
Deposited on : 2017-11-04
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	427	4% 88% 5% • 7%
1	B	427	6% 85% 7% • 7%
1	C	427	7% 89% • 7%
1	D	427	7% 88% 5% • 6%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 13277 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative capsular polysaccharide biosynthesis protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	399	Total	C	N	O	S	0	0	0
			3135	2002	513	608	12			
1	D	401	Total	C	N	O	S	0	0	0
			3155	2015	516	612	12			
1	C	398	Total	C	N	O	S	0	0	0
			3135	2002	513	609	11			
1	B	398	Total	C	N	O	S	0	0	0
			3139	2004	514	610	11			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	MET	-	initiating methionine	UNP A0A0H2URM1
A	-4	ALA	-	expression tag	UNP A0A0H2URM1
A	-3	SER	-	expression tag	UNP A0A0H2URM1
A	-2	MET	-	expression tag	UNP A0A0H2URM1
A	-1	THR	-	expression tag	UNP A0A0H2URM1
A	0	GLY	-	expression tag	UNP A0A0H2URM1
A	178	THR	ILE	conflict	UNP A0A0H2URM1
A	409	LYS	-	expression tag	UNP A0A0H2URM1
A	410	LEU	-	expression tag	UNP A0A0H2URM1
A	411	ALA	-	expression tag	UNP A0A0H2URM1
A	412	ALA	-	expression tag	UNP A0A0H2URM1
A	413	ALA	-	expression tag	UNP A0A0H2URM1
A	414	LEU	-	expression tag	UNP A0A0H2URM1
A	415	GLU	-	expression tag	UNP A0A0H2URM1
A	416	HIS	-	expression tag	UNP A0A0H2URM1
A	417	HIS	-	expression tag	UNP A0A0H2URM1
A	418	HIS	-	expression tag	UNP A0A0H2URM1
A	419	HIS	-	expression tag	UNP A0A0H2URM1
A	420	HIS	-	expression tag	UNP A0A0H2URM1
A	421	HIS	-	expression tag	UNP A0A0H2URM1
D	-5	MET	-	initiating methionine	UNP A0A0H2URM1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-4	ALA	-	expression tag	UNP A0A0H2URM1
D	-3	SER	-	expression tag	UNP A0A0H2URM1
D	-2	MET	-	expression tag	UNP A0A0H2URM1
D	-1	THR	-	expression tag	UNP A0A0H2URM1
D	0	GLY	-	expression tag	UNP A0A0H2URM1
D	178	THR	ILE	conflict	UNP A0A0H2URM1
D	409	LYS	-	expression tag	UNP A0A0H2URM1
D	410	LEU	-	expression tag	UNP A0A0H2URM1
D	411	ALA	-	expression tag	UNP A0A0H2URM1
D	412	ALA	-	expression tag	UNP A0A0H2URM1
D	413	ALA	-	expression tag	UNP A0A0H2URM1
D	414	LEU	-	expression tag	UNP A0A0H2URM1
D	415	GLU	-	expression tag	UNP A0A0H2URM1
D	416	HIS	-	expression tag	UNP A0A0H2URM1
D	417	HIS	-	expression tag	UNP A0A0H2URM1
D	418	HIS	-	expression tag	UNP A0A0H2URM1
D	419	HIS	-	expression tag	UNP A0A0H2URM1
D	420	HIS	-	expression tag	UNP A0A0H2URM1
D	421	HIS	-	expression tag	UNP A0A0H2URM1
C	-5	MET	-	initiating methionine	UNP A0A0H2URM1
C	-4	ALA	-	expression tag	UNP A0A0H2URM1
C	-3	SER	-	expression tag	UNP A0A0H2URM1
C	-2	MET	-	expression tag	UNP A0A0H2URM1
C	-1	THR	-	expression tag	UNP A0A0H2URM1
C	0	GLY	-	expression tag	UNP A0A0H2URM1
C	178	THR	ILE	conflict	UNP A0A0H2URM1
C	409	LYS	-	expression tag	UNP A0A0H2URM1
C	410	LEU	-	expression tag	UNP A0A0H2URM1
C	411	ALA	-	expression tag	UNP A0A0H2URM1
C	412	ALA	-	expression tag	UNP A0A0H2URM1
C	413	ALA	-	expression tag	UNP A0A0H2URM1
C	414	LEU	-	expression tag	UNP A0A0H2URM1
C	415	GLU	-	expression tag	UNP A0A0H2URM1
C	416	HIS	-	expression tag	UNP A0A0H2URM1
C	417	HIS	-	expression tag	UNP A0A0H2URM1
C	418	HIS	-	expression tag	UNP A0A0H2URM1
C	419	HIS	-	expression tag	UNP A0A0H2URM1
C	420	HIS	-	expression tag	UNP A0A0H2URM1
C	421	HIS	-	expression tag	UNP A0A0H2URM1
B	-5	MET	-	initiating methionine	UNP A0A0H2URM1
B	-4	ALA	-	expression tag	UNP A0A0H2URM1
B	-3	SER	-	expression tag	UNP A0A0H2URM1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	MET	-	expression tag	UNP A0A0H2URM1
B	-1	THR	-	expression tag	UNP A0A0H2URM1
B	0	GLY	-	expression tag	UNP A0A0H2URM1
B	178	THR	ILE	conflict	UNP A0A0H2URM1
B	409	LYS	-	expression tag	UNP A0A0H2URM1
B	410	LEU	-	expression tag	UNP A0A0H2URM1
B	411	ALA	-	expression tag	UNP A0A0H2URM1
B	412	ALA	-	expression tag	UNP A0A0H2URM1
B	413	ALA	-	expression tag	UNP A0A0H2URM1
B	414	LEU	-	expression tag	UNP A0A0H2URM1
B	415	GLU	-	expression tag	UNP A0A0H2URM1
B	416	HIS	-	expression tag	UNP A0A0H2URM1
B	417	HIS	-	expression tag	UNP A0A0H2URM1
B	418	HIS	-	expression tag	UNP A0A0H2URM1
B	419	HIS	-	expression tag	UNP A0A0H2URM1
B	420	HIS	-	expression tag	UNP A0A0H2URM1
B	421	HIS	-	expression tag	UNP A0A0H2URM1


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	174	Total O 174 174	0	0
2	D	167	Total O 167 167	0	0
2	C	194	Total O 194 194	0	0
2	B	178	Total O 178 178	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative capsular polysaccharide biosynthesis protein




- Molecule 1: Putative capsular polysaccharide biosynthesis protein




- Molecule 1: Putative capsular polysaccharide biosynthesis protein



- Molecule 1: Putative capsular polysaccharide biosynthesis protein





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	79.33Å 99.98Å 110.42Å 90.00° 97.66° 90.00°	Depositor
Resolution (Å)	30.00 – 1.90 30.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.0 (30.00-1.90) 97.4 (30.00-1.90)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.49 (at 1.91Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.236 , 0.265 0.240 , 0.268	Depositor DCC
R_{free} test set	6467 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	23.4	Xtriage
Anisotropy	0.457	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 34.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	13277	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 17.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.93	1/3201 (0.0%)	0.94	5/4350 (0.1%)
1	B	0.93	0/3205	0.95	2/4354 (0.0%)
1	C	0.92	0/3201	0.96	1/4348 (0.0%)
1	D	0.90	1/3222 (0.0%)	0.95	2/4379 (0.0%)
All	All	0.92	2/12829 (0.0%)	0.95	10/17431 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	273	ASP	N-CA	5.76	1.53	1.46
1	A	216	VAL	CA-CB	5.04	1.60	1.54

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	162	PHE	N-CA-C	-11.36	93.66	110.48
1	B	162	PHE	N-CA-C	-11.20	93.90	110.48
1	A	393	GLU	CB-CA-C	6.03	121.11	110.85
1	D	163	ASN	N-CA-C	-5.93	103.33	110.44
1	B	163	ASN	N-CA-C	-5.59	103.73	110.44
1	C	136	CYS	N-CA-C	5.41	117.06	110.41
1	A	136	CYS	N-CA-C	5.30	116.93	110.41
1	A	372	GLU	N-CA-C	5.28	117.72	111.33
1	A	163	ASN	N-CA-C	5.28	118.99	112.24
1	A	8	PHE	N-CA-C	5.22	117.05	111.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3135	0	3122	17	0
1	B	3139	0	3119	22	0
1	C	3135	0	3116	16	0
1	D	3155	0	3137	14	0
2	A	174	0	0	1	0
2	B	178	0	0	1	0
2	C	194	0	0	4	0
2	D	167	0	0	0	0
All	All	13277	0	12494	63	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (63) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:261:THR:OG1	1:C:264:MET:HE2	1.27	1.33
1:A:261:THR:OG1	1:A:264:MET:HE2	1.26	1.33
1:C:261:THR:OG1	1:C:264:MET:CE	2.00	1.09
1:A:261:THR:OG1	1:A:264:MET:CE	2.00	1.09
1:D:264:MET:HE1	1:C:264:MET:HE1	1.35	1.08
1:A:264:MET:HE1	1:B:264:MET:HE1	1.36	1.07
1:A:261:THR:HG1	1:A:264:MET:HE2	1.17	0.99
1:C:261:THR:HG1	1:C:264:MET:HE2	1.19	0.97
1:B:305:THR:OG1	1:B:308:VAL:HG22	1.75	0.87
1:B:159:GLN:O	1:B:162:PHE:O	2.00	0.80
1:D:159:GLN:O	1:D:162:PHE:O	2.01	0.79
1:B:115:LEU:CD2	1:B:144:VAL:HG11	2.18	0.72
1:A:224:LYS:O	1:A:228:ILE:HD13	1.94	0.67
1:D:196:HIS:HE1	2:C:654:HOH:O	1.81	0.64
1:B:56:ASN:HD22	1:B:56:ASN:C	2.07	0.61
1:D:10:PRO:HG2	1:D:382:LYS:HD3	1.83	0.59
1:B:161:ALA:HB1	1:B:216:VAL:CG1	2.33	0.58
1:A:26:ARG:NE	1:C:26:ARG:NH1	2.54	0.56
1:B:115:LEU:HD23	1:B:144:VAL:HG11	1.86	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:5:ASN:ND2	2:B:503:HOH:O	2.42	0.52
1:A:393:GLU:OE1	1:A:393:GLU:C	2.53	0.52
1:C:212:LYS:NZ	2:C:501:HOH:O	2.44	0.51
1:A:264:MET:HE3	2:A:602:HOH:O	2.12	0.50
1:A:70:GLU:OE1	1:A:156:SER:HB2	2.12	0.49
1:B:161:ALA:HB1	1:B:216:VAL:HG11	1.95	0.49
1:A:124:LYS:NZ	1:A:153:THR:O	2.46	0.48
1:B:70:GLU:OE1	1:B:156:SER:HB2	2.13	0.48
1:C:264:MET:HE3	2:C:616:HOH:O	2.15	0.47
1:B:56:ASN:HD22	1:B:57:SER:N	2.13	0.46
1:B:24:THR:OG1	1:B:35:LYS:HE2	2.15	0.46
1:B:196:HIS:HD2	1:B:198:VAL:HG22	1.80	0.46
1:A:264:MET:CE	1:B:264:MET:HE1	2.26	0.45
1:C:124:LYS:NZ	1:C:153:THR:O	2.49	0.45
1:C:24:THR:OG1	1:C:35:LYS:HE2	2.17	0.45
1:B:305:THR:HG1	1:B:308:VAL:HG22	1.77	0.44
1:B:313:HIS:CD2	1:B:314:LEU:HG	2.52	0.44
1:B:56:ASN:C	1:B:56:ASN:ND2	2.75	0.44
1:A:24:THR:OG1	1:A:35:LYS:HE2	2.17	0.44
1:D:313:HIS:CD2	1:D:314:LEU:HG	2.52	0.44
1:C:247:TRP:CH2	1:C:248:GLU:HG2	2.53	0.44
1:D:10:PRO:CG	1:D:382:LYS:HD3	2.47	0.43
1:C:78:ILE:HG21	1:C:115:LEU:CD1	2.49	0.43
1:B:3:ASN:CG	1:B:4:TYR:H	2.26	0.43
1:A:26:ARG:CZ	1:C:26:ARG:NH1	2.81	0.43
1:D:24:THR:OG1	1:D:35:LYS:HE2	2.19	0.43
1:D:382:LYS:HB3	1:D:382:LYS:HE2	1.85	0.43
1:A:228:ILE:CD1	1:A:228:ILE:N	2.81	0.42
1:D:299:HIS:HE1	1:D:320:GLU:OE1	2.03	0.42
1:B:161:ALA:HB1	1:B:216:VAL:HG12	2.01	0.42
1:D:289:TYR:HB3	1:D:315:TYR:CZ	2.55	0.42
1:C:313:HIS:CD2	1:C:314:LEU:HG	2.54	0.42
1:D:196:HIS:HD2	1:D:198:VAL:HG22	1.85	0.41
1:B:289:TYR:HB3	1:B:315:TYR:CZ	2.55	0.41
1:C:401:LYS:HE2	2:C:685:HOH:O	2.20	0.41
1:D:146:GLU:OE1	1:D:149:ARG:NH1	2.53	0.41
1:C:199:LYS:HA	1:C:313:HIS:CE1	2.56	0.41
1:B:82:MET:HB3	1:B:103:ILE:HG21	2.03	0.41
1:D:78:ILE:HG21	1:D:115:LEU:CD1	2.51	0.41
1:A:82:MET:HB3	1:A:103:ILE:HG21	2.03	0.40
1:A:289:TYR:HB3	1:A:315:TYR:CZ	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:313:HIS:CD2	1:A:314:LEU:HG	2.56	0.40
1:D:264:MET:HE1	1:C:264:MET:CE	2.26	0.40
1:B:370:PHE:O	1:B:374:GLU:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	397/427 (93%)	383 (96%)	14 (4%)	0	100	100
1	B	394/427 (92%)	379 (96%)	15 (4%)	0	100	100
1	C	394/427 (92%)	380 (96%)	14 (4%)	0	100	100
1	D	399/427 (93%)	386 (97%)	13 (3%)	0	100	100
All	All	1584/1708 (93%)	1528 (96%)	56 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	346/371 (93%)	339 (98%)	7 (2%)	48	46
1	B	348/371 (94%)	338 (97%)	10 (3%)	37	31

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	347/371 (94%)	343 (99%)	4 (1%)	63	63
1	D	348/371 (94%)	342 (98%)	6 (2%)	53	52
All	All	1389/1484 (94%)	1362 (98%)	27 (2%)	50	47

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	THR
1	A	149	ARG
1	A	160	LYS
1	A	163	ASN
1	A	216	VAL
1	A	228	ILE
1	A	393	GLU
1	D	24	THR
1	D	122	LYS
1	D	160	LYS
1	D	264	MET
1	D	283	LYS
1	D	304	LYS
1	C	24	THR
1	C	160	LYS
1	C	163	ASN
1	C	355	LYS
1	B	24	THR
1	B	37	LYS
1	B	56	ASN
1	B	153	THR
1	B	216	VAL
1	B	264	MET
1	B	283	LYS
1	B	325	GLU
1	B	366	LYS
1	B	407	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	227	GLN
1	A	363	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	143	GLN
1	D	196	HIS
1	D	299	HIS
1	D	363	ASN
1	C	5	ASN
1	C	363	ASN
1	B	5	ASN
1	B	56	ASN
1	B	196	HIS
1	B	363	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	399/427 (93%)	0.49	16 (4%) 42 45	15, 25, 43, 64	0
1	B	398/427 (93%)	0.73	24 (6%) 27 29	17, 28, 47, 64	0
1	C	398/427 (93%)	0.73	29 (7%) 21 22	15, 27, 49, 69	0
1	D	401/427 (93%)	0.72	29 (7%) 21 23	17, 29, 50, 73	0
All	All	1596/1708 (93%)	0.67	98 (6%) 27 29	15, 28, 48, 73	0

All (98) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	153	THR	5.9
1	B	154	ALA	5.5
1	D	403	LEU	5.2
1	C	160	LYS	5.0
1	C	408	LYS	4.4
1	C	158	TRP	4.3
1	B	247	TRP	4.2
1	D	106	ASP	4.2
1	A	151	PHE	4.1
1	B	153	THR	4.1
1	A	403	LEU	4.1
1	C	151	PHE	4.1
1	A	404	THR	4.0
1	C	161	ALA	4.0
1	C	154	ALA	3.9
1	D	244	LEU	3.8
1	B	29	TRP	3.8
1	C	216	VAL	3.7
1	D	151	PHE	3.5
1	C	106	ASP	3.3
1	C	247	TRP	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	144	VAL	3.3
1	C	152	PHE	3.3
1	B	152	PHE	3.3
1	D	29	TRP	3.3
1	B	155	SER	3.3
1	B	407	LYS	3.1
1	B	237	ASP	3.1
1	D	158	TRP	3.1
1	C	245	GLY	3.0
1	A	400	GLU	3.0
1	C	246	SER	3.0
1	B	404	THR	2.9
1	B	405	LEU	2.9
1	B	408	LYS	2.9
1	A	402	VAL	2.8
1	C	217	ILE	2.8
1	B	403	LEU	2.8
1	D	321	GLY	2.8
1	C	351	LEU	2.8
1	C	29	TRP	2.8
1	A	154	ALA	2.7
1	B	162	PHE	2.7
1	D	402	VAL	2.7
1	B	151	PHE	2.7
1	C	405	LEU	2.7
1	D	216	VAL	2.7
1	D	150	ASP	2.6
1	B	368	TYR	2.6
1	B	248	GLU	2.6
1	D	4	TYR	2.5
1	D	165	ILE	2.5
1	B	360	ASP	2.5
1	B	246	SER	2.5
1	D	161	ALA	2.5
1	C	404	THR	2.5
1	A	329	LEU	2.5
1	B	106	ASP	2.5
1	D	162	PHE	2.4
1	C	162	PHE	2.4
1	D	400	GLU	2.4
1	B	115	LEU	2.3
1	D	152	PHE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	144	VAL	2.3
1	C	218	ASP	2.3
1	A	29	TRP	2.3
1	D	141	LEU	2.3
1	A	152	PHE	2.3
1	C	236	LYS	2.3
1	D	115	LEU	2.2
1	C	248	GLU	2.2
1	D	358	GLY	2.2
1	A	106	ASP	2.2
1	B	150	ASP	2.2
1	D	392	ILE	2.2
1	C	372	GLU	2.2
1	C	99	VAL	2.2
1	A	321	GLY	2.2
1	D	142	PHE	2.1
1	A	291	SER	2.1
1	A	401	LYS	2.1
1	D	149	ARG	2.1
1	D	160	LYS	2.1
1	C	105	ALA	2.1
1	D	166	VAL	2.1
1	D	329	LEU	2.1
1	D	238	ALA	2.1
1	D	335	ALA	2.1
1	B	105	ALA	2.1
1	A	150	ASP	2.1
1	C	155	SER	2.1
1	B	149	ARG	2.1
1	C	148	LYS	2.0
1	D	145	VAL	2.0
1	A	322	ALA	2.0
1	C	237	ASP	2.0
1	B	236	LYS	2.0
1	A	332	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.