



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:46 PM UTC

PDB ID : 5EXX / pdb_00005exx
Title : AAA+ ATPase FleQ from Pseudomonas aeruginosa bound to c-di-GMP
Authors : Navarro, M.V.A.S.; Sondermann, H.; Krasteva, P.V.
Deposited on : 2015-11-24
Resolution : 3.31 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.31 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1153 (3.34-3.30)
Clashscore	190562	1193 (3.34-3.30)
Ramachandran outliers	187476	1172 (3.34-3.30)
Sidechain outliers	187428	1171 (3.34-3.30)
RSRZ outliers	180081	1153 (3.34-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	343	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	501	-	-	X	-

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2125 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Transcriptional regulator FleQ.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	256	2028	1274	375	368	11	0	0	0

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	135	SER	-	expression tag	UNP G3XCV0
A	136	GLY	-	expression tag	UNP G3XCV0

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	A	1	5	4	1	0	0

- Molecule 3 is 9,9'-[(2R,3R,3aS,5S,7aR,9R,10R,10aS,12S,14aR)-3,5,10,12-tetrahydroxy-5,12-dioxidoctahydro-2H,7H-difuro[3,2-d:3',2'-j][1,3,7,9,2,8]tetraoxadiphosphacyclododecine-2,9-

diyl]bis(2-amino-1,9-dihydro-6H-purin-6-one) (CCD ID: C2E) (formula: $C_{20}H_{24}N_{10}O_{14}P_2$).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	A	1	Total 46	C 20	N 10	O 14	P 2	0	0
3	A	1	Total 46	C 20	N 10	O 14	P 2	0	0

- Molecule 1: Transcriptional regulator FleQ



4 Data and refinement statistics

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants a, b, c, α , β , γ	137.84Å 137.84Å 172.77Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.65 – 3.31 43.65 – 3.31	Depositor EDS
% Data completeness (in resolution range)	90.3 (43.65-3.31) 82.6 (43.65-3.31)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.05 (at 3.32Å)	Xtriage
Refinement program	PHENIX 1.8.4_1496	Depositor
R, R_{free}	0.263 , 0.290 0.290 , 0.295	Depositor DCC
R_{free} test set	1237 reflections (8.23%)	wwPDB-VP
Wilson B-factor (Å ²)	92.7	Xtriage
Anisotropy	0.896	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 92.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	2125	wwPDB-VP
Average B, all atoms (Å ²)	89.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, C2E

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.79	2/2063 (0.1%)	1.14	11/2779 (0.4%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	140	PRO	CA-C	6.19	1.60	1.52
1	A	340	ARG	N-CA	-5.09	1.39	1.46

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	250	MET	CA-C-N	7.98	128.03	119.89
1	A	250	MET	C-N-CA	7.98	128.03	119.89
1	A	338	GLU	N-CA-C	-7.96	102.53	112.72
1	A	380	VAL	N-CA-C	7.53	118.33	110.72
1	A	143	PHE	N-CA-C	6.34	117.80	108.86
1	A	199	VAL	N-CA-C	5.70	114.22	107.73
1	A	144	ARG	CG-CD-NE	-5.21	100.54	112.00
1	A	376	HIS	CA-C-N	-5.13	113.43	119.84
1	A	376	HIS	C-N-CA	-5.13	113.43	119.84
1	A	359	PRO	N-CA-C	-5.12	106.86	113.57
1	A	392	HIS	N-CA-C	5.03	117.10	108.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2028	0	2052	121	0
2	A	5	0	0	2	0
3	A	92	0	44	11	0
All	All	2125	0	2096	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 30.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:503:C2E:H5'1	3:A:503:C2E:H8	1.29	1.10
3:A:503:C2E:H81	3:A:503:C2E:H511	1.12	1.07
1:A:345:PHE:CD1	1:A:381:ILE:HG21	1.93	1.03
3:A:503:C2E:H81	3:A:503:C2E:C5A	1.98	0.93
3:A:502:C2E:H512	3:A:502:C2E:H5'2	1.55	0.87
1:A:159:MET:HE2	1:A:313:GLU:H	1.42	0.85
1:A:345:PHE:HD1	1:A:381:ILE:HG21	1.35	0.84
3:A:503:C2E:H511	3:A:503:C2E:C81	2.04	0.84
1:A:338:GLU:HB3	1:A:339:LYS:HD2	1.66	0.78
1:A:241:THR:HG22	1:A:281:ARG:HB2	1.66	0.77
3:A:503:C2E:H8	3:A:503:C2E:C5'	2.15	0.77
1:A:290:LEU:HA	1:A:293:MET:HB2	1.69	0.75
1:A:386:LEU:H	1:A:386:LEU:CD2	2.02	0.72
1:A:380:VAL:O	1:A:381:ILE:HB	1.88	0.72
1:A:168:ALA:HB3	1:A:310:PHE:HE2	1.54	0.72
1:A:153:ILE:HD12	1:A:320:ARG:HE	1.56	0.71
1:A:257:LYS:HA	1:A:260:ARG:HD2	1.73	0.70
1:A:340:ARG:HH11	1:A:378:TYR:HE2	1.38	0.70
1:A:380:VAL:HG13	1:A:381:ILE:N	2.06	0.69
1:A:333:SER:OG	3:A:502:C2E:C2	2.41	0.69
1:A:141:ASN:O	1:A:142:LEU:HD12	1.93	0.68
1:A:188:HIS:HD2	1:A:198:PHE:HB2	1.59	0.68
1:A:184:ALA:HA	1:A:187:LEU:HD12	1.75	0.67
1:A:255:GLN:HB2	1:A:303:LEU:HD21	1.76	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188:HIS:CD2	1:A:198:PHE:HB2	2.29	0.67
1:A:246:GLU:HA	1:A:286:THR:HA	1.77	0.65
1:A:377:PRO:O	1:A:378:TYR:HB2	1.95	0.65
1:A:327:LEU:HA	1:A:330:GLU:HB2	1.76	0.64
1:A:230:ARG:O	1:A:269:ARG:NH1	2.32	0.62
1:A:197:PRO:O	1:A:240:GLY:HA3	1.99	0.61
1:A:172:ILE:HG22	1:A:180:LYS:HD3	1.82	0.61
1:A:138:ARG:HB2	1:A:140:PRO:HD3	1.82	0.60
1:A:382:GLY:O	1:A:385:GLU:HB2	2.02	0.59
1:A:189:TYR:CD2	3:A:503:C2E:C1A	2.86	0.58
1:A:223:PHE:HB3	1:A:226:ALA:HB2	1.85	0.58
1:A:250:MET:O	1:A:255:GLN:NE2	2.37	0.58
1:A:216:PHE:HE1	1:A:254:MET:HE1	1.68	0.57
1:A:168:ALA:HB3	1:A:310:PHE:CE2	2.37	0.57
1:A:197:PRO:HD2	1:A:240:GLY:H	1.70	0.56
1:A:235:GLU:HG2	1:A:267:PHE:HZ	1.71	0.56
1:A:170:VAL:HB	1:A:283:ILE:HG13	1.87	0.55
1:A:189:TYR:CD2	3:A:503:C2E:O4A	2.59	0.55
1:A:297:GLY:O	1:A:299:PHE:N	2.39	0.55
1:A:387:PRO:C	1:A:389:LYS:H	2.15	0.54
1:A:153:ILE:HD12	1:A:320:ARG:HH11	1.72	0.54
1:A:294:ILE:HD13	1:A:301:GLU:HG3	1.90	0.54
1:A:380:VAL:HG13	1:A:381:ILE:O	2.08	0.53
1:A:386:LEU:H	1:A:386:LEU:HD22	1.72	0.53
1:A:317:LEU:HD23	1:A:358:TRP:CG	2.44	0.53
1:A:386:LEU:H	1:A:386:LEU:HD23	1.74	0.53
1:A:163:VAL:HG11	1:A:310:PHE:HB3	1.91	0.52
1:A:142:LEU:HD23	1:A:182:VAL:HG23	1.91	0.52
1:A:179:GLY:N	2:A:501:SO4:O2	2.43	0.52
1:A:360:GLY:HA3	1:A:364:GLU:HB2	1.92	0.52
1:A:260:ARG:O	1:A:264:GLU:N	2.26	0.52
1:A:381:ILE:CG2	1:A:382:GLY:N	2.72	0.52
1:A:197:PRO:HD2	1:A:240:GLY:N	2.25	0.52
1:A:211:LEU:O	1:A:215:LEU:HD13	2.10	0.51
1:A:340:ARG:O	1:A:340:ARG:HG3	2.10	0.51
1:A:240:GLY:C	1:A:281:ARG:HH12	2.19	0.51
1:A:218:HIS:HA	1:A:270:VAL:HB	1.93	0.51
1:A:165:ASP:N	1:A:165:ASP:OD1	2.43	0.50
1:A:159:MET:HE2	1:A:313:GLU:N	2.19	0.50
1:A:380:VAL:CG1	1:A:381:ILE:N	2.74	0.50
1:A:167:ASP:OD1	1:A:167:ASP:N	2.45	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:143:PHE:HD1	1:A:144:ARG:O	1.95	0.49
1:A:149:THR:N	1:A:323:ASP:OD1	2.42	0.49
1:A:153:ILE:HD12	1:A:320:ARG:NE	2.26	0.49
1:A:240:GLY:O	1:A:281:ARG:NH1	2.45	0.49
1:A:216:PHE:HD2	1:A:267:PHE:HD2	1.60	0.49
1:A:372:LEU:HB3	1:A:381:ILE:HD11	1.95	0.48
1:A:344:ARG:HE	1:A:344:ARG:HB3	1.43	0.48
1:A:177:GLY:CA	1:A:363:ARG:HB2	2.44	0.48
1:A:255:GLN:HA	1:A:258:LEU:HB3	1.96	0.47
1:A:363:ARG:HH21	1:A:363:ARG:HG2	1.79	0.47
1:A:216:PHE:CE1	1:A:254:MET:HE1	2.48	0.47
1:A:302:ASP:OD1	1:A:302:ASP:N	2.42	0.47
1:A:142:LEU:HD23	1:A:182:VAL:CG2	2.44	0.47
1:A:246:GLU:O	1:A:249:ASP:HB2	2.15	0.47
1:A:345:PHE:HD1	1:A:381:ILE:CG2	2.16	0.47
1:A:253:PRO:O	1:A:256:VAL:HG22	2.15	0.47
1:A:368:LEU:O	1:A:372:LEU:HD12	2.15	0.47
1:A:381:ILE:HD13	1:A:381:ILE:HA	1.71	0.47
1:A:250:MET:HA	1:A:251:PRO:HD3	1.74	0.46
1:A:140:PRO:O	1:A:141:ASN:HB3	2.15	0.46
1:A:239:GLY:O	1:A:281:ARG:NH2	2.49	0.46
1:A:189:TYR:HA	1:A:194:ARG:HB3	1.97	0.46
1:A:320:ARG:HG2	1:A:323:ASP:OD2	2.16	0.45
1:A:344:ARG:O	1:A:381:ILE:HB	2.16	0.45
1:A:351:MET:HA	1:A:351:MET:HE3	1.98	0.45
1:A:193:ARG:NH2	1:A:239:GLY:O	2.45	0.45
1:A:252:LEU:O	1:A:256:VAL:HG13	2.17	0.45
1:A:150:SER:HB3	1:A:322:GLU:HB2	2.00	0.44
1:A:230:ARG:HA	1:A:230:ARG:HD3	1.64	0.44
1:A:331:LEU:HB3	1:A:369:VAL:HG11	1.99	0.44
1:A:212:GLU:H	1:A:212:GLU:HG2	1.47	0.44
1:A:357:ASP:HB2	1:A:359:PRO:HD3	2.00	0.44
1:A:177:GLY:HA2	1:A:363:ARG:HB2	2.00	0.43
1:A:334:ARG:HD2	3:A:502:C2E:N7	2.33	0.43
1:A:328:LEU:HA	1:A:328:LEU:HD23	1.73	0.43
1:A:337:HIS:ND1	1:A:337:HIS:N	2.66	0.43
1:A:216:PHE:CD2	1:A:267:PHE:HD2	2.36	0.43
1:A:387:PRO:C	1:A:389:LYS:N	2.77	0.43
1:A:180:LYS:N	2:A:501:SO4:O1	2.52	0.43
1:A:183:VAL:HG21	1:A:314:MET:SD	2.59	0.43
1:A:189:TYR:CD2	3:A:503:C2E:H1A	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:386:LEU:HD23	1:A:386:LEU:N	2.34	0.42
1:A:388:LYS:CD	1:A:388:LYS:H	2.31	0.42
1:A:244:LEU:HB3	1:A:247:ILE:HD11	2.01	0.42
1:A:325:ALA:O	1:A:328:LEU:HB2	2.19	0.42
1:A:152:ALA:O	1:A:155:GLN:HG2	2.19	0.42
1:A:280:VAL:HG12	1:A:282:ILE:HD13	2.01	0.42
1:A:346:ASN:OD1	1:A:348:ALA:HB3	2.20	0.42
1:A:340:ARG:NH1	1:A:378:TYR:CE2	2.85	0.42
1:A:148:GLY:HA3	1:A:153:ILE:HG21	2.01	0.41
1:A:331:LEU:HD22	1:A:369:VAL:HB	2.02	0.41
1:A:143:PHE:HD1	1:A:144:ARG:C	2.29	0.41
1:A:390:PHE:O	1:A:392:HIS:N	2.54	0.41
1:A:212:GLU:O	1:A:216:PHE:HD1	2.03	0.41
1:A:332:ILE:HD11	1:A:345:PHE:CE2	2.55	0.41
1:A:143:PHE:CD1	1:A:144:ARG:O	2.74	0.41
1:A:146:LEU:HA	1:A:153:ILE:HD11	2.03	0.41
1:A:339:LYS:HD2	1:A:339:LYS:N	2.37	0.40
1:A:358:TRP:HB3	1:A:361:ASN:HA	2.04	0.40
1:A:188:HIS:CD2	1:A:198:PHE:HD2	2.39	0.40
1:A:179:GLY:O	1:A:183:VAL:HG23	2.22	0.40
1:A:246:GLU:N	1:A:285:ALA:O	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	254/343 (74%)	214 (84%)	29 (11%)	11 (4%)	2 15

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	381	ILE
1	A	224	THR
1	A	298	THR
1	A	356	HIS
1	A	388	LYS
1	A	391	ARG
1	A	330	GLU
1	A	144	ARG
1	A	378	TYR
1	A	139	GLU
1	A	324	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	217/285 (76%)	157 (72%)	60 (28%)	0 2

All (60) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	142	LEU
1	A	146	LEU
1	A	149	THR
1	A	159	MET
1	A	163	VAL
1	A	165	ASP
1	A	167	ASP
1	A	169	SER
1	A	172	ILE
1	A	175	GLU
1	A	185	ARG
1	A	193	ARG
1	A	206	ILE
1	A	210	LEU
1	A	212	GLU
1	A	220	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	227	ILE
1	A	242	LEU
1	A	245	ASP
1	A	246	GLU
1	A	252	LEU
1	A	256	VAL
1	A	258	LEU
1	A	262	LEU
1	A	264	GLU
1	A	273	ASN
1	A	274	LYS
1	A	276	GLN
1	A	281	ARG
1	A	283	ILE
1	A	287	HIS
1	A	291	GLU
1	A	293	MET
1	A	300	ARG
1	A	302	ASP
1	A	303	LEU
1	A	307	LEU
1	A	309	VAL
1	A	313	GLU
1	A	320	ARG
1	A	321	VAL
1	A	327	LEU
1	A	330	GLU
1	A	331	LEU
1	A	332	ILE
1	A	337	HIS
1	A	338	GLU
1	A	339	LYS
1	A	340	ARG
1	A	344	ARG
1	A	351	MET
1	A	374	ILE
1	A	375	MET
1	A	377	PRO
1	A	381	ILE
1	A	383	VAL
1	A	385	GLU
1	A	386	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	388	LYS
1	A	390	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	188	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	C2E	A	502	-	52,52,52	1.87	17 (32%)	78,82,82	2.12	16 (20%)
2	SO4	A	501	-	4,4,4	0.22	0	6,6,6	0.55	0
3	C2E	A	503	-	52,52,52	1.84	15 (28%)	78,82,82	2.18	22 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	C2E	A	502	-	-	1/30/62/62	0/6/7/7
3	C2E	A	503	-	-	3/30/62/62	0/6/7/7

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	C2E	C61-N11	-4.38	1.30	1.38
3	A	503	C2E	C61-N11	-4.26	1.30	1.38
3	A	503	C2E	C6-N1	-4.19	1.31	1.38
3	A	503	C2E	C51-N71	-4.12	1.30	1.39
3	A	502	C2E	C6-N1	-4.10	1.31	1.38
3	A	503	C2E	C5-N7	-3.98	1.31	1.39
3	A	502	C2E	C51-N71	-3.72	1.31	1.39
3	A	502	C2E	C5-N7	-3.46	1.32	1.39
3	A	503	C2E	C2'-C3'	-3.01	1.46	1.53
3	A	503	C2E	C4-N9	-2.93	1.30	1.38
3	A	502	C2E	C2-N1	-2.93	1.30	1.37
3	A	502	C2E	C4-N9	-2.88	1.30	1.38
3	A	502	C2E	O4'-C4'	-2.84	1.38	1.45
3	A	503	C2E	C8-N9	-2.73	1.31	1.37
3	A	502	C2E	C8-N9	-2.68	1.31	1.37
3	A	503	C2E	C21-N11	-2.63	1.31	1.37
3	A	503	C2E	C81-N91	-2.62	1.31	1.37
3	A	502	C2E	P11-O21	-2.54	1.43	1.55
3	A	503	C2E	C41-N91	-2.45	1.31	1.38
3	A	503	C2E	C2A-C3A	-2.41	1.47	1.53
3	A	503	C2E	C2-N1	-2.33	1.32	1.37
3	A	502	C2E	C81-N91	-2.30	1.32	1.37
3	A	502	C2E	C2A-C3A	-2.30	1.48	1.53
3	A	502	C2E	C41-N91	-2.25	1.32	1.38
3	A	502	C2E	C21-N11	-2.21	1.32	1.37
3	A	503	C2E	P11-O21	-2.21	1.45	1.55
3	A	503	C2E	P1-O2P	-2.16	1.45	1.55
3	A	502	C2E	C2'-C1'	-2.13	1.46	1.53
3	A	502	C2E	C51-C41	2.11	1.44	1.38
3	A	502	C2E	P1-O2P	-2.07	1.45	1.55
3	A	502	C2E	P11-O3'	-2.02	1.53	1.59
3	A	503	C2E	O4A-C4A	-2.01	1.40	1.45

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	C2E	C51-C41-N31	-7.47	116.51	128.39
3	A	502	C2E	C5-C4-N3	-7.01	117.24	128.39
3	A	503	C2E	C51-C41-N31	-6.91	117.40	128.39
3	A	503	C2E	C5-C4-N3	-6.47	118.10	128.39
3	A	502	C2E	C2-N3-C4	5.37	121.55	112.30
3	A	503	C2E	C2'-C1'-N9	-5.32	98.45	113.25
3	A	502	C2E	C21-N31-C41	5.17	121.20	112.30
3	A	503	C2E	C2-N3-C4	5.14	121.15	112.30
3	A	503	C2E	C21-N31-C41	5.07	121.03	112.30
3	A	503	C2E	N91-C41-N31	5.05	136.04	125.95
3	A	502	C2E	N9-C4-N3	4.83	135.61	125.95
3	A	502	C2E	N91-C41-N31	4.82	135.59	125.95
3	A	503	C2E	N9-C4-N3	4.35	134.65	125.95
3	A	502	C2E	O2'-C2'-C1'	-3.26	98.87	110.10
3	A	502	C2E	C6-C5-N7	3.20	136.12	130.29
3	A	503	C2E	O3'-C3'-C2'	-3.07	100.68	111.68
3	A	503	C2E	O2'-C2'-C3'	-3.02	102.73	111.19
3	A	503	C2E	C6-C5-N7	3.01	135.76	130.29
3	A	502	C2E	C41-C51-N71	-2.94	106.02	110.67
3	A	503	C2E	O2A-C2A-C3A	-2.89	103.09	111.19
3	A	503	C2E	C2'-C3'-C4'	2.83	108.20	103.24
3	A	502	C2E	C4-C5-N7	-2.83	106.19	110.67
3	A	503	C2E	O61-C61-C51	-2.80	119.15	126.53
3	A	503	C2E	O3A-C3A-C2A	-2.75	101.82	111.68
3	A	503	C2E	O6-C6-C5	-2.66	119.50	126.53
3	A	503	C2E	C4-C5-N7	-2.60	106.55	110.67
3	A	502	C2E	O2A-C2A-C3A	-2.56	104.02	111.19
3	A	502	C2E	C61-C51-N71	2.42	134.69	130.29
3	A	503	C2E	C61-C51-N71	2.39	134.63	130.29
3	A	503	C2E	C41-C51-N71	-2.37	106.92	110.67
3	A	502	C2E	O3A-P1-O1P	-2.30	102.46	109.81
3	A	502	C2E	C21-N11-C61	-2.28	120.97	125.11
3	A	502	C2E	O6-C6-C5	-2.22	120.68	126.53
3	A	503	C2E	O2'-C2'-C1'	2.21	117.72	110.10
3	A	502	C2E	C3A-C2A-C1A	2.14	104.60	99.89
3	A	503	C2E	C2-N1-C6	-2.04	121.41	125.11
3	A	503	C2E	C5-C6-N1	2.03	118.42	113.25
3	A	503	C2E	C3A-C2A-C1A	2.02	104.34	99.89

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	502	C2E	O4'-C4'-C5'-O5'
3	A	503	C2E	O4'-C4'-C5'-O5'
3	A	503	C2E	O4A-C4A-C5A-O5A
3	A	503	C2E	C5'-O5'-P1-O1P


There are no ring outliers.

3 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	C2E	3	0
2	A	501	SO4	2	0
3	A	503	C2E	8	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	256/343 (74%)	0.02	7 (2%) 56 37	12, 87, 156, 195	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	142	LEU	8.7
1	A	138	ARG	4.1
1	A	340	ARG	3.0
1	A	383	VAL	2.8
1	A	146	LEU	2.7
1	A	182	VAL	2.2
1	A	381	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	A	501	5/5	0.87	0.11	81,81,81,81	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	C2E	A	502	46/46	0.93	0.07	32,44,47,48	0
3	C2E	A	503	46/46	0.95	0.06	27,34,42,45	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around C2E A 502:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around C2E A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.