



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:53 PM UTC

PDB ID : 5EZK / pdb_00005ezk
Title : RNA polymerase model placed by Molecular replacement into X-ray diffraction map of DNA-bound RNA Polymerase-Sigma 54 holoenzyme complex.
Authors : Darbari, V.C.; Yang, Y.; Lu, D.; Zhang, N.; Glyde, R.; Wang, Y.; Murakami, K.S.; Buck, M.; Zhang, X.
Deposited on : 2015-11-26
Resolution : 8.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 8.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1168 (11.50-4.00)
Clashscore	190562	1001 (11.50-4.06)
Ramachandran outliers	187476	1055 (11.50-4.00)
RSRZ outliers	180081	1162 (11.50-4.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	329	2% 93% 5% ..
1	B	329	% 64% 33%
2	C	1342	% 94% 5% .
3	D	1407	% 77% 5% 18%
4	E	91	96% ..

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 15410 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-directed RNA polymerase subunit alpha.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	A	323	Total	C	N	O	0	0	0
			1595	949	323	323			
1	B	221	Total	C	N	O	0	0	0
			1090	648	221	221			

- Molecule 2 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	1335	Total	C	N	O	0	0	0
			6569	3899	1335	1335			

- Molecule 3 is a protein called DNA-directed RNA polymerase subunit beta'.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	1160	Total	C	N	O	0	0	0
			5711	3391	1160	1160			

- Molecule 4 is a protein called DNA-directed RNA polymerase subunit omega.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	E	90	Total	C	N	O	0	0	0
			445	265	90	90			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA-directed RNA polymerase subunit alpha




- Molecule 1: DNA-directed RNA polymerase subunit alpha



- Molecule 2: DNA-directed RNA polymerase subunit beta



- Molecule 3: DNA-directed RNA polymerase subunit beta'



- Molecule 4: DNA-directed RNA polymerase subunit omega

Chain E: 96%



4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	255.54Å 255.54Å 189.39Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	143.89 – 8.50 143.89 – 8.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (143.89-8.50) 99.9 (143.89-8.50)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.79 (at 7.44Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.470 , 0.470 0.477 , 0.466	Depositor DCC
R_{free} test set	436 reflections (4.77%)	wwPDB-VP
Wilson B-factor (Å ²)	313.9	Xtriage
Anisotropy	0.720	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 163.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.39$, $\langle L^2 \rangle = 0.21$	Xtriage
Estimated twinning fraction	0.103 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.58	EDS
Total number of atoms	15410	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.53	0/1594	1.25	24/2218 (1.1%)
1	B	0.53	0/1088	1.05	10/1511 (0.7%)
2	C	0.51	0/6568	1.16	78/9130 (0.9%)
3	D	0.51	0/5708	1.17	64/7933 (0.8%)
4	E	0.51	0/444	1.14	2/617 (0.3%)
All	All	0.51	0/15402	1.16	178/21409 (0.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	D	0	1

There are no bond length outliers.

All (178) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	321	TRP	CA-C-N	12.11	132.85	120.38
1	A	321	TRP	C-N-CA	12.11	132.85	120.38
2	C	1180	MET	CA-C-N	11.24	133.89	119.84
2	C	1180	MET	C-N-CA	11.24	133.89	119.84
2	C	109	ALA	CA-C-N	10.66	133.17	119.84
2	C	109	ALA	C-N-CA	10.66	133.17	119.84
3	D	529	GLY	CA-C-N	9.31	130.27	119.47
3	D	529	GLY	C-N-CA	9.31	130.27	119.47
2	C	896	THR	CA-C-N	9.25	131.40	119.84
2	C	896	THR	C-N-CA	9.25	131.40	119.84
2	C	1184	THR	CA-C-N	9.24	131.39	119.84
2	C	1184	THR	C-N-CA	9.24	131.39	119.84
3	D	246	PRO	CA-C-N	9.13	129.19	119.05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	246	PRO	C-N-CA	9.13	129.19	119.05
2	C	42	ASP	CA-C-N	9.08	131.19	119.84
2	C	42	ASP	C-N-CA	9.08	131.19	119.84
2	C	242	VAL	CA-C-N	9.07	129.12	119.05
2	C	242	VAL	C-N-CA	9.07	129.12	119.05
1	A	322	PRO	CA-C-N	9.04	131.14	119.84
1	A	322	PRO	C-N-CA	9.04	131.14	119.84
3	D	358	GLY	CA-C-N	8.61	128.60	119.05
3	D	358	GLY	C-N-CA	8.61	128.60	119.05
2	C	920	VAL	CA-C-N	8.58	128.66	119.90
2	C	920	VAL	C-N-CA	8.58	128.66	119.90
1	A	212	ASP	CA-C-N	8.50	128.63	119.28
1	A	212	ASP	C-N-CA	8.50	128.63	119.28
2	C	566	GLY	CA-C-N	8.41	128.39	119.05
2	C	566	GLY	C-N-CA	8.41	128.39	119.05
1	A	10	LYS	CA-C-N	8.23	128.54	119.90
1	A	10	LYS	C-N-CA	8.23	128.54	119.90
2	C	94	ALA	CA-C-N	8.16	128.64	119.83
2	C	94	ALA	C-N-CA	8.16	128.64	119.83
3	D	497	GLU	CA-C-N	8.11	128.59	119.83
3	D	497	GLU	C-N-CA	8.11	128.59	119.83
1	A	250	ASP	CA-C-N	8.07	128.16	119.28
1	A	250	ASP	C-N-CA	8.07	128.16	119.28
1	B	212	ASP	CA-C-N	7.98	128.06	119.28
1	B	212	ASP	C-N-CA	7.98	128.06	119.28
3	D	450	HIS	CA-C-N	7.86	127.92	119.28
3	D	450	HIS	C-N-CA	7.86	127.92	119.28
3	D	378	LYS	CA-C-N	7.76	127.66	119.05
3	D	378	LYS	C-N-CA	7.76	127.66	119.05
2	C	1257	GLN	CA-C-N	7.71	129.47	119.84
2	C	1257	GLN	C-N-CA	7.71	129.47	119.84
2	C	563	THR	CA-C-N	7.68	127.59	120.21
2	C	563	THR	C-N-CA	7.68	127.59	120.21
3	D	233	LYS	CA-C-N	7.68	127.39	119.56
3	D	233	LYS	C-N-CA	7.68	127.39	119.56
3	D	1216	ALA	CA-C-N	7.59	127.47	119.05
3	D	1216	ALA	C-N-CA	7.59	127.47	119.05
3	D	749	LYS	CA-C-N	7.57	127.46	119.05
3	D	749	LYS	C-N-CA	7.57	127.46	119.05
2	C	551	HIS	CA-C-N	7.41	127.28	119.05
2	C	551	HIS	C-N-CA	7.41	127.28	119.05
2	C	18	ARG	CA-C-N	7.30	127.26	120.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	18	ARG	C-N-CA	7.30	127.26	120.03
3	D	1138	LEU	CA-C-N	7.18	127.02	119.05
3	D	1138	LEU	C-N-CA	7.18	127.02	119.05
2	C	496	LYS	CA-C-N	7.03	126.28	118.97
2	C	496	LYS	C-N-CA	7.03	126.28	118.97
3	D	63	GLY	CA-C-N	6.97	126.96	119.78
3	D	63	GLY	C-N-CA	6.97	126.96	119.78
1	A	239	GLN	CA-C-N	6.93	126.17	118.97
1	A	239	GLN	C-N-CA	6.93	126.17	118.97
3	D	322	ARG	CA-C-N	6.89	126.85	120.03
3	D	322	ARG	C-N-CA	6.89	126.85	120.03
2	C	189	ASP	CA-C-N	6.88	126.68	119.05
2	C	189	ASP	C-N-CA	6.88	126.68	119.05
3	D	419	HIS	CA-C-N	6.84	126.60	119.76
3	D	419	HIS	C-N-CA	6.84	126.60	119.76
2	C	1099	ASN	CA-C-N	6.81	126.44	119.56
2	C	1099	ASN	C-N-CA	6.81	126.44	119.56
1	A	292	THR	CA-C-N	6.78	127.02	119.90
1	A	292	THR	C-N-CA	6.78	127.02	119.90
2	C	1319	MET	CA-C-N	6.76	126.74	119.78
2	C	1319	MET	C-N-CA	6.76	126.74	119.78
3	D	757	THR	CA-C-N	6.74	126.68	120.21
3	D	757	THR	C-N-CA	6.74	126.68	120.21
2	C	589	THR	CA-C-N	6.72	126.64	119.85
2	C	589	THR	C-N-CA	6.72	126.64	119.85
1	A	255	ARG	CA-C-N	6.70	126.64	120.21
1	A	255	ARG	C-N-CA	6.70	126.64	120.21
2	C	519	ASN	CA-C-N	6.68	126.46	119.05
2	C	519	ASN	C-N-CA	6.68	126.46	119.05
1	A	166	ARG	CA-C-N	6.67	126.65	119.78
1	A	166	ARG	C-N-CA	6.67	126.65	119.78
1	A	178	SER	CA-C-N	6.67	126.26	119.19
1	A	178	SER	C-N-CA	6.67	126.26	119.19
3	D	587	LEU	CA-C-N	6.66	126.44	119.05
3	D	587	LEU	C-N-CA	6.66	126.44	119.05
2	C	488	MET	CA-C-N	6.64	126.22	119.19
2	C	488	MET	C-N-CA	6.64	126.22	119.19
2	C	204	LEU	CA-C-N	6.57	126.97	119.93
2	C	204	LEU	C-N-CA	6.57	126.97	119.93
3	D	833	GLU	CA-C-N	6.55	128.03	119.84
3	D	833	GLU	C-N-CA	6.55	128.03	119.84
2	C	1092	THR	CA-C-N	6.54	128.02	119.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1092	THR	C-N-CA	6.54	128.02	119.84
2	C	77	GLU	CA-C-N	6.48	127.94	119.84
2	C	77	GLU	C-N-CA	6.48	127.94	119.84
3	D	615	LYS	CA-C-N	6.37	126.12	119.05
3	D	615	LYS	C-N-CA	6.37	126.12	119.05
3	D	1184	ASP	CA-C-N	6.36	127.79	119.84
3	D	1184	ASP	C-N-CA	6.36	127.79	119.84
2	C	697	LYS	CA-C-N	6.34	126.10	119.76
2	C	697	LYS	C-N-CA	6.34	126.10	119.76
1	B	178	SER	CA-C-N	6.32	125.89	119.19
1	B	178	SER	C-N-CA	6.32	125.89	119.19
3	D	583	VAL	CA-C-N	6.27	127.68	119.84
3	D	583	VAL	C-N-CA	6.27	127.68	119.84
4	E	39	VAL	CA-C-N	6.22	126.17	119.76
4	E	39	VAL	C-N-CA	6.22	126.17	119.76
2	C	152	SER	CA-C-N	6.14	126.05	119.85
2	C	152	SER	C-N-CA	6.14	126.05	119.85
3	D	1152	GLU	CA-C-N	6.11	126.31	119.90
3	D	1152	GLU	C-N-CA	6.11	126.31	119.90
3	D	40	LYS	CA-C-N	6.08	126.61	120.04
3	D	40	LYS	C-N-CA	6.08	126.61	120.04
3	D	250	ARG	CA-C-N	6.04	126.54	120.14
3	D	250	ARG	C-N-CA	6.04	126.54	120.14
1	B	125	LYS	CA-C-N	5.98	125.60	119.56
1	B	125	LYS	C-N-CA	5.98	125.60	119.56
2	C	888	THR	CA-C-N	5.97	126.17	119.90
2	C	888	THR	C-N-CA	5.97	126.17	119.90
3	D	130	MET	CA-C-N	5.89	125.65	119.76
3	D	130	MET	C-N-CA	5.89	125.65	119.76
1	A	125	LYS	CA-C-N	5.85	125.47	119.56
1	A	125	LYS	C-N-CA	5.85	125.47	119.56
3	D	245	LEU	CA-C-N	5.84	126.40	120.38
3	D	245	LEU	C-N-CA	5.84	126.40	120.38
1	A	51	MET	CA-C-N	5.79	127.08	119.84
1	A	51	MET	C-N-CA	5.79	127.08	119.84
3	D	501	VAL	CA-C-N	5.78	126.07	119.83
3	D	501	VAL	C-N-CA	5.78	126.07	119.83
1	B	10	LYS	CA-C-N	5.73	127.27	120.23
1	B	10	LYS	C-N-CA	5.73	127.27	120.23
3	D	1149	ARG	CA-C-N	5.72	125.70	120.21
3	D	1149	ARG	C-N-CA	5.72	125.70	120.21
3	D	50	LYS	CA-C-N	5.70	125.46	119.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	50	LYS	C-N-CA	5.70	125.46	119.76
2	C	127	ILE	CA-C-N	5.68	125.44	119.76
2	C	127	ILE	C-N-CA	5.68	125.44	119.76
2	C	559	CYS	CA-C-N	5.67	125.03	118.85
2	C	559	CYS	C-N-CA	5.67	125.03	118.85
2	C	1080	ASN	CA-C-N	5.66	125.63	120.03
2	C	1080	ASN	C-N-CA	5.66	125.63	120.03
3	D	26	SER	CA-C-N	5.61	125.28	119.05
3	D	26	SER	C-N-CA	5.61	125.28	119.05
3	D	858	VAL	CA-C-N	5.52	126.74	119.84
3	D	858	VAL	C-N-CA	5.52	126.74	119.84
3	D	242	LEU	CA-C-N	5.49	125.39	119.85
3	D	242	LEU	C-N-CA	5.49	125.39	119.85
3	D	1178	THR	CA-C-N	5.47	126.68	119.84
3	D	1178	THR	C-N-CA	5.47	126.68	119.84
2	C	354	ASP	CA-C-N	5.44	126.64	119.84
2	C	354	ASP	C-N-CA	5.44	126.64	119.84
2	C	1316	GLU	CA-C-N	5.39	126.58	119.84
2	C	1316	GLU	C-N-CA	5.39	126.58	119.84
2	C	375	PRO	CA-C-N	5.39	126.57	119.84
2	C	375	PRO	C-N-CA	5.39	126.57	119.84
2	C	992	LEU	CA-C-N	5.29	126.46	119.84
2	C	992	LEU	C-N-CA	5.29	126.46	119.84
2	C	786	GLY	CA-C-N	5.28	125.45	119.90
2	C	786	GLY	C-N-CA	5.28	125.45	119.90
2	C	24	VAL	CA-C-N	5.27	126.43	119.84
2	C	24	VAL	C-N-CA	5.27	126.43	119.84
2	C	668	ILE	CA-C-N	5.25	126.41	119.84
2	C	668	ILE	C-N-CA	5.25	126.41	119.84
2	C	854	ILE	CA-C-N	5.23	124.99	119.76
2	C	854	ILE	C-N-CA	5.23	124.99	119.76
2	C	374	GLU	CA-C-N	5.17	125.71	120.38
2	C	374	GLU	C-N-CA	5.17	125.71	120.38
1	B	51	MET	CA-C-N	5.12	126.24	119.84
1	B	51	MET	C-N-CA	5.12	126.24	119.84
3	D	438	GLU	CA-C-N	5.12	126.53	120.23
3	D	438	GLU	C-N-CA	5.12	126.53	120.23
2	C	768	MET	CA-C-N	5.06	126.16	119.84
2	C	768	MET	C-N-CA	5.06	126.16	119.84

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	D	1173	ARG	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1595	0	715	0	0
1	B	1090	0	498	1	0
2	C	6569	0	2956	1	0
3	D	5711	0	2659	3	0
4	E	445	0	215	0	0
All	All	15410	0	7043	5	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (5) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:19:VAL:O	1:B:20:SER:CB	2.58	0.51
3:D:712:GLN:O	3:D:713:GLU:CB	2.63	0.46
3:D:846:GLU:O	3:D:847:ASP:C	2.58	0.46
3:D:1173:ARG:O	3:D:1174:ARG:CB	2.67	0.43
2:C:893:THR:O	2:C:894:GLN:CB	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	321/329 (98%)	276 (86%)	37 (12%)	8 (2%)	4	26
1	B	217/329 (66%)	194 (89%)	17 (8%)	6 (3%)	4	24
2	C	1333/1342 (99%)	1097 (82%)	198 (15%)	38 (3%)	3	23
3	D	1154/1407 (82%)	956 (83%)	156 (14%)	42 (4%)	2	20
4	E	88/91 (97%)	79 (90%)	7 (8%)	2 (2%)	5	28
All	All	3113/3498 (89%)	2602 (84%)	415 (13%)	96 (3%)	3	22

All (96) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	322	PRO
1	B	20	SER
2	C	39	ILE
2	C	43	PRO
2	C	56	VAL
2	C	110	PRO
2	C	661	VAL
2	C	748	ILE
2	C	1181	PRO
2	C	1186	VAL
3	D	120	LEU
3	D	390	LEU
3	D	707	ILE
3	D	713	GLU
3	D	1174	ARG
1	B	52	PRO
1	B	194	GLN
1	B	235	ARG
2	C	170	VAL
2	C	540	ARG
2	C	543	ALA
2	C	894	GLN
2	C	1185	PRO
2	C	1207	SER
3	D	284	ASP
3	D	310	GLY
3	D	316	ILE
3	D	847	ASP
3	D	855	ASP
3	D	901	ARG
3	D	902	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	D	1274	PHE
1	A	52	PRO
1	A	188	GLU
1	A	194	GLN
1	B	188	GLU
2	C	11	ILE
2	C	13	LYS
2	C	542	ARG
2	C	812	PHE
3	D	543	SER
3	D	672	LEU
3	D	812	ASP
3	D	834	PRO
3	D	1134	ILE
3	D	1211	SER
3	D	1267	VAL
3	D	1268	ASN
1	A	320	ASN
2	C	116	ASP
2	C	511	LEU
2	C	737	ASN
2	C	892	GLU
2	C	993	PRO
2	C	1007	LYS
2	C	1080	ASN
2	C	1167	GLU
2	C	1237	HIS
3	D	404	GLU
3	D	542	ALA
3	D	559	ALA
3	D	595	ALA
3	D	710	ASP
3	D	887	SER
3	D	1173	ARG
3	D	1290	ARG
4	E	35	LYS
1	A	49	SER
1	A	166	ARG
1	B	49	SER
2	C	44	GLU
2	C	114	VAL
2	C	437	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	D	703	THR
3	D	831	VAL
3	D	1194	ARG
2	C	69	GLN
2	C	77	GLU
2	C	753	LEU
2	C	1139	ALA
3	D	816	THR
3	D	832	LYS
3	D	859	PRO
3	D	1185	PRO
3	D	1198	VAL
2	C	1045	GLY
3	D	848	VAL
4	E	59	ILE
2	C	21	VAL
3	D	742	GLY
3	D	1176	VAL
1	A	323	PRO
2	C	373	GLY
2	C	98	VAL
3	D	825	VAL
3	D	1184	ASP

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	323/329 (98%)	-0.55	5 (1%) 72 60	6, 56, 135, 172	0
1	B	221/329 (67%)	-0.65	2 (0%) 81 70	23, 82, 126, 152	0
2	C	1335/1342 (99%)	-0.58	13 (0%) 79 68	3, 40, 141, 193	0
3	D	1160/1407 (82%)	-0.54	20 (1%) 69 59	2, 35, 126, 176	0
4	E	90/91 (98%)	-0.71	0 100 100	4, 34, 66, 94	0
All	All	3129/3498 (89%)	-0.57	40 (1%) 75 64	2, 42, 134, 193	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	D	1345	ARG	5.8
3	D	234	PRO	4.6
3	D	233	LYS	4.6
2	C	230	PHE	4.2
2	C	231	GLU	4.1
2	C	1178	LYS	4.0
2	C	332	ARG	4.0
3	D	232	ASN	3.8
1	A	43	LEU	3.5
3	D	641	ILE	3.4
2	C	333	ILE	3.4
1	A	221	ALA	3.3
3	D	807	LEU	3.2
3	D	769	VAL	3.2
2	C	1175	ASN	3.2
2	C	393	ASP	3.2
3	D	910	ASN	3.1
1	B	112	ALA	3.1
3	D	886	VAL	3.0
2	C	218	GLU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	D	231	GLY	2.9
1	A	217	ILE	2.8
3	D	766	GLY	2.8
1	B	224	LEU	2.7
1	A	39	LEU	2.7
3	D	812	ASP	2.6
3	D	1258	ARG	2.6
3	D	1255	VAL	2.6
2	C	209	ILE	2.5
3	D	1261	LEU	2.4
3	D	498	PRO	2.3
3	D	911	LYS	2.3
2	C	298	ALA	2.3
2	C	229	ILE	2.3
2	C	1179	GLY	2.3
3	D	20	ILE	2.2
2	C	1046	VAL	2.2
3	D	477	GLN	2.2
3	D	915	ILE	2.1
1	A	209	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.