



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:42 AM UTC

PDB ID : 4F0F / pdb_00004f0f
Title : Crystal Structure of the Roco4 Kinase Domain bound to AppCp from D. discoideum
Authors : Gilsbach, B.K.; Vetter, I.R.; Wittinghofer, A.; Kortholt, A.
Deposited on : 2012-05-04
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	10% 66% 23% 6% • •

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2456 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Serine/threonine-protein kinase roco4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	276	Total	C	N	O	S	0	1	0
			2214	1420	371	409	14			

There are 13 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1006	GLY	-	expression tag	UNP Q6XHB2
A	1007	ALA	-	expression tag	UNP Q6XHB2
A	1008	MET	-	expression tag	UNP Q6XHB2
A	1009	GLY	-	expression tag	UNP Q6XHB2
A	1010	GLY	-	expression tag	UNP Q6XHB2
A	1011	SER	-	expression tag	UNP Q6XHB2
A	1012	GLU	-	expression tag	UNP Q6XHB2
A	1013	PHE	-	expression tag	UNP Q6XHB2
A	1014	PRO	-	expression tag	UNP Q6XHB2
A	1015	LYS	-	expression tag	UNP Q6XHB2
A	1016	SER	-	expression tag	UNP Q6XHB2
A	1017	ARG	-	expression tag	UNP Q6XHB2
A	1018	LEU	-	expression tag	UNP Q6XHB2

- Molecule 2 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (CCD ID: ACP) (formula: C₁₁H₁₈N₅O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	11	5	12	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	211	Total	O	0	0
			211	211		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Serine/threonine-protein kinase roco4



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	42.72Å 42.72Å 339.46Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.10 – 1.80 19.10 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.8 (19.10-1.80) 99.8 (19.10-1.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.03 (at 1.80Å)	Xtriage
Refinement program	REFMAC 5.6.0093	Depositor
R, R_{free}	0.195 , 0.245 0.198 , 0.246	Depositor DCC
R_{free} test set	1539 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	21.4	Xtriage
Anisotropy	0.052	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 32.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	2456	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.54	20/2270 (0.9%)	1.53	28/3067 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1243	PHE	N-CA	9.29	1.57	1.46
1	A	1256	ILE	N-CA	7.78	1.54	1.46
1	A	1252	LEU	N-CA	7.47	1.55	1.46
1	A	1265	ARG	CD-NE	-7.35	1.35	1.46
1	A	1230	GLU	N-CA	6.73	1.54	1.45
1	A	1053	ALA	N-CA	6.72	1.54	1.46
1	A	1089	ASN	N-CA	6.35	1.53	1.46
1	A	1217	TYR	N-CA	6.09	1.53	1.46
1	A	1122	HIS	CD2-NE2	-5.67	1.31	1.37
1	A	1122	HIS	CG-ND1	-5.55	1.32	1.38
1	A	1220	ALA	CA-CB	5.48	1.62	1.53
1	A	1285	ILE	N-CA	5.22	1.52	1.46
1	A	1285	ILE	CA-CB	-5.21	1.48	1.54
1	A	1121	ALA	C-O	-5.19	1.17	1.24
1	A	1228	THR	C-O	5.15	1.30	1.24
1	A	1023	ASP	C-N	-5.13	1.27	1.33
1	A	1070	GLU	CA-CB	-5.09	1.45	1.53
1	A	1198	MET	SD-CE	5.06	1.92	1.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1171	VAL	C-O	5.05	1.29	1.24
1	A	1120	LYS	C-O	-5.03	1.17	1.24

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1195	PHE	N-CA-C	-14.21	96.42	114.04
1	A	1195	PHE	N-CA-CB	13.75	131.16	110.81
1	A	1018	LEU	CA-C-N	11.30	131.43	119.90
1	A	1018	LEU	C-N-CA	11.30	131.43	119.90
1	A	1053	ALA	N-CA-C	-10.70	91.37	109.24
1	A	1023	ASP	N-CA-C	10.53	124.07	111.33
1	A	1024	ASN	N-CA-CB	-10.45	94.53	110.73
1	A	1265	ARG	NE-CZ-NH2	-9.77	110.41	119.20
1	A	1072	PHE	N-CA-C	-9.55	101.75	113.50
1	A	1193	GLY	N-CA-C	8.67	133.73	113.18
1	A	1071	LYS	CB-CA-C	-8.39	94.16	110.10
1	A	1022	ALA	CB-CA-C	8.29	130.20	111.71
1	A	1194	ASN	N-CA-C	-8.00	97.83	109.59
1	A	1070	GLU	N-CA-C	7.54	120.70	108.41
1	A	1022	ALA	CA-C-N	6.94	129.89	120.38
1	A	1022	ALA	C-N-CA	6.94	129.89	120.38
1	A	1033	GLY	N-CA-C	6.80	129.29	113.18
1	A	1205	ALA	N-CA-C	6.46	118.04	108.60
1	A	1053	ALA	N-CA-CB	-6.45	99.32	111.00
1	A	1069	ILE	CG1-CB-CG2	-6.34	91.67	110.70
1	A	1050	SER	N-CA-CB	-6.25	100.13	109.69
1	A	1265	ARG	NE-CZ-NH1	5.97	127.47	121.50
1	A	1265	ARG	CG-CD-NE	-5.42	100.08	112.00
1	A	1035	GLY	N-CA-C	5.38	120.29	110.71
1	A	1064	GLY	N-CA-C	5.30	119.96	111.64
1	A	1052	VAL	O-C-N	-5.10	117.19	123.00
1	A	1193	GLY	CA-C-N	5.01	128.46	121.24
1	A	1193	GLY	C-N-CA	5.01	128.46	121.24

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1022	ALA	Peptide
1	A	1051	VAL	Peptide
1	A	1070	GLU	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	1265	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2214	0	2208	77	4
2	A	31	0	14	4	0
3	A	211	0	0	27	1
All	All	2456	0	2222	79	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (79) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1263:ARG:HD3	3:A:1603:HOH:O	1.53	1.07
1:A:1097:MET:HE3	1:A:1102:ARG:HD2	1.39	1.04
1:A:1071:LYS:O	1:A:1071:LYS:HG3	1.26	1.03
1:A:1097:MET:CE	1:A:1102:ARG:HD2	1.88	1.03
1:A:1263:ARG:CD	3:A:1603:HOH:O	2.11	0.98
1:A:1167:GLU:OE1	3:A:1610:HOH:O	1.85	0.95
1:A:1194:ASN:O	3:A:1541:HOH:O	1.87	0.93
1:A:1076:GLN:HG2	3:A:1585:HOH:O	1.68	0.93
1:A:1278:LYS:HE2	3:A:1562:HOH:O	1.73	0.89
1:A:1097:MET:HE3	1:A:1102:ARG:CD	2.03	0.89
1:A:1071:LYS:O	1:A:1071:LYS:CG	2.16	0.87
1:A:1032:ILE:HG22	3:A:1552:HOH:O	1.78	0.83
1:A:1082:MET:HA	1:A:1082:MET:HE3	1.60	0.83
1:A:1153:ARG:HD2	1:A:1182:GLN:HG2	1.61	0.82
2:A:1301:ACP:H3B2	3:A:1542:HOH:O	1.81	0.81
2:A:1301:ACP:H3B1	3:A:1555:HOH:O	1.84	0.77
1:A:1087:HIS:HD2	1:A:1089:ASN:H	1.32	0.77
1:A:1198:MET:HG3	3:A:1541:HOH:O	1.88	0.74
1:A:1087:HIS:CD2	1:A:1089:ASN:H	2.05	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1153:ARG:HD3	1:A:1180:LEU:O	1.88	0.72
1:A:1188:VAL:HB	3:A:1578:HOH:O	1.90	0.72
1:A:1245:ASN:HB2	3:A:1498:HOH:O	1.88	0.72
1:A:1210:TYR:CD2	3:A:1578:HOH:O	2.44	0.70
1:A:1245:ASN:CB	3:A:1498:HOH:O	2.39	0.70
1:A:1070:GLU:HA	1:A:1072:PHE:H	1.55	0.70
1:A:1210:TYR:CE2	3:A:1578:HOH:O	2.45	0.69
1:A:1263:ARG:NE	3:A:1603:HOH:O	2.22	0.69
1:A:1057:LEU:HD21	1:A:1072:PHE:HD1	1.59	0.68
1:A:1048:ASP:HB3	1:A:1050:SER:HB2	1.77	0.65
1:A:1097:MET:HE3	1:A:1102:ARG:NE	2.14	0.62
1:A:1182:GLN:HG3	1:A:1188:VAL:CG1	2.31	0.60
1:A:1051:VAL:HG12	1:A:1107:PHE:CB	2.30	0.60
1:A:1071:LYS:HA	3:A:1573:HOH:O	1.97	0.60
1:A:1077:ARG:HD2	3:A:1508:HOH:O	2.02	0.60
1:A:1087:HIS:HE1	3:A:1425:HOH:O	1.87	0.57
1:A:1051:VAL:HG12	1:A:1107:PHE:HB3	1.84	0.57
1:A:1071:LYS:N	3:A:1573:HOH:O	1.62	0.57
1:A:1097:MET:HE3	1:A:1102:ARG:CZ	2.35	0.57
1:A:1070:GLU:HA	1:A:1071:LYS:HB3	1.86	0.57
1:A:1065:GLU:HB3	1:A:1068:MET:SD	2.45	0.57
1:A:1148:PRO:HG2	1:A:1183:GLN:HG3	1.85	0.57
1:A:1048:ASP:CB	1:A:1050:SER:HB2	2.35	0.57
1:A:1070:GLU:CA	1:A:1071:LYS:HB3	2.33	0.56
1:A:1191:LEU:HG	3:A:1489:HOH:O	2.05	0.56
1:A:1060:GLY:O	1:A:1061:ASP:C	2.46	0.56
1:A:1071:LYS:CA	3:A:1573:HOH:O	2.30	0.56
1:A:1070:GLU:HA	1:A:1072:PHE:N	2.19	0.55
1:A:1150:ILE:HD13	1:A:1183:GLN:HB2	1.87	0.55
1:A:1034:LYS:O	2:A:1301:ACP:H5'2	2.07	0.55
1:A:1031:GLN:HG2	1:A:1032:ILE:N	2.21	0.54
1:A:1026:ILE:O	1:A:1026:ILE:HG13	2.07	0.54
1:A:1191:LEU:CG	3:A:1489:HOH:O	2.56	0.53
1:A:1097:MET:HB2	1:A:1102:ARG:HB2	1.91	0.53
1:A:1057:LEU:HD21	1:A:1072:PHE:CD1	2.43	0.52
1:A:1037:PHE:HB3	1:A:1071:LYS:HD2	1.91	0.52
1:A:1182:GLN:HG3	1:A:1188:VAL:HG11	1.92	0.50
1:A:1092:LYS:H	1:A:1106:GLU:HG2	1.77	0.49
1:A:1062:SER:O	1:A:1063:GLU:C	2.54	0.49
1:A:1092:LYS:HD2	3:A:1597:HOH:O	2.14	0.48
1:A:1078:GLU:O	1:A:1082:MET:HG2	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1069:ILE:C	1:A:1071:LYS:HB3	2.40	0.46
1:A:1077:ARG:O	1:A:1081:ILE:HG12	2.15	0.46
1:A:1185:VAL:HG23	3:A:1594:HOH:O	2.14	0.46
1:A:1035:GLY:HA2	2:A:1301:ACP:O2A	2.16	0.45
1:A:1220:ALA:HB2	1:A:1271:CYS:HB3	1.99	0.45
1:A:1153:ARG:HA	3:A:1476:HOH:O	2.16	0.45
1:A:1220:ALA:HB2	1:A:1271:CYS:CB	2.46	0.45
1:A:1069:ILE:HG21	1:A:1069:ILE:HD13	1.24	0.44
1:A:1205:ALA:HB1	1:A:1207:GLU:HG3	1.48	0.43
1:A:1191:LEU:HD12	3:A:1489:HOH:O	2.17	0.43
1:A:1136:ILE:HD11	1:A:1160:ILE:HG21	1.99	0.43
1:A:1206:GLU:OE2	1:A:1206:GLU:O	2.36	0.43
1:A:1043:GLY:C	1:A:1052:VAL:HG12	2.45	0.42
1:A:1155:LEU:HD23	1:A:1155:LEU:HA	1.88	0.42
1:A:1148:PRO:HG2	1:A:1183:GLN:CG	2.49	0.42
1:A:1057:LEU:CD2	1:A:1072:PHE:CD1	3.02	0.41
1:A:1037:PHE:HE1	1:A:1074:GLU:HG2	1.85	0.41
1:A:1057:LEU:CD2	1:A:1072:PHE:HD1	2.30	0.40
1:A:1200:PRO:HA	1:A:1203:ILE:HG12	2.04	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1061:ASP:OD2	1:A:1064:GLY:O[7_465]	1.82	0.38
1:A:1066:THR:OG1	3:A:1522:HOH:O[7_465]	1.95	0.25
1:A:1072:PHE:CD2	1:A:1072:PHE:CE2[7_465]	2.12	0.08
1:A:1072:PHE:CD2	1:A:1072:PHE:CD2[7_465]	2.18	0.02

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/287 (96%)	265 (96%)	10 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	245/253 (97%)	228 (93%)	17 (7%)	14	5

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1027	GLU
1	A	1030	LYS
1	A	1032	ILE
1	A	1034	LYS
1	A	1039	LEU
1	A	1052	VAL
1	A	1059	LEU
1	A	1066	THR
1	A	1069	ILE
1	A	1070	GLU
1	A	1071	LYS
1	A	1076	GLN
1	A	1191	LEU
1	A	1194	ASN
1	A	1206	GLU
1	A	1207	GLU
1	A	1292	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1076	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1087	HIS
1	A	1115	HIS
1	A	1146	GLN
1	A	1163	GLN
1	A	1266	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ACP	A	1301	-	31,33,33	2.80	7 (22%)	47,52,52	1.90	12 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACP	A	1301	-	-	5/19/38/38	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1301	ACP	PA-O3A	9.04	1.69	1.59
2	A	1301	ACP	PB-O3A	8.54	1.67	1.58
2	A	1301	ACP	PG-O2G	4.68	1.65	1.55
2	A	1301	ACP	PG-O3G	4.35	1.64	1.55
2	A	1301	ACP	C4-N9	-3.19	1.31	1.37
2	A	1301	ACP	PB-O2B	-3.11	1.48	1.56
2	A	1301	ACP	C5-N7	-2.76	1.34	1.39

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1301	ACP	N9-C8-N7	-5.47	106.17	113.94
2	A	1301	ACP	C4-N9-C8	5.08	111.07	105.74
2	A	1301	ACP	N3-C2-N1	-4.40	121.92	128.58
2	A	1301	ACP	C5-N7-C8	3.45	108.87	103.45
2	A	1301	ACP	O2B-PB-O1B	3.27	120.60	109.95
2	A	1301	ACP	C4-N9-C1'	-3.12	119.34	126.63
2	A	1301	ACP	C5-C4-N3	-2.83	122.82	126.72
2	A	1301	ACP	C5'-C4'-C3'	-2.78	105.21	115.21
2	A	1301	ACP	C4-C5-N7	-2.69	107.50	110.58
2	A	1301	ACP	C2-N3-C4	2.43	117.76	111.83
2	A	1301	ACP	N3-C4-N9	2.19	130.89	127.17
2	A	1301	ACP	PB-O3A-PA	-2.01	125.81	132.37

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1301	ACP	C5'-O5'-PA-O2A
2	A	1301	ACP	PB-C3B-PG-O3G
2	A	1301	ACP	PG-C3B-PB-O2B
2	A	1301	ACP	PB-O3A-PA-O2A
2	A	1301	ACP	PB-C3B-PG-O1G

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1301	ACP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/287 (96%)	0.18	30 (10%) 10 9	11, 24, 64, 130	1 (0%)

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1194	ASN	5.4
1	A	1181	SER	4.5
1	A	1022	ALA	4.4
1	A	1052	VAL	4.3
1	A	1192	LEU	4.2
1	A	1072	PHE	3.8
1	A	1193	GLY	3.1
1	A	1186	HIS	3.1
1	A	1205	ALA	3.1
1	A	1191	LEU	3.0
1	A	1032	ILE	3.0
1	A	1071	LYS	3.0
1	A	1051	VAL	2.9
1	A	1185	VAL	2.9
1	A	1061	ASP	2.8
1	A	1188	VAL	2.8
1	A	1034	LYS	2.8
1	A	1210	TYR	2.8
1	A	1069	ILE	2.7
1	A	1062	SER	2.7
1	A	1060	GLY	2.7
1	A	1065	GLU	2.6
1	A	1070	GLU	2.5
1	A	1190	GLY	2.5
1	A	1064	GLY	2.4
1	A	1184	SER	2.4
1	A	1180	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1187	SER	2.2
1	A	1183	GLN	2.2
1	A	1033	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ACP	A	1301	31/31	0.83	0.12	22,46,97,109	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.