



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:35 PM UTC

PDB ID : 4F1T / pdb_00004f1t
Title : Crystal Structure of the Roco4 Kinase Domain from *D. discoideum* bound to the ROCK Inhibitor H1152
Authors : Gilsbach, B.K.; Vetter, I.R.; Wittinghofer, A.; Kortholt, A.
Deposited on : 2012-05-07
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	H52	A	1301	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	H52	A	1302	-	-	X	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2263 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Serine/threonine-protein kinase roco4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	269	2165	1392	363	395	15	0	1	0

There are 13 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1006	GLY	-	expression tag	UNP Q6XHB2
A	1007	ALA	-	expression tag	UNP Q6XHB2
A	1008	MET	-	expression tag	UNP Q6XHB2
A	1009	GLY	-	expression tag	UNP Q6XHB2
A	1010	GLY	-	expression tag	UNP Q6XHB2
A	1011	SER	-	expression tag	UNP Q6XHB2
A	1012	GLU	-	expression tag	UNP Q6XHB2
A	1013	PHE	-	expression tag	UNP Q6XHB2
A	1014	PRO	-	expression tag	UNP Q6XHB2
A	1015	LYS	-	expression tag	UNP Q6XHB2
A	1016	SER	-	expression tag	UNP Q6XHB2
A	1017	ARG	-	expression tag	UNP Q6XHB2
A	1018	LEU	-	expression tag	UNP Q6XHB2

- Molecule 2 is (S)-2-METHYL-1-[(4-METHYL-5-ISOQUINOLINE)SULFONYL]-HOMOPIPERAZINE (CCD ID: H52) (formula: C₁₆H₂₁N₃O₂S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			22	16	3	2	1		
2	A	1	Total	C	N	O	S	0	0
			22	16	3	2	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	54	Total	O	0	0
			54	54		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Serine/threonine-protein kinase roco4



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	43.28Å 43.28Å 352.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.00 – 2.30 42.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.9 (42.00-2.30) 99.9 (42.00-2.30)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.81 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.6.0093	Depositor
R, R_{free}	0.197 , 0.234 0.218 , 0.248	Depositor DCC
R_{free} test set	804 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	34.0	Xtriage
Anisotropy	0.047	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 50.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	2263	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.22% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: H52

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.76	43/2220 (1.9%)	1.50	37/2999 (1.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1122	HIS	CG-ND1	-7.38	1.30	1.38
1	A	1152	HIS	CG-ND1	-7.05	1.30	1.38
1	A	1253	ARG	C-O	-7.00	1.17	1.24
1	A	1108	VAL	C-O	-6.78	1.16	1.24
1	A	1152	HIS	CD2-NE2	-6.76	1.30	1.37
1	A	1122	HIS	CD2-NE2	-6.69	1.30	1.37
1	A	1157	SER	C-O	-6.07	1.18	1.24
1	A	1115	HIS	CD2-NE2	-6.02	1.31	1.37
1	A	1263	ARG	C-O	-5.99	1.17	1.24
1	A	1269	GLU	C-O	-5.98	1.17	1.24
1	A	1266	ASN	C-O	-5.92	1.17	1.24
1	A	1226	ILE	C-O	-5.88	1.17	1.24
1	A	1246	MET	C-O	-5.82	1.17	1.24
1	A	1245	ASN	C-O	-5.79	1.17	1.24
1	A	1128	VAL	C-O	-5.68	1.17	1.24
1	A	1252	LEU	C-O	-5.61	1.17	1.23
1	A	1281	HIS	CG-ND1	-5.60	1.32	1.38
1	A	1195	PHE	C-O	-5.57	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1214	ALA	C-O	-5.52	1.17	1.24
1	A	1234	ASP	C-O	-5.52	1.17	1.24
1	A	1115	HIS	CG-ND1	-5.43	1.32	1.38
1	A	1243	PHE	C-O	-5.42	1.17	1.24
1	A	1041	HIS	CG-ND1	-5.40	1.32	1.38
1	A	1134	LEU	C-O	-5.37	1.17	1.24
1	A	1127	SER	C-O	-5.33	1.17	1.24
1	A	1087	HIS	CG-ND1	-5.30	1.32	1.38
1	A	1262	PRO	C-O	-5.29	1.17	1.24
1	A	1225	THR	C-O	-5.28	1.18	1.24
1	A	1247	ILE	C-O	-5.26	1.18	1.24
1	A	1124	ILE	C-O	-5.26	1.18	1.24
1	A	1171	VAL	C-O	-5.19	1.18	1.24
1	A	1130	LEU	C-O	-5.16	1.18	1.24
1	A	1244	ILE	C-O	-5.16	1.18	1.24
1	A	1268	ILE	C-O	-5.16	1.18	1.24
1	A	1260	CYS	C-O	-5.14	1.17	1.24
1	A	1043	GLY	C-O	-5.13	1.18	1.23
1	A	1199	ALA	C-O	-5.13	1.17	1.23
1	A	1270	LEU	C-O	-5.13	1.18	1.24
1	A	1158	PRO	C-O	-5.13	1.17	1.24
1	A	1087	HIS	CD2-NE2	-5.11	1.32	1.37
1	A	1021	LEU	CA-C	-5.07	1.46	1.52
1	A	1126	TRP	NE1-CE2	-5.05	1.31	1.37
1	A	1169	ALA	C-O	-5.04	1.17	1.23

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1187	SER	CB-CA-C	-13.84	87.41	109.70
1	A	1183	GLN	CB-CA-C	13.00	133.50	110.36
1	A	1035	GLY	N-CA-C	11.54	126.58	112.73
1	A	1204	GLY	N-CA-C	-11.16	99.09	111.93
1	A	1071	LYS	N-CA-C	-10.06	100.50	113.17
1	A	1187	SER	N-CA-C	9.87	124.16	110.24
1	A	1034	LYS	CA-C-N	9.79	130.84	119.98
1	A	1034	LYS	C-N-CA	9.79	130.84	119.98
1	A	1181	SER	N-CA-C	9.32	122.55	110.53
1	A	1248	ARG	N-CA-C	7.95	119.72	111.14
1	A	1177	ASP	N-CA-C	7.85	120.09	110.91
1	A	1094	TYR	N-CA-C	7.81	119.58	111.14
1	A	1108	VAL	CA-C-N	7.60	127.24	119.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1108	VAL	C-N-CA	7.60	127.24	119.19
1	A	1109	PRO	N-CA-C	7.43	123.31	113.57
1	A	1022	ALA	N-CA-C	-7.30	98.57	108.86
1	A	1033	GLY	N-CA-C	7.11	120.23	110.56
1	A	1240	LYS	N-CA-C	6.87	118.77	111.28
1	A	1180	LEU	N-CA-C	6.11	120.86	113.17
1	A	1184	SER	N-CA-C	5.97	120.52	113.23
1	A	1247	ILE	N-CA-C	5.82	116.01	110.42
1	A	1082	MET	N-CA-C	5.80	117.61	111.28
1	A	1021	LEU	N-CA-C	-5.73	99.67	109.24
1	A	1207	GLU	N-CA-C	5.64	119.86	112.13
1	A	1047	LYS	N-CA-C	5.61	117.40	111.28
1	A	1120	LYS	N-CA-C	5.60	118.31	111.82
1	A	1182	GLN	N-CA-C	5.36	116.13	108.74
1	A	1022	ALA	CA-C-N	5.32	129.12	120.60
1	A	1022	ALA	C-N-CA	5.32	129.12	120.60
1	A	1140	ILE	N-CA-C	5.32	116.05	110.62
1	A	1173	ALA	N-CA-C	5.29	117.86	109.50
1	A	1210	TYR	N-CA-C	5.25	118.83	111.74
1	A	1188	VAL	CA-C-N	5.07	127.58	120.28
1	A	1188	VAL	C-N-CA	5.07	127.58	120.28
1	A	1152	HIS	N-CA-C	5.04	116.58	111.14
1	A	1119	ASP	CA-C-N	5.02	127.94	120.31
1	A	1119	ASP	C-N-CA	5.02	127.94	120.31

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1022	ALA	Peptide
1	A	1034	LYS	Peptide
1	A	1188	VAL	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2165	0	2165	146	0
2	A	44	0	42	32	0
3	A	54	0	0	0	0
All	All	2263	0	2207	174	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 39.

All (174) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:1301:H52:H2M2	2:A:1301:H52:C25	1.49	1.41
1:A:1098:HIS:CE1	2:A:1302:H52:H2M1	1.55	1.38
1:A:1066:THR:CA	1:A:1069:ILE:HG13	1.52	1.38
1:A:1025:GLU:O	1:A:1046:VAL:CG1	1.69	1.36
1:A:1066:THR:N	1:A:1069:ILE:HG13	1.40	1.32
1:A:1066:THR:N	1:A:1069:ILE:CG1	1.98	1.24
2:A:1302:H52:H2M2	2:A:1302:H52:C26	1.66	1.21
2:A:1301:H52:H251	2:A:1301:H52:C2M	1.71	1.20
2:A:1302:H52:H261	2:A:1302:H52:C2M	1.62	1.18
1:A:1191:LEU:HD23	1:A:1191:LEU:H	0.99	1.16
1:A:1029:GLU:C	1:A:1030:LYS:HD2	1.72	1.15
1:A:1191:LEU:HD23	1:A:1191:LEU:N	1.61	1.14
2:A:1302:H52:H6	2:A:1302:H52:C22	1.72	1.14
1:A:1153:ARG:NH1	1:A:1182:GLN:HG3	1.63	1.13
1:A:1025:GLU:O	1:A:1046:VAL:HG12	1.32	1.11
2:A:1301:H52:H22	2:A:1301:H52:H6	1.11	1.10
1:A:1153:ARG:NH1	1:A:1182:GLN:HB2	1.67	1.10
1:A:1066:THR:N	1:A:1069:ILE:CD1	2.16	1.08
1:A:1098:HIS:HE1	2:A:1302:H52:C2M	1.66	1.08
1:A:1034:LYS:O	1:A:1038:GLY:O	1.76	1.04
1:A:1025:GLU:O	1:A:1046:VAL:HG13	1.57	1.02
2:A:1302:H52:H22	2:A:1302:H52:C6	1.90	1.01
1:A:1021:LEU:O	1:A:1097:MET:HG2	1.62	1.00
1:A:1153:ARG:HH12	1:A:1182:GLN:HB2	1.20	1.00
2:A:1301:H52:H6	2:A:1301:H52:C22	1.92	1.00
2:A:1302:H52:H6	2:A:1302:H52:H22	1.01	1.00
1:A:1066:THR:C	1:A:1069:ILE:HG13	1.87	0.99
1:A:1077:ARG:NH2	1:A:1179:GLY:O	1.97	0.98
2:A:1301:H52:H22	2:A:1301:H52:C6	1.95	0.96
1:A:1153:ARG:NH1	1:A:1182:GLN:CG	2.28	0.96
1:A:1153:ARG:NH1	1:A:1182:GLN:CB	2.30	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1098:HIS:HE1	2:A:1302:H52:H2M1	0.77	0.93
1:A:1044:ARG:HG3	1:A:1045:LEU:N	1.84	0.93
1:A:1067:GLU:H	1:A:1067:GLU:CD	1.62	0.92
1:A:1191:LEU:N	1:A:1191:LEU:CD2	2.30	0.92
1:A:1098:HIS:CE1	2:A:1302:H52:C2M	2.45	0.91
1:A:1087:HIS:HD2	1:A:1089:ASN:H	1.15	0.91
1:A:1066:THR:N	1:A:1069:ILE:HD11	1.84	0.91
1:A:1185:VAL:O	1:A:1185:VAL:HG12	1.69	0.90
1:A:1029:GLU:C	1:A:1030:LYS:CD	2.43	0.90
1:A:1153:ARG:CZ	1:A:1182:GLN:HG3	2.02	0.89
1:A:1153:ARG:HH12	1:A:1182:GLN:CB	1.86	0.89
1:A:1066:THR:CA	1:A:1069:ILE:CG1	2.44	0.88
1:A:1067:GLU:CD	1:A:1067:GLU:N	2.29	0.88
1:A:1207:GLU:HG2	1:A:1208:GLU:N	1.85	0.88
1:A:1207:GLU:HG2	1:A:1208:GLU:H	1.38	0.86
1:A:1187:SER:O	1:A:1210:TYR:HD1	1.58	0.86
1:A:1034:LYS:CG	1:A:1035:GLY:HA2	2.06	0.86
2:A:1301:H52:O2	2:A:1301:H52:HM3	1.75	0.85
1:A:1021:LEU:H	1:A:1021:LEU:HD12	1.39	0.85
1:A:1025:GLU:C	1:A:1046:VAL:CG1	2.51	0.84
2:A:1301:H52:H2M2	2:A:1301:H52:H251	0.84	0.83
1:A:1153:ARG:HD3	1:A:1180:LEU:O	1.78	0.83
1:A:1153:ARG:NH2	1:A:1187:SER:CB	2.42	0.82
1:A:1153:ARG:HH22	1:A:1187:SER:HB2	1.45	0.80
2:A:1301:H52:O2	2:A:1301:H52:CM	2.30	0.80
1:A:1185:VAL:O	1:A:1185:VAL:CG1	2.29	0.80
1:A:1058:ILE:CG2	1:A:1058:ILE:O	2.30	0.79
1:A:1070:GLU:OE2	1:A:1070:GLU:CA	2.29	0.78
1:A:1078:GLU:O	1:A:1082:MET:HG2	1.83	0.78
1:A:1034:LYS:HG3	1:A:1035:GLY:HA2	1.66	0.78
1:A:1070:GLU:OE2	1:A:1070:GLU:HA	1.83	0.78
1:A:1152:HIS:O	1:A:1153:ARG:HB2	1.83	0.77
1:A:1151:VAL:O	1:A:1181:SER:CB	2.32	0.77
2:A:1302:H52:O1	2:A:1302:H52:H252	1.85	0.77
1:A:1030:LYS:CD	1:A:1030:LYS:N	2.48	0.77
1:A:1021:LEU:HD12	1:A:1021:LEU:N	2.02	0.75
1:A:1034:LYS:HG3	1:A:1035:GLY:CA	2.16	0.75
1:A:1066:THR:HA	1:A:1069:ILE:HG13	1.65	0.74
1:A:1184:SER:O	1:A:1186:HIS:CE1	2.40	0.74
1:A:1021:LEU:O	1:A:1097:MET:CG	2.36	0.73
1:A:1087:HIS:CD2	1:A:1089:ASN:H	2.02	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:1302:H52:O1	2:A:1302:H52:HM3	1.88	0.72
1:A:1187:SER:O	1:A:1210:TYR:CD1	2.42	0.72
1:A:1029:GLU:HB3	1:A:1030:LYS:CD	2.20	0.72
2:A:1302:H52:H252	2:A:1302:H52:S5	2.29	0.72
1:A:1029:GLU:HB3	1:A:1030:LYS:HD2	1.72	0.72
1:A:1034:LYS:HG2	1:A:1035:GLY:HA2	1.69	0.71
1:A:1153:ARG:NH2	1:A:1187:SER:HB2	2.04	0.71
2:A:1302:H52:HM3	2:A:1302:H52:S5	2.30	0.71
2:A:1302:H52:H2M2	2:A:1302:H52:H261	0.79	0.71
1:A:1029:GLU:CB	1:A:1030:LYS:HD2	2.21	0.70
1:A:1151:VAL:O	1:A:1181:SER:HB2	1.91	0.70
1:A:1066:THR:O	1:A:1069:ILE:N	2.25	0.69
1:A:1044:ARG:HG3	1:A:1045:LEU:H	1.55	0.69
1:A:1029:GLU:CB	1:A:1030:LYS:CD	2.71	0.68
1:A:1029:GLU:HB3	1:A:1030:LYS:CE	2.24	0.67
1:A:1185:VAL:O	1:A:1186:HIS:ND1	2.27	0.67
1:A:1152:HIS:HA	1:A:1181:SER:HB3	1.76	0.67
1:A:1058:ILE:O	1:A:1058:ILE:HG22	1.95	0.66
1:A:1022:ALA:N	1:A:1025:GLU:OE2	2.28	0.65
1:A:1066:THR:OG1	1:A:1067:GLU:N	2.30	0.65
1:A:1153:ARG:NH2	1:A:1187:SER:HB3	2.12	0.65
1:A:1067:GLU:OE2	1:A:1068:MET:N	2.29	0.64
1:A:1151:VAL:O	1:A:1181:SER:HB3	1.96	0.64
1:A:1067:GLU:N	1:A:1067:GLU:OE2	2.29	0.64
1:A:1070:GLU:OE2	1:A:1070:GLU:N	2.30	0.64
1:A:1030:LYS:N	1:A:1030:LYS:HD3	2.12	0.63
2:A:1302:H52:O2	2:A:1302:H52:CM	2.47	0.62
1:A:1044:ARG:HD3	1:A:1049:LYS:O	2.00	0.61
1:A:1066:THR:OG1	1:A:1067:GLU:CD	2.43	0.61
1:A:1100:PRO:HD2	1:A:1102:ARG:HH21	1.66	0.61
1:A:1097:MET:HB2	1:A:1102:ARG:HB2	1.83	0.60
1:A:1078:GLU:O	1:A:1082:MET:CG	2.49	0.60
2:A:1302:H52:H6	2:A:1302:H52:C23	2.30	0.60
1:A:1029:GLU:CA	1:A:1030:LYS:HD2	2.30	0.60
1:A:1153:ARG:HH22	1:A:1187:SER:CB	2.07	0.59
1:A:1204:GLY:C	1:A:1248:ARG:HH21	2.10	0.59
1:A:1205:ALA:O	1:A:1206:GLU:HG2	2.03	0.59
1:A:1021:LEU:HB3	1:A:1025:GLU:HG3	1.87	0.57
2:A:1302:H52:HM3	2:A:1302:H52:O2	2.04	0.57
1:A:1204:GLY:O	1:A:1248:ARG:NH2	2.36	0.57
1:A:1184:SER:O	1:A:1186:HIS:NE2	2.37	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1058:ILE:O	1:A:1058:ILE:HG23	2.05	0.56
2:A:1301:H52:HM3	2:A:1301:H52:S5	2.45	0.56
1:A:1208:GLU:O	1:A:1208:GLU:HG3	2.04	0.56
2:A:1302:H52:C26	2:A:1302:H52:C2M	2.33	0.56
1:A:1021:LEU:CB	1:A:1025:GLU:HG3	2.36	0.56
1:A:1066:THR:OG1	1:A:1067:GLU:OE1	2.22	0.56
1:A:1029:GLU:O	1:A:1030:LYS:HD2	2.03	0.55
1:A:1152:HIS:CA	1:A:1181:SER:HB3	2.37	0.55
1:A:1100:PRO:HB2	1:A:1101:PRO:CD	2.38	0.53
1:A:1034:LYS:CG	1:A:1035:GLY:CA	2.79	0.53
1:A:1048:ASP:C	1:A:1048:ASP:OD1	2.50	0.53
1:A:1069:ILE:C	1:A:1070:GLU:OE2	2.51	0.53
1:A:1207:GLU:CG	1:A:1208:GLU:H	2.15	0.53
2:A:1301:H52:C25	2:A:1301:H52:C2M	2.30	0.52
1:A:1206:GLU:HG3	1:A:1248:ARG:HH22	1.75	0.51
1:A:1100:PRO:HB2	1:A:1101:PRO:HD2	1.92	0.51
1:A:1156:ARG:HG3	1:A:1158:PRO:HD2	1.91	0.51
1:A:1068:MET:O	1:A:1068:MET:HG3	2.10	0.51
1:A:1044:ARG:HD3	1:A:1049:LYS:C	2.36	0.50
1:A:1184:SER:O	1:A:1186:HIS:CD2	2.65	0.50
1:A:1066:THR:O	1:A:1069:ILE:HG13	2.11	0.50
2:A:1302:H52:S5	2:A:1302:H52:CM	2.99	0.50
1:A:1152:HIS:C	1:A:1181:SER:HB3	2.38	0.49
2:A:1301:H52:C22	2:A:1301:H52:C6	2.64	0.49
1:A:1021:LEU:HD22	1:A:1026:ILE:HD11	1.95	0.49
1:A:1097:MET:SD	1:A:1102:ARG:NH1	2.85	0.49
1:A:1066:THR:OG1	1:A:1067:GLU:HG3	2.13	0.49
1:A:1152:HIS:O	1:A:1181:SER:HB3	2.12	0.49
1:A:1027:GLU:CD	1:A:1046:VAL:HB	2.38	0.48
1:A:1021:LEU:HD11	1:A:1095:GLY:HA3	1.96	0.48
1:A:1203:ILE:HG13	1:A:1204:GLY:H	1.79	0.48
1:A:1289:LEU:HA	1:A:1292:LEU:HD22	1.94	0.48
1:A:1044:ARG:CG	1:A:1045:LEU:N	2.64	0.47
1:A:1058:ILE:HD12	1:A:1058:ILE:HA	1.72	0.46
1:A:1187:SER:O	1:A:1210:TYR:HB2	2.15	0.46
1:A:1066:THR:C	1:A:1069:ILE:H	2.22	0.46
1:A:1100:PRO:CB	1:A:1101:PRO:CD	2.93	0.46
1:A:1105:MET:HB3	1:A:1105:MET:HE2	1.51	0.46
1:A:1045:LEU:O	1:A:1049:LYS:N	2.49	0.46
1:A:1190:GLY:HA3	1:A:1191:LEU:HD23	1.97	0.46
1:A:1037:PHE:HB2	1:A:1057:LEU:HD12	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1082:MET:HG2	1:A:1082:MET:H	1.53	0.45
1:A:1066:THR:HA	1:A:1069:ILE:CG1	2.34	0.45
1:A:1066:THR:O	1:A:1069:ILE:CB	2.65	0.45
1:A:1077:ARG:NH2	1:A:1180:LEU:HA	2.32	0.44
1:A:1153:ARG:HH21	1:A:1187:SER:CB	2.26	0.44
1:A:1182:GLN:HE21	1:A:1182:GLN:HB3	1.54	0.43
1:A:1187:SER:OG	1:A:1188:VAL:N	2.46	0.43
1:A:1066:THR:C	1:A:1069:ILE:CG1	2.75	0.43
2:A:1302:H52:C22	2:A:1302:H52:C6	2.58	0.43
1:A:1066:THR:OG1	1:A:1067:GLU:CG	2.67	0.43
1:A:1203:ILE:H	1:A:1203:ILE:HG12	1.71	0.43
1:A:1045:LEU:O	1:A:1049:LYS:HA	2.19	0.42
1:A:1153:ARG:HH11	1:A:1182:GLN:HB2	1.71	0.42
2:A:1301:H52:O2	2:A:1301:H52:HM2	2.18	0.41
1:A:1025:GLU:C	1:A:1026:ILE:HD12	2.45	0.41
1:A:1147:ASN:HA	1:A:1148:PRO:HA	1.87	0.41
1:A:1185:VAL:C	1:A:1186:HIS:ND1	2.79	0.41
1:A:1207:GLU:CG	1:A:1208:GLU:N	2.64	0.41
1:A:1027:GLU:OE1	1:A:1046:VAL:CG1	2.69	0.40
1:A:1209:SER:O	1:A:1210:TYR:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	266/287 (93%)	253 (95%)	13 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	240/253 (95%)	201 (84%)	39 (16%)	2 2

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1021	LEU
1	A	1025	GLU
1	A	1027	GLU
1	A	1030	LYS
1	A	1034	LYS
1	A	1039	LEU
1	A	1044	ARG
1	A	1046	VAL
1	A	1058	ILE
1	A	1067	GLU
1	A	1069	ILE
1	A	1070	GLU
1	A	1071	LYS
1	A	1074	GLU
1	A	1081	ILE
1	A	1092	LYS
1	A	1105	MET
1	A	1118	LEU
1	A	1125	LYS
1	A	1132	LEU
1	A	1174	LYS
1	A	1177	ASP
1	A	1180	LEU
1	A	1182	GLN
1	A	1184	SER
1	A	1185	VAL
1	A	1189	SER
1	A	1191	LEU
1	A	1192	LEU
1	A	1194	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1196	GLN
1	A	1203	ILE
1	A	1209	SER
1	A	1211	THR
1	A	1225	THR
1	A	1243	PHE
1	A	1277	LYS
1	A	1278	LYS
1	A	1292	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1087	HIS
1	A	1098	HIS
1	A	1115	HIS
1	A	1146	GLN
1	A	1163	GLN
1	A	1182	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	H52	A	1301	-	24,24,24	4.52	11 (45%)	27,35,35	2.79	9 (33%)
2	H52	A	1302	-	24,24,24	3.96	10 (41%)	27,35,35	3.55	9 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	H52	A	1301	-	-	8/12/24/24	0/3/3/3
2	H52	A	1302	-	-	5/12/24/24	0/3/3/3

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1301	H52	C5-S5	-15.37	1.56	1.77
2	A	1302	H52	C5-S5	-14.55	1.58	1.77
2	A	1301	H52	S5-N21	-11.78	1.45	1.63
2	A	1302	H52	S5-N21	-8.27	1.50	1.63
2	A	1301	H52	C22-N21	-6.01	1.42	1.48
2	A	1302	H52	O1-S5	-4.88	1.38	1.43
2	A	1302	H52	O2-S5	-4.57	1.38	1.43
2	A	1301	H52	O1-S5	-4.02	1.39	1.43
2	A	1302	H52	C23-N24	-3.66	1.43	1.47
2	A	1301	H52	O2-S5	-3.58	1.39	1.43
2	A	1301	H52	C4-C10	3.44	1.49	1.44
2	A	1301	H52	C5-C10	3.28	1.50	1.44
2	A	1302	H52	C4-C10	2.68	1.48	1.44
2	A	1302	H52	C27-N21	-2.59	1.43	1.47
2	A	1301	H52	C10-C9	2.50	1.47	1.42
2	A	1302	H52	C5-C10	2.48	1.49	1.44
2	A	1302	H52	C8-C9	-2.25	1.37	1.42
2	A	1301	H52	C1-C9	-2.22	1.37	1.42
2	A	1301	H52	C27-N21	-2.07	1.44	1.47
2	A	1302	H52	C1-C9	-2.05	1.38	1.42
2	A	1301	H52	C8-C9	-2.01	1.37	1.42

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1302	H52	O2-S5-O1	-13.25	98.91	119.59
2	A	1301	H52	C1-N2-C3	7.48	124.12	117.03
2	A	1301	H52	C2M-C22-N21	-7.10	101.45	111.25
2	A	1302	H52	C1-N2-C3	6.36	123.07	117.03
2	A	1302	H52	C26-C27-N21	-5.90	95.49	113.49
2	A	1301	H52	O2-S5-O1	-5.22	111.44	119.59
2	A	1301	H52	C23-C22-N21	-4.63	103.61	111.88
2	A	1302	H52	C22-N21-S5	4.13	128.84	119.62
2	A	1302	H52	O1-S5-N21	4.12	114.18	106.97
2	A	1302	H52	C27-C26-C25	-3.87	104.82	113.91
2	A	1301	H52	O2-S5-N21	-3.22	101.33	106.97
2	A	1302	H52	O1-S5-C5	2.88	114.14	108.08
2	A	1301	H52	O2-S5-C5	2.42	113.16	108.08
2	A	1301	H52	C26-C27-N21	-2.25	106.62	113.49
2	A	1302	H52	C4-C10-C9	-2.23	115.35	117.60
2	A	1301	H52	C10-C5-S5	2.14	125.34	121.96
2	A	1302	H52	C10-C5-S5	2.08	125.24	121.96
2	A	1301	H52	O1-S5-C5	2.06	112.40	108.08

There are no chirality outliers.

All (13) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1301	H52	C22-N21-S5-O1
2	A	1301	H52	C10-C5-S5-N21
2	A	1302	H52	C27-N21-S5-O1
2	A	1302	H52	C22-N21-S5-C5
2	A	1302	H52	C27-N21-S5-C5
2	A	1301	H52	C6-C5-S5-O1
2	A	1301	H52	C10-C5-S5-O1
2	A	1302	H52	C22-N21-S5-O1
2	A	1301	H52	C6-C5-S5-N21
2	A	1301	H52	C22-N21-S5-C5
2	A	1301	H52	C27-N21-S5-O1
2	A	1301	H52	C27-N21-S5-C5
2	A	1302	H52	C10-C5-S5-N21


There are no ring outliers.

2 monomers are involved in 32 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1301	H52	12	0
2	A	1302	H52	20	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	269/287 (93%)	0.60	49 (18%) 3 4	17, 33, 112, 175	1 (0%)

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1185	VAL	8.0
1	A	1205	ALA	7.3
1	A	1181	SER	5.9
1	A	1184	SER	5.9
1	A	1191	LEU	5.5
1	A	1190	GLY	5.3
1	A	1066	THR	5.1
1	A	1204	GLY	4.8
1	A	1192	LEU	4.7
1	A	1189	SER	4.1
1	A	1188	VAL	4.1
1	A	1022	ALA	4.1
1	A	1258	GLU	4.0
1	A	1180	LEU	3.8
1	A	1067	GLU	3.6
1	A	1210	TYR	3.5
1	A	1035	GLY	3.5
1	A	1021	LEU	3.5
1	A	1068	MET	3.4
1	A	1193	GLY	3.4
1	A	1186	HIS	3.3
1	A	1206	GLU	3.3
1	A	1207	GLU	3.1
1	A	1179	GLY	3.0
1	A	1032	ILE	3.0
1	A	1183	GLN	2.9
1	A	1208	GLU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1039	LEU	2.8
1	A	1187	SER	2.8
1	A	1069	ILE	2.8
1	A	1026	ILE	2.7
1	A	1070	GLU	2.7
1	A	1209	SER	2.7
1	A	1018	LEU	2.7
1	A	1027	GLU	2.6
1	A	1033	GLY	2.6
1	A	1084	ASN	2.6
1	A	1058	ILE	2.6
1	A	1071	LYS	2.4
1	A	1074	GLU	2.4
1	A	1025	GLU	2.3
1	A	1037	PHE	2.3
1	A	1034	LYS	2.3
1	A	1098	HIS	2.3
1	A	1017	ARG	2.2
1	A	1072	PHE	2.2
1	A	1024	ASN	2.2
1	A	1028	TYR	2.1
1	A	1047	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	H52	A	1301	22/22	0.76	0.17	24,33,36,37	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	H52	A	1302	22/22	0.81	0.16	24,33,36,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.