



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 07:42 AM UTC

PDB ID : 2F3E / pdb_00002f3e
Title : Crystal Structure of the Bace complex with AXQ093, a macrocyclic inhibitor
Authors : Rondeau, J.-M.
Deposited on : 2005-11-21
Resolution : 2.11 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8290 (2.14-2.10)
Clashscore	190562	8817 (2.14-2.10)
Ramachandran outliers	187476	8738 (2.14-2.10)
Sidechain outliers	187428	8739 (2.14-2.10)
RSRZ outliers	180081	8294 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	402	17% 79% 13% • 6%
1	B	402	21% 78% 15% 6%
1	C	402	15% 78% 16% • 5%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9508 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Beta-secretase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	377	Total	C	N	O	S	0	0	0
			2966	1898	493	561	14			
1	B	377	Total	C	N	O	S	0	0	0
			2966	1898	493	561	14			
1	C	381	Total	C	N	O	S	0	0	0
			2993	1917	497	565	14			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	33P	GLY	-	cloning artifact	UNP P56817
A	34P	PRO	-	cloning artifact	UNP P56817
B	33P	GLY	-	cloning artifact	UNP P56817
B	34P	PRO	-	cloning artifact	UNP P56817
C	33P	GLY	-	cloning artifact	UNP P56817
C	34P	PRO	-	cloning artifact	UNP P56817

- Molecule 2 is {(E)-(3R,6S,9R)-3-[(1S,3R)-3-((S)-1 -BUTYLCARBAMOYL-2-METHYL-PROPYLCARBAMOYL)-1-HYDROXY-BUTYL]-6-METHYL-5, 8-DIOXO-1,11-DITHIA-4, 7-DIAZA-CYCLO PENTADEC-13-EN-9-YL}-CARBAMIC ACID TERT-BUTYL ESTER (CCD ID: AXQ) (formula: C₃₁H₅₅N₅O₇S₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			45	31	5	7	2		
2	B	1	Total	C	N	O	S	0	0
			45	31	5	7	2		
2	C	1	Total	C	N	O	S	0	0
			45	31	5	7	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	151	Total	O	0	0
			151	151		
3	B	132	Total	O	0	0
			132	132		
3	C	165	Total	O	0	0
			165	165		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Beta-secretase 1




• Molecule 1: Beta-secretase 1



• Molecule 1: Beta-secretase 1





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	82.24Å 103.78Å 100.96Å 90.00° 103.04° 90.00°	Depositor
Resolution (Å)	63.42 – 2.11 63.42 – 2.11	Depositor EDS
% Data completeness (in resolution range)	98.7 (63.42-2.11) 98.8 (63.42-2.11)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.21 (at 2.10Å)	Xtriage
Refinement program	CNS, CNX 2002	Depositor
R, R_{free}	0.206 , 0.237 0.207 , 0.237	Depositor DCC
R_{free} test set	4701 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	42.1	Xtriage
Anisotropy	0.245	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 47.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9508	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AXQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.41	0/3041	0.88	7/4133 (0.2%)
1	B	0.43	0/3041	0.89	9/4133 (0.2%)
1	C	0.42	0/3070	0.91	11/4173 (0.3%)
All	All	0.42	0/9152	0.89	27/12439 (0.2%)

There are no bond length outliers.

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	198	TYR	N-CA-C	-7.79	98.28	110.36
1	A	234	LEU	N-CA-C	-7.75	96.64	108.96
1	C	198	TYR	N-CA-C	-7.68	98.46	110.36
1	A	198	TYR	N-CA-C	-7.01	99.50	110.36
1	C	234	LEU	N-CA-C	-6.97	97.88	108.96
1	C	193	ILE	N-CA-C	-6.82	98.45	108.54
1	A	193	ILE	N-CA-C	-6.65	98.69	108.54
1	C	290	GLU	N-CA-C	-6.51	104.27	111.82
1	C	233	ASN	N-CA-C	6.36	119.81	110.59
1	A	233	ASN	N-CA-C	6.33	119.76	110.59
1	A	123	TYR	N-CA-C	6.27	119.80	110.52
1	C	123	TYR	N-CA-C	6.16	119.64	110.52
1	B	234	LEU	N-CA-C	-6.15	99.18	108.96
1	B	233	ASN	N-CA-C	5.96	119.24	110.59
1	B	197	TRP	N-CA-C	-5.88	98.27	110.80
1	B	123	TYR	N-CA-C	5.80	119.10	110.52
1	C	190	TYR	N-CA-C	5.72	118.80	109.59
1	B	342	TYR	N-CA-C	-5.70	99.43	108.73
1	B	193	ILE	N-CA-C	-5.69	99.53	108.23
1	C	291	VAL	N-CA-C	-5.59	100.43	108.48
1	C	197	TRP	N-CA-C	-5.42	99.25	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	197	TRP	N-CA-C	-5.38	99.34	110.80
1	C	292	THR	N-CA-C	5.35	119.43	113.01
1	C	295	SER	N-CA-C	-5.17	104.06	110.41
1	B	338	MET	N-CA-C	5.09	117.56	111.71
1	A	216	ASP	N-CA-C	-5.09	102.38	109.96
1	B	181	HIS	N-CA-C	5.02	117.48	111.71

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2966	0	2875	37	0
1	B	2966	0	2875	35	0
1	C	2993	0	2899	40	0
2	A	45	0	55	1	0
2	B	45	0	55	1	0
2	C	45	0	55	2	0
3	A	151	0	0	2	0
3	B	132	0	0	3	0
3	C	165	0	0	2	0
All	All	9508	0	8814	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:288:MET:HE1	1:C:379:MET:HE3	1.63	0.81
1:C:202:ILE:CD1	1:C:379:MET:HG3	2.14	0.77
1:C:363:ASP:HB3	1:C:366:ARG:O	1.94	0.67
1:B:301:LEU:HD11	1:B:367:THR:HA	1.78	0.66
1:B:323:ALA:HB1	1:B:336:VAL:HG11	1.77	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:202:ILE:HD11	1:C:379:MET:HG3	1.78	0.65
2:C:603:AXQ:H373	3:C:695:HOH:O	1.96	0.65
1:B:208:ILE:HD12	1:B:213:LEU:HD21	1.82	0.62
1:B:174:MET:HE3	1:B:176:ILE:HD11	1.83	0.60
1:A:232:THR:O	1:A:336:VAL:HG13	2.01	0.60
1:B:335:ALA:O	1:B:339:GLU:HG3	2.01	0.60
1:A:20:VAL:HG12	1:A:85:VAL:HG22	1.85	0.59
1:A:367:THR:H	1:C:211:GLN:HE22	1.51	0.58
1:A:197:TRP:CG	1:A:198:TYR:H	2.21	0.58
1:A:276:PRO:O	1:A:279:ILE:HG12	2.03	0.58
1:C:20:VAL:HG12	1:C:85:VAL:HG22	1.86	0.58
1:B:197:TRP:CG	1:B:198:TYR:H	2.23	0.57
1:A:8:GLY:C	1:A:170:VAL:HG22	2.29	0.57
1:C:174:MET:HE3	1:C:176:ILE:HD11	1.87	0.56
1:B:276:PRO:O	1:B:279:ILE:HG12	2.04	0.56
1:C:276:PRO:O	1:C:279:ILE:HG12	2.07	0.55
1:A:174:MET:HE3	1:A:176:ILE:HD11	1.87	0.55
1:A:363:ASP:HB3	1:A:366:ARG:O	2.08	0.54
1:B:20:VAL:HG12	1:B:85:VAL:HG22	1.90	0.54
1:A:214:LYS:HA	1:A:214:LYS:NZ	2.23	0.54
1:A:214:LYS:HA	1:A:214:LYS:HZ3	1.74	0.53
1:C:197:TRP:CG	1:C:198:TYR:H	2.26	0.53
1:A:238:LYS:O	1:A:242:GLU:HG3	2.10	0.52
1:A:267:LEU:HD12	1:A:319:CYS:HB3	1.90	0.52
1:C:125:GLU:HG2	1:C:197:TRP:HB3	1.92	0.52
1:A:75:LYS:HD2	3:A:690:HOH:O	2.10	0.52
1:B:235:ARG:HB3	1:B:327:SER:HB2	1.91	0.52
1:B:205:ARG:NH2	1:B:212:ASP:HB2	2.24	0.52
1:B:267:LEU:HD12	1:B:319:CYS:HB3	1.92	0.52
1:C:267:LEU:HD12	1:C:319:CYS:HB3	1.92	0.52
1:C:215:MET:CE	1:C:239:LYS:HG2	2.41	0.50
1:A:304:GLN:HG3	1:A:361:VAL:HG21	1.94	0.49
1:B:209:ASN:HA	3:B:722:HOH:O	2.12	0.49
1:C:235:ARG:HB3	1:C:327:SER:HB2	1.93	0.49
1:A:106:ASP:OD1	1:B:1:GLU:HG2	2.13	0.49
1:A:235:ARG:HB2	1:A:332:VAL:HB	1.95	0.49
1:A:235:ARG:HB3	1:A:327:SER:HB2	1.94	0.49
1:A:110:ILE:HB	1:A:113:SER:HB3	1.93	0.49
1:A:19:THR:HA	1:A:25:GLN:O	2.13	0.49
1:B:363:ASP:CG	1:B:364:GLU:H	2.20	0.48
1:B:110:ILE:HB	1:B:113:SER:HB3	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:235:ARG:HB2	1:B:332:VAL:HB	1.95	0.48
1:C:19:THR:HA	1:C:25:GLN:O	2.14	0.48
1:B:272:ALA:HB2	1:B:316:GLN:O	2.14	0.48
1:C:238:LYS:O	1:C:242:GLU:HG3	2.14	0.48
1:C:272:ALA:HB2	1:C:316:GLN:O	2.13	0.48
1:B:31:VAL:O	1:B:31:VAL:HG23	2.13	0.48
1:C:110:ILE:HB	1:C:113:SER:HB3	1.96	0.48
1:A:367:THR:H	1:C:211:GLN:NE2	2.12	0.47
1:A:272:ALA:HB2	1:A:316:GLN:O	2.15	0.47
1:A:282:VAL:HG12	1:A:301:LEU:HD23	1.96	0.47
1:C:267:LEU:HD13	1:C:309:VAL:HG21	1.96	0.47
1:A:197:TRP:CD1	1:A:198:TYR:H	2.31	0.47
1:A:2:MET:HG2	1:A:90:GLY:HA2	1.95	0.47
1:B:8:GLY:C	1:B:170:VAL:HG22	2.39	0.47
1:B:232:THR:O	1:B:336:VAL:HG13	2.15	0.47
1:C:2:MET:HG2	1:C:90:GLY:HA2	1.97	0.47
1:B:368:ALA:HB3	3:B:713:HOH:O	2.14	0.46
1:A:303:GLN:HB2	1:A:361:VAL:HG11	1.98	0.46
1:B:64:ARG:HG2	1:B:64:ARG:HH11	1.81	0.46
1:B:197:TRP:CD1	1:B:198:TYR:H	2.33	0.46
1:B:63:LEU:HG	1:B:81:GLY:HA2	1.98	0.46
1:C:235:ARG:HB2	1:C:332:VAL:HB	1.96	0.46
1:C:194:ARG:HG3	1:C:379:MET:HE2	1.98	0.45
1:C:8:GLY:C	1:C:170:VAL:HG22	2.42	0.45
1:B:238:LYS:O	1:B:242:GLU:HG3	2.17	0.45
1:C:134:GLU:HA	1:C:135:PRO:HD3	1.89	0.45
1:A:267:LEU:HD13	1:A:309:VAL:HG21	1.99	0.45
1:A:8:GLY:O	1:A:170:VAL:HG22	2.17	0.44
1:B:267:LEU:HD13	1:B:309:VAL:HG21	1.98	0.44
1:C:293:ASN:HA	1:C:375:VAL:HA	1.99	0.44
1:C:14:TYR:O	1:C:31:VAL:HG22	2.17	0.44
1:B:19:THR:HA	1:B:25:GLN:O	2.17	0.44
1:C:364:GLU:HB3	1:C:365:PHE:HD1	1.83	0.44
1:A:197:TRP:CG	1:A:198:TYR:N	2.86	0.43
1:C:31:VAL:O	1:C:31:VAL:HG23	2.18	0.43
1:A:134:GLU:HA	1:A:135:PRO:HD3	1.87	0.43
1:A:9:LYS:HB3	1:A:9:LYS:HE2	1.78	0.43
1:A:72:THR:HB	2:A:601:AXQ:O54	2.19	0.43
1:A:14:TYR:O	1:A:31:VAL:HG22	2.19	0.43
1:A:31:VAL:HG23	1:A:31:VAL:O	2.18	0.43
1:C:213:LEU:HD23	1:C:213:LEU:HA	1.82	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:72:THR:HB	2:C:603:AXQ:O54	2.19	0.43
1:B:72:THR:HB	2:B:602:AXQ:O54	2.20	0.42
1:C:215:MET:HE1	1:C:239:LYS:HG2	2.00	0.42
1:C:192:PRO:HG3	1:C:290:GLU:HA	2.02	0.42
1:B:142:LYS:HG3	3:B:677:HOH:O	2.20	0.42
1:B:222:TYR:HA	1:B:223:ASP:HA	1.58	0.42
1:C:232:THR:O	1:C:336:VAL:HG13	2.19	0.42
1:C:378:ASP:HB2	3:C:711:HOH:O	2.19	0.42
1:C:335:ALA:O	1:C:339:GLU:HG3	2.20	0.42
1:C:197:TRP:CD1	1:C:198:TYR:H	2.38	0.41
1:A:45:HIS:HA	1:A:46:PRO:HD3	1.94	0.41
1:A:75:LYS:NZ	3:A:690:HOH:O	2.53	0.41
1:B:45:HIS:HA	1:B:46:PRO:HD3	1.95	0.41
1:B:198:TYR:CE2	1:B:224:LYS:HE3	2.55	0.41
1:B:270:TRP:O	1:B:317:ASP:HB3	2.21	0.41
1:C:292:THR:HG21	1:C:378:ASP:HB3	2.02	0.41
1:B:323:ALA:CB	1:B:336:VAL:HG11	2.46	0.41
1:A:209:ASN:ND2	1:A:281:PRO:HB3	2.37	0.40
1:B:197:TRP:CG	1:B:198:TYR:N	2.88	0.40
1:A:114:ASN:HD22	1:A:114:ASN:HA	1.71	0.40
1:C:270:TRP:O	1:C:317:ASP:HB3	2.21	0.40
1:C:114:ASN:HD22	1:C:114:ASN:HA	1.71	0.40
1:C:222:TYR:HA	1:C:223:ASP:HA	1.63	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	373/402 (93%)	355 (95%)	16 (4%)	2 (0%)	24 22
1	B	373/402 (93%)	350 (94%)	21 (6%)	2 (0%)	24 22

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	377/402 (94%)	360 (96%)	14 (4%)	3 (1%)	16	12
All	All	1123/1206 (93%)	1065 (95%)	51 (4%)	7 (1%)	21	18

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	272	ALA
1	C	272	ALA
1	A	265	GLU
1	A	272	ALA
1	B	265	GLU
1	C	156	GLY
1	C	265	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	322/342 (94%)	316 (98%)	6 (2%)	50	57
1	B	322/342 (94%)	320 (99%)	2 (1%)	78	85
1	C	324/342 (95%)	322 (99%)	2 (1%)	78	85
All	All	968/1026 (94%)	958 (99%)	10 (1%)	68	76

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	THR
1	A	64	ARG
1	A	114	ASN
1	A	197	TRP
1	A	211	GLN
1	A	214	LYS
1	B	4	ASP
1	B	197	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	59	THR
1	C	197	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	114	ASN
1	A	278	ASN
1	A	326	GLN
1	A	362	HIS
1	A	385	ASN
1	B	12	GLN
1	B	89	HIS
1	B	114	ASN
1	B	278	ASN
1	B	293	ASN
1	B	326	GLN
1	B	385	ASN
1	C	12	GLN
1	C	89	HIS
1	C	114	ASN
1	C	211	GLN
1	C	278	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	AXQ	A	601	-	45,45,45	0.86	1 (2%)	55,60,60	1.29	6 (10%)
2	AXQ	C	603	-	45,45,45	0.83	1 (2%)	55,60,60	1.30	6 (10%)
2	AXQ	B	602	-	45,45,45	0.87	1 (2%)	55,60,60	1.28	6 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AXQ	A	601	-	-	6/65/65/65	0/0/1/1
2	AXQ	C	603	-	-	6/65/65/65	0/0/1/1
2	AXQ	B	602	-	-	6/65/65/65	0/0/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	602	AXQ	C55-C5	2.76	1.58	1.53
2	A	601	AXQ	C55-C5	2.30	1.57	1.53
2	C	603	AXQ	C55-C5	2.23	1.57	1.53

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	AXQ	C36-O35-C33	-4.44	114.24	120.97
2	B	602	AXQ	C36-O35-C33	-4.39	114.31	120.97
2	C	603	AXQ	C36-O35-C33	-4.32	114.42	120.97
2	C	603	AXQ	C88-N86-C84	-2.64	117.80	122.55
2	A	601	AXQ	C88-N86-C84	-2.61	117.86	122.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	AXQ	C64-C62-C68	-2.55	104.95	109.64
2	B	602	AXQ	C64-C62-C68	-2.46	105.12	109.64
2	C	603	AXQ	C64-C62-C68	-2.39	105.25	109.64
2	B	602	AXQ	C17-C15-C14	-2.22	104.46	109.46
2	B	602	AXQ	C88-N86-C84	-2.13	118.71	122.55
2	A	601	AXQ	O57-C55-C59	-2.13	104.88	109.15
2	C	603	AXQ	O57-C55-C59	-2.10	104.94	109.15
2	C	603	AXQ	C50-C10-C9	2.07	114.08	110.14
2	A	601	AXQ	C28-C26-C24	-2.07	119.82	125.05
2	C	603	AXQ	C17-C15-C14	-2.05	104.84	109.46
2	B	602	AXQ	C28-C26-C24	-2.02	119.95	125.05
2	B	602	AXQ	C24-C21-S20	-2.02	110.52	113.59
2	A	601	AXQ	C17-C15-C14	-2.00	104.94	109.46

There are no chirality outliers.

All (18) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	601	AXQ	N12-C10-C9-O54
2	B	602	AXQ	N12-C10-C9-O54
2	C	603	AXQ	N12-C10-C9-O54
2	A	601	AXQ	N12-C10-C9-N7
2	B	602	AXQ	N12-C10-C9-N7
2	C	603	AXQ	N12-C10-C9-N7
2	A	601	AXQ	C55-C59-C62-C68
2	B	602	AXQ	C55-C59-C62-C68
2	C	603	AXQ	C55-C59-C62-C68
2	A	601	AXQ	C50-C10-C9-O54
2	B	602	AXQ	C50-C10-C9-O54
2	C	603	AXQ	C50-C10-C9-O54
2	C	603	AXQ	C50-C10-C9-N7
2	A	601	AXQ	C5-C2-S1-C28
2	B	602	AXQ	C5-C2-S1-C28
2	C	603	AXQ	C5-C2-S1-C28
2	A	601	AXQ	C50-C10-C9-N7
2	B	602	AXQ	C50-C10-C9-N7


There are no ring outliers.


3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	AXQ	1	0
2	C	603	AXQ	2	0
2	B	602	AXQ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	377/402 (93%)	0.92	68 (18%) 3 4	28, 49, 84, 119	0
1	B	377/402 (93%)	1.10	84 (22%) 2 2	27, 49, 89, 119	0
1	C	381/402 (94%)	0.88	60 (15%) 5 5	27, 47, 86, 118	0
All	All	1135/1206 (94%)	0.97	212 (18%) 3 3	27, 48, 87, 119	0

All (212) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	312	VAL	7.3
1	C	312	VAL	5.9
1	B	267	LEU	5.9
1	B	314	THR	5.9
1	B	359	CYS	5.4
1	B	315	SER	5.2
1	C	254	THR	5.2
1	C	160	PRO	5.1
1	B	309	VAL	5.0
1	A	309	VAL	5.0
1	A	272	ALA	5.0
1	A	267	LEU	4.9
1	C	159	PHE	4.9
1	C	269	CYS	4.8
1	A	312	VAL	4.8
1	C	168	ALA	4.6
1	B	361	VAL	4.5
1	A	365	PHE	4.5
1	B	257	PHE	4.5
1	C	258	PRO	4.5
1	A	60	TYR	4.5
1	A	254	THR	4.4
1	B	254	THR	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	313	ALA	4.4
1	C	268	VAL	4.4
1	C	365	PHE	4.3
1	B	362	HIS	4.2
1	C	272	ALA	4.2
1	C	314	THR	4.1
1	B	112	GLY	4.1
1	B	340	GLY	4.1
1	C	267	LEU	4.1
1	B	365	PHE	4.1
1	C	169	SER	4.0
1	A	170	VAL	4.0
1	C	271	GLN	4.0
1	C	158	GLY	4.0
1	A	258	PRO	3.9
1	A	311	ASP	3.9
1	A	314	THR	3.9
1	C	317	ASP	3.9
1	B	46(P)	SER	3.9
1	A	56	LEU	3.8
1	C	279	ILE	3.8
1	B	157	ALA	3.8
1	B	367	THR	3.8
1	A	46(P)	SER	3.7
1	A	317	ASP	3.7
1	B	250	ALA	3.7
1	B	319	CYS	3.6
1	C	361	VAL	3.6
1	A	169	SER	3.6
1	A	253	SER	3.6
1	A	257	PHE	3.6
1	B	92	ASN	3.6
1	B	269	CYS	3.6
1	C	10	SER	3.6
1	B	313	ALA	3.5
1	C	311	ASP	3.4
1	A	362	HIS	3.4
1	B	251	ALA	3.4
1	A	256	LYS	3.4
1	A	361	VAL	3.4
1	C	313	ALA	3.4
1	C	263	LEU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	270	TRP	3.4
1	B	278	ASN	3.4
1	B	274	THR	3.4
1	B	273	GLY	3.4
1	C	253	SER	3.4
1	A	263	LEU	3.4
1	A	58	SER	3.3
1	C	46(P)	SER	3.3
1	C	273	GLY	3.3
1	A	157	ALA	3.3
1	C	259	ASP	3.3
1	C	170	VAL	3.3
1	A	270	TRP	3.3
1	B	46	PRO	3.3
1	B	170	VAL	3.3
1	C	315	SER	3.2
1	B	8	GLY	3.2
1	A	269	CYS	3.2
1	B	213	LEU	3.2
1	B	24	PRO	3.2
1	B	258	PRO	3.2
1	B	262	TRP	3.1
1	B	272	ALA	3.1
1	B	263	LEU	3.1
1	B	360	HIS	3.1
1	C	362	HIS	3.1
1	A	113	SER	3.1
1	B	252	SER	3.1
1	C	11	GLY	3.0
1	C	274	THR	3.0
1	A	315	SER	3.0
1	B	270	TRP	3.0
1	B	243	ALA	3.0
1	C	359	CYS	3.0
1	B	277	TRP	3.0
1	C	257	PHE	3.0
1	A	266	GLN	3.0
1	B	317	ASP	3.0
1	A	271	GLN	2.9
1	B	217	CYS	2.9
1	C	214	LYS	2.9
1	B	363	ASP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	113	SER	2.9
1	B	215	MET	2.9
1	B	320	TYR	2.9
1	C	60	TYR	2.8
1	C	49	HIS	2.8
1	B	311	ASP	2.8
1	B	60	TYR	2.8
1	A	310	GLU	2.8
1	C	8	GLY	2.8
1	A	367	THR	2.8
1	A	252	SER	2.7
1	B	10	SER	2.7
1	C	157	ALA	2.7
1	C	319	CYS	2.7
1	A	73	GLN	2.7
1	A	268	VAL	2.7
1	B	242	GLU	2.6
1	B	245	VAL	2.6
1	C	9	LYS	2.6
1	C	255	GLU	2.6
1	B	279	ILE	2.6
1	A	264	GLY	2.6
1	B	259	ASP	2.6
1	B	301	LEU	2.6
1	A	319	CYS	2.6
1	C	360	HIS	2.6
1	A	111	ASN	2.6
1	A	72	THR	2.6
1	C	58	SER	2.6
1	B	95	VAL	2.5
1	C	4	ASP	2.5
1	C	363	ASP	2.5
1	B	110	ILE	2.5
1	A	20	VAL	2.5
1	B	51	TYR	2.5
1	A	59	THR	2.4
1	A	385	ASN	2.4
1	A	279	ILE	2.4
1	A	262	TRP	2.4
1	A	57	SER	2.4
1	B	385	ASN	2.4
1	A	259	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	363	ASP	2.4
1	B	249	LYS	2.4
1	C	367	THR	2.4
1	C	56	LEU	2.4
1	A	79	GLU	2.4
1	B	336	VAL	2.4
1	A	21	GLY	2.3
1	B	261	PHE	2.3
1	C	47	PHE	2.3
1	A	99	ILE	2.3
1	B	300	ILE	2.3
1	B	275	THR	2.3
1	A	359	CYS	2.3
1	C	364	GLU	2.3
1	A	320	TYR	2.3
1	B	90	GLY	2.3
1	B	305	TYR	2.3
1	A	49	HIS	2.3
1	A	265	GLU	2.3
1	B	302	PRO	2.3
1	C	59	THR	2.3
1	B	205	ARG	2.3
1	A	251	ALA	2.3
1	A	10	SER	2.2
1	C	24	PRO	2.2
1	C	142	LYS	2.2
1	B	155	CYS	2.2
1	B	247	SER	2.2
1	A	7	ARG	2.2
1	B	7	ARG	2.2
1	A	110	ILE	2.2
1	B	56	LEU	2.2
1	B	57	SER	2.2
1	B	253	SER	2.2
1	B	93	VAL	2.2
1	C	260	GLY	2.2
1	B	22	SER	2.2
1	A	308	PRO	2.1
1	B	12	GLN	2.1
1	A	42	ALA	2.1
1	A	51	TYR	2.1
1	B	1	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	260	GLY	2.1
1	A	100	ALA	2.1
1	B	323	ALA	2.1
1	A	53	GLN	2.1
1	A	82	THR	2.1
1	C	316	GLN	2.1
1	B	47	PHE	2.1
1	B	358	ALA	2.1
1	B	58	SER	2.1
1	C	57	SER	2.1
1	B	316	GLN	2.1
1	A	276	PRO	2.1
1	B	256	LYS	2.1
1	C	309	VAL	2.1
1	A	55	GLN	2.0
1	B	276	PRO	2.0
1	A	142	LYS	2.0
1	C	156	GLY	2.0
1	A	141	VAL	2.0
1	C	250	ALA	2.0
1	C	171	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	AXQ	A	601	45/45	0.89	0.18	42,67,91,94	0
2	AXQ	B	602	45/45	0.90	0.18	37,63,91,93	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	AXQ	C	603	45/45	0.90	0.16	37,61,89,90	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around AXQ A 601:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AXQ B 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around AXQ C 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.