



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:54 PM UTC

PDB ID : 4F4C / pdb_00004f4c
Title : The Crystal Structure of the Multi-Drug Transporter
Authors : Jin, M.S.; Oldham, M.L.; Zhang, Q.; Chen, J.
Deposited on : 2012-05-10
Resolution : 3.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1001 (3.44-3.36)
Clashscore	190562	1022 (3.44-3.36)
Ramachandran outliers	187476	1012 (3.44-3.36)
Sidechain outliers	187428	1012 (3.44-3.36)
RSRZ outliers	180081	1001 (3.44-3.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1321	
2	B	4	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	B	1	X	-	-	-

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 9541 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Multidrug resistance protein pgp-1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1250	Total	C	N	O	S	0	0	0
			9423	6011	1593	1772	47			

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 3 is undecyl 4-O-alpha-D-glucopyranosyl-1-thio-beta-D-glucopyranoside (CCD ID: 0SA) (formula: C₂₃H₄₄O₁₀S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	S	0	0
			34	23	10	1		
3	A	1	Total	C	O	S	0	0
			34	23	10	1		

- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain B:



MAG1
MAG2
BMA3
MAN4

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	96.90Å 155.36Å 162.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.43 – 3.40 46.43 – 3.40	Depositor EDS
% Data completeness (in resolution range)	98.6 (46.43-3.40) 98.6 (46.43-3.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.23 (at 3.40Å)	Xtriage
Refinement program	CNS 1.3	Depositor
R, R_{free}	0.250 , 0.283 0.250 , 0.252	Depositor DCC
R_{free} test set	1719 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	140.0	Xtriage
Anisotropy	0.251	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 107.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.003 for -h,l,k	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	9541	wwPDB-VP
Average B, all atoms (Å ²)	144.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, NAG, BMA, OSA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.56	1/9581 (0.0%)	0.95	31/12993 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	428	ARG	CA-CB	5.59	1.56	1.52

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	730	LEU	N-CA-C	-9.26	100.57	112.23
1	A	843	GLY	N-CA-C	-8.25	104.51	115.32
1	A	841	HIS	N-CA-C	7.69	122.23	113.01
1	A	412	ILE	N-CA-C	7.17	119.20	108.23
1	A	1063	SER	N-CA-C	-6.80	101.76	110.53
1	A	818	MET	N-CA-C	-6.64	104.65	112.89
1	A	409	ASP	N-CA-C	6.29	118.94	111.33
1	A	731	GLU	N-CA-C	-6.25	102.47	110.53
1	A	150	TRP	N-CA-C	-6.25	103.78	111.40
1	A	734	ASN	N-CA-C	-6.01	105.78	113.23
1	A	410	MET	N-CA-C	6.00	118.95	110.50
1	A	925	VAL	N-CA-C	5.82	117.26	110.62
1	A	125	ASN	N-CA-C	-5.80	100.80	109.15
1	A	229	ILE	N-CA-C	-5.80	105.08	110.53
1	A	427	SER	N-CA-C	-5.79	101.92	110.48
1	A	457	LYS	N-CA-C	-5.68	105.16	111.36
1	A	974	LYS	N-CA-C	-5.58	105.34	111.82
1	A	722	ALA	N-CA-C	5.41	117.26	111.36
1	A	771	TYR	N-CA-C	-5.38	105.98	112.54
1	A	467	TYR	N-CA-C	-5.37	105.47	112.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	115	ASN	N-CA-C	5.27	119.29	112.86
1	A	608	ILE	N-CA-C	5.27	115.54	108.17
1	A	896	TRP	N-CA-C	5.26	117.75	111.71
1	A	1226	ILE	N-CA-C	-5.24	104.42	111.44
1	A	1074	TYR	N-CA-C	-5.21	106.05	112.72
1	A	1060	LYS	N-CA-C	-5.20	105.23	112.45
1	A	1128	PHE	N-CA-C	-5.10	106.56	112.89
1	A	419	GLU	N-CA-C	5.04	117.00	108.02
1	A	1009	PRO	N-CA-C	5.01	116.81	110.70
1	A	421	VAL	N-CA-C	5.01	115.54	107.98
1	A	609	ILE	N-CA-C	-5.00	100.55	107.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9423	0	9395	142	0
2	B	50	0	43	2	0
3	A	68	0	88	7	0
All	All	9541	0	9526	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:444:GLY:H	1:A:605:THR:HG22	1.10	1.08
1:A:521:ARG:HH11	1:A:521:ARG:HG3	1.37	0.89
1:A:920:PHE:O	1:A:920:PHE:HD1	1.54	0.89
1:A:56:VAL:HG11	1:A:387:SER:OG	1.79	0.81
1:A:621:LEU:HD11	1:A:633:VAL:HG13	1.64	0.80
1:A:1126:GLU:HG3	1:A:1157:ILE:HD11	1.67	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:107:ASN:HB3	1:A:119:PHE:CZ	2.24	0.73
1:A:521:ARG:HH11	1:A:521:ARG:CG	2.01	0.73
1:A:1103:GLU:HG3	1:A:1104:PRO:HD2	1.73	0.70
1:A:841:HIS:O	1:A:842:ILE:HB	1.91	0.69
1:A:897:GLN:HE21	1:A:897:GLN:H	1.39	0.69
1:A:917:GLY:O	1:A:918:ARG:HB2	1.91	0.69
1:A:67:ARG:O	1:A:68:TYR:HB2	1.92	0.68
1:A:444:GLY:N	1:A:605:THR:HG22	1.96	0.68
3:A:1406:OSA:C5	3:A:1406:OSA:H30	2.26	0.66
1:A:967:ILE:HB	1:A:968:PRO:HD3	1.77	0.65
1:A:920:PHE:O	1:A:920:PHE:CD1	2.45	0.63
1:A:536:PHE:O	1:A:539:THR:HG22	1.99	0.63
1:A:1280:MET:O	1:A:1281:ASN:HB2	2.01	0.61
1:A:111:VAL:HG13	1:A:116:GLY:HA2	1.81	0.61
1:A:920:PHE:HD1	1:A:920:PHE:C	2.09	0.61
1:A:842:ILE:HA	1:A:845:PHE:HD2	1.66	0.60
1:A:939:ILE:O	1:A:943:GLU:HG2	2.02	0.59
1:A:731:GLU:O	1:A:732:GLU:HB2	2.01	0.59
1:A:449:LEU:HD23	1:A:623:ILE:HB	1.84	0.59
1:A:920:PHE:CD1	1:A:920:PHE:C	2.79	0.59
1:A:393:LEU:O	1:A:395:ARG:N	2.36	0.59
1:A:769:PRO:O	1:A:772:SER:HB3	2.03	0.59
1:A:106:ILE:HD11	1:A:779:MET:O	2.03	0.58
1:A:1073:LEU:O	1:A:1237:LYS:HG2	2.04	0.58
1:A:286:ARG:NH2	1:A:846:ASP:OD1	2.36	0.57
1:A:298:LEU:HD13	1:A:838:LEU:HD12	1.84	0.57
1:A:422:HIS:HB2	1:A:472:LYS:HB3	1.87	0.57
1:A:906:LEU:HB3	3:A:1405:OSA:H14	1.88	0.56
1:A:183:GLU:H	1:A:398:VAL:HG21	1.71	0.56
1:A:393:LEU:C	1:A:395:ARG:H	2.14	0.55
1:A:487:LEU:HD23	1:A:491:ARG:HH12	1.71	0.55
1:A:1174:ILE:HG22	1:A:1233:VAL:HG11	1.88	0.55
1:A:750:HIS:CE1	1:A:824:SER:HB3	2.41	0.55
1:A:771:TYR:HB2	1:A:803:LEU:HD21	1.89	0.54
1:A:623:ILE:HG12	1:A:633:VAL:HG22	1.90	0.54
1:A:1075:GLY:HA3	1:A:1268:THR:HG21	1.88	0.54
1:A:421:VAL:HG13	1:A:470:VAL:HG13	1.90	0.54
1:A:1173:ILE:HA	1:A:1230:ARG:HG2	1.90	0.53
1:A:103:GLN:NE2	1:A:353:GLY:H	2.06	0.53
1:A:613:LEU:H	1:A:653:GLN:HE22	1.56	0.52
1:A:119:PHE:O	1:A:123:GLY:HA2	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:418:VAL:HB	1:A:439:LEU:HG	1.92	0.51
1:A:776:THR:HG21	1:A:1019:ARG:HA	1.93	0.51
1:A:1239:LEU:HD22	1:A:1241:LEU:HD12	1.92	0.51
1:A:184:ILE:CG2	1:A:946:ARG:CZ	2.89	0.51
1:A:863:VAL:HB	1:A:864:PRO:HD3	1.93	0.50
1:A:1257:GLN:HA	1:A:1260:LEU:HD12	1.92	0.50
1:A:26:LYS:HG2	1:A:30:LYS:HE2	1.92	0.50
1:A:748:ARG:N	1:A:749:PRO:HD2	2.27	0.50
1:A:217:ALA:O	1:A:221:LEU:HB2	2.12	0.50
1:A:521:ARG:HG3	1:A:521:ARG:NH1	2.17	0.50
1:A:578:LEU:HD22	1:A:597:LEU:HD22	1.92	0.50
3:A:1406:OSA:H30	3:A:1406:OSA:H35	1.92	0.50
1:A:1199:PHE:O	1:A:1203:LEU:HB2	2.11	0.50
1:A:424:THR:HA	1:A:433:ILE:HD12	1.95	0.49
1:A:521:ARG:CG	1:A:521:ARG:NH1	2.68	0.49
2:B:2:NAG:H3	2:B:3:BMA:O5	2.12	0.49
2:B:2:NAG:H5	2:B:3:BMA:O2	2.13	0.49
1:A:516:LYS:HB2	1:A:570:VAL:HG12	1.95	0.48
1:A:186:TRP:CD1	1:A:396:LYS:HE2	2.48	0.48
1:A:910:ALA:HB2	3:A:1405:OSA:H19	1.95	0.48
1:A:651:THR:HA	1:A:654:THR:HG22	1.96	0.48
1:A:61:SER:HB3	1:A:63:PRO:HD2	1.96	0.48
1:A:720:LYS:HG2	1:A:721:ASP:H	1.78	0.48
1:A:1076:LYS:HE2	1:A:1078:ILE:HD11	1.95	0.48
1:A:1155:ILE:HG12	1:A:1238:ILE:HG12	1.95	0.48
1:A:491:ARG:HG2	1:A:950:ALA:HA	1.95	0.47
1:A:309:LYS:HD2	1:A:827:ARG:HE	1.80	0.47
1:A:327:GLN:HB3	1:A:807:GLN:HE21	1.79	0.47
1:A:358:THR:O	1:A:362:VAL:HG23	2.14	0.47
1:A:135:VAL:HG11	1:A:1002:LEU:HB2	1.96	0.47
1:A:188:ASP:OD1	1:A:946:ARG:NH2	2.47	0.47
1:A:487:LEU:HD12	1:A:487:LEU:H	1.80	0.47
1:A:762:THR:HG23	1:A:882:VAL:HG21	1.97	0.47
1:A:1004:LEU:HB3	1:A:1012:MET:HB2	1.95	0.47
1:A:1007:THR:O	1:A:1010:PRO:HB3	2.14	0.47
1:A:1106:GLN:HE21	1:A:1283:ASP:HB3	1.80	0.47
1:A:739:ASN:HD21	1:A:741:PHE:HB2	1.79	0.47
1:A:1075:GLY:CA	1:A:1268:THR:HG21	2.44	0.46
1:A:107:ASN:HB3	1:A:119:PHE:CE2	2.51	0.46
1:A:916:ARG:HH22	3:A:1406:OSA:H36	1.80	0.46
1:A:1146:LEU:HB3	1:A:1151:THR:HG21	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1113:PRO:HG2	1:A:1116:CYS:HB3	1.98	0.46
1:A:446:THR:HG23	1:A:606:THR:HB	1.99	0.45
1:A:455:CYS:SG	1:A:457:LYS:HD2	2.55	0.45
1:A:782:PHE:HA	1:A:789:PHE:CE1	2.52	0.45
1:A:1177:LEU:H	1:A:1177:LEU:HD12	1.82	0.45
1:A:743:ILE:HG22	1:A:870:ILE:HD12	1.98	0.45
1:A:390:TYR:HA	1:A:393:LEU:HB3	1.98	0.44
1:A:777:SER:OG	1:A:1019:ARG:NH2	2.50	0.44
1:A:119:PHE:HB3	1:A:121:PRO:HD2	1.98	0.44
1:A:1085:ALA:H	1:A:1132:LEU:HD13	1.81	0.44
1:A:187:PHE:CZ	1:A:945:VAL:HG21	2.52	0.44
1:A:342:VAL:HG11	1:A:793:GLY:HA3	2.00	0.44
1:A:524:MET:HE3	1:A:544:TYR:CD1	2.52	0.44
1:A:435:ARG:HH21	1:A:627:ASN:HB3	1.83	0.44
1:A:1031:LEU:CD2	3:A:1405:OSA:H16	2.47	0.44
1:A:933:ASP:HB3	1:A:964:LYS:NZ	2.33	0.43
1:A:1015:MET:O	1:A:1019:ARG:HG3	2.17	0.43
1:A:1253:GLU:O	1:A:1257:GLN:HB2	2.18	0.43
1:A:774:PHE:CE1	1:A:799:MET:HB3	2.54	0.43
1:A:62:ILE:N	1:A:63:PRO:CD	2.82	0.43
1:A:507:THR:HA	1:A:546:THR:O	2.19	0.43
1:A:839:SER:HB3	1:A:1064:LEU:HD12	2.00	0.43
1:A:822:SER:HB2	1:A:867:ARG:HG3	2.00	0.43
1:A:101:VAL:HB	1:A:138:VAL:HG11	2.01	0.43
1:A:576:LEU:HD23	1:A:606:THR:HG23	2.01	0.43
1:A:285:ILE:HA	1:A:288:VAL:HG12	2.00	0.43
1:A:782:PHE:HA	1:A:789:PHE:HE1	1.84	0.43
1:A:1022:TYR:O	1:A:1026:ILE:HB	2.19	0.43
1:A:97:LEU:HD21	1:A:141:SER:HB3	2.01	0.42
1:A:906:LEU:N	1:A:907:PRO:HD2	2.34	0.42
1:A:742:GLU:O	1:A:746:HIS:HD2	2.02	0.42
1:A:910:ALA:HB1	3:A:1406:OSA:H12	2.01	0.42
1:A:863:VAL:HG22	1:A:1051:ILE:HD13	2.01	0.42
1:A:119:PHE:CE2	1:A:126:TYR:CG	3.07	0.42
1:A:513:SER:C	1:A:515:GLY:H	2.27	0.42
1:A:514:LEU:HD22	1:A:953:ARG:HG2	2.01	0.42
1:A:562:ARG:HA	1:A:565:ILE:HD12	2.00	0.42
1:A:543:GLY:O	1:A:546:THR:HG22	2.19	0.42
1:A:1177:LEU:HD12	1:A:1234:ARG:NH1	2.35	0.41
1:A:85:VAL:HG13	1:A:222:SER:CB	2.51	0.41
1:A:111:VAL:HG23	1:A:119:PHE:CE1	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:184:ILE:HG21	1:A:946:ARG:NH1	2.36	0.41
1:A:1231:ALA:O	1:A:1236:PRO:HD3	2.20	0.41
1:A:420:ASN:H	1:A:438:ASN:ND2	2.18	0.41
1:A:613:LEU:O	1:A:616:ILE:HG22	2.21	0.41
1:A:396:LYS:HA	1:A:397:PRO:HD3	1.86	0.41
1:A:509:GLU:HB3	1:A:544:TYR:HB3	2.02	0.41
1:A:393:LEU:C	1:A:395:ARG:N	2.77	0.40
1:A:864:PRO:O	1:A:867:ARG:HB3	2.22	0.40
1:A:1182:VAL:HG21	1:A:1233:VAL:HG13	2.02	0.40
1:A:85:VAL:HG13	1:A:222:SER:HB3	2.03	0.40
1:A:737:LYS:HA	1:A:1049:GLY:HA3	2.02	0.40
1:A:841:HIS:ND1	1:A:1060:LYS:HB2	2.36	0.40
1:A:1038:PHE:N	1:A:1039:PRO:HD2	2.36	0.40
1:A:731:GLU:O	1:A:732:GLU:CB	2.69	0.40
1:A:888:ILE:HG23	1:A:903:ILE:HD11	2.04	0.40
1:A:1280:MET:O	1:A:1281:ASN:CB	2.69	0.40
1:A:5:GLY:HA2	1:A:8:ARG:HG2	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1244/1321 (94%)	1175 (94%)	63 (5%)	6 (0%)	24 54

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	394	ASP
1	A	842	ILE
1	A	735	ALA
1	A	393	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	871	ASP
1	A	1265	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	984/1099 (90%)	947 (96%)	37 (4%)	29 54

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	LYS
1	A	50	ARG
1	A	120	LEU
1	A	124	GLN
1	A	127	THR
1	A	221	LEU
1	A	269	LEU
1	A	356	LEU
1	A	400	ASP
1	A	428	ARG
1	A	430	ASP
1	A	465	LEU
1	A	496	VAL
1	A	521	ARG
1	A	621	LEU
1	A	780	ASN
1	A	841	HIS
1	A	842	ILE
1	A	870	ILE
1	A	890	LEU
1	A	897	GLN
1	A	918	ARG
1	A	920	PHE
1	A	923	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	924	ASN
1	A	965	LEU
1	A	989	VAL
1	A	1007	THR
1	A	1011	THR
1	A	1111	VAL
1	A	1146	LEU
1	A	1183	THR
1	A	1196	ILE
1	A	1238	ILE
1	A	1268	THR
1	A	1303	MET
1	A	1305	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	103	GLN
1	A	169	ASN
1	A	191	HIS
1	A	249	GLN
1	A	327	GLN
1	A	330	ASN
1	A	383	GLN
1	A	438	ASN
1	A	486	ASN
1	A	554	GLN
1	A	734	ASN
1	A	739	ASN
1	A	746	HIS
1	A	750	HIS
1	A	780	ASN
1	A	807	GLN
1	A	831	ASN
1	A	840	GLN
1	A	897	GLN
1	A	949	GLN
1	A	1106	GLN
1	A	1150	HIS
1	A	1172	ASN
1	A	1186	GLN
1	A	1224	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1277	ASN
1	A	1301	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	B	1	1,2	14,14,15	1.45	3 (21%)	17,19,21	1.41	2 (11%)
2	NAG	B	2	2	14,14,15	1.79	2 (14%)	17,19,21	1.25	2 (11%)
2	BMA	B	3	2	11,11,12	1.15	1 (9%)	15,15,17	0.60	0
2	MAN	B	4	2	11,11,12	1.08	1 (9%)	15,15,17	0.80	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	1,2	1/1/5/7	2/6/23/26	0/1/1/1
2	NAG	B	2	2	-	1/6/23/26	0/1/1/1
2	BMA	B	3	2	-	0/2/19/22	0/1/1/1
2	MAN	B	4	2	-	2/2/19/22	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2	NAG	C1-C2	5.43	1.59	1.52
2	B	1	NAG	O5-C5	3.17	1.49	1.43
2	B	2	NAG	C3-C2	2.84	1.58	1.52
2	B	1	NAG	O5-C1	2.63	1.48	1.43
2	B	4	MAN	C2-C3	2.43	1.56	1.52
2	B	1	NAG	C1-C2	2.30	1.55	1.52
2	B	3	BMA	C2-C3	2.04	1.55	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	NAG	C1-O5-C5	4.84	118.67	112.19
2	B	2	NAG	C4-C3-C2	2.69	114.96	111.02
2	B	4	MAN	C1-O5-C5	2.23	115.18	112.19
2	B	2	NAG	C1-C2-N2	-2.22	106.94	110.43
2	B	1	NAG	C1-C2-N2	-2.11	107.11	110.43

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	B	1	NAG	C1

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	4	MAN	O5-C5-C6-O6
2	B	4	MAN	C4-C5-C6-O6
2	B	1	NAG	O5-C5-C6-O6
2	B	1	NAG	C4-C5-C6-O6
2	B	2	NAG	C3-C2-N2-C7

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	2	NAG	2	0
2	B	3	BMA	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	OSA	A	1405	-	35,35,35	0.47	0	45,46,46	0.89	1 (2%)
3	OSA	A	1406	-	35,35,35	0.46	0	45,46,46	1.01	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OSA	A	1405	-	-	2/20/60/60	0/2/2/2
3	OSA	A	1406	-	-	8/20/60/60	0/2/2/2

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1406	OSA	O5'-C1'-S1'	-3.02	101.63	109.94
3	A	1406	OSA	CA-S1'-C1'	2.23	105.27	100.45
3	A	1405	OSA	O5'-C1'-C2'	-2.04	107.50	110.32
3	A	1406	OSA	C1-O1-C4'	-2.01	113.22	117.98

There are no chirality outliers.

All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1406	OSA	O5'-C1'-S1'-CA
3	A	1406	OSA	O5-C5-C6-O6
3	A	1406	OSA	C4-C5-C6-O6
3	A	1406	OSA	CG-CH-CI-CJ
3	A	1406	OSA	CC-CD-CF-CG
3	A	1405	OSA	C3'-C4'-O1-C1
3	A	1406	OSA	CB-CA-S1'-C1'
3	A	1405	OSA	C5'-C4'-O1-C1
3	A	1406	OSA	CH-CI-CJ-CK
3	A	1406	OSA	O5'-C5'-C6'-O6'

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1405	OSA	3	0
3	A	1406	OSA	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1250/1321 (94%)	-0.01	20 (1%) 70 56	105, 140, 192, 200	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	986	ALA	3.9
1	A	262	THR	3.3
1	A	397	PRO	3.1
1	A	119	PHE	3.1
1	A	752	LEU	3.0
1	A	1193	LEU	3.0
1	A	791	SER	2.9
1	A	233	THR	2.9
1	A	86	ILE	2.9
1	A	1256	VAL	2.8
1	A	1303	MET	2.4
1	A	59	LYS	2.4
1	A	836	ASN	2.4
1	A	354	ASP	2.4
1	A	369	LEU	2.3
1	A	1101	SER	2.3
1	A	971	GLU	2.2
1	A	55	GLU	2.2
1	A	1140	GLY	2.1
1	A	319	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	B	2	14/15	-0.11	0.15	196,200,200,200	0
2	NAG	B	1	14/15	0.25	0.14	195,199,200,200	0
2	BMA	B	3	11/12	0.35	0.13	200,200,200,200	0
2	MAN	B	4	11/12	0.55	0.10	191,200,200,200	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	OSA	A	1406	34/34	0.77	0.13	134,190,198,198	0
3	OSA	A	1405	34/34	0.90	0.12	147,171,178,179	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around OSA A 1405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.