



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:37 AM UTC

PDB ID : 7F4M / pdb_00007f4m
Title : Crystal structure of SAM-bound MTA1-p1-p2 complex
Authors : Chen, J.; Liu, L.
Deposited on : 2021-06-21
Resolution : 3.58 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1521 (3.66-3.50)
Clashscore	190562	1595 (3.66-3.50)
Ramachandran outliers	187476	1551 (3.66-3.50)
Sidechain outliers	187428	1551 (3.66-3.50)
RSRZ outliers	180081	1520 (3.66-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	142	5% 46%36%8%9%
1	B	142	4% 64%25%8%
2	C	247	8% 51%26%9%13%
2	D	247	3% 50%31%7%13%
3	E	309	7% 88%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	309	 5% 92%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SAM	C	401	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6193 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transmembrane protein, putative.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	130	Total	C	N	O	S	0	0	0
			1059	672	178	205	4			
1	A	129	Total	C	N	O	S	0	0	0
			1053	667	177	205	4			


- Molecule 2 is a protein called MT-a70 family protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	215	Total	C	N	O	S	0	0	0
			1745	1112	303	320	10			
2	D	216	Total	C	N	O	S	0	0	0
			1742	1111	299	322	10			

- Molecule 3 is a protein called p1 protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	37	Total	C	N	O	S	0	0	0
			308	196	51	60	1			
3	F	25	Total	C	N	O		0	0	0
			208	134	37	37				

- Molecule 4 is S-ADENOSYLMETHIONINE (CCD ID: SAM) (formula: C₁₅H₂₂N₆O₅S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	C	1	Total	C	N	O	S	0	0
			27	15	6	5	1		
4	D	1	Total	C	N	O	S	0	0
			27	15	6	5	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	6	Total	O	0	0
			6	6		
5	C	7	Total	O	0	0
			7	7		
5	D	7	Total	O	0	0
			7	7		
5	F	1	Total	O	0	0
			1	1		
5	A	3	Total	O	0	0
			3	3		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Transmembrane protein, putative




- Molecule 1: Transmembrane protein, putative




- Molecule 2: MT-a70 family protein




- Molecule 2: MT-a70 family protein



- Molecule 3: p1 protein



- Molecule 3: p1 protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	83.52Å 85.79Å 162.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.23 – 3.58 48.23 – 3.58	Depositor EDS
% Data completeness (in resolution range)	92.3 (48.23-3.58) 92.3 (48.23-3.58)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.62 (at 3.57Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.251 , 0.276 0.251 , 0.278	Depositor DCC
R_{free} test set	692 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	29.8	Xtriage
Anisotropy	0.195	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 56.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	0.059 for k,h,-l	Xtriage
F_o, F_c correlation	0.79	EDS
Total number of atoms	6193	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SAM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	0/1069	0.75	2/1432 (0.1%)
1	B	0.53	1/1075 (0.1%)	0.74	3/1439 (0.2%)
2	C	0.62	1/1779 (0.1%)	0.89	5/2394 (0.2%)
2	D	0.51	0/1776	0.73	0/2393
3	E	0.63	0/311	0.86	1/419 (0.2%)
3	F	0.40	0/210	0.64	0/283
All	All	0.55	2/6220 (0.0%)	0.79	11/8360 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	C	0	1
2	D	0	1
All	All	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	75	TYR	CG-CD1	5.78	1.51	1.39
2	C	239	PRO	N-CD	5.27	1.55	1.47

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	166	ASN	N-CA-C	7.56	120.97	108.49
1	B	75	TYR	CA-CB-CG	-7.43	100.53	113.90
2	C	245	GLN	N-CA-C	7.35	119.08	111.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	148	PRO	N-CA-CB	7.21	110.82	103.25
1	B	11	PRO	N-CA-CB	6.67	110.33	103.00
1	A	11	PRO	N-CA-CB	6.49	110.14	103.00
1	B	75	TYR	OH-CZ-CE2	-6.31	100.98	119.90
2	C	320	ALA	N-CA-C	-6.05	101.97	110.50
1	A	14	PHE	N-CA-C	5.42	117.27	111.36
2	C	238	MET	CA-C-N	-5.35	113.15	119.84
2	C	238	MET	C-N-CA	-5.35	113.15	119.84

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	C	166	ASN	Peptide
2	D	321	SER	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1053	0	1041	63	0
1	B	1059	0	1050	27	1
2	C	1745	0	1729	108	2
2	D	1742	0	1715	92	0
3	E	308	0	305	12	1
3	F	208	0	213	8	0
4	C	27	0	22	14	0
4	D	27	0	22	5	0
5	A	3	0	0	0	0
5	B	6	0	0	0	0
5	C	7	0	0	2	0
5	D	7	0	0	0	0
5	F	1	0	0	0	0
All	All	6193	0	6097	268	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (268) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:169:ARG:NH2	2:C:174:ASP:OD2	1.64	1.31
2:C:201:LYS:NZ	2:C:314:ARG:NH2	1.83	1.24
2:C:188:PHE:HD1	2:C:239:PRO:HG2	1.06	1.12
2:C:188:PHE:CE1	2:C:239:PRO:HD2	1.85	1.09
2:D:360:ASN:ND2	4:D:401:SAM:O	1.86	1.08
2:C:201:LYS:HZ2	2:C:314:ARG:NH2	1.41	1.07
2:C:188:PHE:CD1	2:C:239:PRO:HG2	1.91	1.06
2:C:201:LYS:NZ	2:C:314:ARG:HH22	1.49	1.03
2:C:160:GLU:O	2:C:164:ILE:HG13	1.60	1.00
2:C:201:LYS:HZ1	2:C:314:ARG:NH2	1.61	0.98
1:B:43:LEU:HD12	2:C:164:ILE:HG23	1.45	0.98
2:C:329:ARG:HG2	2:C:329:ARG:HH11	1.26	0.97
2:C:188:PHE:CD1	2:C:239:PRO:CG	2.54	0.91
1:A:63:GLU:HG3	1:A:109:SER:HA	1.53	0.90
2:D:209:ASP:OD2	4:D:401:SAM:N	2.07	0.86
1:B:20:ASN:HB3	2:C:198:HIS:CD2	2.11	0.85
1:B:43:LEU:HD11	2:C:168:LYS:HB3	1.60	0.84
2:C:188:PHE:HD1	2:C:239:PRO:CG	1.88	0.82
2:D:231:SER:O	2:D:233:GLU:HG3	1.79	0.82
1:B:43:LEU:CD1	2:C:164:ILE:HG23	2.11	0.81
1:B:102:GLU:OE2	1:B:137:LYS:NZ	2.13	0.81
1:B:22:ARG:NH1	1:B:35:GLY:O	2.14	0.80
2:D:364:ASN:CG	1:A:14:PHE:CD1	2.60	0.80
2:D:353:GLU:HG2	2:D:356:ALA:HB2	1.64	0.80
2:C:201:LYS:HZ2	2:C:314:ARG:HH22	1.05	0.79
2:D:231:SER:O	2:D:233:GLU:N	2.15	0.78
2:C:346:CYS:O	2:C:351:TYR:OH	2.00	0.78
2:C:169:ARG:NH2	2:C:174:ASP:CG	2.42	0.77
2:C:209:ASP:OD2	2:C:334:LYS:NZ	2.17	0.77
1:A:17:TYR:CE2	1:A:21:MET:HG3	2.20	0.77
2:C:371:GLU:OE2	4:C:401:SAM:O2'	2.04	0.75
2:C:201:LYS:HZ2	2:C:314:ARG:CZ	2.00	0.74
2:C:240:ILE:HA	2:C:243:LEU:HD12	1.70	0.73
2:C:332:SER:HB3	5:C:502:HOH:O	1.88	0.73
1:A:71:LYS:H	1:A:71:LYS:HD3	1.54	0.73
2:C:324:ILE:HD11	2:C:337:GLU:HB2	1.70	0.73
2:C:204:ASP:OD2	2:C:314:ARG:NH1	2.22	0.72
2:C:236:GLN:HG3	2:C:264:MET:HE2	1.70	0.72
2:D:180:CYS:SG	1:A:46:LYS:NZ	2.57	0.72
2:C:202:MET:HB2	2:C:245:GLN:HG2	1.72	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:198:HIS:CD2	1:A:20:ASN:CB	2.72	0.72
2:C:183:VAL:HG22	4:C:401:SAM:N1	2.05	0.71
2:D:236:GLN:HG3	2:D:264:MET:HG2	1.72	0.71
2:D:186:LEU:HD21	2:D:188:PHE:CE2	2.25	0.71
2:D:198:HIS:CD2	1:A:20:ASN:HB3	2.26	0.71
2:C:188:PHE:CD1	2:C:239:PRO:HD2	2.26	0.71
2:D:364:ASN:HB3	1:A:14:PHE:HE1	1.56	0.71
2:D:360:ASN:CG	4:D:401:SAM:O	2.33	0.70
1:A:15:THR:O	1:A:19:LYS:HG3	1.91	0.70
2:C:188:PHE:CE1	2:C:239:PRO:CD	2.73	0.69
2:C:232:ASP:OD2	2:C:257:LYS:NZ	2.22	0.69
2:D:370:ASN:HD22	2:D:370:ASN:C	2.02	0.67
2:C:230:LEU:CD1	4:C:401:SAM:HN61	2.08	0.67
2:C:238:MET:HE1	2:C:354:ILE:HG21	1.78	0.66
2:C:280:LYS:HD2	2:C:298:ALA:HB1	1.78	0.66
1:A:18:ALA:O	1:A:22:ARG:N	2.17	0.66
1:A:71:LYS:H	1:A:71:LYS:CD	2.08	0.65
1:A:22:ARG:O	1:A:26:SER:HB2	1.96	0.65
2:C:188:PHE:CD1	2:C:239:PRO:CD	2.80	0.65
3:E:156:ILE:HD13	3:E:169:HIS:HB3	1.79	0.65
2:D:230:LEU:O	2:D:234:LYS:HB2	1.98	0.64
2:D:175:ASN:HB2	2:D:363:ASP:HB3	1.80	0.64
2:D:364:ASN:HB3	1:A:14:PHE:CE1	2.32	0.64
2:D:198:HIS:CD2	1:A:20:ASN:HB2	2.34	0.62
1:A:17:TYR:CE2	1:A:21:MET:CG	2.83	0.62
2:C:230:LEU:CD1	4:C:401:SAM:N6	2.62	0.62
2:C:230:LEU:HD13	4:C:401:SAM:HN61	1.63	0.62
2:C:299:LYS:NZ	2:D:275:GLU:O	2.32	0.62
2:C:314:ARG:HG3	2:C:314:ARG:HH11	1.65	0.62
2:C:314:ARG:HH11	2:C:314:ARG:CG	2.12	0.62
1:A:87:LEU:O	1:A:91:THR:HG23	2.01	0.60
2:D:255:ASN:HA	2:D:258:TYR:CE2	2.37	0.60
2:D:210:PRO:HG2	2:D:212:TRP:CZ2	2.37	0.60
2:C:175:ASN:HB2	2:C:363:ASP:HB2	1.83	0.59
2:D:126:ASP:HA	3:E:149:GLN:H	1.68	0.59
2:C:188:PHE:HE1	2:C:239:PRO:HD2	1.59	0.59
2:D:143:LEU:HD11	3:E:174:LYS:HG2	1.85	0.59
2:D:238:MET:HE2	2:D:354:ILE:HD13	1.83	0.59
2:D:169:ARG:NH2	2:D:174:ASP:OD1	2.36	0.59
2:D:244:GLN:NE2	2:D:248:PHE:O	2.26	0.58
1:B:63:GLU:HG2	1:B:109:SER:HA	1.85	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:238:MET:HE1	2:D:354:ILE:HG21	1.85	0.57
2:C:230:LEU:HD11	4:C:401:SAM:N6	2.18	0.57
1:A:21:MET:O	1:A:25:LEU:HD12	2.05	0.57
2:C:191:LEU:O	2:C:195:GLN:HB2	2.04	0.57
2:C:195:GLN:NE2	2:C:201:LYS:O	2.37	0.57
1:A:16:GLN:HG3	1:A:20:ASN:OD1	2.05	0.56
2:D:211:PRO:HG3	4:D:401:SAM:C8	2.36	0.56
2:C:299:LYS:HE3	2:D:322:ASP:HB3	1.88	0.56
2:D:170:SER:HA	1:A:43:LEU:HD21	1.88	0.56
2:D:364:ASN:CG	1:A:14:PHE:CE1	2.83	0.56
1:A:57:ALA:HB1	1:A:77:GLU:HB3	1.87	0.56
2:D:188:PHE:O	2:D:191:LEU:N	2.38	0.56
1:B:99:ASP:OD2	1:B:101:THR:OG1	2.22	0.55
1:A:20:ASN:O	1:A:24:ASP:OD1	2.25	0.55
2:D:150:ILE:O	2:D:154:LYS:HB2	2.07	0.55
2:C:280:LYS:HD2	2:C:298:ALA:CB	2.36	0.55
2:D:191:LEU:HA	1:A:25:LEU:HD21	1.89	0.55
2:D:211:PRO:HG2	2:D:230:LEU:HD12	1.88	0.55
1:A:58:LEU:HD11	1:A:91:THR:HG22	1.88	0.55
2:C:205:VAL:HG11	2:C:342:ILE:HD12	1.89	0.54
2:C:370:ASN:HD21	4:C:401:SAM:C2'	2.19	0.54
2:D:178:PRO:HG2	1:A:30:ILE:HG21	1.89	0.54
2:D:197:ARG:HD2	2:D:198:HIS:CE1	2.42	0.54
1:A:114:GLU:HG3	1:A:118:LYS:HE3	1.88	0.54
2:C:169:ARG:HH21	2:C:174:ASP:CG	2.15	0.54
2:D:274:ASP:OD1	2:D:275:GLU:N	2.40	0.54
2:D:334:LYS:HG2	4:D:401:SAM:HN1	1.73	0.53
2:D:238:MET:CE	2:D:354:ILE:HG21	2.37	0.53
1:A:123:LYS:HD2	1:A:135:TYR:HE1	1.73	0.53
2:C:142:LEU:HD13	3:F:177:ILE:HD11	1.90	0.53
2:D:234:LYS:HD2	2:D:234:LYS:N	2.24	0.53
1:A:17:TYR:O	1:A:21:MET:HG2	2.09	0.53
2:C:329:ARG:HH11	2:C:329:ARG:CG	2.08	0.53
2:D:126:ASP:CB	2:D:129:LEU:HB2	2.39	0.53
2:C:329:ARG:HG2	2:C:329:ARG:NH1	2.05	0.53
2:C:258:TYR:HE1	2:C:303:LEU:HD11	1.74	0.53
2:C:338:ILE:O	2:C:342:ILE:HG12	2.09	0.52
2:C:363:ASP:OD1	2:C:363:ASP:N	2.33	0.52
1:A:66:GLY:HA2	1:A:107:LYS:HA	1.92	0.52
2:C:239:PRO:HG2	2:C:239:PRO:O	2.10	0.52
2:C:357:ARG:O	2:C:360:ASN:N	2.37	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:76:ASP:HB3	1:A:77:GLU:OE1	2.10	0.52
2:C:340:GLN:HA	2:C:343:ASN:HB2	1.91	0.52
1:A:69:ASN:HB3	1:A:72:GLU:OE1	2.11	0.51
2:D:136:LYS:O	2:D:140:GLN:HG3	2.10	0.51
1:B:103:TYR:CD2	1:B:103:TYR:N	2.78	0.51
1:B:121:ILE:HG23	1:B:130:LEU:HD11	1.93	0.51
2:C:146:ILE:HD11	3:F:173:LEU:HD22	1.93	0.51
2:D:358:ARG:O	2:D:361:LEU:HD22	2.11	0.51
2:D:186:LEU:HD21	2:D:188:PHE:HE2	1.76	0.50
2:C:175:ASN:HB2	2:C:363:ASP:CB	2.42	0.50
2:C:230:LEU:HD13	4:C:401:SAM:N6	2.24	0.50
2:D:370:ASN:ND2	2:D:371:GLU:HG3	2.26	0.50
2:D:160:GLU:O	2:D:164:ILE:HG13	2.12	0.50
2:C:201:LYS:HZ1	2:C:314:ARG:HH21	1.56	0.50
1:B:90:ARG:O	1:B:94:ILE:HG13	2.12	0.50
2:C:161:GLN:O	2:C:165:ALA:HB2	2.12	0.49
2:C:240:ILE:HG22	2:C:240:ILE:O	2.13	0.49
1:A:16:GLN:O	1:A:19:LYS:N	2.45	0.49
2:C:329:ARG:CG	2:C:329:ARG:NH1	2.73	0.49
2:C:320:ALA:O	2:C:341:TYR:HE1	1.95	0.49
2:C:355:PHE:HB3	4:C:401:SAM:H5'2	1.95	0.49
2:D:194:ALA:HA	2:D:197:ARG:HE	1.77	0.49
1:B:119:SER:O	1:B:123:LYS:HB2	2.13	0.49
1:B:57:ALA:O	1:B:77:GLU:HG2	2.13	0.48
2:C:129:LEU:HD13	3:F:180:ARG:HH21	1.77	0.48
2:C:358:ARG:O	2:C:361:LEU:HB2	2.13	0.48
1:B:29:ASP:OD2	1:B:51:THR:HG22	2.13	0.48
1:A:22:ARG:NH1	1:A:35:GLY:O	2.46	0.48
2:C:315:PHE:C	2:C:316:LYS:HD2	2.38	0.48
2:C:314:ARG:NH1	2:C:314:ARG:CG	2.73	0.48
1:A:38:ASN:OD1	1:A:40:SER:OG	2.29	0.48
2:D:264:MET:HE3	2:D:268:TRP:CH2	2.49	0.48
2:C:186:LEU:HD22	2:C:187:ASN:H	1.79	0.47
2:D:364:ASN:OD1	1:A:14:PHE:CD1	2.66	0.47
1:A:51:THR:H	1:A:54:ASN:HD22	1.61	0.47
1:A:20:ASN:OD1	1:A:20:ASN:N	2.46	0.47
2:D:231:SER:C	2:D:233:GLU:N	2.72	0.47
2:C:274:ASP:OD2	2:C:275:GLU:N	2.47	0.47
2:D:357:ARG:HE	2:D:359:ASN:HD21	1.63	0.47
1:B:14:PHE:HE2	2:C:348:ASN:HB2	1.80	0.47
1:A:68:GLY:HA2	1:A:104:TYR:CD2	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:161:GLN:OE1	1:A:90:ARG:NH2	2.48	0.47
1:B:43:LEU:CD1	2:C:168:LYS:HB3	2.38	0.47
2:C:139:LEU:HD22	3:F:177:ILE:HG23	1.97	0.47
2:D:153:TYR:OH	3:E:157:GLU:OE1	2.30	0.47
2:D:364:ASN:CB	1:A:14:PHE:CE1	2.97	0.47
3:E:159:GLU:H	3:E:159:GLU:HG2	1.52	0.47
3:F:162:THR:O	3:F:166:ILE:HG13	2.15	0.47
2:D:188:PHE:O	2:D:192:ILE:HG13	2.15	0.46
1:A:74:ASN:ND2	1:A:80:GLY:HA2	2.31	0.46
2:C:357:ARG:H	2:C:360:ASN:HB2	1.80	0.46
1:A:129:LYS:HD2	1:A:129:LYS:HA	1.68	0.46
2:C:186:LEU:HD22	2:C:187:ASN:N	2.31	0.46
2:C:142:LEU:O	2:C:146:ILE:HG13	2.15	0.45
2:D:363:ASP:OD1	2:D:363:ASP:N	2.49	0.45
1:A:86:GLU:O	1:A:90:ARG:HB2	2.17	0.45
1:A:97:ILE:HA	1:A:135:TYR:HB3	1.98	0.45
2:C:153:TYR:O	3:F:167:LEU:HD11	2.17	0.45
2:D:172:VAL:HG22	2:D:361:LEU:HD21	1.98	0.45
2:D:193:ASP:O	2:D:197:ARG:HG2	2.17	0.45
1:A:18:ALA:O	1:A:22:ARG:HB2	2.17	0.45
3:E:173:LEU:O	3:E:177:ILE:HG12	2.17	0.45
1:A:17:TYR:O	1:A:21:MET:CG	2.65	0.45
2:C:361:LEU:HA	2:C:361:LEU:HD12	1.63	0.45
2:D:358:ARG:HA	2:D:372:LEU:HD23	1.98	0.45
1:B:66:GLY:HA2	1:B:107:LYS:HA	1.98	0.45
3:F:181:LEU:HA	3:F:181:LEU:HD23	1.75	0.45
1:A:96:GLY:HA3	1:A:120:ASN:HB2	1.98	0.45
1:B:32:LEU:O	1:B:35:GLY:N	2.31	0.44
2:C:350:ASN:OD1	2:C:350:ASN:N	2.33	0.44
2:D:186:LEU:CD2	2:D:188:PHE:CE2	2.97	0.44
1:A:65:PHE:CE1	1:A:72:GLU:HB3	2.53	0.44
2:C:208:MET:HE2	2:C:251:VAL:HG13	1.98	0.44
2:C:329:ARG:HD3	2:C:329:ARG:HA	1.65	0.44
2:D:174:ASP:O	1:A:22:ARG:NH2	2.51	0.44
2:D:370:ASN:HD22	2:D:371:GLU:HG3	1.82	0.44
2:C:358:ARG:HA	2:C:361:LEU:HD22	2.00	0.44
2:C:363:ASP:O	2:C:364:ASN:HB2	2.17	0.44
2:D:149:ARG:HD3	3:E:157:GLU:OE2	2.17	0.44
2:C:316:LYS:HD2	2:C:316:LYS:N	2.33	0.44
3:E:173:LEU:HD23	3:E:173:LEU:HA	1.83	0.44
1:A:75:TYR:HD2	1:A:75:TYR:HA	1.53	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:103:TYR:HE1	1:A:116:ILE:HG21	1.83	0.44
2:D:275:GLU:HG3	2:D:303:LEU:HD13	1.99	0.44
1:A:63:GLU:O	1:A:107:LYS:HB3	2.18	0.44
1:B:43:LEU:CD1	2:C:168:LYS:HD2	2.48	0.44
2:C:370:ASN:ND2	4:C:401:SAM:O2'	2.49	0.43
2:D:188:PHE:O	2:D:189:GLN:C	2.61	0.43
2:D:126:ASP:N	3:E:180:ARG:HH22	2.15	0.43
2:D:198:HIS:HD2	1:A:20:ASN:CB	2.29	0.43
1:B:94:ILE:O	1:B:117:LYS:HB2	2.18	0.43
2:D:231:SER:O	2:D:232:ASP:HB2	2.19	0.43
3:E:151:MET:CE	3:E:159:GLU:HG3	2.49	0.43
2:C:235:ILE:H	2:C:235:ILE:HG13	1.60	0.43
2:D:319:ILE:HG13	2:D:341:TYR:HE2	1.84	0.43
2:D:199:ALA:O	1:A:11:PRO:N	2.52	0.43
1:B:71:LYS:HE2	1:B:71:LYS:HB2	1.86	0.42
2:C:132:LEU:HD23	2:C:132:LEU:HA	1.76	0.42
2:C:264:MET:HE3	2:C:264:MET:HB2	1.59	0.42
2:C:332:SER:CB	5:C:502:HOH:O	2.58	0.42
2:D:143:LEU:HD12	2:D:143:LEU:HA	1.63	0.42
1:B:127:GLU:H	1:B:127:GLU:HG2	1.54	0.42
2:C:370:ASN:HD22	2:C:371:GLU:N	2.17	0.42
1:B:68:GLY:HA3	1:B:104:TYR:CE1	2.54	0.42
2:D:238:MET:CE	2:D:354:ILE:HD13	2.50	0.42
1:A:138:LEU:HD23	1:A:138:LEU:HA	1.77	0.42
2:D:170:SER:HB3	1:A:39:HIS:ND1	2.34	0.42
1:A:103:TYR:CE1	1:A:116:ILE:HG21	2.54	0.42
2:C:323:VAL:CG2	2:D:299:LYS:HB2	2.50	0.42
1:B:53:LEU:HD23	1:B:53:LEU:HA	1.81	0.42
2:D:352:LEU:HD12	2:D:366:VAL:O	2.19	0.42
2:D:370:ASN:C	2:D:370:ASN:ND2	2.72	0.42
1:A:93:MET:HE2	1:A:93:MET:HB3	1.75	0.42
2:C:323:VAL:HG22	2:D:299:LYS:HB2	2.01	0.42
2:C:370:ASN:ND2	4:C:401:SAM:C1'	2.83	0.42
2:C:203:PHE:O	2:C:244:GLN:HG3	2.20	0.41
2:C:370:ASN:ND2	4:C:401:SAM:C2'	2.83	0.41
1:A:129:LYS:HE2	1:A:139:GLN:CD	2.44	0.41
2:C:313:GLY:O	2:C:316:LYS:HE3	2.21	0.41
2:C:178:PRO:C	2:C:179:ILE:HG13	2.45	0.41
2:D:354:ILE:HG22	2:D:355:PHE:H	1.84	0.41
1:B:17:TYR:O	1:B:21:MET:HG2	2.20	0.41
1:B:102:GLU:HB2	1:B:103:TYR:CD2	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:267:ASN:C	2:C:269:GLY:H	2.29	0.41
2:D:319:ILE:HB	2:D:341:TYR:HE2	1.84	0.41
2:D:326:SER:HA	2:D:327:GLU:HA	1.80	0.41
1:B:22:ARG:HH12	1:B:36:ALA:HA	1.84	0.41
2:C:230:LEU:HD11	4:C:401:SAM:HN61	1.80	0.41
2:D:198:HIS:NE2	1:A:20:ASN:HB3	2.36	0.41
2:D:208:MET:HE2	2:D:251:VAL:HG13	2.03	0.41
1:A:60:ARG:HH21	1:A:77:GLU:HG2	1.85	0.41
1:A:99:ASP:OD2	1:A:101:THR:OG1	2.39	0.41
2:C:277:THR:HG21	2:D:277:THR:HG21	2.02	0.41
2:D:206:ILE:O	2:D:249:ILE:HA	2.20	0.41
2:D:278:TRP:CE2	2:D:335:PRO:HG3	2.56	0.41
2:D:353:GLU:CG	2:D:356:ALA:HB2	2.44	0.41
1:A:17:TYR:CD2	1:A:21:MET:CG	3.04	0.41
2:D:126:ASP:N	3:E:149:GLN:HB2	2.35	0.41
2:D:207:MET:HE1	2:D:338:ILE:HG23	2.03	0.41
3:E:151:MET:HE1	3:E:159:GLU:HG3	2.03	0.41
2:C:370:ASN:ND2	4:C:401:SAM:H1'	2.36	0.40
2:D:207:MET:HG2	2:D:208:MET:N	2.36	0.40
3:F:174:LYS:O	3:F:178:VAL:HG23	2.21	0.40
2:C:352:LEU:HD21	2:C:354:ILE:HD11	2.03	0.40
2:D:128:TYR:CD2	2:D:129:LEU:HD23	2.56	0.40
2:D:247:GLY:HA2	2:D:315:PHE:CZ	2.56	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:75:TYR:CE2	2:C:267:ASN:ND2[4_566]	2.08	0.12
2:C:135:SER:OG	3:E:159:GLU:OE1[1_655]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	127/142 (89%)	124 (98%)	3 (2%)	0	100	100
1	B	128/142 (90%)	126 (98%)	2 (2%)	0	100	100
2	C	209/247 (85%)	204 (98%)	5 (2%)	0	100	100
2	D	210/247 (85%)	198 (94%)	12 (6%)	0	100	100
3	E	35/309 (11%)	33 (94%)	1 (3%)	1 (3%)	3	25
3	F	23/309 (7%)	23 (100%)	0	0	100	100
All	All	732/1396 (52%)	708 (97%)	23 (3%)	1 (0%)	48	79

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	E	148	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	113/127 (89%)	99 (88%)	14 (12%)	4	23
1	B	113/127 (89%)	107 (95%)	6 (5%)	20	47
2	C	190/219 (87%)	164 (86%)	26 (14%)	3	20
2	D	189/219 (86%)	164 (87%)	25 (13%)	4	21
3	E	33/282 (12%)	28 (85%)	5 (15%)	3	16
3	F	22/282 (8%)	20 (91%)	2 (9%)	9	33
All	All	660/1256 (52%)	582 (88%)	78 (12%)	5	25

All (78) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	77	GLU
1	B	103	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	127	GLU
1	B	131	LYS
1	B	134	ILE
1	B	139	GLN
2	C	161	GLN
2	C	168	LYS
2	C	169	ARG
2	C	176	SER
2	C	186	LEU
2	C	195	GLN
2	C	196	MET
2	C	208	MET
2	C	230	LEU
2	C	234	LYS
2	C	236	GLN
2	C	239	PRO
2	C	245	GLN
2	C	267	ASN
2	C	314	ARG
2	C	316	LYS
2	C	329	ARG
2	C	342	ILE
2	C	345	LEU
2	C	346	CYS
2	C	348	ASN
2	C	350	ASN
2	C	361	LEU
2	C	363	ASP
2	C	370	ASN
2	C	371	GLU
2	D	129	LEU
2	D	130	ASP
2	D	142	LEU
2	D	169	ARG
2	D	174	ASP
2	D	186	LEU
2	D	191	LEU
2	D	195	GLN
2	D	234	LYS
2	D	236	GLN
2	D	241	GLN
2	D	244	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	255	ASN
2	D	264	MET
2	D	279	VAL
2	D	299	LYS
2	D	310	VAL
2	D	319	ILE
2	D	323	VAL
2	D	345	LEU
2	D	352	LEU
2	D	357	ARG
2	D	361	LEU
2	D	363	ASP
2	D	370	ASN
3	E	151	MET
3	E	152	THR
3	E	160	LYS
3	E	162	THR
3	E	174	LYS
3	F	164	LEU
3	F	173	LEU
1	A	20	ASN
1	A	25	LEU
1	A	28	GLN
1	A	58	LEU
1	A	60	ARG
1	A	63	GLU
1	A	71	LYS
1	A	72	GLU
1	A	76	ASP
1	A	99	ASP
1	A	131	LYS
1	A	134	ILE
1	A	135	TYR
1	A	137	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
2	C	144	GLN
2	C	152	HIS
2	C	155	GLN
2	C	195	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	236	GLN
2	C	245	GLN
2	C	318	ASN
2	C	359	ASN
2	C	370	ASN
2	D	152	HIS
2	D	350	ASN
2	D	370	ASN
1	A	69	ASN
1	A	74	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	SAM	D	401	-	27,29,29	1.46	5 (18%)	34,42,42	2.03	10 (29%)
4	SAM	C	401	-	27,29,29	1.44	6 (22%)	34,42,42	2.00	8 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SAM	D	401	-	-	9/17/33/33	0/3/3/3
4	SAM	C	401	-	-	10/17/33/33	0/3/3/3

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	401	SAM	C5-C4	4.15	1.46	1.39
4	D	401	SAM	C5-C4	4.08	1.46	1.39
4	D	401	SAM	C5-N7	-2.90	1.33	1.39
4	C	401	SAM	C5-N7	-2.84	1.33	1.39
4	D	401	SAM	C4-N9	-2.29	1.32	1.37
4	C	401	SAM	C4-N9	-2.16	1.33	1.37
4	C	401	SAM	C5-C6	2.13	1.46	1.41
4	D	401	SAM	C5-C6	2.05	1.46	1.41
4	C	401	SAM	C8-N7	2.05	1.35	1.31
4	D	401	SAM	C8-N7	2.03	1.35	1.31
4	C	401	SAM	CE-SD	-2.03	1.66	1.78

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	401	SAM	C5-C4-N3	-5.93	118.56	126.72
4	D	401	SAM	C5-C4-N3	-5.81	118.72	126.72
4	D	401	SAM	N3-C4-N9	4.71	135.18	127.17
4	C	401	SAM	N3-C4-N9	4.67	135.12	127.17
4	C	401	SAM	C2-N3-C4	3.66	120.77	111.83
4	D	401	SAM	C2-N3-C4	3.45	120.25	111.83
4	C	401	SAM	N3-C2-N1	-3.18	123.77	128.58
4	D	401	SAM	C4-C5-N7	-3.10	107.04	110.58
4	C	401	SAM	CG-SD-C5'	3.06	110.91	103.43
4	C	401	SAM	C4-C5-N7	-2.98	107.17	110.58
4	D	401	SAM	N3-C2-N1	-2.96	124.10	128.58
4	D	401	SAM	C4-N9-C8	2.72	108.60	105.74
4	D	401	SAM	CG-SD-C5'	2.39	109.27	103.43
4	D	401	SAM	C5-N7-C8	2.34	107.13	103.45
4	C	401	SAM	C4-N9-C8	2.22	108.07	105.74
4	D	401	SAM	C2'-C1'-N9	-2.22	107.80	113.30
4	C	401	SAM	C5-N7-C8	2.21	106.92	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	401	SAM	C3'-C2'-C1'	2.16	105.55	101.46

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	401	SAM	O-C-CA-N
4	C	401	SAM	C4'-C5'-SD-CE
4	D	401	SAM	O-C-CA-N
4	D	401	SAM	CB-CG-SD-CE
4	D	401	SAM	CB-CG-SD-C5'
4	D	401	SAM	C4'-C5'-SD-CE
4	D	401	SAM	O4'-C4'-C5'-SD
4	D	401	SAM	C3'-C4'-C5'-SD
4	D	401	SAM	OXT-C-CA-N
4	C	401	SAM	OXT-C-CA-N
4	C	401	SAM	OXT-C-CA-CB
4	C	401	SAM	C2'-C1'-N9-C8
4	C	401	SAM	CB-CG-SD-CE
4	C	401	SAM	CB-CG-SD-C5'
4	C	401	SAM	O-C-CA-CB
4	D	401	SAM	OXT-C-CA-CB
4	D	401	SAM	O-C-CA-CB
4	C	401	SAM	O4'-C1'-N9-C8
4	C	401	SAM	C2'-C1'-N9-C4


There are no ring outliers.

2 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	401	SAM	5	0
4	C	401	SAM	14	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	129/142 (90%)	0.91	7 (5%) 31 17	25, 68, 95, 119	0
1	B	130/142 (91%)	0.67	6 (4%) 37 20	26, 66, 107, 131	0
2	C	215/247 (87%)	0.89	19 (8%) 15 10	26, 68, 104, 121	0
2	D	216/247 (87%)	0.58	7 (3%) 50 28	22, 54, 87, 129	0
3	E	37/309 (11%)	0.36	1 (2%) 56 31	17, 27, 49, 55	0
3	F	25/309 (8%)	0.14	0 100 100	18, 33, 64, 73	0
All	All	752/1396 (53%)	0.71	40 (5%) 32 18	17, 61, 101, 131	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	364	ASN	3.4
1	A	75	TYR	3.4
2	C	228	ASP	3.2
2	C	322	ASP	3.2
2	C	341	TYR	3.0
1	B	67	VAL	2.9
1	A	12	LEU	2.9
2	C	232	ASP	2.9
1	A	68	GLY	2.8
1	B	18	ALA	2.8
2	D	232	ASP	2.8
2	C	127	ASP	2.8
2	C	252	TRP	2.8
2	D	326	SER	2.8
2	D	213	GLN	2.7
1	B	113	GLN	2.7
1	A	36	ALA	2.7
2	C	277	THR	2.7
2	D	130	ASP	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	57	ALA	2.6
2	C	278	TRP	2.6
2	C	274	ASP	2.6
1	A	63	GLU	2.5
1	A	66	GLY	2.5
2	C	299	LYS	2.4
2	C	209	ASP	2.4
2	C	328	ARG	2.4
1	B	24	ASP	2.4
1	B	126	LYS	2.4
2	C	205	VAL	2.3
2	D	228	ASP	2.3
2	C	247	GLY	2.2
2	C	191	LEU	2.2
3	E	147	ALA	2.2
2	C	233	GLU	2.2
2	D	258	TYR	2.2
2	C	338	ILE	2.1
2	D	245	GLN	2.1
1	B	89	LEU	2.0
2	C	203	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	SAM	C	401	27/27	0.85	0.16	48,61,80,86	0
4	SAM	D	401	27/27	0.91	0.12	47,55,67,71	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around SAM D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.