



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:50 AM UTC

PDB ID : 1F5K / pdb_00001f5k
Title : UROKINASE PLASMINOGEN ACTIVATOR B-CHAIN-BENZAMIDINE COMPLEX
Authors : Zeslawska, E.; Schweinitz, A.; Karcher, A.; Sondermann, P.; Sperl, S.; Sturzebecher, J.; Jacob, U.
Deposited on : 2000-06-15
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	U	253	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	U	402	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 2157 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called UROKINASE-TYPE PLASMINOGEN ACTIVATOR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	U	247	1951	1230	341	365	15	0	0	0

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
U	122	SER	CYS	engineered mutation	GB 1199928

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O			
2	U	1	4	4		0	0
2	U	1	Total 5	O 4	S 1	0	0

- Molecule 3 is BENZAMIDINE (CCD ID: BEN) (formula: C₇H₈N₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	U	1	Total	C	N	0	0
			9	7	2		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	U	188	Total	O	0	0
			188	188		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: UROKINASE-TYPE PLASMINOGEN ACTIVATOR



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	52.80Å 54.60Å 82.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	500.00 – 1.80	Depositor
% Data completeness (in resolution range)	(Not available) (500.00-1.80)	Depositor
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.204 , 0.257	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2157	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BEN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	U	2.12	20/2000 (1.0%)	1.40	44/2709 (1.6%)

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	U	49	PRO	C-N	35.08	1.78	1.33
1	U	61	LYS	C-N	34.18	1.79	1.34
1	U	72	ARG	N-CA	33.94	1.87	1.45
1	U	21	PHE	N-CA	30.98	1.82	1.45
1	U	105	LEU	C-N	26.68	1.72	1.33
1	U	106	LEU	C-N	21.81	1.64	1.33
1	U	23	THR	C-N	21.69	1.57	1.34
1	U	111	CYS	N-CA	21.60	1.74	1.46
1	U	185	ASP	C-N	20.62	1.73	1.34
1	U	185(A)	PRO	C-N	17.86	1.75	1.34
1	U	60(C)	PRO	C-N	17.35	1.64	1.33
1	U	24	ILE	C-N	15.55	1.55	1.34
1	U	48	SER	C-N	9.75	1.46	1.33
1	U	203	LEU	C-N	8.04	1.45	1.33
1	U	77	THR	CA-C	6.27	1.60	1.52
1	U	205	GLY	CA-C	6.13	1.60	1.51
1	U	182	CYS	C-N	-5.86	1.25	1.33
1	U	71	SER	C-N	-5.72	1.25	1.33
1	U	71	SER	CA-C	-5.40	1.45	1.52
1	U	50	CYS	C-N	5.31	1.41	1.33

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	U	21	PHE	N-CA-C	-15.07	85.90	110.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	U	60(C)	PRO	CA-C-N	-13.03	103.85	123.14
1	U	60(C)	PRO	C-N-CA	-13.03	103.85	123.14
1	U	110(D)	ARG	CA-C-N	-11.32	99.92	121.54
1	U	110(D)	ARG	C-N-CA	-11.32	99.92	121.54
1	U	23	THR	CA-C-N	-10.46	106.46	121.52
1	U	23	THR	C-N-CA	-10.46	106.46	121.52
1	U	204	GLN	OE1-CD-NE2	-9.48	113.12	122.60
1	U	111	CYS	N-CA-CB	-9.21	94.92	110.49
1	U	78	GLN	OE1-CD-NE2	-8.97	113.63	122.60
1	U	105	LEU	CA-C-N	-8.19	111.12	123.07
1	U	105	LEU	C-N-CA	-8.19	111.12	123.07
1	U	60(C)	PRO	O-C-N	8.14	133.63	122.64
1	U	169	GLN	CB-CG-CD	-8.05	98.91	112.60
1	U	20	GLU	CB-CG-CD	-7.91	99.16	112.60
1	U	50	CYS	O-C-N	7.72	131.44	122.25
1	U	71	SER	CA-C-N	-7.44	111.14	122.81
1	U	71	SER	C-N-CA	-7.44	111.14	122.81
1	U	106	LEU	O-C-N	7.18	132.60	123.12
1	U	78	GLN	CG-CD-NE2	7.13	127.09	116.40
1	U	169	GLN	CA-CB-CG	7.07	128.24	114.10
1	U	20	GLU	CA-CB-CG	6.89	127.88	114.10
1	U	106	LEU	CA-C-N	-6.78	111.81	121.50
1	U	106	LEU	C-N-CA	-6.78	111.81	121.50
1	U	51	TRP	CA-C-N	6.70	132.35	123.11
1	U	51	TRP	C-N-CA	6.70	132.35	123.11
1	U	50	CYS	CA-C-N	6.40	133.09	122.73
1	U	50	CYS	C-N-CA	6.40	133.09	122.73
1	U	204	GLN	CG-CD-NE2	6.17	125.65	116.40
1	U	49	PRO	O-C-N	-6.10	114.35	122.22
1	U	53	ILE	CB-CA-C	5.98	121.10	111.29
1	U	206	ARG	N-CA-C	5.92	118.89	109.24
1	U	49	PRO	CA-C-N	5.70	131.48	122.60
1	U	49	PRO	C-N-CA	5.70	131.48	122.60
1	U	226	GLY	N-CA-C	-5.55	104.00	111.54
1	U	215	TRP	N-CA-C	5.48	115.78	108.38
1	U	23	THR	O-C-N	5.45	130.26	122.74
1	U	32	ALA	CA-C-N	-5.38	116.02	122.90
1	U	32	ALA	C-N-CA	-5.38	116.02	122.90
1	U	73	LEU	N-CA-C	5.35	116.80	110.97
1	U	37(A)	ARG	NE-CZ-NH2	5.29	123.96	119.20
1	U	204	GLN	N-CA-C	-5.25	99.63	110.80
1	U	98	ALA	N-CA-C	5.18	117.94	110.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	U	19	GLY	O-C-N	-5.08	117.11	122.95

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	U	1951	0	1895	73	1
2	U	9	0	0	2	2
3	U	9	0	7	0	0
4	U	188	0	0	17	5
All	All	2157	0	1902	74	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (74) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:U:111:CYS:CA	1:U:111:CYS:N	1.74	1.46
1:U:185:ASP:C	1:U:185(A):PRO:N	1.73	1.45
1:U:105:LEU:C	1:U:106:LEU:N	1.72	1.43
1:U:21:PHE:N	1:U:21:PHE:CA	1.82	1.43
1:U:185(A):PRO:C	1:U:185(B):GLN:N	1.75	1.42
1:U:49:PRO:C	1:U:50:CYS:N	1.78	1.41
1:U:61:LYS:C	1:U:62:LYS:N	1.79	1.40
1:U:72:ARG:CA	1:U:72:ARG:N	1.87	1.35
1:U:165:HIS:NE2	1:U:169:GLN:OE1	1.73	1.22
1:U:165:HIS:CE1	1:U:169:GLN:OE1	1.94	1.20
1:U:131:GLN:NE2	4:U:589:HOH:O	1.73	1.20
1:U:143:LYS:HE2	1:U:151:TYR:CE1	1.82	1.13
1:U:119:GLN:HG2	4:U:587:HOH:O	1.47	1.11
1:U:110(D):ARG:C	1:U:111:CYS:CA	2.39	0.95
1:U:128:ASN:O	4:U:588:HOH:O	1.88	0.91

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:U:21:PHE:N	1:U:21:PHE:C	2.29	0.89
1:U:143:LYS:HE2	1:U:151:TYR:HE1	1.32	0.89
1:U:111:CYS:N	1:U:111:CYS:CB	2.41	0.83
1:U:203:LEU:CD1	4:U:588:HOH:O	2.25	0.83
1:U:143:LYS:CE	1:U:151:TYR:CE1	2.63	0.81
1:U:204:GLN:O	1:U:206:ARG:N	2.16	0.79
1:U:71:SER:C	1:U:72:ARG:CA	2.60	0.74
1:U:105:LEU:C	1:U:106:LEU:CA	2.62	0.73
1:U:110(D):ARG:O	1:U:111:CYS:CA	2.37	0.72
1:U:165:HIS:CD2	1:U:169:GLN:OE1	2.44	0.69
1:U:81:MET:HG3	4:U:419:HOH:O	1.92	0.69
1:U:20:GLU:C	1:U:21:PHE:CA	2.64	0.69
1:U:21:PHE:N	1:U:21:PHE:O	2.26	0.68
1:U:87:ASN:ND2	4:U:583:HOH:O	2.27	0.66
1:U:165:HIS:CE1	1:U:169:GLN:CD	2.73	0.65
1:U:87:ASN:ND2	4:U:405:HOH:O	2.31	0.63
1:U:203:LEU:HD11	4:U:588:HOH:O	1.95	0.60
1:U:182:CYS:O	1:U:183:ALA:HB2	2.00	0.59
1:U:110(D):ARG:O	1:U:111:CYS:HA	2.02	0.59
1:U:91:HIS:HD2	1:U:93:ASP:H	1.50	0.57
1:U:143:LYS:HD3	1:U:151:TYR:HD1	1.69	0.57
1:U:105:LEU:CA	1:U:106:LEU:N	2.65	0.56
1:U:25:GLU:OE2	1:U:116:ARG:NH2	2.38	0.56
1:U:60(B):TYR:O	1:U:61:LYS:N	2.38	0.55
1:U:45:SER:OG	1:U:198:PRO:HB3	2.08	0.53
1:U:143:LYS:HD3	1:U:151:TYR:CD1	2.44	0.53
1:U:203:LEU:HD13	4:U:588:HOH:O	1.97	0.53
1:U:60(B):TYR:C	1:U:61:LYS:H	2.15	0.53
1:U:110(D):ARG:NH2	4:U:482:HOH:O	2.19	0.53
1:U:61:LYS:C	1:U:62:LYS:CA	2.77	0.52
1:U:92:LYS:HE3	4:U:487:HOH:O	2.11	0.50
1:U:192:GLN:HG3	2:U:403:SO4:O1	2.12	0.50
1:U:60(B):TYR:C	1:U:61:LYS:N	2.70	0.49
1:U:61:LYS:CA	1:U:62:LYS:N	2.71	0.48
1:U:203:LEU:O	1:U:204:GLN:O	2.31	0.48
1:U:185(A):PRO:C	1:U:185(B):GLN:CA	2.80	0.48
1:U:119:GLN:CG	4:U:587:HOH:O	2.25	0.48
1:U:87:ASN:HD22	1:U:88:LEU:N	2.12	0.47
1:U:37:HIS:HE1	1:U:39:THR:OG1	1.98	0.46
1:U:217:ARG:HH11	1:U:217:ARG:HG2	1.79	0.46
1:U:143:LYS:HZ2	1:U:149:TYR:C	2.22	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:U:61:LYS:HD3	1:U:63:ASP:OD2	2.16	0.46
1:U:165:HIS:CE1	1:U:169:GLN:NE2	2.84	0.46
1:U:61:LYS:O	1:U:63:ASP:HB2	2.17	0.45
1:U:61:LYS:HB3	1:U:63:ASP:OD2	2.17	0.44
1:U:143:LYS:CE	1:U:151:TYR:CD1	2.99	0.44
1:U:24:ILE:HG12	1:U:69:GLY:HA2	2.00	0.44
1:U:100:HIS:HB2	4:U:527:HOH:O	2.17	0.43
1:U:143:LYS:NZ	1:U:149:TYR:C	2.75	0.43
1:U:165:HIS:CE1	1:U:169:GLN:HE22	2.36	0.43
1:U:50:CYS:O	1:U:107:LYS:HA	2.19	0.42
1:U:119:GLN:CB	4:U:587:HOH:O	2.61	0.42
1:U:239:ARG:O	1:U:243:LYS:HG3	2.20	0.42
1:U:110(D):ARG:HH11	1:U:110(D):ARG:HA	1.85	0.42
1:U:197:GLY:HA3	4:U:404:HOH:O	2.20	0.42
1:U:138:ILE:HD12	1:U:190:SER:HB3	2.02	0.41
1:U:169:GLN:HB3	4:U:471:HOH:O	2.21	0.40
1:U:203:LEU:HD21	4:U:479:HOH:O	2.22	0.40
2:U:402:SO4:O3	2:U:402:SO4:O4	2.40	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:U:557:HOH:O	4:U:586:HOH:O[1_655]	0.45	1.75
4:U:490:HOH:O	4:U:541:HOH:O[4_556]	1.11	1.09
2:U:402:SO4:O3	4:U:490:HOH:O[4_456]	1.44	0.76
1:U:244:GLU:OE1	4:U:591:HOH:O[2_555]	2.09	0.11
2:U:402:SO4:O2	4:U:429:HOH:O[4_456]	2.12	0.08

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	U	245/253 (97%)	226 (92%)	14 (6%)	5 (2%)	6 1

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	U	205	GLY
1	U	183	ALA
1	U	204	GLN
1	U	54	SER
1	U	243	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	U	216/220 (98%)	208 (96%)	8 (4%)	30 18

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	U	73	LEU
1	U	78	GLN
1	U	131	GLN
1	U	157	MET
1	U	162	LEU
1	U	203	LEU
1	U	204	GLN
1	U	209	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	U	26	ASN
1	U	37	HIS
1	U	87	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	U	91	HIS
1	U	119	GLN
1	U	131	GLN
1	U	145	ASN
1	U	165	HIS
1	U	233	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	BEN	U	300	-	9,9,9	1.65	3 (33%)	7,11,11	1.41	1 (14%)
2	SO4	U	403	-	4,4,4	0.35	0	6,6,6	0.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BEN	U	300	-	-	4/4/4/4	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	U	300	BEN	C2-C1	2.28	1.42	1.39
3	U	300	BEN	C6-C1	2.26	1.42	1.39
3	U	300	BEN	C1-C	-2.24	1.43	1.47

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	U	300	BEN	C1-C-N2	2.85	122.34	118.01

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	U	300	BEN	N2-C-C1-C2
3	U	300	BEN	N2-C-C1-C6
3	U	300	BEN	N1-C-C1-C2
3	U	300	BEN	N1-C-C1-C6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	U	403	SO4	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	U	7

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	U	61:LYS	C	62:LYS	N	1.79
1	U	49:PRO	C	50:CYS	N	1.78
1	U	185(A):PRO	C	185(B):GLN	N	1.75
1	U	185:ASP	C	185(A):PRO	N	1.73
1	U	105:LEU	C	106:LEU	N	1.72
1	U	60(C):PRO	C	61:LYS	N	1.64
1	U	106:LEU	C	107:LYS	N	1.64

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.