



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 03:47 PM UTC

PDB ID : 3F6U / pdb_00003f6u
Title : Crystal structure of human Activated Protein C (APC) complexed with PPACK
Authors : Schmidt, A.E.; Padmanabhan, K.; Underwood, M.C.; Bode, W.; Mather, T.; Bajaj, S.P.
Deposited on : 2008-11-06
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	240	
2	L	98	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	0G6	H	1	X	-	-	-

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 2 is a protein called Vitamin K-dependent protein C light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	98	Total 747	C 462	N 135	O 135	S 15	48	0	0

-
- ORTEP diagram of the chemical structure of 2-((2S,3S,4S)-2-amino-3-chloro-4-((2S)-2-amino-3-oxopropyl)butanoate)pyrrolidine-1-carboxamide. The structure is shown with atom labels (e.g., N1, C1, O1, N2, C2, O2, N, C, O, N1, C1, O1, N2, C2, O2, N, C, O, N1, C1, O1, N2, C2, O2) and thermal ellipsoids at the 50% probability level.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	H	1	Total	C	N	O	0	0
			30	21	6	3		

- Molecule 4 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	H	1	Total	Na	0	0
			1	1		

- Molecule 5 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	H	1	Total	Ca	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	H	105	Total	O	0	0
			105	105		
6	L	42	Total	O	0	0
			42	42		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Vitamin K-dependent protein C heavy chain



- Molecule 2: Vitamin K-dependent protein C light chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.06Å 89.60Å 101.23Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.25 – 2.80 35.25 – 2.80	Depositor EDS
% Data completeness (in resolution range)	92.3 (35.25-2.80) 92.3 (35.25-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.50 (at 2.81Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.161 , 0.236 0.160 , 0.233	Depositor DCC
R_{free} test set	1236 reflections (10.06%)	wwPDB-VP
Wilson B-factor (Å ²)	39.4	Xtriage
Anisotropy	0.252	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 69.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	2818	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 0G6, NA, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	H	1.70	13/1937 (0.7%)	1.76	26/2626 (1.0%)
2	L	1.64	7/768 (0.9%)	1.70	14/1037 (1.4%)
All	All	1.68	20/2705 (0.7%)	1.74	40/3663 (1.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	H	0	3
2	L	0	1
All	All	0	4

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	63	LYS	CA-C	-20.99	1.27	1.53
1	H	148	GLU	CA-C	-15.23	1.32	1.52
1	H	243	ARG	CA-CB	-13.18	1.31	1.53
2	L	70	ILE	CA-CB	-12.00	1.38	1.54
1	H	75	ARG	CB-CG	-8.77	1.26	1.52
2	L	70	ILE	C-N	-8.41	1.22	1.33
1	H	148	GLU	CA-CB	8.14	1.67	1.53
1	H	160	ILE	CA-C	7.71	1.60	1.52
2	L	113	VAL	CA-C	7.50	1.62	1.52
1	H	147	ARG	CA-C	6.96	1.60	1.53
2	L	136	ALA	CA-CB	-6.81	1.44	1.53
1	H	134	GLN	C-O	-6.46	1.16	1.23
1	H	154	VAL	CA-CB	-6.46	1.46	1.54
2	L	113	VAL	C-O	6.41	1.31	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	102	ASP	CA-C	-5.95	1.45	1.53
1	H	112	ALA	CA-CB	-5.93	1.43	1.53
1	H	229	THR	CA-CB	5.93	1.61	1.53
2	L	102	ASN	CA-C	-5.55	1.45	1.53
1	H	187	ARG	CA-C	5.55	1.60	1.52
2	L	68	THR	CA-CB	5.04	1.62	1.53

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	59	MET	O-C-N	-23.18	86.39	121.63
1	H	63	LYS	CA-C-O	-20.62	91.86	120.52
2	L	70	ILE	O-C-N	-17.96	100.11	122.57
1	H	48	HIS	N-CA-C	-14.27	95.38	108.22
2	L	53	LEU	CA-C-N	8.02	129.86	119.84
2	L	53	LEU	C-N-CA	8.02	129.86	119.84
2	L	70	ILE	CB-CA-C	7.86	124.18	111.29
1	H	160	ILE	N-CA-C	7.35	115.21	109.19
1	H	125	ASP	CB-CA-C	-7.09	94.98	109.65
1	H	163	VAL	CA-C-N	-6.91	112.88	119.85
1	H	163	VAL	C-N-CA	-6.91	112.88	119.85
1	H	217	GLU	CB-CA-C	6.59	121.32	111.17
2	L	66	HIS	N-CA-C	-6.51	103.31	113.02
1	H	241	HIS	N-CA-C	-6.38	105.65	113.50
1	H	214	SER	N-CA-C	6.16	120.37	112.12
1	H	63	LYS	N-CA-C	6.16	120.57	107.70
1	H	148	GLU	CA-C-O	6.05	129.17	120.51
1	H	173	SER	N-CA-C	6.00	117.49	111.07
1	H	34	LEU	N-CA-C	5.97	118.47	110.35
1	H	90	VAL	N-CA-CB	5.88	119.30	110.13
1	H	148	GLU	N-CA-CB	-5.79	100.70	110.49
2	L	69	CYS	N-CA-C	5.75	118.13	108.23
1	H	187	ARG	N-CA-C	5.75	120.14	113.18
2	L	57	HIS	CA-C-N	5.64	125.75	119.32
2	L	57	HIS	C-N-CA	5.64	125.75	119.32
1	H	127	GLY	N-CA-C	5.52	119.17	112.49
1	H	37	LYS	N-CA-C	-5.47	106.64	113.15
1	H	192	GLU	CB-CA-C	-5.46	102.11	109.71
2	L	101	ASP	N-CA-C	-5.45	104.39	111.74
2	L	71	ASP	N-CA-C	5.42	122.35	110.80
2	L	61	SER	CA-CB-OG	5.29	121.69	111.10
1	H	210	VAL	N-CA-C	-5.28	107.02	111.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	143	ARG	CB-CA-C	-5.19	103.85	111.01
2	L	129	ASP	N-CA-CB	-5.18	101.74	110.49
1	H	124	PRO	CA-C-N	5.09	129.48	120.87
1	H	124	PRO	C-N-CA	5.09	129.48	120.87
1	H	75	ARG	CA-CB-CG	-5.06	103.98	114.10
1	H	105	LEU	N-CA-CB	-5.05	102.61	110.55
1	H	215	TRP	N-CA-C	5.05	115.20	108.38
2	L	72	GLY	N-CA-C	5.04	117.91	110.80

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	H	186	GLY	Peptide
1	H	59	MET	Mainchain
1	H	63	LYS	Mainchain
2	L	70	ILE	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1892	0	1857	52	0
2	L	747	0	684	23	0
3	H	30	0	29	6	0
4	H	1	0	0	0	0
5	H	1	0	0	0	0
6	H	105	0	0	4	0
6	L	42	0	0	2	0
All	All	2818	0	2570	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:167:GLU:OE2	6:H:328:HOH:O	1.75	1.02
2:L:129:ASP:OD2	2:L:131:LEU:HB2	1.65	0.97
2:L:90:GLN:HE21	2:L:90:GLN:H	1.01	0.96
1:H:32:VAL:CG2	1:H:40:LEU:HD12	2.04	0.88
2:L:57:HIS:CE1	6:L:328:HOH:O	2.27	0.87
1:H:20:LYS:HD3	6:H:275:HOH:O	1.75	0.86
2:L:90:GLN:H	2:L:90:GLN:NE2	1.75	0.83
1:H:32:VAL:HG23	1:H:40:LEU:HD12	1.60	0.83
1:H:195:SER:OG	3:H:1:OG6:CA2	2.27	0.83
1:H:146:SER:O	1:H:147:ARG:HD2	1.86	0.75
2:L:90:GLN:HE21	2:L:90:GLN:N	1.82	0.74
1:H:128(C):ARG:HD3	6:H:272:HOH:O	1.87	0.74
2:L:132:GLN:HG2	6:L:150:HOH:O	1.90	0.71
1:H:32:VAL:HG23	1:H:40:LEU:CD1	2.20	0.70
1:H:22:THR:HG22	1:H:71:TYR:HE1	1.57	0.70
1:H:22:THR:HB	1:H:155:LEU:O	1.94	0.66
1:H:195:SER:OG	3:H:1:OG6:C3	2.45	0.64
1:H:99:THR:O	1:H:99:THR:HG22	1.97	0.64
2:L:67:GLY:HA3	2:L:80:CYS:HA	1.83	0.60
1:H:211:GLY:HA2	1:H:231:VAL:HG23	1.84	0.59
2:L:139:PHE:HA	2:L:145:TRP:CH2	2.38	0.59
3:H:1:OG6:CD2	3:H:1:OG6:HD3	2.33	0.58
1:H:67:ARG:NH1	1:H:82:ASP:OD2	2.35	0.57
1:H:22:THR:HG22	1:H:71:TYR:CE1	2.38	0.57
1:H:119:VAL:HG11	2:L:145:TRP:CZ3	2.39	0.57
1:H:57:HIS:CE1	3:H:1:OG6:C3	2.85	0.56
2:L:85:GLU:OE2	2:L:101:ASP:OD2	2.23	0.56
2:L:112:GLU:HB2	2:L:115:TRP:O	2.05	0.56
1:H:195:SER:OG	3:H:1:OG6:O2	2.23	0.55
2:L:125:LYS:O	2:L:133:CYS:HA	2.07	0.54
2:L:124:TYR:OH	2:L:143:ARG:HD2	2.08	0.54
1:H:143:TYR:HD2	1:H:192:GLU:HB2	1.72	0.53
2:L:94:SER:H	2:L:100:LEU:HB2	1.73	0.53
1:H:202:SER:HA	1:H:206:THR:O	2.09	0.53
1:H:139:THR:HB	1:H:155:LEU:HD11	1.90	0.53
2:L:140:PRO:HD2	2:L:145:TRP:HH2	1.74	0.52
1:H:201:ALA:HA	6:H:334:HOH:O	2.08	0.52
1:H:203:PHE:O	1:H:204:HIS:C	2.52	0.51
1:H:31:VAL:HG12	1:H:32:VAL:N	2.25	0.51
1:H:57:HIS:CE1	3:H:1:OG6:H1	2.28	0.51
1:H:56:ALA:HA	1:H:104:ALA:HB2	1.93	0.51
1:H:31:VAL:HB	1:H:44:ALA:HB3	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:211:GLY:HA2	1:H:229:THR:O	2.13	0.49
2:L:92:GLU:HG2	2:L:100:LEU:HD13	1.97	0.46
1:H:126:SER:O	1:H:128(B):GLU:HG2	2.16	0.46
1:H:66:VAL:HG11	1:H:108:LEU:HD11	1.97	0.46
1:H:32:VAL:HG11	1:H:70:GLU:HG3	1.98	0.46
1:H:185:LEU:HD23	1:H:185:LEU:HA	1.88	0.44
2:L:135:PRO:HB3	2:L:140:PRO:HG3	1.98	0.44
1:H:47:ILE:HG21	1:H:53:LEU:HD22	2.00	0.44
1:H:143:TYR:CD2	1:H:192:GLU:HB2	2.52	0.43
1:H:37:LYS:O	1:H:38:LYS:HB2	2.19	0.43
1:H:24:ARG:CZ	1:H:79:TRP:CE2	3.01	0.43
1:H:35:ASP:O	1:H:38:LYS:N	2.51	0.43
1:H:199:MET:HB3	1:H:211:GLY:H	1.83	0.43
2:L:139:PHE:HA	2:L:145:TRP:HH2	1.80	0.43
1:H:32:VAL:CG2	1:H:40:LEU:CD1	2.85	0.43
2:L:94:SER:N	2:L:100:LEU:HB2	2.34	0.42
1:H:163:VAL:HG22	1:H:164:PRO:CD	2.49	0.42
2:L:140:PRO:HD2	2:L:145:TRP:CH2	2.52	0.42
1:H:16:LEU:HD12	1:H:190:ALA:HA	2.02	0.42
1:H:163:VAL:HG22	1:H:164:PRO:HD2	2.02	0.42
2:L:92:GLU:HG2	2:L:100:LEU:CD1	2.50	0.42
1:H:240:GLY:O	1:H:244:ASP:HB2	2.20	0.42
1:H:31:VAL:CG1	1:H:32:VAL:N	2.83	0.41
1:H:178:GLU:O	1:H:233:ARG:HD3	2.20	0.41
1:H:195:SER:HA	1:H:213:VAL:HG12	2.02	0.41
2:L:116:ARG:HG3	2:L:116:ARG:O	2.19	0.41
1:H:83:LEU:HD23	1:H:83:LEU:HA	1.90	0.41
1:H:28:PRO:HG2	1:H:119:VAL:HG22	2.03	0.41
1:H:121:ILE:HD12	1:H:121:ILE:HA	1.92	0.40
1:H:70:GLU:OE1	1:H:71:TYR:N	2.55	0.40
1:H:221(A):LEU:HD23	1:H:221(A):LEU:HA	1.77	0.40
1:H:72:ASP:OD1	1:H:72:ASP:C	2.64	0.40
2:L:138:LYS:HB3	2:L:139:PHE:CD2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	238/240 (99%)	218 (92%)	17 (7%)	3 (1%)	9	31
2	L	96/98 (98%)	85 (88%)	7 (7%)	4 (4%)	2	7
All	All	334/338 (99%)	303 (91%)	24 (7%)	7 (2%)	5	20

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	148	GLU
1	H	243	ARG
1	H	152	THR
2	L	70	ILE
2	L	71	ASP
2	L	122	PRO
2	L	81	ARG

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	207/207 (100%)	174 (84%)	33 (16%)	2	9
2	L	83/83 (100%)	71 (86%)	12 (14%)	3	11
All	All	290/290 (100%)	245 (84%)	45 (16%)	2	9

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	16	LEU
1	H	22	THR
1	H	27	SER
1	H	34	LEU
1	H	39	LYS
1	H	40	LEU
1	H	50	SER
1	H	53	LEU
1	H	57	HIS
1	H	67	ARG
1	H	73	LEU
1	H	74	ARG
1	H	90	VAL
1	H	97	SER
1	H	108	LEU
1	H	114	LEU
1	H	116	GLN
1	H	119	VAL
1	H	125	ASP
1	H	128	LEU
1	H	128(B)	GLU
1	H	128(C)	ARG
1	H	137	LEU
1	H	146	SER
1	H	147	ARG
1	H	148	GLU
1	H	151	ARG
1	H	152	THR
1	H	154	VAL
1	H	158	ILE
1	H	163	VAL
1	H	173	SER
1	H	235	LEU
2	L	52	VAL
2	L	53	LEU
2	L	55	LEU
2	L	57	HIS
2	L	70	ILE
2	L	90	GLN
2	L	106	THR
2	L	113	VAL
2	L	122	PRO
2	L	132	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	L	138	LYS
2	L	143	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	93	ASN
1	H	156	ASN
1	H	223	HIS
2	L	57	HIS
2	L	90	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	OG6	H	1	1	30,31,32	2.18	6 (20%)	37,41,42	2.30	11 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	0G6	H	1	1	2/2/8/10	5/31/41/43	0/2/2/2

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	1	0G6	C3-C2	-7.01	1.31	1.51
3	H	1	0G6	CA2-N2	-6.76	1.35	1.46
3	H	1	0G6	O2-C2	-3.31	1.34	1.43
3	H	1	0G6	CD2-CG	2.84	1.44	1.38
3	H	1	0G6	CE2-CD2	2.72	1.43	1.38
3	H	1	0G6	C1-N2	2.56	1.39	1.34

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	1	0G6	CB2-CA2-N2	9.03	122.01	110.30
3	H	1	0G6	C2-CA2-N2	5.39	120.69	110.90
3	H	1	0G6	CA2-N2-C1	3.86	129.97	123.25
3	H	1	0G6	CG2-CD3-NE	-2.89	104.09	112.20
3	H	1	0G6	O2-C2-C3	2.86	118.22	109.68
3	H	1	0G6	CZ-CE1-CD1	2.76	123.64	120.24
3	H	1	0G6	CB-CA-C	2.63	116.46	109.43
3	H	1	0G6	CG2-CB2-CA2	2.52	118.75	113.94
3	H	1	0G6	CB-CA-N	-2.12	103.27	111.40
3	H	1	0G6	CG1-CB1-CA1	2.10	108.52	104.14
3	H	1	0G6	CZ-CE2-CD2	-2.08	117.68	120.24

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	H	1	0G6	CA2
3	H	1	0G6	C2

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	H	1	0G6	C3-C2-CA2-N2
3	H	1	0G6	O2-C2-CA2-CB2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	H	1	0G6	N2-CA2-CB2-CG2
3	H	1	0G6	NE-CD3-CG2-CB2
3	H	1	0G6	CB2-CA2-N2-C1

There are no ring outliers.

1 monomer is involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	1	0G6	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	H	229/240 (95%)	-0.83	1 (0%) 88 84	7, 21, 37, 64	8 (3%)
2	L	93/98 (94%)	-0.54	0 100 100	13, 33, 51, 54	3 (3%)
All	All	322/338 (95%)	-0.75	1 (0%) 90 86	7, 24, 45, 64	11 (3%)

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	148	GLU	5.8

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NA	H	245	1/1	0.81	0.17	52,52,52,52	0
5	CA	H	246	1/1	0.91	0.11	82,82,82,82	0
3	0G6	H	1	30/31	0.97	0.08	19,23,32,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.