



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 09:29 PM UTC

PDB ID : 4F6C / pdb_00004f6c
Title : Crystal structure of Aureusimine biosynthetic cluster reductase domain
Authors : Mok, M.; Junop, M.
Deposited on : 2012-05-14
Resolution : 2.81 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.81 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4591 (2.84-2.80)
Clashscore	190562	5010 (2.84-2.80)
Ramachandran outliers	187476	4916 (2.84-2.80)
Sidechain outliers	187428	4918 (2.84-2.80)
RSRZ outliers	180081	4594 (2.84-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	427	5% 70% 14% • 14%
1	B	427	5% 67% 17% • 14%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5545 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called AusA reductase domain protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	368	Total	C	N	O	S	Se	0	0	0
			2740	1748	461	514	3	14			
1	B	368	Total	C	N	O	S	Se	0	0	0
			2801	1790	473	520	3	15			

There are 90 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1976	MSE	-	expression tag	UNP Q99X42
A	1977	GLY	-	expression tag	UNP Q99X42
A	1978	SER	-	expression tag	UNP Q99X42
A	1979	SER	-	expression tag	UNP Q99X42
A	1980	HIS	-	expression tag	UNP Q99X42
A	1981	HIS	-	expression tag	UNP Q99X42
A	1982	HIS	-	expression tag	UNP Q99X42
A	1983	HIS	-	expression tag	UNP Q99X42
A	1984	HIS	-	expression tag	UNP Q99X42
A	1985	HIS	-	expression tag	UNP Q99X42
A	1986	SER	-	expression tag	UNP Q99X42
A	1987	SER	-	expression tag	UNP Q99X42
A	1988	GLY	-	expression tag	UNP Q99X42
A	1989	LEU	-	expression tag	UNP Q99X42
A	1990	VAL	-	expression tag	UNP Q99X42
A	1991	PRO	-	expression tag	UNP Q99X42
A	1992	ARG	-	expression tag	UNP Q99X42
A	1993	GLY	-	expression tag	UNP Q99X42
A	1994	SER	-	expression tag	UNP Q99X42
A	1995	HIS	-	expression tag	UNP Q99X42
A	1996	MSE	-	expression tag	UNP Q99X42
A	1997	ALA	-	expression tag	UNP Q99X42
A	1998	SER	-	expression tag	UNP Q99X42
A	1999	MSE	-	expression tag	UNP Q99X42
A	2000	THR	-	expression tag	UNP Q99X42

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	2001	GLY	-	expression tag	UNP Q99X42
A	2002	GLY	-	expression tag	UNP Q99X42
A	2003	GLN	-	expression tag	UNP Q99X42
A	2004	GLN	-	expression tag	UNP Q99X42
A	2005	MSE	-	expression tag	UNP Q99X42
A	2006	GLY	-	expression tag	UNP Q99X42
A	2007	ARG	-	expression tag	UNP Q99X42
A	2008	ASP	-	expression tag	UNP Q99X42
A	2009	PRO	-	expression tag	UNP Q99X42
A	2392	ALA	-	expression tag	UNP Q99X42
A	2393	ALA	-	expression tag	UNP Q99X42
A	2394	ALA	-	expression tag	UNP Q99X42
A	2395	LEU	-	expression tag	UNP Q99X42
A	2396	GLU	-	expression tag	UNP Q99X42
A	2397	HIS	-	expression tag	UNP Q99X42
A	2398	HIS	-	expression tag	UNP Q99X42
A	2399	HIS	-	expression tag	UNP Q99X42
A	2400	HIS	-	expression tag	UNP Q99X42
A	2401	HIS	-	expression tag	UNP Q99X42
A	2402	HIS	-	expression tag	UNP Q99X42
B	1976	MSE	-	expression tag	UNP Q99X42
B	1977	GLY	-	expression tag	UNP Q99X42
B	1978	SER	-	expression tag	UNP Q99X42
B	1979	SER	-	expression tag	UNP Q99X42
B	1980	HIS	-	expression tag	UNP Q99X42
B	1981	HIS	-	expression tag	UNP Q99X42
B	1982	HIS	-	expression tag	UNP Q99X42
B	1983	HIS	-	expression tag	UNP Q99X42
B	1984	HIS	-	expression tag	UNP Q99X42
B	1985	HIS	-	expression tag	UNP Q99X42
B	1986	SER	-	expression tag	UNP Q99X42
B	1987	SER	-	expression tag	UNP Q99X42
B	1988	GLY	-	expression tag	UNP Q99X42
B	1989	LEU	-	expression tag	UNP Q99X42
B	1990	VAL	-	expression tag	UNP Q99X42
B	1991	PRO	-	expression tag	UNP Q99X42
B	1992	ARG	-	expression tag	UNP Q99X42
B	1993	GLY	-	expression tag	UNP Q99X42
B	1994	SER	-	expression tag	UNP Q99X42
B	1995	HIS	-	expression tag	UNP Q99X42
B	1996	MSE	-	expression tag	UNP Q99X42
B	1997	ALA	-	expression tag	UNP Q99X42

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1998	SER	-	expression tag	UNP Q99X42
B	1999	MSE	-	expression tag	UNP Q99X42
B	2000	THR	-	expression tag	UNP Q99X42
B	2001	GLY	-	expression tag	UNP Q99X42
B	2002	GLY	-	expression tag	UNP Q99X42
B	2003	GLN	-	expression tag	UNP Q99X42
B	2004	GLN	-	expression tag	UNP Q99X42
B	2005	MSE	-	expression tag	UNP Q99X42
B	2006	GLY	-	expression tag	UNP Q99X42
B	2007	ARG	-	expression tag	UNP Q99X42
B	2008	ASP	-	expression tag	UNP Q99X42
B	2009	PRO	-	expression tag	UNP Q99X42
B	2392	ALA	-	expression tag	UNP Q99X42
B	2393	ALA	-	expression tag	UNP Q99X42
B	2394	ALA	-	expression tag	UNP Q99X42
B	2395	LEU	-	expression tag	UNP Q99X42
B	2396	GLU	-	expression tag	UNP Q99X42
B	2397	HIS	-	expression tag	UNP Q99X42
B	2398	HIS	-	expression tag	UNP Q99X42
B	2399	HIS	-	expression tag	UNP Q99X42
B	2400	HIS	-	expression tag	UNP Q99X42
B	2401	HIS	-	expression tag	UNP Q99X42
B	2402	HIS	-	expression tag	UNP Q99X42


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O 1 1	0	0
2	B	3	Total O 3 3	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: AusA reductase domain protein



• Molecule 1: AusA reductase domain protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	105.70Å 106.45Å 124.88Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.43 – 2.81 44.43 – 2.81	Depositor EDS
% Data completeness (in resolution range)	95.9 (44.43-2.81) 94.8 (44.43-2.81)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.10 (at 2.81Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.206 , 0.243 (Not available) , 0.249	Depositor DCC
R_{free} test set	2002 reflections (5.77%)	wwPDB-VP
Wilson B-factor (Å ²)	75.7	Xtriage
Anisotropy	0.517	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 96.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.015 for k,h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5545	wwPDB-VP
Average B, all atoms (Å ²)	94.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.55	0/2778	0.87	1/3771 (0.0%)
1	B	0.59	0/2837	0.93	2/3841 (0.1%)
All	All	0.57	0/5615	0.90	3/7612 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	2198	LEU	N-CA-C	6.72	118.40	111.14
1	A	2314	VAL	N-CA-C	5.26	116.16	111.90
1	B	2196	GLY	N-CA-C	5.05	122.33	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2740	0	2537	54	0
1	B	2801	0	2694	62	0
2	A	1	0	0	1	0
2	B	3	0	0	1	0
All	All	5545	0	5231	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2282:ARG:NH2	1:A:2368:GLU:HG3	1.57	1.17
1:B:2172:THR:HG21	1:B:2174:SER:OG	1.40	1.16
1:B:2172:THR:HG23	1:B:2174:SER:H	0.94	1.09
1:B:2172:THR:CG2	1:B:2174:SER:H	1.69	1.05
1:B:2172:THR:HG23	1:B:2174:SER:N	1.77	0.99
1:B:2171:SER:O	1:B:2228:ARG:HA	1.65	0.96
1:A:2282:ARG:HH21	1:A:2368:GLU:CG	1.82	0.92
1:A:2282:ARG:HH21	1:A:2368:GLU:HG3	1.30	0.86
1:A:2282:ARG:NH2	1:A:2368:GLU:CG	2.37	0.86
1:B:2172:THR:CG2	1:B:2174:SER:N	2.36	0.86
1:A:2187:THR:O	1:A:2195:LYS:HE2	1.77	0.85
1:A:2282:ARG:HH22	1:A:2368:GLU:HG3	1.43	0.84
1:B:2172:THR:CG2	1:B:2174:SER:OG	2.24	0.84
1:A:2366:ILE:HG22	1:A:2366:ILE:O	1.86	0.74
1:B:2172:THR:HG21	1:B:2174:SER:HG	1.49	0.74
1:A:2279:THR:HG23	1:A:2282:ARG:NH1	2.03	0.73
1:A:2194:TYR:HA	1:A:2197:GLN:OE1	1.89	0.73
1:A:2282:ARG:HD2	1:A:2368:GLU:OE2	1.89	0.72
1:A:2031:ASN:ND2	2:A:2501:HOH:O	2.25	0.69
1:A:2366:ILE:O	1:A:2366:ILE:CG2	2.41	0.68
1:A:2093:ASP:OD2	1:A:2243:ARG:NH1	2.27	0.67
1:A:2061:ILE:HG22	1:A:2103:MSE:HE2	1.79	0.64
1:B:2225:ARG:NH2	1:B:2292:THR:O	2.31	0.64
1:A:2210:SER:O	1:A:2214:VAL:HG12	1.98	0.64
1:B:2070:ARG:HH21	1:B:2108:GLU:HG3	1.63	0.64
1:A:2282:ARG:HH21	1:A:2368:GLU:CD	2.07	0.62
1:A:2113:ASP:N	1:A:2113:ASP:OD1	2.29	0.62
1:B:2166:ARG:HA	1:B:2223:ASP:O	1.99	0.61
1:A:2029:ARG:HA	1:A:2032:LEU:HD12	1.83	0.61
1:B:2076:ARG:HH12	1:B:2117:MSE:HB3	1.64	0.61
1:B:2035:LEU:HB2	1:B:2038:SER:HB2	1.86	0.57
1:B:2308:LYS:HE2	1:B:2321:LEU:HD13	1.87	0.57
1:B:2172:THR:CG2	1:B:2174:SER:CB	2.83	0.56
1:A:2078:ASP:H	1:A:2082:ILE:HD11	1.70	0.56
1:B:2172:THR:HG21	1:B:2174:SER:CB	2.32	0.56
1:B:2322:VAL:HG13	1:B:2326:SER:HB3	1.87	0.56
1:B:2025:ILE:O	1:B:2029:ARG:HG2	2.06	0.56
1:B:2029:ARG:HA	1:B:2032:LEU:HD22	1.87	0.55
1:A:2084:TRP:CE3	1:A:2088:MSE:HE3	2.41	0.55
1:B:2175:VAL:HG22	1:B:2208:PHE:HB2	1.87	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2282:ARG:NH1	2:B:2503:HOH:O	2.39	0.54
1:B:2062:GLU:HA	1:B:2103:MSE:HE2	1.90	0.54
1:A:2134:ALA:HB1	1:A:2149:ASN:OD1	2.08	0.53
1:B:2034:ILE:HD12	1:B:2361:LYS:HE3	1.91	0.53
1:B:2263:ILE:HG21	1:B:2308:LYS:HD2	1.91	0.53
1:B:2021:GLU:O	1:B:2025:ILE:HG13	2.08	0.52
1:A:2129:ILE:HD12	1:A:2160:ALA:HB2	1.91	0.52
1:B:2324:ASP:OD2	1:B:2324:ASP:N	2.26	0.51
1:A:2052:ALA:HB1	1:A:2061:ILE:HD11	1.92	0.51
1:A:2122:LEU:HD11	1:A:2159:LEU:HD21	1.93	0.50
1:A:2260:LEU:HD21	1:A:2336:MSE:HE1	1.94	0.49
1:B:2084:TRP:HB3	1:B:2088:MSE:HE3	1.95	0.49
1:A:2072:TYR:CG	1:A:2126:MSE:HE1	2.47	0.49
1:B:2172:THR:HG22	1:B:2174:SER:N	2.26	0.49
1:A:2198:LEU:C	1:A:2199:LEU:HD23	2.38	0.48
1:B:2276:PHE:CE2	1:B:2371:PRO:HG2	2.47	0.48
1:A:2225:ARG:HH11	1:A:2225:ARG:HG3	1.78	0.48
1:B:2253:VAL:HG13	1:B:2339:THR:HG23	1.95	0.48
1:B:2055:PHE:CZ	1:B:2242:MSE:HG3	2.48	0.48
1:A:2194:TYR:CE1	1:A:2196:GLY:N	2.81	0.48
1:B:2292:THR:HG21	1:B:2362:ILE:HD13	1.95	0.48
1:B:2117:MSE:O	1:B:2120:VAL:HG12	2.13	0.48
1:B:2030:TYR:CE2	1:B:2190:GLU:HG2	2.49	0.48
1:B:2070:ARG:NH2	1:B:2108:GLU:HG3	2.29	0.47
1:A:2103:MSE:O	1:A:2107:ILE:HG12	2.14	0.47
1:B:2152:GLY:O	1:B:2156:VAL:HG23	2.14	0.47
1:B:2030:TYR:HE2	1:B:2190:GLU:HG2	1.80	0.47
1:A:2243:ARG:HH22	1:B:2097:GLU:CD	2.21	0.46
1:B:2055:PHE:CE1	1:B:2242:MSE:HG3	2.51	0.46
1:A:2314:VAL:HG21	1:A:2382:ALA:CB	2.46	0.46
1:A:2254:MSE:CE	1:A:2272:VAL:HG21	2.46	0.46
1:B:2383:GLN:O	1:B:2387:THR:HG23	2.16	0.46
1:A:2262:CYS:HB2	1:A:2320:GLU:O	2.16	0.45
1:B:2172:THR:CG2	1:B:2174:SER:CA	2.94	0.45
1:B:2355:ASP:OD1	1:B:2357:THR:HG23	2.16	0.45
1:A:2057:GLY:O	1:A:2061:ILE:HG13	2.16	0.45
1:B:2263:ILE:HG12	1:B:2268:ALA:HB2	1.99	0.44
1:B:2122:LEU:HA	1:B:2123:PRO:HD3	1.84	0.44
1:B:2268:ALA:HB1	1:B:2308:LYS:HB2	2.00	0.44
1:B:2153:THR:O	1:B:2157:ILE:HG13	2.18	0.44
1:A:2378:LEU:HD23	1:A:2378:LEU:HA	1.87	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2061:ILE:CG2	1:A:2103:MSE:HE2	2.46	0.44
1:A:2254:MSE:HE1	1:A:2272:VAL:HG21	2.00	0.43
1:B:2032:LEU:HD23	1:B:2293:PRO:HB2	2.00	0.43
1:A:2351:LEU:HD22	1:A:2351:LEU:HA	1.85	0.43
1:B:2283:GLN:HB3	1:B:2363:MSE:HE3	1.99	0.43
1:A:2072:TYR:CE2	1:A:2108:GLU:HG3	2.53	0.43
1:A:2243:ARG:NH2	1:B:2097:GLU:OE1	2.43	0.43
1:B:2231:ASN:HB3	1:B:2273:ASP:O	2.18	0.43
1:B:2263:ILE:HG23	1:B:2321:LEU:HD12	2.01	0.43
1:A:2282:ARG:CD	1:A:2368:GLU:OE2	2.61	0.42
1:B:2025:ILE:HD11	1:B:2219:ASN:OD1	2.18	0.42
1:A:2267:MSE:HE1	1:A:2343:THR:HA	2.01	0.42
1:B:2176:GLY:HA3	1:B:2188:PHE:CE2	2.54	0.42
1:A:2180:ASP:OD1	1:A:2181:ILE:N	2.52	0.42
1:B:2211:GLU:OE2	1:B:2228:ARG:NE	2.53	0.42
1:A:2194:TYR:C	1:A:2194:TYR:CD1	2.98	0.42
1:A:2198:LEU:O	1:A:2199:LEU:HD23	2.19	0.42
1:B:2174:SER:HA	1:B:2177:THR:OG1	2.20	0.42
1:B:2276:PHE:CD2	1:B:2371:PRO:HG2	2.55	0.42
1:B:2084:TRP:CE3	1:B:2088:MSE:HE3	2.54	0.42
1:A:2181:ILE:HD11	1:A:2348:GLU:C	2.45	0.42
1:B:2029:ARG:O	1:B:2032:LEU:HB2	2.20	0.41
1:B:2287:LEU:HD12	1:B:2287:LEU:HA	1.80	0.41
1:A:2254:MSE:HG3	1:A:2381:TRP:HH2	1.85	0.41
1:A:2195:LYS:N	1:A:2197:GLN:OE1	2.46	0.41
1:A:2282:ARG:HD2	1:A:2368:GLU:CD	2.45	0.41
1:B:2029:ARG:HB3	1:B:2293:PRO:O	2.20	0.41
1:A:2246:LYS:HE3	1:A:2388:ILE:O	2.21	0.41
1:A:2249:ARG:HA	1:A:2252:MSE:HG3	2.03	0.41
1:B:2265:VAL:HG23	1:B:2322:VAL:O	2.21	0.41
1:A:2255:ASN:N	1:A:2385:ILE:HD11	2.35	0.41
1:A:2225:ARG:HG3	1:A:2225:ARG:NH1	2.36	0.40
1:B:2287:LEU:HD13	1:B:2363:MSE:CE	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	362/427 (85%)	351 (97%)	10 (3%)	1 (0%)	36	64
1	B	360/427 (84%)	336 (93%)	24 (7%)	0	100	100
All	All	722/854 (84%)	687 (95%)	34 (5%)	1 (0%)	48	75

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2133	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	271/362 (75%)	255 (94%)	16 (6%)	18	46
1	B	291/362 (80%)	272 (94%)	19 (6%)	15	42
All	All	562/724 (78%)	527 (94%)	35 (6%)	16	44

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2028	SER
1	A	2034	ILE
1	A	2082	ILE
1	A	2102	MSE
1	A	2113	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	2114	PHE
1	A	2148	VAL
1	A	2183	THR
1	A	2197	GLN
1	A	2214	VAL
1	A	2252	MSE
1	A	2260	LEU
1	A	2267	MSE
1	A	2300	LEU
1	A	2351	LEU
1	A	2385	ILE
1	B	2015	LEU
1	B	2032	LEU
1	B	2106	ASN
1	B	2111	VAL
1	B	2120	VAL
1	B	2124	GLU
1	B	2172	THR
1	B	2175	VAL
1	B	2190	GLU
1	B	2200	THR
1	B	2262	CYS
1	B	2272	VAL
1	B	2290	VAL
1	B	2322	VAL
1	B	2324	ASP
1	B	2336	MSE
1	B	2357	THR
1	B	2360	LEU
1	B	2373	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	2041	HIS
1	A	2069	HIS
1	A	2241	HIS
1	B	2380	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	354/427 (82%)	0.27	23 (6%) 25 18	60, 96, 148, 164	0
1	B	353/427 (82%)	0.21	22 (6%) 26 19	54, 86, 139, 164	0
All	All	707/854 (82%)	0.24	45 (6%) 25 18	54, 90, 144, 164	0

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	2114	PHE	5.9
1	B	2119	ASP	5.8
1	B	2136	THR	4.7
1	B	2142	ASP	4.6
1	B	2118	ASP	4.5
1	B	2113	ASP	4.4
1	A	2390	ASN	4.3
1	B	2343	THR	4.3
1	B	2037	ASP	4.2
1	A	2326	SER	4.0
1	A	2114	PHE	4.0
1	A	2346	ASP	3.9
1	A	2119	ASP	3.8
1	A	2367	SER	3.8
1	B	2143	ASP	3.6
1	A	2136	THR	3.6
1	A	2144	GLU	3.1
1	A	2036	GLU	3.1
1	A	2312	GLU	3.0
1	A	2118	ASP	3.0
1	B	2348	GLU	3.0
1	A	2262	CYS	3.0
1	B	2018	ASN	2.9
1	B	2144	GLU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	2266	SER	2.8
1	A	2345	VAL	2.7
1	B	2342	LEU	2.7
1	B	2098	GLU	2.7
1	B	2349	GLN	2.6
1	A	2348	GLU	2.6
1	A	2120	VAL	2.6
1	B	2031	ASN	2.5
1	B	2244	ASN	2.5
1	A	2265	VAL	2.4
1	A	2037	ASP	2.4
1	B	2078	ASP	2.3
1	A	2146	GLU	2.3
1	A	2263	ILE	2.3
1	B	2337	TYR	2.3
1	B	2182	ASP	2.2
1	B	2335	ASP	2.2
1	A	2324	ASP	2.2
1	A	2321	LEU	2.2
1	B	2338	GLU	2.1
1	A	2347	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.