



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 12, 2026 – 04:20 PM UTC

PDB ID : 8F6M / pdb_00008f6m
Title : Complex of Rabbit muscle pyruvate kinase with ADP and the phosphonate analogue of PEP mimicking the Michaelis complex.
Authors : Holyoak, T.; Fenton, A.W.
Deposited on : 2022-11-16
Resolution : 2.15 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2057 (2.16-2.16)
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	531	
1	B	531	
1	C	531	
1	D	531	
1	E	531	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	531	
1	G	531	
1	H	531	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	GZ3	G	601	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 35355 atoms, of which 64 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Pyruvate kinase PKM.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	519	Total	C	N	O	S	0	3	0
			3999	2512	714	745	28			
1	B	519	Total	C	N	O	S	0	4	0
			4004	2516	715	745	28			
1	C	519	Total	C	N	O	S	0	2	0
			3989	2506	708	746	29			
1	D	522	Total	C	N	O	S	0	5	0
			4031	2534	716	752	29			
1	E	519	Total	C	N	O	S	0	5	0
			4011	2521	715	746	29			
1	F	515	Total	C	N	O	S	0	3	0
			3978	2501	709	740	28			
1	G	506	Total	C	N	O	S	0	1	0
			3889	2442	692	726	29			
1	H	522	Total	C	N	O	S	0	2	0
			4010	2520	712	749	29			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	400	ALA	SER	variant	UNP P11974
B	400	ALA	SER	variant	UNP P11974
C	400	ALA	SER	variant	UNP P11974
D	400	ALA	SER	variant	UNP P11974
E	400	ALA	SER	variant	UNP P11974
F	400	ALA	SER	variant	UNP P11974
G	400	ALA	SER	variant	UNP P11974
H	400	ALA	SER	variant	UNP P11974

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	F	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is SUCCINIC ACID (CCD ID: SIN) (formula: C₄H₆O₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total 8	C 4	O 4	0	0	
3	A	1	Total 12	C 4	H 4 O 4	0	0	
3	B	1	Total 8	C 4	O 4	0	0	
3	B	1	Total 12	C 4	H 4 O 4	0	0	
3	C	1	Total 8	C 4	O 4	0	0	
3	C	1	Total 12	C 4	H 4 O 4	0	0	
3	D	1	Total 8	C 4	O 4	0	0	
3	D	1	Total 12	C 4	H 4 O 4	0	0	
3	E	1	Total 12	C 4	H 4 O 4	0	0	
3	F	1	Total 12	C 4	H 4 O 4	0	0	
3	G	1	Total 12	C 4	H 4 O 4	0	0	
3	H	1	Total 12	C 4	H 4 O 4	0	0	


- Molecule 4 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	2	Total Mn 2 2	0	0
4	B	2	Total Mn 2 2	0	0
4	C	2	Total Mn 2 2	0	0
4	D	2	Total Mn 2 2	0	0
4	E	2	Total Mn 2 2	0	0
4	F	2	Total Mn 2 2	0	0
4	G	1	Total Mn 1 1	0	0
4	H	2	Total Mn 2 2	0	0

- Molecule 5 is POTASSIUM ION (CCD ID: K) (formula: K).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total K 1 1	0	0
5	B	1	Total K 1 1	0	0
5	C	1	Total K 1 1	0	0
5	D	1	Total K 1 1	0	0
5	E	1	Total K 1 1	0	0
5	F	1	Total K 1 1	0	0
5	G	1	Total K 1 1	0	0
5	H	1	Total K 1 1	0	0

- Molecule 6 is ALANINE (CCD ID: ALA) (formula: C₃H₇NO₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			6	3	1	2		
6	B	1	Total	C	N	O	0	0
			6	3	1	2		
6	C	1	Total	C	N	O	0	0
			6	3	1	2		
6	D	1	Total	C	N	O	0	0
			6	3	1	2		
6	E	1	Total	C	N	O	0	0
			6	3	1	2		
6	F	1	Total	C	N	O	0	0
			6	3	1	2		
6	G	1	Total	C	N	O	0	0
			6	3	1	2		
6	H	1	Total	C	N	O	0	0
			6	3	1	2		

- Molecule 7 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total 6	C 3	O 3	0	0	
7	A	1	Total 6	C 3	O 3	0	0	
7	A	1	Total 6	C 3	O 3	0	0	
7	A	1	Total 6	C 3	O 3	0	0	
7	B	1	Total 6	C 3	O 3	0	0	
7	B	1	Total 6	C 3	O 3	0	0	
7	B	1	Total 14	C 3	H 8	O 3	0	0
7	C	1	Total 6	C 3	O 3	0	0	
7	C	1	Total 6	C 3	O 3	0	0	
7	C	1	Total 6	C 3	O 3	0	0	
7	C	1	Total 14	C 3	H 8	O 3	0	0
7	C	1	Total 14	C 3	H 8	O 3	0	0
7	D	1	Total 6	C 3	O 3	0	0	
7	E	1	Total 6	C 3	O 3	0	0	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	E	1	Total	C	O	0	0	
			6	3	3			
7	E	1	Total	C	O	0	0	
			6	3	3			
7	E	1	Total	C	O	0	0	
			6	3	3			
7	F	1	Total	C	O	0	0	
			6	3	3			
7	F	1	Total	C	O	0	0	
			6	3	3			
7	F	1	Total	C	O	0	0	
			6	3	3			
7	F	1	Total	C	O	0	0	
			6	3	3			
7	F	1	Total	C	H	O	0	0
			14	3	8	3		
7	G	1	Total	C	O	0	0	
			6	3	3			
7	G	1	Total	C	O	0	0	
			6	3	3			
7	H	1	Total	C	O	0	0	
			6	3	3			
7	H	1	Total	C	O	0	0	
			6	3	3			

- Molecule 8 is (E)-2-METHYL-3-PHOSPHONOACRYLATE (CCD ID: GZ3) (formula: $C_4H_7O_5P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	E	1	Total	C	O	P	0	0
			10	4	5	1		
8	F	1	Total	C	O	P	0	0
			10	4	5	1		
8	G	1	Total	C	O	P	0	0
			10	4	5	1		
8	H	1	Total	C	O	P	0	0
			10	4	5	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	414	Total	O	0	0
			414	414		
9	B	402	Total	O	0	0
			402	402		
9	C	256	Total	O	0	0
			256	256		
9	D	344	Total	O	0	0
			344	344		
9	E	412	Total	O	0	0
			412	412		
9	F	358	Total	O	0	0
			358	358		
9	G	332	Total	O	0	0
			332	332		
9	H	364	Total	O	0	0
			364	364		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pyruvate kinase PKM




• Molecule 1: Pyruvate kinase PKM




• Molecule 1: Pyruvate kinase PKM




• Molecule 1: Pyruvate kinase PKM






• Molecule 1: Pyruvate kinase PKM

Chain E: 89% 9% .




• Molecule 1: Pyruvate kinase PKM

Chain F: 87% 10% 2% .



• Molecule 1: Pyruvate kinase PKM

Chain G: 80% 15% 5% 10% .




• Molecule 1: Pyruvate kinase PKM

Chain H:

88%

10%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	93.03Å 216.40Å 258.15Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.02 – 2.15 46.02 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.8 (46.02-2.15) 99.7 (46.02-2.15)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.23 (at 2.16Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.156 , 0.205 0.156 , 0.205	Depositor DCC
R_{free} test set	14172 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	22.7	Xtriage
Anisotropy	0.007	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 42.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	35355	wwPDB-VP
Average B, all atoms (Å ²)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: K, SIN, GZ3, MN, GOL, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/4072	0.63	0/5492
1	B	0.55	0/4080	0.63	0/5503
1	C	0.49	0/4058	0.59	0/5473
1	D	0.51	0/4111	0.59	0/5544
1	E	0.58	0/4091	0.64	0/5517
1	F	0.55	0/4050	0.62	0/5461
1	G	0.52	0/3951	0.60	0/5327
1	H	0.59	0/4080	0.66	0/5503
All	All	0.55	0/32493	0.62	0/43820

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	341	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3999	0	4083	46	0
1	B	4004	0	4094	37	0
1	C	3989	0	4070	51	0
1	D	4031	0	4113	39	0
1	E	4011	0	4097	41	0
1	F	3978	0	4062	50	0
1	G	3889	0	3965	78	0
1	H	4010	0	4089	39	0
2	A	27	0	12	1	0
2	B	27	0	12	0	0
2	C	27	0	12	0	0
2	D	27	0	12	0	0
2	F	27	0	12	0	0
3	A	16	4	8	1	0
3	B	16	4	8	2	0
3	C	16	4	8	1	0
3	D	16	4	8	1	0
3	E	8	4	4	0	0
3	F	8	4	4	0	0
3	G	8	4	4	1	0
3	H	8	4	4	1	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0
4	E	2	0	0	0	0
4	F	2	0	0	0	0
4	G	1	0	0	0	0
4	H	2	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	6	0	4	1	0
6	B	6	0	4	1	0
6	C	6	0	4	1	0
6	D	6	0	4	1	0
6	E	6	0	4	0	0
6	F	6	0	4	1	0
6	G	6	0	4	1	0
6	H	6	0	4	1	0
7	A	24	0	32	4	0
7	B	18	8	24	1	0
7	C	30	16	40	6	0
7	D	6	0	8	0	0
7	E	24	0	32	3	0
7	F	30	8	40	4	0
7	G	12	0	16	1	0
7	H	12	0	15	1	0
8	E	10	0	4	0	0
8	F	10	0	4	1	0
8	G	10	0	4	5	0
8	H	10	0	4	1	0
9	A	414	0	0	7	0
9	B	402	0	0	5	0
9	C	256	0	0	3	0
9	D	344	0	0	2	0
9	E	412	0	0	1	0
9	F	358	0	0	8	0
9	G	332	0	0	8	0
9	H	364	0	0	6	0
All	All	35291	64	32936	345	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 345 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:29:MET:HG3	9:A:1377:HOH:O	1.53	1.06
1:A:21:MET:HE1	9:A:1113:HOH:O	1.62	0.97
1:G:175:VAL:HG22	1:G:180:ILE:HB	1.43	0.97
1:D:21:MET:HA	1:D:21:MET:HE2	1.54	0.89
1:F:122:LEU:CD1	1:F:205:LYS:HE3	2.06	0.85

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	520/531 (98%)	508 (98%)	11 (2%)	1 (0%)	43	44
1	B	521/531 (98%)	509 (98%)	11 (2%)	1 (0%)	43	44
1	C	519/531 (98%)	505 (97%)	13 (2%)	1 (0%)	43	44
1	D	525/531 (99%)	514 (98%)	10 (2%)	1 (0%)	43	44
1	E	522/531 (98%)	513 (98%)	8 (2%)	1 (0%)	43	44
1	F	514/531 (97%)	503 (98%)	10 (2%)	1 (0%)	43	44
1	G	501/531 (94%)	493 (98%)	7 (1%)	1 (0%)	43	44
1	H	522/531 (98%)	513 (98%)	8 (2%)	1 (0%)	43	44
All	All	4144/4248 (98%)	4058 (98%)	78 (2%)	8 (0%)	43	44

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	327	THR
1	B	327	THR
1	D	327	THR
1	E	327	THR
1	G	327	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	428/434 (99%)	426 (100%)	2 (0%)	81	87
1	B	429/434 (99%)	427 (100%)	2 (0%)	81	87
1	C	427/434 (98%)	425 (100%)	2 (0%)	81	87
1	D	432/434 (100%)	429 (99%)	3 (1%)	76	82
1	E	430/434 (99%)	429 (100%)	1 (0%)	87	92
1	F	426/434 (98%)	425 (100%)	1 (0%)	87	92
1	G	416/434 (96%)	412 (99%)	4 (1%)	68	75
1	H	429/434 (99%)	427 (100%)	2 (0%)	81	87
All	All	3417/3472 (98%)	3400 (100%)	17 (0%)	81	87

5 of 17 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	271	GLU
1	H	479	GLU
1	D	345	SER
1	D	442	ARG
1	E	518	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 22 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	77	HIS
1	G	478	GLN
1	G	456	HIS
1	H	273	HIS
1	C	490	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 78 ligands modelled in this entry, 23 are monoatomic - leaving 55 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	GOL	F	608	-	5,5,5	1.49	2 (40%)	5,5,5	0.49	0
3	SIN	E	605	-	7,7,7	1.21	0	8,8,8	1.47	2 (25%)
7	GOL	A	909	-	5,5,5	0.93	0	5,5,5	0.94	1 (20%)
3	SIN	A	902	4	7,7,7	1.20	0	8,8,8	1.65	3 (37%)
7	GOL	A	911	-	5,5,5	1.36	1 (20%)	5,5,5	0.87	0
7	GOL	C	1011	-	5,5,5	1.13	0	5,5,5	0.99	0
7	GOL	F	609	-	5,5,5	0.82	0	5,5,5	1.49	1 (20%)
8	GZ3	F	602	4,5	8,9,9	3.75	4 (50%)	9,13,13	1.75	2 (22%)
2	ADP	F	601	4	28,29,29	1.67	5 (17%)	43,45,45	1.84	10 (23%)
7	GOL	E	610	-	5,5,5	0.92	0	5,5,5	1.07	0
7	GOL	G	606	-	5,5,5	1.17	0	5,5,5	0.95	0
7	GOL	A	910	-	5,5,5	0.85	0	5,5,5	1.08	0
7	GOL	C	1010	-	5,5,5	1.18	0	5,5,5	0.94	0
6	ALA	D	1007	-	5,5,5	1.32	1 (20%)	6,6,6	1.52	2 (33%)
3	SIN	D	1006	-	7,7,7	1.02	0	8,8,8	1.31	0
7	GOL	E	608	-	5,5,5	1.05	0	5,5,5	1.17	0
7	GOL	F	612	-	5,5,5	0.94	0	5,5,5	0.74	0
6	ALA	G	605	-	5,5,5	1.20	1 (20%)	6,6,6	1.51	2 (33%)
6	ALA	C	1007	-	5,5,5	1.26	1 (20%)	6,6,6	1.30	1 (16%)
7	GOL	A	908	-	5,5,5	0.94	0	5,5,5	1.04	0
7	GOL	H	606	-	5,5,5	1.37	0	5,5,5	0.86	0
8	GZ3	E	601	4	8,9,9	2.92	4 (50%)	9,13,13	2.64	5 (55%)
3	SIN	C	1006	-	7,7,7	1.28	0	8,8,8	1.71	3 (37%)
3	SIN	H	604	-	7,7,7	1.24	0	8,8,8	1.70	3 (37%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	GOL	B	1010	-	5,5,5	1.12	0	5,5,5	1.77	1 (20%)
2	ADP	D	1001	4	28,29,29	1.57	4 (14%)	43,45,45	1.97	10 (23%)
3	SIN	B	1006	-	7,7,7	1.36	0	8,8,8	1.59	2 (25%)
8	GZ3	G	601	4,5	8,9,9	3.57	3 (37%)	9,13,13	2.05	3 (33%)
2	ADP	A	901	4	28,29,29	1.40	4 (14%)	43,45,45	1.64	9 (20%)
7	GOL	D	1008	-	5,5,5	0.91	0	5,5,5	0.90	0
7	GOL	C	1012	-	5,5,5	0.69	0	5,5,5	1.53	1 (20%)
7	GOL	C	1008	-	5,5,5	0.80	0	5,5,5	1.30	1 (20%)
6	ALA	H	605	-	5,5,5	1.09	1 (20%)	6,6,6	1.74	2 (33%)
3	SIN	B	1002	4	7,7,7	1.21	0	8,8,8	1.83	3 (37%)
7	GOL	B	1009	-	5,5,5	0.91	0	5,5,5	1.12	0
7	GOL	H	607	-	5,5,5	1.77	2 (40%)	5,5,5	0.86	0
7	GOL	B	1008	-	5,5,5	0.62	0	5,5,5	1.66	1 (20%)
7	GOL	F	610	-	5,5,5	0.64	0	5,5,5	1.50	1 (20%)
6	ALA	F	607	-	5,5,5	0.98	0	6,6,6	1.27	1 (16%)
6	ALA	B	1007	-	5,5,5	1.31	1 (20%)	6,6,6	0.84	0
3	SIN	A	906	-	7,7,7	1.14	0	8,8,8	1.87	4 (50%)
7	GOL	C	1009	-	5,5,5	1.43	1 (20%)	5,5,5	0.97	0
6	ALA	E	606	-	5,5,5	1.16	1 (20%)	6,6,6	1.19	1 (16%)
7	GOL	F	611	-	5,5,5	1.12	0	5,5,5	1.06	1 (20%)
8	GZ3	H	601	4	8,9,9	3.52	4 (50%)	9,13,13	1.69	2 (22%)
3	SIN	F	606	-	7,7,7	1.17	0	8,8,8	1.60	4 (50%)
3	SIN	G	604	-	7,7,7	1.08	0	8,8,8	1.68	2 (25%)
6	ALA	A	907	-	5,5,5	1.55	2 (40%)	6,6,6	1.27	1 (16%)
2	ADP	C	1001	4	28,29,29	1.70	4 (14%)	43,45,45	1.81	10 (23%)
7	GOL	E	609	-	5,5,5	1.66	1 (20%)	5,5,5	0.83	0
7	GOL	G	607	-	5,5,5	1.21	1 (20%)	5,5,5	1.16	0
3	SIN	C	1002	4	7,7,7	1.17	1 (14%)	8,8,8	1.53	1 (12%)
7	GOL	E	607	-	5,5,5	0.56	0	5,5,5	1.70	1 (20%)
2	ADP	B	1001	4	28,29,29	1.42	5 (17%)	43,45,45	1.67	8 (18%)
3	SIN	D	1002	4	7,7,7	1.20	0	8,8,8	1.78	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	GOL	F	608	-	-	2/4/4/4	-
3	SIN	E	605	-	-	3/5/5/5	-
7	GOL	A	909	-	-	4/4/4/4	-
3	SIN	A	902	4	-	4/5/5/5	-
7	GOL	A	911	-	-	3/4/4/4	-
7	GOL	C	1011	-	-	2/4/4/4	-
7	GOL	F	609	-	-	2/4/4/4	-
8	GZ3	F	602	4,5	-	6/6/9/9	-
2	ADP	F	601	4	-	1/16/32/32	0/3/3/3
7	GOL	E	610	-	-	2/4/4/4	-
7	GOL	G	606	-	-	1/4/4/4	-
7	GOL	A	910	-	-	3/4/4/4	-
7	GOL	C	1010	-	-	1/4/4/4	-
6	ALA	D	1007	-	-	0/4/4/4	-
3	SIN	D	1006	-	-	1/5/5/5	-
7	GOL	E	608	-	-	2/4/4/4	-
7	GOL	F	612	-	-	2/4/4/4	-
6	ALA	G	605	-	-	0/4/4/4	-
6	ALA	C	1007	-	-	2/4/4/4	-
7	GOL	A	908	-	-	4/4/4/4	-
7	GOL	H	606	-	-	0/4/4/4	-
8	GZ3	E	601	4	-	3/6/9/9	-
3	SIN	C	1006	-	-	3/5/5/5	-
3	SIN	H	604	-	-	3/5/5/5	-
7	GOL	B	1010	-	-	2/4/4/4	-
2	ADP	D	1001	4	-	0/16/32/32	0/3/3/3
3	SIN	B	1006	-	-	2/5/5/5	-
8	GZ3	G	601	4,5	-	2/6/9/9	-
2	ADP	A	901	4	-	0/16/32/32	0/3/3/3
7	GOL	D	1008	-	-	2/4/4/4	-
7	GOL	C	1012	-	-	0/4/4/4	-
7	GOL	C	1008	-	-	0/4/4/4	-
6	ALA	H	605	-	-	2/4/4/4	-
3	SIN	B	1002	4	-	4/5/5/5	-
7	GOL	B	1009	-	-	2/4/4/4	-
7	GOL	H	607	-	-	0/4/4/4	-
7	GOL	B	1008	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	GOL	F	610	-	-	4/4/4/4	-
6	ALA	F	607	-	-	0/4/4/4	-
6	ALA	B	1007	-	-	2/4/4/4	-
3	SIN	A	906	-	-	3/5/5/5	-
7	GOL	C	1009	-	-	0/4/4/4	-
6	ALA	E	606	-	-	0/4/4/4	-
7	GOL	F	611	-	-	0/4/4/4	-
8	GZ3	H	601	4	-	5/6/9/9	-
3	SIN	F	606	-	-	3/5/5/5	-
3	SIN	G	604	-	-	3/5/5/5	-
6	ALA	A	907	-	-	2/4/4/4	-
2	ADP	C	1001	4	-	2/16/32/32	0/3/3/3
7	GOL	E	609	-	-	2/4/4/4	-
7	GOL	G	607	-	-	2/4/4/4	-
3	SIN	C	1002	4	-	4/5/5/5	-
7	GOL	E	607	-	-	3/4/4/4	-
2	ADP	B	1001	4	-	1/16/32/32	0/3/3/3
3	SIN	D	1002	4	-	4/5/5/5	-

The worst 5 of 54 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	G	601	GZ3	CAA-CAH	-7.69	1.32	1.50
8	H	601	GZ3	CAA-CAH	-7.14	1.33	1.50
8	F	602	GZ3	CAA-CAH	-6.95	1.33	1.50
8	F	602	GZ3	PAJ-CAG	6.60	1.85	1.76
8	E	601	GZ3	CAA-CAH	-6.56	1.34	1.50

The worst 5 of 107 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1001	ADP	C5-C4-N3	-5.80	118.73	126.72
2	D	1001	ADP	N3-C4-N9	5.29	136.16	127.17
2	F	601	ADP	C5-C4-N3	-5.29	119.43	126.72
2	C	1001	ADP	C5-C4-N3	-5.15	119.62	126.72
2	B	1001	ADP	C5-C4-N3	-5.06	119.75	126.72

There are no chirality outliers.

5 of 110 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	1006	SIN	C1-C2-C3-C4
7	A	908	GOL	O1-C1-C2-C3
7	A	909	GOL	O1-C1-C2-O2
7	A	909	GOL	O1-C1-C2-C3
7	A	909	GOL	C1-C2-C3-O3


There are no ring outliers.


31 monomers are involved in 42 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	909	GOL	2	0
3	A	902	SIN	1	0
7	A	911	GOL	1	0
7	C	1011	GOL	1	0
7	F	609	GOL	2	0
8	F	602	GZ3	1	0
7	A	910	GOL	2	0
6	D	1007	ALA	1	0
7	E	608	GOL	2	0
7	F	612	GOL	2	0
6	G	605	ALA	1	0
6	C	1007	ALA	1	0
3	H	604	SIN	1	0
8	G	601	GZ3	5	0
2	A	901	ADP	1	0
7	C	1012	GOL	2	0
6	H	605	ALA	1	0
3	B	1002	SIN	2	0
7	B	1009	GOL	1	0
7	H	607	GOL	1	0
7	F	610	GOL	1	0
6	F	607	ALA	1	0
6	B	1007	ALA	1	0
7	C	1009	GOL	3	0
8	H	601	GZ3	1	0
3	G	604	SIN	1	0
6	A	907	ALA	1	0
7	G	607	GOL	1	0
3	C	1002	SIN	1	0
7	E	607	GOL	1	0
3	D	1002	SIN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,


bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


































































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	519/531 (97%)	-0.71	0 100 100	13, 21, 36, 54	3 (0%)
1	B	519/531 (97%)	-0.68	2 (0%) 88 90	11, 21, 38, 58	4 (0%)
1	C	519/531 (97%)	-0.30	4 (0%) 82 84	12, 27, 53, 82	2 (0%)
1	D	522/531 (98%)	-0.54	2 (0%) 88 90	13, 26, 42, 60	5 (0%)
1	E	519/531 (97%)	-0.76	1 (0%) 91 92	11, 19, 34, 61	5 (0%)
1	F	515/531 (96%)	-0.52	8 (1%) 70 74	14, 23, 45, 65	3 (0%)
1	G	506/531 (95%)	-0.15	55 (10%) 10 12	13, 23, 76, 98	1 (0%)
1	H	522/531 (98%)	-0.69	1 (0%) 91 92	12, 20, 37, 59	2 (0%)
All	All	4141/4248 (97%)	-0.55	73 (1%) 67 71	11, 22, 46, 98	25 (0%)

The worst 5 of 73 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	201	PHE	6.6
1	G	214	ALA	5.1
1	G	202	LEU	4.9
1	G	179	LEU	4.5
1	G	139	LEU	4.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	GOL	E	607	6/6	0.86	0.16	30,35,42,44	0
7	GOL	F	609	6/6	0.87	0.14	30,35,36,38	0
8	GZ3	G	601	10/10	0.88	0.10	24,29,48,82	0
7	GOL	F	612	6/6	0.89	0.16	25,36,44,47	0
7	GOL	C	1010	6/6	0.89	0.12	35,41,45,45	0
7	GOL	E	609	6/6	0.90	0.12	21,27,31,33	0
8	GZ3	F	602	10/10	0.90	0.10	20,28,38,48	0
3	SIN	B	1006	8/8	0.90	0.10	18,34,43,43	0
3	SIN	D	1006	8/8	0.91	0.11	25,47,57,61	0
7	GOL	F	610	6/6	0.91	0.11	31,33,35,43	0
7	GOL	C	1012	6/6	0.91	0.14	38,46,53,64	0
7	GOL	A	910	6/6	0.91	0.11	35,39,40,47	0
7	GOL	C	1008	6/6	0.91	0.10	30,33,43,47	0
3	SIN	H	604	8/8	0.92	0.09	21,32,46,49	0
7	GOL	C	1011	6/6	0.92	0.13	33,45,55,55	0
3	SIN	C	1006	8/8	0.92	0.12	21,43,51,60	0
7	GOL	G	606	6/6	0.92	0.11	27,32,39,40	0
7	GOL	B	1010	6/6	0.92	0.13	30,39,49,49	0
3	SIN	F	606	8/8	0.92	0.11	23,44,59,62	0
3	SIN	C	1002	8/8	0.93	0.09	29,34,40,44	0
7	GOL	F	611	6/6	0.93	0.10	29,32,34,35	0
3	SIN	G	604	8/8	0.93	0.09	22,43,53,53	0
7	GOL	E	608	6/6	0.93	0.10	27,30,39,40	0
3	SIN	A	906	8/8	0.93	0.10	19,36,41,46	0
2	ADP	F	601	27/27	0.93	0.09	30,41,47,54	0
8	GZ3	H	601	10/10	0.93	0.09	24,27,40,45	0
7	GOL	B	1009	6/6	0.94	0.09	28,34,37,37	0
7	GOL	C	1009	6/6	0.94	0.10	28,36,39,42	0
7	GOL	E	610	6/6	0.95	0.11	25,28,33,40	0
7	GOL	F	608	6/6	0.95	0.07	25,27,32,35	0
7	GOL	G	607	6/6	0.95	0.11	25,35,40,43	0
7	GOL	H	607	6/6	0.95	0.09	25,29,37,40	0
7	GOL	A	909	6/6	0.95	0.10	30,36,40,40	0
3	SIN	E	605	8/8	0.95	0.09	20,31,52,53	0
3	SIN	D	1002	8/8	0.95	0.08	22,28,31,31	0
7	GOL	D	1008	6/6	0.96	0.08	26,28,39,43	0
3	SIN	B	1002	8/8	0.96	0.07	18,20,25,25	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	MN	H	608	1/1	0.96	0.17	59,59,59,59	0
6	ALA	A	907	6/6	0.96	0.06	16,17,20,21	0
7	GOL	A	908	6/6	0.96	0.06	22,27,29,33	0
8	GZ3	E	601	10/10	0.96	0.07	16,25,34,36	0
3	SIN	A	902	8/8	0.96	0.06	18,22,29,29	0
2	ADP	C	1001	27/27	0.96	0.07	26,36,44,46	0
7	GOL	A	911	6/6	0.96	0.08	30,34,35,36	0
7	GOL	B	1008	6/6	0.97	0.07	19,23,24,30	0
6	ALA	B	1007	6/6	0.97	0.05	17,20,21,22	0
7	GOL	H	606	6/6	0.97	0.06	21,29,31,33	0
6	ALA	G	605	6/6	0.97	0.05	17,19,22,23	0
6	ALA	C	1007	6/6	0.98	0.04	19,21,21,22	0
6	ALA	D	1007	6/6	0.98	0.04	19,21,22,22	0
6	ALA	E	606	6/6	0.98	0.04	14,15,17,19	0
6	ALA	F	607	6/6	0.98	0.05	16,18,20,20	0
2	ADP	D	1001	27/27	0.98	0.05	21,26,31,31	0
5	K	B	1004	1/1	0.99	0.03	18,18,18,18	0
5	K	C	1005	1/1	0.99	0.02	30,30,30,30	0
2	ADP	A	901	27/27	0.99	0.04	16,19,22,25	0
4	MN	E	603	1/1	0.99	0.09	47,47,47,47	0
4	MN	F	603	1/1	0.99	0.10	53,53,53,53	0
4	MN	F	604	1/1	0.99	0.01	22,22,22,22	0
4	MN	G	602	1/1	0.99	0.03	30,30,30,30	0
2	ADP	B	1001	27/27	0.99	0.03	15,17,20,23	0
5	K	A	905	1/1	0.99	0.03	18,18,18,18	0
6	ALA	H	605	6/6	0.99	0.04	15,17,18,19	0
4	MN	D	1003	1/1	1.00	0.01	27,27,27,27	0
4	MN	D	1004	1/1	1.00	0.02	22,22,22,22	0
5	K	D	1005	1/1	1.00	0.03	26,26,26,26	0
5	K	E	604	1/1	1.00	0.04	24,24,24,24	0
5	K	F	605	1/1	1.00	0.02	23,23,23,23	0
5	K	G	603	1/1	1.00	0.03	22,22,22,22	0
5	K	H	603	1/1	1.00	0.03	22,22,22,22	0
4	MN	E	602	1/1	1.00	0.02	25,25,25,25	0
4	MN	A	903	1/1	1.00	0.01	21,21,21,21	0
4	MN	A	904	1/1	1.00	0.02	21,21,21,21	0
4	MN	B	1003	1/1	1.00	0.01	21,21,21,21	0
4	MN	B	1005	1/1	1.00	0.01	20,20,20,20	0
4	MN	H	602	1/1	1.00	0.02	25,25,25,25	0
4	MN	C	1003	1/1	1.00	0.04	33,33,33,33	0
4	MN	C	1004	1/1	1.00	0.01	30,30,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around GZ3 G 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GZ3 F 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SIN B 1006:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SIN D 1006:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SIN H 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SIN C 1006:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SIN F 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SIN C 1002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SIN G 604:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SIN A 906:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP F 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GZ3 H 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SIN E 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SIN D 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SIN B 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ALA A 907:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GZ3 E 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SIN A 902:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP C 1001:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ALA B 1007:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ALA G 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ALA C 1007:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around ALA D 1007:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

A






A






Electron density around ALA E 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ALA F 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP D 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP A 901:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ADP B 1001:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.