



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 01:43 AM UTC

PDB ID : 2F7O / pdb_00002f7o
Title : Golgi alpha-mannosidase II complex with mannostatin A
Authors : Kuntz, D.A.; Rose, D.R.
Deposited on : 2005-12-01
Resolution : 1.43 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.43 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3234 (1.46-1.42)
Clashscore	190562	3289 (1.46-1.42)
Ramachandran outliers	187476	3248 (1.46-1.42)
Sidechain outliers	187428	3248 (1.46-1.42)
RSRZ outliers	180081	3234 (1.46-1.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1045	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PO4	A	5005	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	MPD	A	5003	X	-	-	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 9306 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called alpha-mannosidase II.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1014	Total	C	N	O	S	0	11	0
			8218	5226	1438	1512	42			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ARG	-	cloning artifact	UNP Q24451
A	2	SER	-	cloning artifact	UNP Q24451
A	3	SER	-	cloning artifact	UNP Q24451
A	4	HIS	-	expression tag	UNP Q24451
A	5	HIS	-	expression tag	UNP Q24451
A	6	HIS	-	expression tag	UNP Q24451
A	7	HIS	-	expression tag	UNP Q24451
A	8	HIS	-	expression tag	UNP Q24451
A	9	HIS	-	expression tag	UNP Q24451
A	10	GLY	-	cloning artifact	UNP Q24451
A	11	GLU	-	cloning artifact	UNP Q24451
A	12	PHE	-	cloning artifact	UNP Q24451

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		

- Molecule 5 is (1R,2R,3R,4S,5R)-4-AMINO-5-(METHYLTHIO)CYCLOPENTANE-1,2,3-TRIOL (CCD ID: MSN) (formula: $C_6H_{13}NO_3S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	S	0	1
			12	7	1	3	1		

- Molecule 6 is (4S)-2-METHYL-2,4-PENTANEDIOL (CCD ID: MPD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			8	6	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1048	Total	O	0	0
			1048	1048		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: alpha-mannosidase II



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	69.00Å 109.30Å 138.35Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.75 – 1.43 29.75 – 1.43	Depositor EDS
% Data completeness (in resolution range)	95.2 (29.75-1.43) 95.4 (29.75-1.43)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.75 (at 1.43Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.206 , 0.235 0.207 , 0.237	Depositor DCC
R_{free} test set	4265 reflections (2.21%)	wwPDB-VP
Wilson B-factor (Å ²)	11.8	Xtriage
Anisotropy	0.576	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 45.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9306	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MSN, NAG, MPD, ZN, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.10	7/8494 (0.1%)	1.18	31/11534 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	780	VAL	CA-CB	7.52	1.62	1.53
1	A	745	VAL	CA-CB	6.60	1.62	1.54
1	A	422	ARG	N-CA	6.11	1.50	1.46
1	A	610	GLN	CD-OE1	5.75	1.34	1.23
1	A	608	HIS	ND1-CE1	5.73	1.38	1.32
1	A	829	TYR	N-CA	5.57	1.50	1.45
1	A	698	GLN	CD-OE1	5.22	1.33	1.23

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	207	GLY	N-CA-C	-8.52	103.86	111.95
1	A	536	VAL	N-CA-C	-7.26	104.77	111.67
1	A	584	ALA	N-CA-C	-7.20	104.06	112.92
1	A	36	GLN	N-CA-C	6.94	121.75	113.28
1	A	608	HIS	CB-CG-CD2	-6.89	122.24	131.20
1	A	935	ALA	N-CA-C	6.78	121.30	112.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	167	MET	N-CA-C	-6.58	95.39	109.01
1	A	266	PHE	N-CA-C	6.41	119.17	109.95
1	A	875	GLU	N-CA-C	6.25	120.17	111.74
1	A	192	PHE	N-CA-C	6.18	120.95	113.41
1	A	300	LYS	N-CA-C	6.18	122.15	113.56
1	A	121	ASN	CA-C-N	6.08	126.52	119.47
1	A	121	ASN	C-N-CA	6.08	126.52	119.47
1	A	962	MET	N-CA-C	-6.05	98.42	108.34
1	A	168	PRO	N-CA-C	6.04	120.98	111.38
1	A	265	PRO	N-CA-C	6.03	124.88	112.47
1	A	740	LEU	N-CA-C	5.74	120.28	113.28
1	A	608	HIS	CB-CG-ND1	5.73	131.29	122.70
1	A	355	VAL	N-CA-C	5.55	116.28	110.62
1	A	743	PRO	N-CA-C	5.45	120.05	111.38
1	A	120	ASP	N-CA-C	5.42	119.61	112.89
1	A	45	MET	N-CA-C	5.33	117.84	111.71
1	A	51	ARG	N-CA-C	5.32	118.93	112.23
1	A	1030	GLU	N-CA-C	-5.25	102.97	110.59
1	A	993	HIS	N-CA-C	5.25	117.18	107.73
1	A	764	VAL	N-CA-C	-5.21	99.60	107.73
1	A	289	ARG	N-CA-C	5.19	118.44	112.57
1	A	408	ALA	N-CA-C	-5.19	99.50	108.69
1	A	517	PRO	N-CA-C	5.11	120.21	111.68
1	A	642	GLU	N-CA-C	5.07	116.80	111.28
1	A	142	GLY	N-CA-C	-5.03	105.88	112.82

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	102	TYR	Sidechain
1	A	53[B]	SER	Mainchain
1	A	979[B]	LEU	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8218	0	8016	87	0
2	A	14	0	13	0	0
3	A	1	0	0	0	0
4	A	5	0	0	2	0
5	A	12	0	6	4	0
6	A	8	0	14	0	0
7	A	1048	0	0	26	0
All	All	9306	0	8049	89	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:723:ARG:HG2	1:A:723:ARG:HH11	1.30	0.97
5:A:5002[A]:MSN:H71	7:A:5085:HOH:O	1.74	0.86
1:A:300:LYS:HE2	7:A:5067:HOH:O	1.78	0.84
1:A:742:GLN:HG3	7:A:5439:HOH:O	1.86	0.74
1:A:723:ARG:HG2	1:A:723:ARG:NH1	1.97	0.73
1:A:678:LEU:HD12	1:A:769[A]:MET:HE1	1.70	0.72
1:A:69:LYS:HG3	7:A:5665:HOH:O	1.88	0.71
1:A:989:THR:HG22	1:A:991:GLU:HG3	1.71	0.71
1:A:739:GLU:HG3	7:A:5416:HOH:O	1.91	0.69
1:A:290:MET:CG	1:A:303:PRO:HG2	2.25	0.67
1:A:770:ARG:NH1	4:A:5005:PO4:O1	2.31	0.64
1:A:904:ARG:HG2	1:A:985:MET:SD	2.39	0.62
1:A:32:GLN:HG2	7:A:5989:HOH:O	1.99	0.62
1:A:290:MET:HG3	1:A:303:PRO:HG2	1.81	0.61
1:A:228:ARG:NH2	5:A:5002[A]:MSN:H73	2.17	0.60
1:A:954:ARG:HB3	7:A:5714:HOH:O	2.03	0.57
1:A:294:GLY:C	7:A:5178:HOH:O	2.47	0.56
1:A:1008:ARG:NH1	1:A:1022:HIS:CE1	2.73	0.56
5:A:5002[A]:MSN:H71	7:A:5084:HOH:O	2.04	0.56
1:A:154:LYS:HE2	7:A:5892:HOH:O	2.06	0.56
1:A:835:MET:HE2	1:A:862:LEU:HD22	1.86	0.56
1:A:290:MET:HG2	1:A:303:PRO:HG2	1.88	0.56
1:A:32:GLN:HG3	7:A:5991:HOH:O	2.05	0.56
1:A:703:SER:HB2	1:A:704:PRO:HD2	1.87	0.55
1:A:456:GLU:HB2	7:A:5619:HOH:O	2.07	0.54
1:A:256:ASP:HB2	7:A:5988:HOH:O	2.07	0.54
1:A:31:CYS:N	7:A:6015:HOH:O	2.39	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:228:ARG:HH22	5:A:5002[A]:MSN:H73	1.73	0.54
1:A:251:TRP:C	1:A:251:TRP:CD1	2.86	0.54
1:A:62:TRP:CD2	1:A:65:GLY:HA3	2.43	0.53
1:A:53[B]:SER:OG	1:A:55:LYS:HG2	2.07	0.53
1:A:770:ARG:NH2	1:A:775:GLU:OE1	2.42	0.53
1:A:770:ARG:HH12	4:A:5005:PO4:P	2.32	0.52
1:A:141:LEU:O	1:A:146:LYS:HE3	2.10	0.52
1:A:666:GLU:HG2	7:A:5577:HOH:O	2.09	0.51
1:A:1008:ARG:CZ	1:A:1022:HIS:CE1	2.94	0.51
1:A:96:ILE:HG22	1:A:96:ILE:O	2.11	0.50
1:A:981:ARG:NH1	7:A:5714:HOH:O	2.43	0.50
1:A:1008:ARG:CZ	1:A:1022:HIS:NE2	2.76	0.49
1:A:990:PRO:O	1:A:992:GLU:HG2	2.12	0.49
1:A:537:GLU:HG2	1:A:539:SER:HB3	1.95	0.49
1:A:116:ARG:HD2	1:A:117[A]:HIS:CD2	2.48	0.48
1:A:651:LEU:CD1	1:A:653:ARG:HG2	2.43	0.48
1:A:359:ARG:HD3	7:A:5237:HOH:O	2.13	0.48
1:A:567:GLN:CD	7:A:5380:HOH:O	2.56	0.48
1:A:693:LEU:HD13	7:A:5412:HOH:O	2.14	0.47
1:A:250:ILE:HB	1:A:910:PRO:HG2	1.96	0.47
1:A:174:HIS:CE1	1:A:176:ARG:HD3	2.49	0.47
1:A:580:VAL:HG22	1:A:634:LEU:HD22	1.95	0.47
1:A:636:ILE:HG12	1:A:637:SER:N	2.30	0.47
1:A:144:ASN:HB3	7:A:5195:HOH:O	2.15	0.47
1:A:515:TYR:CZ	1:A:517:PRO:HG3	2.50	0.47
1:A:229:THR:HG21	1:A:263:MET:HE2	1.97	0.46
1:A:583:LEU:HB2	7:A:5477:HOH:O	2.14	0.46
1:A:47:GLU:CD	1:A:51:ARG:HE	2.24	0.46
1:A:990:PRO:O	1:A:991:GLU:C	2.59	0.46
1:A:54:PHE:CG	1:A:822:LEU:HD21	2.51	0.46
1:A:975:VAL:HG21	1:A:1003:LEU:CD1	2.46	0.46
1:A:388:GLN:HG3	1:A:391:ARG:NH2	2.31	0.45
1:A:898:LYS:HA	1:A:898:LYS:HD2	1.55	0.45
1:A:58:ASP:OD1	1:A:63:LYS:HE3	2.16	0.45
1:A:96:ILE:HG23	1:A:479:LYS:HD2	1.98	0.45
1:A:411[B]:SER:HB2	1:A:412:ASP:H	1.63	0.44
1:A:448:TRP:CG	1:A:454:ILE:HG13	2.52	0.44
1:A:584:ALA:HB3	1:A:586:ASN:ND2	2.32	0.44
1:A:155:ASN:HB3	7:A:5894:HOH:O	2.17	0.44
1:A:264[A]:MET:HE3	7:A:5284:HOH:O	2.17	0.44
1:A:714:LYS:HE2	1:A:714:LYS:HB3	1.78	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:468:PHE:CZ	1:A:474:ILE:HA	2.53	0.43
1:A:723:ARG:NH1	1:A:723:ARG:CG	2.72	0.43
1:A:63:LYS:NZ	7:A:5293:HOH:O	2.50	0.43
1:A:666:GLU:HG3	1:A:667:ASP:N	2.32	0.43
1:A:661:LEU:HB2	1:A:664:TYR:HB3	2.01	0.43
1:A:53[A]:SER:O	1:A:54:PHE:HB2	2.19	0.43
1:A:480:THR:HG23	7:A:5328:HOH:O	2.18	0.43
1:A:934:PHE:CE2	1:A:936:GLU:HB2	2.54	0.42
1:A:770:ARG:HH11	1:A:770:ARG:HD2	1.70	0.42
1:A:155:ASN:C	1:A:155:ASN:OD1	2.62	0.42
1:A:280:LYS:HE2	1:A:301:VAL:CG2	2.50	0.42
1:A:661:LEU:O	1:A:662:GLY:C	2.62	0.41
1:A:761:PRO:O	1:A:762:SER:HB2	2.20	0.41
1:A:531:TRP:CD2	1:A:532:PRO:HA	2.54	0.41
1:A:936:GLU:OE1	1:A:936:GLU:N	2.54	0.41
1:A:547:GLU:H	1:A:547:GLU:CD	2.27	0.41
1:A:540:ARG:HB2	7:A:5588:HOH:O	2.21	0.40
1:A:438:ALA:HB1	1:A:501:MET:HE3	2.03	0.40
1:A:678:LEU:CD1	1:A:769[A]:MET:HE1	2.48	0.40
1:A:394:GLN:O	1:A:394:GLN:HG2	2.22	0.40
1:A:206:PHE:HB2	1:A:418:TYR:CE1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1023/1045 (98%)	990 (97%)	27 (3%)	6 (1%)	21 6

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	991	GLU
1	A	95	TRP
1	A	665	PRO
1	A	683	GLY
1	A	204	ASP
1	A	549	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	912/929 (98%)	898 (98%)	14 (2%)	57 24

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	158[A]	LEU
1	A	158[B]	LEU
1	A	275	CYS
1	A	302	PRO
1	A	447[A]	SER
1	A	447[B]	SER
1	A	451	MET
1	A	549	ILE
1	A	651	LEU
1	A	719	SER
1	A	723	ARG
1	A	828	TYR
1	A	898	LYS
1	A	936	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	ASN
1	A	144	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	367	GLN
1	A	371	ASN
1	A	380	GLN
1	A	586	ASN
1	A	701	GLN
1	A	742	GLN
1	A	901	ASN
1	A	1005	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	MPD	A	5003	-	7,7,7	0.74	0	9,10,10	0.56	0
4	PO4	A	5005	-	4,4,4	2.11	1 (25%)	6,6,6	1.05	0
5	MSN	A	5002[B]	-	9,11,11	0.68	0	8,16,16	4.72	3 (37%)
5	MSN	A	5002[A]	-	9,11,11	0.68	0	8,16,16	4.72	3 (37%)
2	NAG	A	5004	1	14,14,15	0.68	0	17,19,21	1.11	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	MPD	A	5003	-	1/1/2/2	3/5/5/5	-
5	MSN	A	5002[A]	-	-	1/2/22/22	0/1/1/1
2	NAG	A	5004	1	-	4/6/23/26	0/1/1/1
5	MSN	A	5002[B]	-	-	0/2/22/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	5005	PO4	P-O1	3.92	1.59	1.50

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	5002[A]	MSN	C3-C2-C1	-10.82	95.74	106.34
5	A	5002[B]	MSN	C3-C2-C1	-10.82	95.74	106.34
5	A	5002[A]	MSN	C2-C3-C4	6.57	112.99	102.53
5	A	5002[B]	MSN	C2-C3-C4	6.57	112.99	102.53
5	A	5002[A]	MSN	O2-C2-C3	3.65	123.52	111.82
5	A	5002[B]	MSN	O2-C2-C3	3.65	123.52	111.82
2	A	5004	NAG	C4-C3-C2	-2.63	107.17	111.02

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	A	5003	MPD	C4

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	5004	NAG	C8-C7-N2-C2
2	A	5004	NAG	O7-C7-N2-C2
5	A	5002[A]	MSN	C5-C1-S6-C7
6	A	5003	MPD	C2-C3-C4-O4
6	A	5003	MPD	C2-C3-C4-C5
2	A	5004	NAG	C1-C2-N2-C7
2	A	5004	NAG	C3-C2-N2-C7
6	A	5003	MPD	O2-C2-C3-C4

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	5005	PO4	2	0
5	A	5002[A]	MSN	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1014/1045 (97%)	0.15	43 (4%) 40 44	6, 14, 28, 67	11 (1%)

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	990	PRO	5.6
1	A	993	HIS	5.1
1	A	991	GLU	4.5
1	A	700	THR	4.1
1	A	600	HIS	4.0
1	A	702	ASP	3.7
1	A	602	THR	3.6
1	A	701	GLN	3.4
1	A	720	HIS	3.4
1	A	603	LEU	3.3
1	A	1044	SER	3.2
1	A	659	LEU	3.1
1	A	992	GLU	3.1
1	A	989	THR	3.0
1	A	536	VAL	3.0
1	A	657	THR	3.0
1	A	655	ASN	2.9
1	A	521	PHE	2.9
1	A	994	THR	2.9
1	A	703	SER	2.9
1	A	538	ASP	2.8
1	A	1022	HIS	2.8
1	A	601	ASP	2.7
1	A	665	PRO	2.7
1	A	604	THR	2.6
1	A	660	PRO	2.6
1	A	1024	ASP	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	534	SER	2.6
1	A	721	GLY	2.5
1	A	682	ASN	2.5
1	A	661	LEU	2.4
1	A	294	GLY	2.3
1	A	667	ASP	2.3
1	A	78	HIS	2.2
1	A	144	ASN	2.2
1	A	488	GLN	2.2
1	A	704	PRO	2.2
1	A	535	GLY	2.2
1	A	614	THR	2.1
1	A	935	ALA	2.1
1	A	987	CYS	2.1
1	A	986	GLN	2.0
1	A	616	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	A	5004	14/15	0.72	0.18	35,41,43,43	0
4	PO4	A	5005	5/5	0.92	0.10	28,29,31,32	0
6	MPD	A	5003	8/8	0.92	0.11	15,21,23,23	0
5	MSN	A	5002[B]	11/11	0.96	0.07	6,8,10,12	1
5	MSN	A	5002[A]	11/11	0.96	0.07	5,8,10,12	1
3	ZN	A	5001	1/1	1.00	0.01	8,8,8,8	0

6.5 Other polymers [i](#)

There are no such residues in this entry.