



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 12:24 PM UTC

PDB ID : 4F7W / pdb_00004f7w
Title : Crystal structure of Klebsiella pneumoniae pantothenate kinase in complex with N-pentylpantothenamide
Authors : Li, B.; Tempel, W.; Smil, D.; Bolshan, Y.; Hong, B.S.; Park, H.W.; Structural Genomics Consortium (SGC)
Deposited on : 2012-05-16
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	334	
1	B	334	
1	C	334	
1	D	334	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	334	4% 84% 6% 9%
1	F	334	2% 87% 5% 7%
1	G	334	3% 88% • 8%
1	H	334	2% 85% 6% 9%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 21299 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pantothenate kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	309	Total	C	N	O	S	0	0	0
			2499	1600	431	461	7			
1	C	309	Total	C	N	O	S	0	1	0
			2502	1602	431	462	7			
1	B	309	Total	C	N	O	S	0	0	0
			2499	1600	431	461	7			
1	D	308	Total	C	N	O	S	0	1	0
			2494	1596	430	461	7			
1	E	304	Total	C	N	O	S	0	0	0
			2463	1578	426	453	6			
1	F	309	Total	C	N	O	S	0	1	0
			2507	1604	433	463	7			
1	G	308	Total	C	N	O	S	0	1	0
			2494	1596	430	461	7			
1	H	303	Total	C	N	O	S	0	2	0
			2458	1576	422	454	6			

There are 144 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	983	MET	-	expression tag	UNP B5XYG3
A	984	HIS	-	expression tag	UNP B5XYG3
A	985	HIS	-	expression tag	UNP B5XYG3
A	986	HIS	-	expression tag	UNP B5XYG3
A	987	HIS	-	expression tag	UNP B5XYG3
A	988	HIS	-	expression tag	UNP B5XYG3
A	989	HIS	-	expression tag	UNP B5XYG3
A	990	SER	-	expression tag	UNP B5XYG3
A	991	SER	-	expression tag	UNP B5XYG3
A	992	GLY	-	expression tag	UNP B5XYG3
A	993	ARG	-	expression tag	UNP B5XYG3
A	994	GLU	-	expression tag	UNP B5XYG3
A	995	ASN	-	expression tag	UNP B5XYG3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	996	LEU	-	expression tag	UNP B5XYG3
A	997	TYR	-	expression tag	UNP B5XYG3
A	998	PHE	-	expression tag	UNP B5XYG3
A	999	GLN	-	expression tag	UNP B5XYG3
A	1000	GLY	-	expression tag	UNP B5XYG3
C	983	MET	-	expression tag	UNP B5XYG3
C	984	HIS	-	expression tag	UNP B5XYG3
C	985	HIS	-	expression tag	UNP B5XYG3
C	986	HIS	-	expression tag	UNP B5XYG3
C	987	HIS	-	expression tag	UNP B5XYG3
C	988	HIS	-	expression tag	UNP B5XYG3
C	989	HIS	-	expression tag	UNP B5XYG3
C	990	SER	-	expression tag	UNP B5XYG3
C	991	SER	-	expression tag	UNP B5XYG3
C	992	GLY	-	expression tag	UNP B5XYG3
C	993	ARG	-	expression tag	UNP B5XYG3
C	994	GLU	-	expression tag	UNP B5XYG3
C	995	ASN	-	expression tag	UNP B5XYG3
C	996	LEU	-	expression tag	UNP B5XYG3
C	997	TYR	-	expression tag	UNP B5XYG3
C	998	PHE	-	expression tag	UNP B5XYG3
C	999	GLN	-	expression tag	UNP B5XYG3
C	1000	GLY	-	expression tag	UNP B5XYG3
B	983	MET	-	expression tag	UNP B5XYG3
B	984	HIS	-	expression tag	UNP B5XYG3
B	985	HIS	-	expression tag	UNP B5XYG3
B	986	HIS	-	expression tag	UNP B5XYG3
B	987	HIS	-	expression tag	UNP B5XYG3
B	988	HIS	-	expression tag	UNP B5XYG3
B	989	HIS	-	expression tag	UNP B5XYG3
B	990	SER	-	expression tag	UNP B5XYG3
B	991	SER	-	expression tag	UNP B5XYG3
B	992	GLY	-	expression tag	UNP B5XYG3
B	993	ARG	-	expression tag	UNP B5XYG3
B	994	GLU	-	expression tag	UNP B5XYG3
B	995	ASN	-	expression tag	UNP B5XYG3
B	996	LEU	-	expression tag	UNP B5XYG3
B	997	TYR	-	expression tag	UNP B5XYG3
B	998	PHE	-	expression tag	UNP B5XYG3
B	999	GLN	-	expression tag	UNP B5XYG3
B	1000	GLY	-	expression tag	UNP B5XYG3
D	983	MET	-	expression tag	UNP B5XYG3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	984	HIS	-	expression tag	UNP B5XYG3
D	985	HIS	-	expression tag	UNP B5XYG3
D	986	HIS	-	expression tag	UNP B5XYG3
D	987	HIS	-	expression tag	UNP B5XYG3
D	988	HIS	-	expression tag	UNP B5XYG3
D	989	HIS	-	expression tag	UNP B5XYG3
D	990	SER	-	expression tag	UNP B5XYG3
D	991	SER	-	expression tag	UNP B5XYG3
D	992	GLY	-	expression tag	UNP B5XYG3
D	993	ARG	-	expression tag	UNP B5XYG3
D	994	GLU	-	expression tag	UNP B5XYG3
D	995	ASN	-	expression tag	UNP B5XYG3
D	996	LEU	-	expression tag	UNP B5XYG3
D	997	TYR	-	expression tag	UNP B5XYG3
D	998	PHE	-	expression tag	UNP B5XYG3
D	999	GLN	-	expression tag	UNP B5XYG3
D	1000	GLY	-	expression tag	UNP B5XYG3
E	983	MET	-	expression tag	UNP B5XYG3
E	984	HIS	-	expression tag	UNP B5XYG3
E	985	HIS	-	expression tag	UNP B5XYG3
E	986	HIS	-	expression tag	UNP B5XYG3
E	987	HIS	-	expression tag	UNP B5XYG3
E	988	HIS	-	expression tag	UNP B5XYG3
E	989	HIS	-	expression tag	UNP B5XYG3
E	990	SER	-	expression tag	UNP B5XYG3
E	991	SER	-	expression tag	UNP B5XYG3
E	992	GLY	-	expression tag	UNP B5XYG3
E	993	ARG	-	expression tag	UNP B5XYG3
E	994	GLU	-	expression tag	UNP B5XYG3
E	995	ASN	-	expression tag	UNP B5XYG3
E	996	LEU	-	expression tag	UNP B5XYG3
E	997	TYR	-	expression tag	UNP B5XYG3
E	998	PHE	-	expression tag	UNP B5XYG3
E	999	GLN	-	expression tag	UNP B5XYG3
E	1000	GLY	-	expression tag	UNP B5XYG3
F	983	MET	-	expression tag	UNP B5XYG3
F	984	HIS	-	expression tag	UNP B5XYG3
F	985	HIS	-	expression tag	UNP B5XYG3
F	986	HIS	-	expression tag	UNP B5XYG3
F	987	HIS	-	expression tag	UNP B5XYG3
F	988	HIS	-	expression tag	UNP B5XYG3
F	989	HIS	-	expression tag	UNP B5XYG3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	990	SER	-	expression tag	UNP B5XYG3
F	991	SER	-	expression tag	UNP B5XYG3
F	992	GLY	-	expression tag	UNP B5XYG3
F	993	ARG	-	expression tag	UNP B5XYG3
F	994	GLU	-	expression tag	UNP B5XYG3
F	995	ASN	-	expression tag	UNP B5XYG3
F	996	LEU	-	expression tag	UNP B5XYG3
F	997	TYR	-	expression tag	UNP B5XYG3
F	998	PHE	-	expression tag	UNP B5XYG3
F	999	GLN	-	expression tag	UNP B5XYG3
F	1000	GLY	-	expression tag	UNP B5XYG3
G	983	MET	-	expression tag	UNP B5XYG3
G	984	HIS	-	expression tag	UNP B5XYG3
G	985	HIS	-	expression tag	UNP B5XYG3
G	986	HIS	-	expression tag	UNP B5XYG3
G	987	HIS	-	expression tag	UNP B5XYG3
G	988	HIS	-	expression tag	UNP B5XYG3
G	989	HIS	-	expression tag	UNP B5XYG3
G	990	SER	-	expression tag	UNP B5XYG3
G	991	SER	-	expression tag	UNP B5XYG3
G	992	GLY	-	expression tag	UNP B5XYG3
G	993	ARG	-	expression tag	UNP B5XYG3
G	994	GLU	-	expression tag	UNP B5XYG3
G	995	ASN	-	expression tag	UNP B5XYG3
G	996	LEU	-	expression tag	UNP B5XYG3
G	997	TYR	-	expression tag	UNP B5XYG3
G	998	PHE	-	expression tag	UNP B5XYG3
G	999	GLN	-	expression tag	UNP B5XYG3
G	1000	GLY	-	expression tag	UNP B5XYG3
H	983	MET	-	expression tag	UNP B5XYG3
H	984	HIS	-	expression tag	UNP B5XYG3
H	985	HIS	-	expression tag	UNP B5XYG3
H	986	HIS	-	expression tag	UNP B5XYG3
H	987	HIS	-	expression tag	UNP B5XYG3
H	988	HIS	-	expression tag	UNP B5XYG3
H	989	HIS	-	expression tag	UNP B5XYG3
H	990	SER	-	expression tag	UNP B5XYG3
H	991	SER	-	expression tag	UNP B5XYG3
H	992	GLY	-	expression tag	UNP B5XYG3
H	993	ARG	-	expression tag	UNP B5XYG3
H	994	GLU	-	expression tag	UNP B5XYG3
H	995	ASN	-	expression tag	UNP B5XYG3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	996	LEU	-	expression tag	UNP B5XYG3
H	997	TYR	-	expression tag	UNP B5XYG3
H	998	PHE	-	expression tag	UNP B5XYG3
H	999	GLN	-	expression tag	UNP B5XYG3
H	1000	GLY	-	expression tag	UNP B5XYG3


- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	E	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	F	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	G	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	H	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is (2R)-2,4-dihydroxy-3,3-dimethyl-N-[3-oxo-3-(pentylamino)propyl]butanamide

(CCD ID: PN4) (formula: C₁₄H₂₈N₂O₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 20 14 2 4	0	0
3	C	1	Total C N O 20 14 2 4	0	0
3	B	1	Total C N O 20 14 2 4	0	0
3	D	1	Total C N O 20 14 2 4	0	0
3	E	1	Total C N O 20 14 2 4	0	0
3	F	1	Total C N O 20 14 2 4	0	0
3	G	1	Total C N O 20 14 2 4	0	0

- Molecule 4 is UNKNOWN ATOM OR ION (CCD ID: UNX) (formula: X).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total X 1 1	0	0
4	C	7	Total X 7 7	0	0
4	B	7	Total X 7 7	0	0
4	D	8	Total X 8 8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	F	7	Total 7	X 7	0	0
4	G	6	Total 6	X 6	0	0
4	H	4	Total 4	X 4	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	131	Total 131	O 131	0	0
5	C	146	Total 146	O 146	0	0
5	B	126	Total 126	O 126	0	0
5	D	140	Total 140	O 140	0	0
5	E	83	Total 83	O 83	0	0
5	F	128	Total 128	O 128	0	0
5	G	130	Total 130	O 130	0	0
5	H	103	Total 103	O 103	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pantothenate kinase




- Molecule 1: Pantothenate kinase




- Molecule 1: Pantothenate kinase





- Molecule 1: Pantothenate kinase









• Molecule 1: Pantothenate kinase




• Molecule 1: Pantothenate kinase



• Molecule 1: Pantothenate kinase



• Molecule 1: Pantothenate kinase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	127.84Å 130.82Å 192.15Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.65 – 2.10 39.65 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.9 (39.65-2.10) 99.9 (39.65-2.10)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.78 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.7.0027	Depositor
R, R_{free}	0.185 , 0.226 0.194 , 0.233	Depositor DCC
R_{free} test set	9437 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	23.9	Xtriage
Anisotropy	0.017	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 32.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.090 for k,h,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	21299	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PN4, ADP, UNX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.84	0/2558	0.85	0/3471
1	B	0.86	0/2558	0.85	2/3471 (0.1%)
1	C	0.94	1/2564 (0.0%)	0.87	0/3479
1	D	0.90	0/2556	0.85	0/3468
1	E	0.83	1/2520 (0.0%)	0.84	2/3417 (0.1%)
1	F	0.89	0/2566	0.87	1/3482 (0.0%)
1	G	0.89	0/2556	0.85	0/3468
1	H	0.85	0/2521	0.82	0/3419
All	All	0.88	2/20399 (0.0%)	0.85	5/27675 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	1087	ILE	C-O	-5.48	1.18	1.24
1	C	1029	MET	N-CA	5.42	1.51	1.46

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1291	LEU	CA-C-N	-6.49	113.12	119.87
1	B	1291	LEU	C-N-CA	-6.49	113.12	119.87
1	F	1187	ASP	N-CA-C	5.62	118.16	110.24
1	E	1291	LEU	CA-C-N	-5.24	114.42	119.87
1	E	1291	LEU	C-N-CA	-5.24	114.42	119.87

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2499	0	2501	16	0
1	B	2499	0	2501	22	0
1	C	2502	0	2506	16	0
1	D	2494	0	2493	14	0
1	E	2463	0	2466	10	0
1	F	2507	0	2506	12	0
1	G	2494	0	2495	8	0
1	H	2458	0	2462	11	0
2	A	27	0	12	0	0
2	B	27	0	12	0	0
2	C	27	0	12	0	0
2	D	27	0	12	0	0
2	E	27	0	12	0	0
2	F	27	0	12	0	0
2	G	27	0	12	0	0
2	H	27	0	12	0	0
3	A	20	0	28	5	0
3	B	20	0	28	7	0
3	C	20	0	27	3	0
3	D	20	0	28	0	0
3	E	20	0	28	4	0
3	F	20	0	28	3	0
3	G	20	0	28	0	0
4	A	1	0	0	0	0
4	B	7	0	0	0	0
4	C	7	0	0	0	0
4	D	8	0	0	0	0
4	F	7	0	0	0	0
4	G	6	0	0	0	0
4	H	4	0	0	0	0
5	A	131	0	0	2	0
5	B	126	0	0	0	0
5	C	146	0	0	0	0
5	D	140	0	0	1	0
5	E	83	0	0	1	0
5	F	128	0	0	2	0
5	G	130	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	H	103	0	0	0	0
All	All	21299	0	20221	106	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (106) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1258:TYR:CE1	3:A:1402:PN4:HAA	1.80	1.17
1:C:1258:TYR:HD2	3:C:1402:PN4:HAA	1.18	1.08
1:A:1258:TYR:HE1	3:A:1402:PN4:HAA	1.15	0.99
1:C:1258:TYR:CD2	3:C:1402:PN4:HAA	2.11	0.83
1:H:1133:ASN:CG	1:H:1142:MET:HE1	2.04	0.82
1:D:1060:ARG:HH12	1:D:1063:ASN:HD22	1.27	0.78
1:B:1018:HIS:HD2	1:G:1310:ASN:HD22	1.32	0.78
1:D:1136:LEU:HB2	1:D:1142:MET:HE2	1.73	0.70
3:E:1402:PN4:HAA	5:E:1572:HOH:O	1.91	0.70
1:D:1133:ASN:HA	1:D:1142:MET:HE1	1.73	0.69
1:D:1133:ASN:CA	1:D:1142:MET:HE1	2.23	0.68
1:F:1133:ASN:CG	1:F:1142:MET:HE1	2.22	0.65
1:G:1060:ARG:HH12	1:G:1063:ASN:HD22	1.44	0.64
1:A:1009:MET:HE1	1:C:1085:GLN:HE22	1.63	0.63
1:H:1014:GLN:OE1	1:H:1311:GLN:NE2	2.32	0.62
1:D:1133:ASN:CB	1:D:1142:MET:HE1	2.31	0.61
1:A:1133:ASN:CG	1:A:1142:MET:HE1	2.25	0.61
1:D:1060:ARG:HH12	1:D:1063:ASN:ND2	1.99	0.60
1:B:1259:PHE:CZ	3:B:1402:PN4:HAAB	2.37	0.60
1:F:1258:TYR:HD2	3:F:1402:PN4:HAAA	1.68	0.59
1:D:1096:SER:HB2	1:D:1286:LEU:HD13	1.86	0.58
1:B:1258:TYR:CD1	3:B:1402:PN4:HAA	2.40	0.57
1:C:1277:LEU:HD13	3:C:1402:PN4:HALA	1.88	0.56
1:B:1111:LEU:O	1:B:1114:ARG:HD2	2.06	0.56
1:D:1115:TRP:HB2	1:D:1118:HIS:CE1	2.41	0.56
1:H:1020:TRP:O	1:H:1023:LEU:HG	2.07	0.55
1:G:1115:TRP:HB2	1:G:1118:HIS:CE1	2.42	0.55
1:D:1060:ARG:NH1	1:D:1063:ASN:HD22	2.02	0.53
1:B:1018:HIS:CD2	1:G:1310:ASN:HD22	2.20	0.53
1:F:1096:SER:HB2	1:F:1286:LEU:HD13	1.90	0.53
1:F:1115:TRP:HB2	1:F:1118:HIS:CE1	2.44	0.52
1:E:1244:PHE:HD1	3:E:1402:PN4:HAAB	1.74	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:1082:THR:HG22	1:H:1082:THR:O	2.08	0.52
1:H:1096:SER:HB2	1:H:1286:LEU:HD13	1.92	0.52
1:A:1258:TYR:CD1	3:A:1402:PN4:HAA	2.40	0.52
1:C:1040:LYS:HE2	1:C:1048:LEU:HD11	1.91	0.52
1:B:1258:TYR:HD1	3:B:1402:PN4:HAA	1.75	0.52
1:H:1171:THR:CG2	1:H:1187:ASP:HB3	2.40	0.52
1:B:1259:PHE:CE1	3:B:1402:PN4:HAAB	2.45	0.51
1:F:1232:PRO:HD2	1:F:1235:LEU:HD12	1.90	0.51
1:B:1036:ILE:HG23	1:B:1048:LEU:HD11	1.93	0.51
3:E:1402:PN4:HAAA	3:E:1402:PN4:HAM	1.92	0.51
1:D:1063:ASN:ND2	5:D:1554:HOH:O	2.37	0.51
1:C:1096:SER:HB2	1:C:1286:LEU:HD13	1.95	0.49
1:D:1133:ASN:O	1:D:1142:MET:CE	2.60	0.49
1:B:1262:TYR:CE1	1:B:1273:ILE:HG21	2.47	0.49
1:E:1245:LEU:O	1:E:1248:ARG:HB3	2.12	0.49
1:A:1027:VAL:O	1:A:1027:VAL:HG13	2.12	0.49
1:F:1259:PHE:CE2	3:F:1402:PN4:HAAB	2.48	0.48
1:A:1258:TYR:CE1	3:A:1402:PN4:CAA	2.74	0.48
1:C:1115:TRP:HB2	1:C:1118:HIS:CE1	2.49	0.47
1:B:1262:TYR:HE1	1:B:1273:ILE:HG21	1.78	0.47
1:B:1096:SER:HB2	1:B:1286:LEU:HD13	1.95	0.47
1:B:1176:SER:HB2	1:B:1183:ILE:HD11	1.96	0.47
1:E:1166:GLY:O	1:E:1167:VAL:C	2.57	0.46
1:E:1066:ILE:HD13	1:E:1195:ILE:HD11	1.97	0.46
1:E:1085:GLN:HE21	1:E:1085:GLN:H	1.64	0.46
1:B:1262:TYR:CE2	3:B:1402:PN4:HAJA	2.51	0.46
1:A:1027:VAL:HG21	1:A:1060:ARG:HH21	1.81	0.46
1:C:1024:ARG:NH1	1:C:1025:ASP:OD1	2.49	0.46
1:C:1133:ASN:O	1:C:1142:MET:HE1	2.15	0.46
1:C:1094:ALA:HB2	1:C:1203:VAL:CG2	2.46	0.45
1:G:1060:ARG:HH12	1:G:1063:ASN:ND2	2.13	0.45
1:C:1077:GLU:CD	1:C:1084:GLY:HA2	2.42	0.45
1:F:1094:ALA:HB2	1:F:1203:VAL:CG2	2.46	0.45
1:D:1067:SER:OG	1:D:1071:ARG:NH2	2.50	0.45
1:C:1167:VAL:HG12	1:C:1169:GLN:O	2.17	0.44
1:B:1039:LEU:HD13	1:B:1051:VAL:HG11	1.99	0.44
1:D:1117:GLU:HG3	5:F:1571:HOH:O	2.16	0.44
1:E:1264:LYS:HB2	1:E:1264:LYS:NZ	2.32	0.44
1:A:1027:VAL:HG11	1:A:1060:ARG:HG2	1.98	0.44
1:H:1115:TRP:HB2	1:H:1118:HIS:CE1	2.53	0.44
1:A:1233:GLU:HG3	5:A:1574:HOH:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1085:GLN:HG3	1:B:1166:GLY:HA3	1.99	0.44
1:B:1137:LYS:HG3	1:B:1142:MET:HE3	1.99	0.44
1:C:1137:LYS:HG2	1:C:1142:MET:CE	2.49	0.43
1:B:1066:ILE:HD13	1:B:1195:ILE:HD11	2.01	0.43
1:F:1133:ASN:OD1	1:F:1142:MET:HE1	2.18	0.43
1:A:1174:VAL:HG12	1:A:1183:ILE:HD12	2.01	0.43
1:C:1091:ILE:HA	1:C:1225:PHE:O	2.18	0.43
1:E:1120:HIS:ND1	1:E:1193:PRO:HA	2.34	0.43
1:G:1079:PHE:CE2	1:H:1023:LEU:HD13	2.54	0.43
1:A:1249:GLU:HA	1:A:1252:PHE:CE2	2.54	0.42
1:A:1115:TRP:HB2	1:A:1118:HIS:CE1	2.54	0.42
1:B:1115:TRP:HB2	1:B:1118:HIS:CE1	2.55	0.42
1:F:1304:SER:HB3	1:F:1310:ASN:HD22	1.85	0.42
1:B:1180:TYR:CE1	3:B:1402:PN4:HAL	2.55	0.42
1:F:1258:TYR:HD2	3:F:1402:PN4:CAA	2.32	0.42
1:G:1050:GLU:HG2	5:G:1530:HOH:O	2.20	0.42
1:B:1078:GLN:HG2	1:F:1071:ARG:CZ	2.50	0.42
1:B:1262:TYR:HE2	3:B:1402:PN4:HAJA	1.84	0.42
1:D:1251:ALA:HB1	1:D:1260:HIS:HA	2.02	0.41
1:H:1143:LYS:HG3	1:H:1281:ILE:HD11	2.03	0.41
1:F:1125:THR:HB	5:F:1565:HOH:O	2.20	0.41
1:H:1082:THR:O	1:H:1082:THR:CG2	2.68	0.41
1:E:1171:THR:HG23	1:E:1187:ASP:HB3	2.01	0.41
1:G:1067:SER:OG	1:G:1071:ARG:NH2	2.54	0.41
1:E:1264:LYS:O	1:E:1264:LYS:HG3	2.21	0.41
1:C:1027:VAL:HG13	1:C:1028:PRO:HD2	2.03	0.41
1:E:1240:TYR:OH	3:E:1402:PN4:HAAA	2.21	0.41
1:A:1262:TYR:HE2	3:A:1402:PN4:HAAA	1.86	0.40
1:C:1191:ALA:O	1:C:1192:GLN:C	2.62	0.40
1:B:1035:GLU:OE2	1:B:1114:ARG:NE	2.50	0.40
1:H:1235:LEU:HD23	1:H:1235:LEU:HA	1.90	0.40
1:A:1142:MET:HB2	5:A:1591:HOH:O	2.21	0.40
1:A:1201:LEU:HD12	1:A:1201:LEU:C	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	307/334 (92%)	300 (98%)	7 (2%)	0	100	100
1	B	307/334 (92%)	302 (98%)	5 (2%)	0	100	100
1	C	308/334 (92%)	300 (97%)	8 (3%)	0	100	100
1	D	307/334 (92%)	299 (97%)	8 (3%)	0	100	100
1	E	300/334 (90%)	294 (98%)	6 (2%)	0	100	100
1	F	308/334 (92%)	304 (99%)	4 (1%)	0	100	100
1	G	307/334 (92%)	300 (98%)	7 (2%)	0	100	100
1	H	301/334 (90%)	289 (96%)	12 (4%)	0	100	100
All	All	2445/2672 (92%)	2388 (98%)	57 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	278/301 (92%)	276 (99%)	2 (1%)	76	83
1	B	278/301 (92%)	273 (98%)	5 (2%)	51	60
1	C	279/301 (93%)	276 (99%)	3 (1%)	65	74
1	D	278/301 (92%)	274 (99%)	4 (1%)	59	67
1	E	273/301 (91%)	263 (96%)	10 (4%)	30	33
1	F	279/301 (93%)	276 (99%)	3 (1%)	65	74

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	278/301 (92%)	273 (98%)	5 (2%)	51	60
1	H	274/301 (91%)	270 (98%)	4 (2%)	57	65
All	All	2217/2408 (92%)	2181 (98%)	36 (2%)	55	64

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1038	ARG
1	A	1246	LYS
1	C	1134	SER
1	C	1143	LYS
1	C	1196	LEU
1	B	1008	LEU
1	B	1040	LYS
1	B	1085	GLN
1	B	1119	ARG
1	B	1190	VAL
1	D	1034	ASP
1	D	1086	ARG
1	D	1259	PHE
1	D	1310	ASN
1	E	1008	LEU
1	E	1037	THR
1	E	1085	GLN
1	E	1086	ARG
1	E	1171	THR
1	E	1199	GLU
1	E	1233	GLU
1	E	1246	LYS
1	E	1264	LYS
1	E	1276	SER
1	F	1030	THR
1	F	1047	SER
1	F	1071	ARG
1	G	1075	VAL
1	G	1086	ARG
1	G	1143	LYS
1	G	1192	GLN
1	G	1233	GLU
1	H	1031	LEU
1	H	1032	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	1047	SER
1	H	1085	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (39) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1014	GLN
1	A	1063	ASN
1	A	1069	ASN
1	A	1083	ASN
1	A	1131	HIS
1	A	1149	GLN
1	A	1311	GLN
1	C	1018	HIS
1	C	1085	GLN
1	C	1131	HIS
1	C	1205	GLN
1	B	1018	HIS
1	B	1073	GLN
1	B	1085	GLN
1	B	1149	GLN
1	B	1205	GLN
1	B	1311	GLN
1	D	1063	ASN
1	D	1085	GLN
1	D	1192	GLN
1	D	1205	GLN
1	D	1311	GLN
1	E	1019	GLN
1	E	1177	HIS
1	E	1242	ASN
1	F	1014	GLN
1	F	1085	GLN
1	F	1205	GLN
1	F	1216	HIS
1	F	1311	GLN
1	G	1014	GLN
1	G	1063	ASN
1	G	1078	GLN
1	G	1085	GLN
1	G	1192	GLN
1	G	1205	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	1242	ASN
1	H	1261	ASN
1	H	1311	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 55 ligands modelled in this entry, 40 are unknown - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ADP	C	1401	-	28,29,29	1.35	5 (17%)	43,45,45	1.77	10 (23%)
2	ADP	D	1401	-	28,29,29	1.31	4 (14%)	43,45,45	1.71	9 (20%)
3	PN4	F	1402	-	17,19,19	1.47	1 (5%)	22,24,24	0.92	0
2	ADP	G	1401	-	28,29,29	1.52	5 (17%)	43,45,45	1.77	9 (20%)
3	PN4	C	1402	-	17,19,19	1.32	1 (5%)	22,24,24	0.88	1 (4%)
3	PN4	B	1402	-	17,19,19	1.63	1 (5%)	22,24,24	0.85	1 (4%)
3	PN4	G	1402	-	17,19,19	1.78	1 (5%)	22,24,24	1.08	1 (4%)
2	ADP	E	1401	-	28,29,29	1.53	4 (14%)	43,45,45	1.81	12 (27%)
2	ADP	A	1401	-	28,29,29	1.55	6 (21%)	43,45,45	1.91	10 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PN4	E	1402	-	17,19,19	0.80	1 (5%)	22,24,24	0.90	1 (4%)
3	PN4	D	1402	-	17,19,19	1.83	1 (5%)	22,24,24	1.01	2 (9%)
2	ADP	F	1401	-	28,29,29	1.63	6 (21%)	43,45,45	1.67	9 (20%)
2	ADP	B	1401	-	28,29,29	1.54	4 (14%)	43,45,45	1.87	10 (23%)
3	PN4	A	1402	-	17,19,19	0.90	1 (5%)	22,24,24	0.75	0
2	ADP	H	1401	-	28,29,29	1.61	6 (21%)	43,45,45	1.78	12 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	C	1401	-	-	1/16/32/32	0/3/3/3
2	ADP	D	1401	-	-	0/16/32/32	0/3/3/3
3	PN4	F	1402	-	-	8/25/25/25	-
2	ADP	G	1401	-	-	2/16/32/32	0/3/3/3
3	PN4	C	1402	-	-	1/25/25/25	-
3	PN4	B	1402	-	-	3/25/25/25	-
3	PN4	G	1402	-	-	2/25/25/25	-
2	ADP	E	1401	-	-	0/16/32/32	0/3/3/3
2	ADP	A	1401	-	-	1/16/32/32	0/3/3/3
3	PN4	E	1402	-	-	11/25/25/25	-
3	PN4	D	1402	-	-	6/25/25/25	-
2	ADP	F	1401	-	-	1/16/32/32	0/3/3/3
2	ADP	B	1401	-	-	2/16/32/32	0/3/3/3
3	PN4	A	1402	-	-	5/25/25/25	-
2	ADP	H	1401	-	-	0/16/32/32	0/3/3/3

All (47) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	1402	PN4	CAP-CAW	6.97	1.58	1.53
3	G	1402	PN4	CAP-CAW	6.67	1.58	1.53
3	B	1402	PN4	CAP-CAW	6.38	1.57	1.53
3	F	1402	PN4	CAP-CAW	5.28	1.57	1.53
2	H	1401	ADP	C5-C4	4.60	1.47	1.39
2	G	1401	ADP	C5-C4	4.60	1.47	1.39
2	B	1401	ADP	C5-C4	4.49	1.47	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	1401	ADP	C5-C4	4.37	1.46	1.39
2	F	1401	ADP	PA-O3A	4.24	1.64	1.59
3	C	1402	PN4	CAP-CAW	4.21	1.56	1.53
2	E	1401	ADP	C5-C4	4.11	1.46	1.39
2	A	1401	ADP	C5-C4	4.08	1.46	1.39
2	H	1401	ADP	PA-O3A	3.85	1.63	1.59
2	D	1401	ADP	C5-C4	3.79	1.45	1.39
2	E	1401	ADP	PA-O3A	3.68	1.63	1.59
2	F	1401	ADP	C5-N7	-3.39	1.32	1.39
2	B	1401	ADP	C5-N7	-3.38	1.32	1.39
2	E	1401	ADP	C5-N7	-3.31	1.33	1.39
2	A	1401	ADP	C5-N7	-3.22	1.33	1.39
2	C	1401	ADP	C5-C4	3.22	1.44	1.39
2	G	1401	ADP	C5-N7	-3.11	1.33	1.39
2	C	1401	ADP	C5-N7	-3.05	1.33	1.39
2	C	1401	ADP	PA-O3A	3.03	1.62	1.59
2	D	1401	ADP	C5-N7	-3.00	1.33	1.39
2	H	1401	ADP	C4-N9	-2.81	1.31	1.37
3	A	1402	PN4	CAP-CAW	2.80	1.55	1.53
2	G	1401	ADP	C8-N7	2.77	1.37	1.31
2	C	1401	ADP	C4-N9	-2.77	1.31	1.37
2	G	1401	ADP	C4-N9	-2.71	1.32	1.37
2	B	1401	ADP	PA-O3A	2.69	1.62	1.59
2	F	1401	ADP	C4-N9	-2.56	1.32	1.37
2	H	1401	ADP	C5-C6	2.55	1.48	1.41
2	D	1401	ADP	C4-N9	-2.50	1.32	1.37
2	A	1401	ADP	C4-N9	-2.49	1.32	1.37
2	A	1401	ADP	PA-O3A	2.47	1.62	1.59
2	E	1401	ADP	C4-N9	-2.44	1.32	1.37
2	A	1401	ADP	C5-C6	2.42	1.47	1.41
2	B	1401	ADP	C8-N7	2.34	1.36	1.31
3	E	1402	PN4	CAP-CAW	-2.29	1.52	1.53
2	G	1401	ADP	O4'-C1'	2.20	1.47	1.42
2	F	1401	ADP	C8-N7	2.18	1.35	1.31
2	C	1401	ADP	C5-C6	2.17	1.47	1.41
2	A	1401	ADP	C8-N7	2.15	1.35	1.31
2	H	1401	ADP	C5-N7	-2.11	1.35	1.39
2	D	1401	ADP	C5-C6	2.09	1.46	1.41
2	H	1401	ADP	C8-N7	2.08	1.35	1.31
2	F	1401	ADP	C5-C6	2.05	1.46	1.41

All (87) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1401	ADP	C5-C4-N3	-5.96	118.51	126.72
2	A	1401	ADP	C5-C4-N3	-5.64	118.95	126.72
2	F	1401	ADP	C5-C4-N3	-5.44	119.23	126.72
2	G	1401	ADP	C5-C4-N3	-5.24	119.50	126.72
2	C	1401	ADP	C5-C4-N3	-5.11	119.68	126.72
2	D	1401	ADP	C5-C4-N3	-5.10	119.69	126.72
2	A	1401	ADP	N3-C4-N9	4.86	135.43	127.17
2	E	1401	ADP	C5-C4-N3	-4.81	120.09	126.72
2	B	1401	ADP	N3-C4-N9	4.79	135.31	127.17
2	G	1401	ADP	N3-C4-N9	4.72	135.19	127.17
2	H	1401	ADP	C5-C4-N3	-4.68	120.27	126.72
2	C	1401	ADP	N3-C4-N9	4.60	134.99	127.17
2	F	1401	ADP	N3-C4-N9	4.49	134.81	127.17
2	E	1401	ADP	N3-C4-N9	4.33	134.53	127.17
2	D	1401	ADP	N3-C4-N9	4.25	134.40	127.17
2	H	1401	ADP	N3-C4-N9	4.15	134.22	127.17
2	B	1401	ADP	N3-C2-N1	-3.98	122.56	128.58
2	B	1401	ADP	C2-N3-C4	3.79	121.08	111.83
2	H	1401	ADP	N3-C2-N1	-3.75	122.90	128.58
2	A	1401	ADP	N3-C2-N1	-3.75	122.91	128.58
2	H	1401	ADP	C4-N9-C8	3.74	109.67	105.74
2	G	1401	ADP	N3-C2-N1	-3.73	122.94	128.58
2	E	1401	ADP	N3-C2-N1	-3.64	123.07	128.58
2	C	1401	ADP	C2-N3-C4	3.61	120.64	111.83
2	A	1401	ADP	C2-N3-C4	3.56	120.53	111.83
2	C	1401	ADP	N3-C2-N1	-3.56	123.19	128.58
2	A	1401	ADP	C4-N9-C8	3.51	109.42	105.74
2	F	1401	ADP	C2-N3-C4	3.45	120.26	111.83
2	E	1401	ADP	C4-N9-C8	3.35	109.26	105.74
2	H	1401	ADP	C2-N3-C4	3.28	119.85	111.83
2	G	1401	ADP	C2-N3-C4	3.26	119.79	111.83
2	C	1401	ADP	C4-N9-C8	3.22	109.11	105.74
2	E	1401	ADP	C2-N3-C4	3.17	119.57	111.83
2	D	1401	ADP	C2-N3-C4	3.14	119.49	111.83
2	B	1401	ADP	C4-C5-N7	-3.06	107.08	110.58
2	A	1401	ADP	N9-C8-N7	-3.04	109.62	113.94
3	E	1402	PN4	CAC-CAW-CAV	3.03	113.94	108.77
3	G	1402	PN4	CAC-CAW-CAV	3.02	113.92	108.77
2	D	1401	ADP	N3-C2-N1	-2.93	124.15	128.58
2	F	1401	ADP	N3-C2-N1	-2.93	124.15	128.58
2	A	1401	ADP	C5-N7-C8	2.81	107.87	103.45
2	A	1401	ADP	C4-C5-N7	-2.79	107.39	110.58
2	D	1401	ADP	C4-C5-N7	-2.71	107.48	110.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1401	ADP	C5-N7-C8	2.71	107.70	103.45
2	H	1401	ADP	C4-C5-N7	-2.69	107.51	110.58
2	D	1401	ADP	C4-N9-C8	2.65	108.52	105.74
3	D	1402	PN4	CAN-CAO-CAT	-2.59	108.08	112.39
2	E	1401	ADP	C4-C5-N7	-2.58	107.64	110.58
2	G	1401	ADP	C2-N1-C6	2.57	122.96	118.73
2	F	1401	ADP	C4-N9-C8	2.56	108.43	105.74
2	H	1401	ADP	C2-N1-C6	2.56	122.94	118.73
2	E	1401	ADP	N9-C8-N7	-2.51	110.37	113.94
2	F	1401	ADP	C4-C5-N7	-2.51	107.71	110.58
2	E	1401	ADP	C5-N7-C8	2.49	107.37	103.45
2	D	1401	ADP	C5-N7-C8	2.48	107.35	103.45
3	B	1402	PN4	CAL-CAM-NAQ	-2.46	105.29	112.20
2	G	1401	ADP	O3B-PB-O2B	2.45	117.00	107.80
2	H	1401	ADP	N9-C8-N7	-2.40	110.53	113.94
2	G	1401	ADP	C4-N9-C8	2.38	108.24	105.74
3	C	1402	PN4	CAC-CAW-CAV	2.38	112.83	108.77
2	H	1401	ADP	O5'-C5'-C4'	2.35	116.99	108.99
2	E	1401	ADP	C2-N1-C6	2.35	122.58	118.73
2	C	1401	ADP	N6-C6-N1	2.34	123.60	118.38
2	G	1401	ADP	O3'-C3'-C4'	-2.32	104.41	111.08
2	F	1401	ADP	C5-N7-C8	2.28	107.04	103.45
2	A	1401	ADP	O2A-PA-O3A	2.27	113.41	107.27
2	H	1401	ADP	O2A-PA-O1A	2.26	122.97	112.44
2	E	1401	ADP	N6-C6-N1	2.26	123.40	118.38
2	C	1401	ADP	N9-C8-N7	-2.25	110.74	113.94
2	C	1401	ADP	C4-C5-N7	-2.24	108.02	110.58
2	D	1401	ADP	N9-C8-N7	-2.22	110.78	113.94
2	G	1401	ADP	N6-C6-N1	2.22	123.32	118.38
2	F	1401	ADP	N9-C8-N7	-2.20	110.81	113.94
3	D	1402	PN4	CAC-CAW-CAV	2.20	112.52	108.77
2	E	1401	ADP	O2B-PB-O1B	2.19	119.38	110.83
2	B	1401	ADP	C2-N1-C6	2.18	122.32	118.73
2	F	1401	ADP	O2A-PA-O1A	2.18	122.57	112.44
2	E	1401	ADP	O3'-C3'-C4'	-2.14	104.94	111.08
2	C	1401	ADP	O3A-PA-O1A	-2.12	104.32	110.70
2	C	1401	ADP	C5-N7-C8	2.12	106.78	103.45
2	H	1401	ADP	C5-N7-C8	2.12	106.78	103.45
2	B	1401	ADP	O3B-PB-O2B	2.11	115.72	107.80
2	A	1401	ADP	O2A-PA-O1A	2.11	122.24	112.44
2	B	1401	ADP	O3A-PB-O1B	-2.08	100.10	111.04
2	B	1401	ADP	O3'-C3'-C4'	-2.08	105.12	111.08

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1401	ADP	N6-C6-N1	2.03	122.89	118.38
2	H	1401	ADP	C6-C5-N7	2.01	135.96	132.09

There are no chirality outliers.

All (43) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1401	ADP	PA-O3A-PB-O2B
2	F	1401	ADP	PA-O3A-PB-O3B
3	D	1402	PN4	OAS-CAP-CAW-CAB
3	E	1402	PN4	OAS-CAP-CAW-CAV
3	E	1402	PN4	OAS-CAP-CAW-CAC
3	E	1402	PN4	OAS-CAP-CAW-CAB
3	E	1402	PN4	NAR-CAN-CAO-CAT
3	D	1402	PN4	CAK-CAL-CAM-NAQ
3	F	1402	PN4	CAK-CAL-CAM-NAQ
3	E	1402	PN4	CAK-CAL-CAM-NAQ
3	B	1402	PN4	CAK-CAL-CAM-NAQ
3	C	1402	PN4	CAJ-CAK-CAL-CAM
3	E	1402	PN4	CAJ-CAK-CAL-CAM
3	E	1402	PN4	CAA-CAJ-CAK-CAL
3	D	1402	PN4	CAA-CAJ-CAK-CAL
3	D	1402	PN4	CAJ-CAK-CAL-CAM
3	A	1402	PN4	CAA-CAJ-CAK-CAL
3	E	1402	PN4	NAR-CAU-CAV-CAW
3	B	1402	PN4	CAJ-CAK-CAL-CAM
2	B	1401	ADP	PA-O3A-PB-O1B
2	C	1401	ADP	PA-O3A-PB-O3B
2	G	1401	ADP	PA-O3A-PB-O2B
3	E	1402	PN4	OAE-CAU-CAV-OAG
3	F	1402	PN4	OAE-CAU-CAV-OAG
3	E	1402	PN4	NAR-CAU-CAV-OAG
3	A	1402	PN4	CAN-CAO-CAT-OAD
3	F	1402	PN4	CAN-CAO-CAT-OAD
3	D	1402	PN4	OAS-CAP-CAW-CAC
3	F	1402	PN4	OAS-CAP-CAW-CAC
3	F	1402	PN4	OAS-CAP-CAW-CAB
3	G	1402	PN4	OAS-CAP-CAW-CAB
2	A	1401	ADP	PA-O3A-PB-O1B
2	G	1401	ADP	PA-O3A-PB-O3B
3	F	1402	PN4	CAN-CAO-CAT-NAQ
3	A	1402	PN4	CAJ-CAK-CAL-CAM

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	E	1402	PN4	OAE-CAU-CAV-CAW
3	A	1402	PN4	NAR-CAU-CAV-OAG
3	B	1402	PN4	NAR-CAU-CAV-OAG
3	D	1402	PN4	NAR-CAU-CAV-OAG
3	F	1402	PN4	NAR-CAU-CAV-OAG
3	G	1402	PN4	NAR-CAU-CAV-OAG
3	A	1402	PN4	CAN-CAO-CAT-NAQ
3	F	1402	PN4	CAA-CAJ-CAK-CAL


There are no ring outliers.

5 monomers are involved in 22 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	1402	PN4	3	0
3	C	1402	PN4	3	0
3	B	1402	PN4	7	0
3	E	1402	PN4	4	0
3	A	1402	PN4	5	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand ADP C 1401





Ligand ADP D 1401















Ligand ADP A 1401




Ligand PN4 E 1402









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	309/334 (92%)	0.02	11 (3%) 46 48	14, 24, 59, 102	0
1	B	309/334 (92%)	0.14	14 (4%) 38 40	15, 26, 55, 82	0
1	C	309/334 (92%)	-0.13	10 (3%) 50 53	12, 21, 42, 65	1 (0%)
1	D	308/334 (92%)	-0.13	8 (2%) 57 60	12, 22, 45, 72	1 (0%)
1	E	304/334 (91%)	0.25	12 (3%) 43 45	16, 29, 57, 84	0
1	F	309/334 (92%)	-0.12	8 (2%) 57 60	12, 22, 45, 72	1 (0%)
1	G	308/334 (92%)	-0.12	9 (2%) 53 56	12, 23, 44, 69	1 (0%)
1	H	303/334 (90%)	0.11	8 (2%) 57 60	14, 26, 58, 70	2 (0%)
All	All	2459/2672 (92%)	0.00	80 (3%) 49 51	12, 24, 51, 102	6 (0%)

All (80) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	1008	LEU	6.1
1	A	1027	VAL	5.7
1	B	1027	VAL	5.6
1	A	1026	SER	5.5
1	B	1026	SER	5.0
1	A	1028	PRO	4.9
1	A	1029	MET	4.8
1	G	1030	THR	4.7
1	E	1008	LEU	4.2
1	D	1186	GLY	4.1
1	F	1008	LEU	4.0
1	B	1008	LEU	3.9
1	E	1031	LEU	3.9
1	C	1086	ARG	3.6
1	C	1008	LEU	3.5
1	C	1029	MET	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	1028	PRO	3.3
1	D	1262	TYR	3.3
1	B	1255	PRO	3.2
1	A	1025	ASP	3.2
1	D	1030	THR	3.2
1	E	1030	THR	3.2
1	A	1008	LEU	3.1
1	H	1030	THR	3.1
1	F	1030	THR	3.1
1	H	1032	THR	3.0
1	H	1037	THR	3.0
1	A	1031	LEU	3.0
1	G	1086	ARG	2.9
1	G	1029	MET	2.8
1	E	1085	GLN	2.7
1	D	1261	ASN	2.7
1	F	1029	MET	2.7
1	D	1085	GLN	2.7
1	B	1261	ASN	2.6
1	B	1030	THR	2.6
1	H	1184	PRO	2.6
1	A	1086	ARG	2.6
1	G	1234	GLU	2.5
1	H	1064	PHE	2.5
1	C	1185	ASP	2.5
1	A	1255	PRO	2.5
1	G	1082	THR	2.4
1	D	1259	PHE	2.4
1	G	1084	GLY	2.4
1	D	1009	MET	2.4
1	B	1178	LEU	2.3
1	F	1086	ARG	2.3
1	C	1030	THR	2.3
1	B	1082	THR	2.3
1	H	1031	LEU	2.3
1	E	1024	ARG	2.3
1	E	1086	ARG	2.3
1	B	1037	THR	2.3
1	E	1038	ARG	2.3
1	C	1186	GLY	2.3
1	G	1018	HIS	2.2
1	A	1085	GLN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	1084	GLY	2.2
1	C	1085	GLN	2.2
1	C	1009	MET	2.2
1	B	1258	TYR	2.2
1	B	1029	MET	2.2
1	G	1192	GLN	2.1
1	D	1029	MET	2.1
1	G	1009	MET	2.1
1	B	1034	ASP	2.1
1	H	1183	ILE	2.1
1	F	1083	ASN	2.1
1	A	1030	THR	2.1
1	F	1184	PRO	2.1
1	E	1137	LYS	2.1
1	E	1115	TRP	2.1
1	B	1086	ARG	2.0
1	E	1114	ARG	2.0
1	E	1177	HIS	2.0
1	C	1028	PRO	2.0
1	F	1186	GLY	2.0
1	C	1234	GLU	2.0
1	E	1306	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	UNX	B	1405	1/1	0.80	0.21	31,31,31,31	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	PN4	E	1402	20/20	0.81	0.16	42,50,58,67	0
4	UNX	F	1407	1/1	0.83	0.31	29,29,29,29	0
4	UNX	G	1403	1/1	0.84	0.33	28,28,28,28	0
4	UNX	C	1403	1/1	0.85	0.21	25,25,25,25	0
4	UNX	D	1403	1/1	0.86	0.16	18,18,18,18	0
4	UNX	F	1403	1/1	0.87	0.26	23,23,23,23	0
4	UNX	G	1407	1/1	0.87	0.12	23,23,23,23	0
4	UNX	H	1405	1/1	0.87	0.18	32,32,32,32	0
4	UNX	D	1406	1/1	0.89	0.40	35,35,35,35	0
4	UNX	G	1406	1/1	0.89	0.22	26,26,26,26	0
4	UNX	D	1407	1/1	0.90	0.09	12,12,12,12	0
4	UNX	C	1405	1/1	0.90	0.28	29,29,29,29	0
4	UNX	F	1404	1/1	0.90	0.19	28,28,28,28	0
3	PN4	C	1402	20/20	0.90	0.12	26,29,40,42	0
4	UNX	G	1404	1/1	0.91	0.15	31,31,31,31	0
4	UNX	H	1403	1/1	0.91	0.13	30,30,30,30	0
4	UNX	C	1404	1/1	0.91	0.20	29,29,29,29	0
4	UNX	F	1405	1/1	0.92	0.13	26,26,26,26	0
3	PN4	F	1402	20/20	0.92	0.10	24,26,46,49	0
4	UNX	H	1402	1/1	0.92	0.15	24,24,24,24	0
3	PN4	B	1402	20/20	0.92	0.10	24,26,50,50	0
4	UNX	C	1406	1/1	0.92	0.17	31,31,31,31	0
4	UNX	G	1405	1/1	0.93	0.12	19,19,19,19	0
3	PN4	D	1402	20/20	0.93	0.09	21,24,40,41	0
4	UNX	D	1404	1/1	0.93	0.14	28,28,28,28	0
4	UNX	D	1405	1/1	0.94	0.06	27,27,27,27	0
3	PN4	G	1402	20/20	0.94	0.08	22,24,35,35	0
4	UNX	G	1408	1/1	0.94	0.14	19,19,19,19	0
4	UNX	B	1406	1/1	0.94	0.09	20,20,20,20	0
4	UNX	C	1407	1/1	0.94	0.19	30,30,30,30	0
4	UNX	B	1404	1/1	0.94	0.10	20,20,20,20	0
4	UNX	B	1403	1/1	0.95	0.14	21,21,21,21	0
4	UNX	F	1406	1/1	0.95	0.16	24,24,24,24	0
4	UNX	B	1407	1/1	0.95	0.08	18,18,18,18	0
4	UNX	B	1409	1/1	0.95	0.14	24,24,24,24	0
4	UNX	C	1408	1/1	0.95	0.12	25,25,25,25	0
4	UNX	C	1409	1/1	0.95	0.15	21,21,21,21	0
3	PN4	A	1402	20/20	0.96	0.07	20,23,35,35	0
4	UNX	F	1408	1/1	0.96	0.10	18,18,18,18	0
4	UNX	F	1409	1/1	0.96	0.10	25,25,25,25	0
4	UNX	D	1408	1/1	0.97	0.08	21,21,21,21	0
4	UNX	D	1410	1/1	0.97	0.09	17,17,17,17	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	UNX	H	1404	1/1	0.97	0.07	25,25,25,25	0
4	UNX	B	1408	1/1	0.97	0.08	29,29,29,29	0
4	UNX	A	1403	1/1	0.98	0.07	21,21,21,21	0
2	ADP	E	1401	27/27	0.98	0.06	19,26,33,33	0
2	ADP	B	1401	27/27	0.98	0.05	18,21,25,28	0
2	ADP	C	1401	27/27	0.99	0.04	15,17,17,18	0
2	ADP	F	1401	27/27	0.99	0.04	13,16,18,18	0
4	UNX	D	1409	1/1	0.99	0.07	23,23,23,23	0
2	ADP	G	1401	27/27	0.99	0.04	14,18,21,21	0
2	ADP	H	1401	27/27	0.99	0.04	19,21,26,27	0
2	ADP	A	1401	27/27	0.99	0.04	16,18,22,23	0
2	ADP	D	1401	27/27	0.99	0.04	12,17,20,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around PN4 C 1402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PN4 F 1402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PN4 B 1402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PN4 D 1402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PN4 G 1402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PN4 A 1402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP E 1401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP B 1401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP C 1401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP F 1401:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP G 1401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP H 1401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ADP A 1401:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ADP D 1401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.