



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 09:17 AM UTC

PDB ID : 8F7N / pdb_00008f7n
Title : Crystal structure of chemoreceptor McpZ ligand sensing domain
Authors : Salar, S.; Schubot, F.D.
Deposited on : 2022-11-19
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	386	20% 59% 34% 6%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5584 atoms, of which 2798 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Methyl-accepting chemotaxis protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	364	Total	C	H	N	O	S	0	0	0
			5565	1724	2798	487	549	7			

- Molecule 2 is YTTERBIUM (III) ION (CCD ID: YB) (formula: Yb).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	10	Total	Yb	3	0
			10	10		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	9	Total	O	0	0
			9	9		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Methyl-accepting chemotaxis protein



4 Data and refinement statistics

Property	Value	Source
Space group	I 41 2 2	Depositor
Cell constants a, b, c, α , β , γ	184.33Å 184.33Å 113.36Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.60 – 2.70 46.60 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.7 (46.60-2.70) 99.7 (46.60-2.70)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.96 (at 2.54Å)	Xtriage
Refinement program	PHENIX v1.19.2-4158	Depositor
R, R_{free}	0.244 , 0.260 (Not available) , 0.269	Depositor DCC
R_{free} test set	1554 reflections (4.80%)	wwPDB-VP
Wilson B-factor (Å ²)	77.1	Xtriage
Anisotropy	0.352	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 62.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5584	wwPDB-VP
Average B, all atoms (Å ²)	115.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: YB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.53	1/2797 (0.0%)	0.70	1/3770 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	99	ALA	CA-C	6.55	1.60	1.53

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	366	LEU	N-CA-C	5.96	121.73	113.45

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2767	2798	2797	138	3
2	A	10	0	0	1	0
3	A	9	0	0	0	0
All	All	2786	2798	2797	139	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 25.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:207:ALA:HB1	1:A:243:ILE:HD11	1.51	0.91
1:A:239:ALA:O	1:A:243:ILE:HG22	1.73	0.89
1:A:338:PHE:HZ	1:A:372:MET:HE2	1.38	0.87
1:A:74:ASP:OD1	1:A:77:ARG:NH2	2.09	0.85
1:A:52:LEU:HD13	1:A:53:LYS:N	1.92	0.85
1:A:365:LEU:O	1:A:369:ILE:HD12	1.79	0.83
1:A:91:LEU:HD21	1:A:111:ILE:HB	1.63	0.80
1:A:404:LEU:HD23	1:A:405:THR:N	1.97	0.79
1:A:127:LEU:HD23	1:A:386:ARG:HA	1.67	0.74
1:A:76:SER:HA	1:A:79:MET:HE2	1.70	0.74
1:A:407:PHE:CD1	1:A:407:PHE:N	2.53	0.71
1:A:113:ALA:HB3	1:A:400:ILE:HD12	1.72	0.70
1:A:52:LEU:HD22	1:A:52:LEU:O	1.91	0.70
1:A:338:PHE:CZ	1:A:372:MET:HE2	2.24	0.69
1:A:200:VAL:HB	1:A:256:LEU:HD11	1.74	0.69
1:A:70:GLN:HG3	1:A:71:GLN:H	1.59	0.68
1:A:164:ARG:HH11	1:A:164:ARG:HG3	1.60	0.66
1:A:81:LYS:HG2	1:A:121:ILE:HD13	1.77	0.66
1:A:214:ILE:HD12	1:A:243:ILE:HG21	1.80	0.63
1:A:52:LEU:HD13	1:A:52:LEU:C	2.22	0.63
1:A:55:LEU:HD13	1:A:404:LEU:HD21	1.80	0.63
1:A:181:MET:HE1	1:A:274:GLU:HG3	1.81	0.62
1:A:223:VAL:HG23	1:A:224:LEU:HD12	1.80	0.62
1:A:302:LEU:HD21	1:A:306:ARG:CZ	2.29	0.62
1:A:401:TRP:HA	1:A:404:LEU:HD22	1.82	0.62
1:A:52:LEU:HD22	1:A:52:LEU:C	2.26	0.61
1:A:246:LEU:HD23	1:A:259:LEU:HD23	1.82	0.61
1:A:405:THR:O	1:A:409:GLU:HG3	2.01	0.60
1:A:92:ALA:O	1:A:95:ALA:HB3	2.01	0.59
1:A:366:LEU:HA	1:A:369:ILE:HD13	1.84	0.59
1:A:70:GLN:HG3	1:A:71:GLN:N	2.18	0.58
2:A:502:YB:YB	2:A:503:YB:YB	1.70	0.58
1:A:404:LEU:HA	1:A:407:PHE:CZ	2.39	0.57
1:A:113:ALA:O	1:A:116:ASP:N	2.37	0.57
1:A:114:THR:HG23	1:A:400:ILE:HD11	1.87	0.56
1:A:207:ALA:CB	1:A:243:ILE:HD11	2.31	0.55
1:A:403:ASP:O	1:A:407:PHE:CE1	2.59	0.55
1:A:204:LEU:HD23	1:A:259:LEU:HD11	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:54:THR:CG2	1:A:94:THR:OG1	2.56	0.54
1:A:67:ASN:HA	1:A:70:GLN:CG	2.38	0.54
1:A:67:ASN:HA	1:A:70:GLN:HG2	1.88	0.54
1:A:180:LEU:HD21	1:A:224:LEU:HB3	1.91	0.54
1:A:404:LEU:HA	1:A:407:PHE:CE2	2.43	0.53
1:A:220:ASP:HB3	1:A:221:ILE:HD12	1.90	0.53
1:A:256:LEU:HD12	1:A:256:LEU:N	2.23	0.53
1:A:68:PHE:HA	1:A:76:SER:OG	2.09	0.53
1:A:91:LEU:HG	1:A:107:LEU:HD11	1.91	0.53
1:A:134:LEU:HB2	1:A:379:LEU:HD13	1.90	0.53
1:A:365:LEU:C	1:A:369:ILE:HD12	2.34	0.52
1:A:315:ILE:HD12	1:A:341:VAL:HG21	1.92	0.52
1:A:356:SER:O	1:A:357:PHE:C	2.53	0.52
1:A:160:GLN:HB2	1:A:302:LEU:HD11	1.92	0.51
1:A:250:PRO:O	1:A:251:PRO:C	2.52	0.51
1:A:60:ASP:O	1:A:64:GLN:HG2	2.10	0.51
1:A:345:LEU:HD13	1:A:366:LEU:HD21	1.91	0.51
1:A:352:ALA:HB1	1:A:355:MET:HB2	1.91	0.51
1:A:348:LEU:HD23	1:A:352:ALA:HB3	1.91	0.51
1:A:115:SER:O	1:A:119:THR:HG23	2.10	0.51
1:A:342:GLN:O	1:A:346:THR:HG23	2.10	0.50
1:A:243:ILE:O	1:A:247:ILE:HG13	2.11	0.50
1:A:249:THR:HG22	1:A:250:PRO:HD2	1.92	0.50
1:A:179:LYS:HD3	1:A:220:ASP:O	2.12	0.50
1:A:348:LEU:CD2	1:A:352:ALA:HB3	2.41	0.50
1:A:107:LEU:HD12	1:A:110:ALA:HB3	1.94	0.50
1:A:404:LEU:HD23	1:A:405:THR:H	1.72	0.49
1:A:73:THR:O	1:A:76:SER:HB3	2.12	0.49
1:A:91:LEU:HD23	1:A:91:LEU:O	2.11	0.49
1:A:214:ILE:CD1	1:A:243:ILE:HG21	2.42	0.49
1:A:302:LEU:C	1:A:302:LEU:HD23	2.37	0.49
1:A:131:GLU:OE1	1:A:386:ARG:HD3	2.13	0.49
1:A:134:LEU:CB	1:A:379:LEU:HD13	2.43	0.49
1:A:152:ILE:HD12	1:A:308:LEU:HD23	1.94	0.49
1:A:401:TRP:CD1	1:A:405:THR:HG23	2.48	0.49
1:A:365:LEU:C	1:A:369:ILE:CD1	2.86	0.48
1:A:70:GLN:CD	1:A:71:GLN:HG3	2.39	0.48
1:A:118:GLU:HA	1:A:121:ILE:HD12	1.96	0.48
1:A:366:LEU:HB2	1:A:367:PRO:HD3	1.96	0.48
1:A:195:SER:HB3	1:A:263:VAL:HG11	1.96	0.48
1:A:200:VAL:CB	1:A:256:LEU:HD11	2.42	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:302:LEU:HD23	1:A:302:LEU:O	2.12	0.48
1:A:221:ILE:CG2	1:A:221:ILE:O	2.62	0.47
1:A:163:VAL:HG23	1:A:298:THR:CG2	2.44	0.47
1:A:230:LYS:N	1:A:230:LYS:HD3	2.28	0.47
1:A:117:ILE:HD11	1:A:396:ALA:HB1	1.96	0.47
1:A:52:LEU:HD13	1:A:53:LYS:CA	2.45	0.47
1:A:113:ALA:O	1:A:114:THR:C	2.58	0.47
1:A:326:THR:HG22	1:A:326:THR:O	2.14	0.47
1:A:369:ILE:HD12	1:A:369:ILE:H	1.79	0.47
1:A:65:MET:HG2	1:A:397:ILE:HD12	1.96	0.47
1:A:249:THR:HG22	1:A:250:PRO:CD	2.45	0.47
1:A:70:GLN:OE1	1:A:71:GLN:HG3	2.14	0.46
1:A:315:ILE:CD1	1:A:341:VAL:HG21	2.45	0.46
1:A:208:GLU:OE1	1:A:247:ILE:HG21	2.16	0.46
1:A:302:LEU:CD2	1:A:306:ARG:NH1	2.79	0.46
1:A:221:ILE:O	1:A:222:PHE:C	2.58	0.45
1:A:339:LEU:HD23	1:A:342:GLN:OE1	2.15	0.45
1:A:242:ALA:O	1:A:246:LEU:HD13	2.16	0.45
1:A:106:GLU:HB3	1:A:407:PHE:CE1	2.51	0.45
1:A:113:ALA:CB	1:A:400:ILE:HD12	2.43	0.45
1:A:50:SER:O	1:A:54:THR:HG23	2.17	0.45
1:A:225:LEU:HD11	1:A:236:VAL:HG21	1.99	0.45
1:A:73:THR:HG22	1:A:75:GLU:H	1.83	0.44
1:A:397:ILE:O	1:A:397:ILE:HG23	2.16	0.44
1:A:77:ARG:HD3	1:A:125:TRP:HB2	2.00	0.43
1:A:369:ILE:O	1:A:373:LYS:HG3	2.18	0.43
1:A:197:ALA:HB3	1:A:203:LYS:HG3	2.00	0.43
1:A:235:THR:O	1:A:239:ALA:HB2	2.18	0.43
1:A:181:MET:HA	1:A:181:MET:HE2	2.00	0.43
1:A:256:LEU:N	1:A:256:LEU:CD1	2.81	0.43
1:A:116:ASP:OD1	1:A:120:ARG:NH1	2.52	0.43
1:A:173:MET:HB3	1:A:284:ALA:HB2	2.00	0.43
1:A:84:ILE:HG21	1:A:118:GLU:HB2	2.01	0.43
1:A:406:GLY:CA	1:A:409:GLU:HG3	2.48	0.43
1:A:58:PHE:CZ	1:A:400:ILE:HG23	2.54	0.43
1:A:163:VAL:HG23	1:A:298:THR:HG21	2.00	0.43
1:A:331:ARG:HE	1:A:377:LEU:HG	1.83	0.42
1:A:65:MET:CB	1:A:397:ILE:HD12	2.48	0.42
1:A:117:ILE:HD12	1:A:117:ILE:N	2.34	0.42
1:A:337:ARG:N	1:A:337:ARG:HD2	2.34	0.42
1:A:386:ARG:NH2	1:A:387:THR:HB	2.34	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190:PHE:HZ	1:A:243:ILE:HD13	1.83	0.42
1:A:331:ARG:NE	1:A:377:LEU:HG	2.35	0.42
1:A:55:LEU:CD1	1:A:404:LEU:HD21	2.47	0.42
1:A:232:LEU:HD22	1:A:272:ARG:HG2	2.02	0.41
1:A:383:THR:O	1:A:387:THR:HG22	2.21	0.41
1:A:129:GLU:O	1:A:133:LYS:HG3	2.21	0.41
1:A:91:LEU:HD23	1:A:91:LEU:C	2.46	0.41
1:A:404:LEU:HD23	1:A:404:LEU:C	2.43	0.41
1:A:401:TRP:HD1	1:A:404:LEU:CD2	2.34	0.41
1:A:173:MET:HE2	1:A:173:MET:HA	2.02	0.41
1:A:187:TYR:OH	1:A:236:VAL:HG12	2.21	0.41
1:A:407:PHE:N	1:A:407:PHE:HD1	2.16	0.41
1:A:73:THR:HG22	1:A:75:GLU:N	2.36	0.41
1:A:302:LEU:HD21	1:A:306:ARG:NH1	2.36	0.41
1:A:368:ILE:O	1:A:372:MET:HG3	2.20	0.41
1:A:200:VAL:CG2	1:A:256:LEU:HD11	2.51	0.40
1:A:223:VAL:HG23	1:A:224:LEU:CD1	2.48	0.40
1:A:211:PHE:HA	1:A:214:ILE:HG13	2.03	0.40
1:A:358:PHE:CD2	1:A:358:PHE:C	2.95	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:49:ASN:OD1	1:A:49:ASN:OD1[6_555]	1.21	0.99
1:A:175:ARG:NH1	1:A:292:ASP:OD2[6_555]	2.00	0.20
1:A:81:LYS:NZ	1:A:329:GLU:OE2[12_555]	2.01	0.19

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	362/386 (94%)	342 (94%)	20 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	285/301 (95%)	277 (97%)	8 (3%)	38	68

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	LEU
1	A	116	ASP
1	A	310	THR
1	A	313	THR
1	A	345	LEU
1	A	391	GLU
1	A	404	LEU
1	A	407	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	149	GLN
1	A	286	GLN
1	A	398	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 10 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	364/386 (94%)	1.05	79 (21%) 2 2	62, 102, 199, 237	0

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	98	VAL	7.8
1	A	407	PHE	6.2
1	A	107	LEU	5.7
1	A	54	THR	5.4
1	A	96	ALA	5.2
1	A	404	LEU	4.4
1	A	51	VAL	4.4
1	A	48	SER	4.4
1	A	408	ALA	4.2
1	A	401	TRP	4.1
1	A	99	ALA	4.0
1	A	111	ILE	4.0
1	A	411	GLN	3.9
1	A	243	ILE	3.9
1	A	50	SER	3.5
1	A	73	THR	3.4
1	A	101	GLY	3.4
1	A	72	THR	3.4
1	A	253	PRO	3.4
1	A	62	TYR	3.4
1	A	106	GLU	3.4
1	A	110	ALA	3.3
1	A	357	PHE	3.3
1	A	403	ASP	3.3
1	A	255	THR	3.2
1	A	80	LEU	3.1
1	A	221	ILE	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	182	ARG	3.1
1	A	396	ALA	3.0
1	A	256	LEU	3.0
1	A	397	ILE	3.0
1	A	55	LEU	3.0
1	A	100	GLY	2.9
1	A	53	LYS	2.8
1	A	405	THR	2.8
1	A	400	ILE	2.8
1	A	97	GLN	2.7
1	A	68	PHE	2.7
1	A	164	ARG	2.7
1	A	82	ASP	2.7
1	A	392	ALA	2.6
1	A	351	ILE	2.6
1	A	379	LEU	2.6
1	A	387	THR	2.5
1	A	117	ILE	2.5
1	A	102	ASN	2.5
1	A	395	ALA	2.5
1	A	232	LEU	2.4
1	A	228	GLY	2.4
1	A	108	ALA	2.4
1	A	114	THR	2.4
1	A	115	SER	2.4
1	A	185	ARG	2.4
1	A	250	PRO	2.4
1	A	70	GLN	2.4
1	A	105	ASP	2.3
1	A	86	THR	2.3
1	A	79	MET	2.3
1	A	88	LYS	2.3
1	A	254	GLU	2.3
1	A	83	ALA	2.3
1	A	103	GLY	2.3
1	A	49	ASN	2.2
1	A	390	PHE	2.2
1	A	385	LYS	2.2
1	A	398	ASN	2.2
1	A	85	VAL	2.2
1	A	121	ILE	2.2
1	A	289	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	230	LYS	2.1
1	A	64	GLN	2.1
1	A	52	LEU	2.1
1	A	248	LYS	2.1
1	A	249	THR	2.1
1	A	78	ARG	2.0
1	A	104	GLU	2.0
1	A	391	GLU	2.0
1	A	60	ASP	2.0
1	A	91	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	YB	A	505	1/1	-0.45	0.31	428,428,428,428	1
2	YB	A	506	1/1	-0.26	0.30	444,444,444,444	1
2	YB	A	510	1/1	-0.07	0.26	771,771,771,771	0
2	YB	A	504	1/1	-	-	176,176,176,176	1
2	YB	A	509	1/1	0.88	0.13	131,131,131,131	1
2	YB	A	503	1/1	0.88	0.15	208,208,208,208	0
2	YB	A	507	1/1	-	-	181,181,181,181	1
2	YB	A	508	1/1	-	-	99,99,99,99	1
2	YB	A	502	1/1	0.98	0.09	93,93,93,93	1
2	YB	A	501	1/1	0.98	0.12	80,80,80,80	1

6.5 Other polymers [i](#)

There are no such residues in this entry.