



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 06:14 AM UTC

PDB ID : 5F8Q / pdb_00005f8q
Title : Blood group antigen binding adhesin BabA of Helicobacter pylori strain S831
in complex with Nanobody Nb-ER19
Authors : Moonens, K.; Gideonsson, P.; Subedi, S.; Romao, E.; Oscarson, S.; Muylder-
mans, S.; Boren, T.; Remaut, H.
Deposited on : 2015-12-09
Resolution : 2.59 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.59 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	466	 3% 79% 9% • 10%
1	B	466	 3% 78% 9% • 10%
2	C	120	 2% 87% 6% • 6%
2	D	120	 2% 92% • 5%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8024 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adhesin binding fucosylated histo-blood group antigen,Adhesin,Adhesin binding fucosylated histo-blood group antigen.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	419	Total	C	N	O	S	0	0	0
			3118	1925	537	643	13			
1	B	419	Total	C	N	O	S	0	0	0
			3118	1925	537	643	13			

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	3	ALA	-	expression tag	UNP O52269
A	4	SER	-	expression tag	UNP O52269
A	5	TRP	-	expression tag	UNP O52269
A	6	SER	-	expression tag	UNP O52269
A	7	HIS	-	expression tag	UNP O52269
A	8	PRO	-	expression tag	UNP O52269
A	9	GLN	-	expression tag	UNP O52269
A	10	PHE	-	expression tag	UNP O52269
A	11	GLU	-	expression tag	UNP O52269
A	12	LYS	-	expression tag	UNP O52269
A	13	SER	-	expression tag	UNP O52269
A	14	GLY	-	expression tag	UNP O52269
A	15	GLY	-	expression tag	UNP O52269
A	16	GLY	-	expression tag	UNP O52269
A	17	GLY	-	expression tag	UNP O52269
A	18	GLY	-	expression tag	UNP O52269
A	19	LEU	-	expression tag	UNP O52269
A	20	VAL	-	expression tag	UNP O52269
A	21	PRO	-	expression tag	UNP O52269
A	22	ARG	-	expression tag	UNP O52269
A	23	GLY	-	expression tag	UNP O52269
A	24	SER	-	expression tag	UNP O52269
A	461	GLY	-	expression tag	UNP O52269
A	462	SER	-	expression tag	UNP O52269

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	463	HIS	-	expression tag	UNP O52269
A	464	HIS	-	expression tag	UNP O52269
A	465	HIS	-	expression tag	UNP O52269
A	466	HIS	-	expression tag	UNP O52269
A	467	HIS	-	expression tag	UNP O52269
A	468	HIS	-	expression tag	UNP O52269
B	3	ALA	-	expression tag	UNP O52269
B	4	SER	-	expression tag	UNP O52269
B	5	TRP	-	expression tag	UNP O52269
B	6	SER	-	expression tag	UNP O52269
B	7	HIS	-	expression tag	UNP O52269
B	8	PRO	-	expression tag	UNP O52269
B	9	GLN	-	expression tag	UNP O52269
B	10	PHE	-	expression tag	UNP O52269
B	11	GLU	-	expression tag	UNP O52269
B	12	LYS	-	expression tag	UNP O52269
B	13	SER	-	expression tag	UNP O52269
B	14	GLY	-	expression tag	UNP O52269
B	15	GLY	-	expression tag	UNP O52269
B	16	GLY	-	expression tag	UNP O52269
B	17	GLY	-	expression tag	UNP O52269
B	18	GLY	-	expression tag	UNP O52269
B	19	LEU	-	expression tag	UNP O52269
B	20	VAL	-	expression tag	UNP O52269
B	21	PRO	-	expression tag	UNP O52269
B	22	ARG	-	expression tag	UNP O52269
B	23	GLY	-	expression tag	UNP O52269
B	24	SER	-	expression tag	UNP O52269
B	461	GLY	-	expression tag	UNP O52269
B	462	SER	-	expression tag	UNP O52269
B	463	HIS	-	expression tag	UNP O52269
B	464	HIS	-	expression tag	UNP O52269
B	465	HIS	-	expression tag	UNP O52269
B	466	HIS	-	expression tag	UNP O52269
B	467	HIS	-	expression tag	UNP O52269
B	468	HIS	-	expression tag	UNP O52269

- Molecule 2 is a protein called Nanobody Nb-ER19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	113	Total	C	N	O	S	0	0	0
			863	540	155	163	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	114	Total	C	N	O	S	0	0	0
			873	546	158	164	5			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	21	Total	O	0	0
			21	21		
3	C	4	Total	O	0	0
			4	4		
3	B	17	Total	O	0	0
			17	17		
3	D	10	Total	O	0	0
			10	10		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Adhesin binding fucosylated histo-blood group antigen,Adhesin,Adhesin binding fucosylated histo-blood group antigen




- Molecule 1: Adhesin binding fucosylated histo-blood group antigen,Adhesin,Adhesin binding fucosylated histo-blood group antigen




- Molecule 2: Nanobody Nb-ER19



- Molecule 2: Nanobody Nb-ER19

Chain D:  92% 2% 5%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	51.03Å 132.14Å 123.48Å 90.00° 94.90° 90.00°	Depositor
Resolution (Å)	48.50 – 2.59 48.50 – 2.59	Depositor EDS
% Data completeness (in resolution range)	97.5 (48.50-2.59) 97.6 (48.50-2.59)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.18 (at 2.58Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.195 , 0.230 0.198 , 0.231	Depositor DCC
R_{free} test set	2487 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	65.9	Xtriage
Anisotropy	0.153	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 32.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8024	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.99	1/3165 (0.0%)	1.01	1/4305 (0.0%)
1	B	0.92	0/3165	0.99	3/4305 (0.1%)
2	C	0.88	0/882	0.96	1/1195 (0.1%)
2	D	1.01	0/893	0.95	0/1210
All	All	0.95	1/8105 (0.0%)	0.99	5/11015 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
2	D	0	1
All	All	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	295	ARG	CA-C	5.44	1.60	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	198	LEU	CA-CB-CG	5.71	136.27	116.30
1	B	198	LEU	CB-CA-C	5.69	118.42	109.37
2	C	114	SER	N-CA-C	5.30	117.01	108.32
1	B	245	TYR	N-CA-C	5.23	116.24	108.60
1	A	243	VAL	N-CA-C	5.12	117.14	109.20

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	286	SER	Peptide
2	D	3	VAL	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3118	0	3049	26	0
1	B	3118	0	3049	29	0
2	C	863	0	845	9	0
2	D	873	0	852	0	0
3	A	21	0	0	1	0
3	B	17	0	0	1	0
3	C	4	0	0	0	0
3	D	10	0	0	0	0
All	All	8024	0	7795	64	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:284:ASN:HB2	3:A:504:HOH:O	1.56	1.04
2:C:3:VAL:HG13	2:C:102:TYR:CZ	2.14	0.83
2:C:3:VAL:HG11	2:C:102:TYR:OH	1.81	0.80
2:C:3:VAL:N	2:C:26:SER:HG	1.82	0.77
2:C:3:VAL:HG13	2:C:102:TYR:CE2	2.19	0.77
2:C:3:VAL:CG1	2:C:102:TYR:OH	2.42	0.67
1:B:210:GLY:HA3	1:B:211:THR:HG22	1.76	0.66
2:C:3:VAL:CG1	2:C:102:TYR:CZ	2.78	0.65
1:A:35:ASN:OD1	1:A:35:ASN:C	2.40	0.62
1:B:35:ASN:OD1	1:B:35:ASN:C	2.43	0.62
1:B:205:ASP:O	1:B:206:ASN:ND2	2.32	0.62
1:A:279:TYR:OH	1:A:295:ARG:CZ	2.48	0.61
2:C:72:ARG:HD3	2:C:74:ASN:OD1	2.01	0.60
1:B:241:THR:O	1:B:242:ARG:CB	2.53	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:114:SER:O	2:C:115:SER:HB2	2.03	0.57
1:A:279:TYR:OH	1:A:295:ARG:NE	2.38	0.56
1:A:105:GLN:CD	1:A:279:TYR:HD2	2.18	0.52
1:A:202:THR:CG2	1:A:204:VAL:HB	2.40	0.52
1:A:156:LEU:HG	1:A:269:LEU:HD12	1.92	0.51
1:B:205:ASP:C	1:B:206:ASN:ND2	2.68	0.51
1:B:284:ASN:HD21	1:B:291:MET:HB3	1.75	0.51
1:A:294:THR:O	1:A:295:ARG:O	2.30	0.50
1:B:156:LEU:HG	1:B:269:LEU:HD12	1.94	0.49
1:B:311:MET:HE1	1:B:375:ILE:HD13	1.94	0.49
1:B:198:LEU:HB2	1:B:199:PRO:HD2	1.94	0.48
2:C:3:VAL:HG12	2:C:3:VAL:O	2.13	0.48
1:A:311:MET:HE1	1:A:375:ILE:HD13	1.95	0.48
1:A:240:THR:O	1:A:241:THR:C	2.56	0.48
1:B:218:ILE:O	1:B:218:ILE:HG13	2.14	0.48
1:B:239:ASN:HB3	3:B:501:HOH:O	2.12	0.47
1:A:294:THR:O	1:A:295:ARG:C	2.57	0.47
1:A:394:THR:HG22	1:A:421:SER:HB2	1.95	0.47
1:B:284:ASN:OD1	1:B:290:GLN:HA	2.15	0.47
1:B:394:THR:HG22	1:B:421:SER:HB2	1.98	0.47
1:A:318:LEU:C	1:A:318:LEU:HD23	2.40	0.46
1:B:278:PRO:HG2	1:B:298:LEU:HD22	1.97	0.46
1:B:208:ASN:HA	1:B:230:LYS:HA	1.98	0.46
1:A:105:GLN:CD	1:A:279:TYR:CD2	2.95	0.45
1:A:243:VAL:HG12	1:A:244:SER:N	2.32	0.45
1:B:203:GLY:O	1:B:212:LYS:HD3	2.16	0.45
1:B:234:SER:O	1:B:235:GLN:HB2	2.16	0.45
1:B:125:GLU:OE2	1:B:157:ASN:OD1	2.35	0.45
1:A:278:PRO:HG2	1:A:298:LEU:HD22	1.98	0.45
1:B:337:ASN:OD1	1:B:337:ASN:C	2.60	0.44
1:B:241:THR:O	1:B:242:ARG:HB2	2.17	0.44
1:B:156:LEU:C	1:B:156:LEU:HD23	2.43	0.44
1:B:318:LEU:C	1:B:318:LEU:HD23	2.43	0.44
1:B:77:THR:O	1:B:78:LYS:C	2.61	0.44
1:A:287:GLY:O	1:A:288:GLY:C	2.60	0.44
1:A:279:TYR:OH	1:A:295:ARG:CG	2.66	0.44
1:B:105:GLN:CD	1:B:279:TYR:HD2	2.25	0.44
1:B:199:PRO:HD3	1:B:207:GLN:HG3	2.01	0.43
1:A:217:THR:HG22	1:A:217:THR:O	2.19	0.42
1:A:391:PHE:O	1:A:394:THR:HB	2.19	0.42
1:B:291:MET:HE2	1:B:391:PHE:CZ	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:35:ASN:OD1	1:A:36:LEU:N	2.53	0.42
1:A:125:GLU:OE2	1:A:157:ASN:OD1	2.37	0.42
1:B:205:ASP:C	1:B:206:ASN:HD22	2.24	0.42
1:A:293:PRO:C	1:A:294:THR:O	2.61	0.42
1:A:156:LEU:C	1:A:156:LEU:HD23	2.46	0.41
1:A:338:ASN:C	1:A:340:LYS:H	2.28	0.40
1:A:424:ALA:O	1:A:425:TYR:C	2.64	0.40
1:B:391:PHE:O	1:B:394:THR:HB	2.21	0.40
1:B:114:GLU:H	1:B:114:GLU:CD	2.28	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	415/466 (89%)	391 (94%)	18 (4%)	6 (1%)	9	19
1	B	415/466 (89%)	393 (95%)	14 (3%)	8 (2%)	6	13
2	C	111/120 (92%)	108 (97%)	3 (3%)	0	100	100
2	D	112/120 (93%)	110 (98%)	2 (2%)	0	100	100
All	All	1053/1172 (90%)	1002 (95%)	37 (4%)	14 (1%)	9	21

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	237	LYS
1	A	295	ARG
1	A	288	GLY
1	B	219	ASP
1	B	242	ARG
1	A	294	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	208	ASN
1	B	237	LYS
1	B	241	THR
1	B	288	GLY
1	A	41	THR
1	A	289	PRO
1	B	206	ASN
1	B	289	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	346/382 (91%)	324 (94%)	22 (6%)	16	35
1	B	346/382 (91%)	327 (94%)	19 (6%)	19	41
2	C	92/99 (93%)	89 (97%)	3 (3%)	33	61
2	D	93/99 (94%)	91 (98%)	2 (2%)	45	72
All	All	877/962 (91%)	831 (95%)	46 (5%)	21	44

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	LEU
1	A	42	ARG
1	A	64	GLU
1	A	71	LYS
1	A	114	GLU
1	A	182	SER
1	A	192	GLU
1	A	198	LEU
1	A	199	PRO
1	A	200	LYS
1	A	202	THR
1	A	211	THR
1	A	217	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	237	LYS
1	A	298	LEU
1	A	318	LEU
1	A	320	ASN
1	A	323	SER
1	A	352	GLN
1	A	394	THR
1	A	459	ASN
1	A	462	SER
2	C	28	SER
2	C	29	ILE
2	C	115	SER
1	B	39	LEU
1	B	57	SER
1	B	182	SER
1	B	198	LEU
1	B	218	ILE
1	B	232	VAL
1	B	237	LYS
1	B	291	MET
1	B	298	LEU
1	B	318	LEU
1	B	320	ASN
1	B	323	SER
1	B	329	GLU
1	B	337	ASN
1	B	338	ASN
1	B	352	GLN
1	B	383	THR
1	B	394	THR
1	B	462	SER
2	D	28	SER
2	D	29	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	124	ASN
1	A	157	ASN
1	A	161	GLN
1	A	274	ASN
1	A	290	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	316	GLN
1	A	320	ASN
1	A	321	GLN
1	A	352	GLN
1	A	386	ASN
2	C	40	GLN
2	C	82	GLN
1	B	124	ASN
1	B	157	ASN
1	B	161	GLN
1	B	274	ASN
1	B	290	GLN
1	B	316	GLN
1	B	321	GLN
1	B	352	GLN
1	B	379	ASN
2	D	40	GLN
2	D	82	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	419/466 (89%)	-0.03	12 (2%) 53 48	40, 61, 109, 135	0
1	B	419/466 (89%)	0.09	12 (2%) 53 48	45, 68, 120, 153	0
2	C	113/120 (94%)	-0.09	2 (1%) 67 63	49, 63, 84, 102	0
2	D	114/120 (95%)	-0.32	2 (1%) 67 63	45, 55, 74, 99	0
All	All	1065/1172 (90%)	-0.02	28 (2%) 57 51	40, 63, 110, 153	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	218	ILE	4.5
1	A	218	ILE	3.9
2	C	115	SER	3.6
2	D	3	VAL	3.4
1	B	398	LYS	2.9
1	A	38	LYS	2.7
1	B	198	LEU	2.7
2	D	116	HIS	2.7
1	A	398	LYS	2.6
1	A	285	LYS	2.6
1	A	293	PRO	2.5
1	A	289	PRO	2.5
2	C	3	VAL	2.5
1	B	214	LYS	2.4
1	B	237	LYS	2.4
1	A	243	VAL	2.3
1	B	462	SER	2.3
1	A	295	ARG	2.3
1	B	35	ASN	2.2
1	B	46	LEU	2.2
1	B	293	PRO	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	236	ALA	2.1
1	B	42	ARG	2.1
1	A	41	THR	2.1
1	A	283	THR	2.1
1	B	235	GLN	2.0
1	A	237	LYS	2.0
1	A	236	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.