



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 24, 2026 – 02:17 PM UTC

PDB ID : 6F9R / pdb_00006f9r
Title : Crystal structure of human Angiotensin-1 converting enzyme N-domain in complex with Sampatrilat-Asp.
Authors : Cozier, G.E.; Acharya, K.R.
Deposited on : 2017-12-15
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3428 (1.86-1.86)
Clashscore	190562	3579 (1.86-1.86)
Ramachandran outliers	187476	3553 (1.86-1.86)
Sidechain outliers	187428	3553 (1.86-1.86)
RSRZ outliers	180081	3429 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	629	14% 91% 5% .
1	B	629	6% 88% 8% .
2	C	2	50% 50%
3	D	4	50% 50%
3	G	4	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	E	2	 100%
4	F	2	 100%
5	H	3	 33% 33% 33%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
13	ACT	A	717	-	-	X	-

2 Entry composition

There are 15 unique types of molecules in this entry. The entry contains 21728 atoms, of which 10253 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Angiotensin-converting enzyme.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	607	Total	C	H	N	O	S	0	8	0
			9780	3206	4779	862	914	19			
1	B	604	Total	C	H	N	O	S	0	54	0
			10442	3425	5102	917	979	19			

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	9	GLN	ASN	conflict	UNP P12821
A	25	GLN	ASN	conflict	UNP P12821
A	82	GLN	ASN	conflict	UNP P12821
A	117	GLN	ASN	conflict	UNP P12821
A	289	GLN	ASN	conflict	UNP P12821
A	545	ARG	GLN	conflict	UNP P12821
A	576	LEU	PRO	conflict	UNP P12821
A	629	LEU	-	expression tag	UNP P12821
B	9	GLN	ASN	conflict	UNP P12821
B	25	GLN	ASN	conflict	UNP P12821
B	82	GLN	ASN	conflict	UNP P12821
B	117	GLN	ASN	conflict	UNP P12821
B	289	GLN	ASN	conflict	UNP P12821
B	545	ARG	GLN	conflict	UNP P12821
B	576	LEU	PRO	conflict	UNP P12821
B	629	LEU	-	expression tag	UNP P12821

- Molecule 2 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	2	Total	C	H	N	O	0	0	0
			46	14	22	1	9			

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	4	Total	C	H	N	O	0	0	0
			92	28	43	2	19			
3	G	4	Total	C	H	N	O	0	0	0
			92	28	43	2	19			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	E	2	Total	C	H	N	O	0	0	0
			53	16	25	2	10			
4	F	2	Total	C	H	N	O	0	0	0
			55	16	27	2	10			

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	H	3	Total	C	H	N	O	0	0	0
			72	22	34	2	14			

- Molecule 6 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total Zn 1 1	0	0
6	B	1	Total Zn 1 1	0	0

- Molecule 7 is Sampatrilat-Asp (CCD ID: D0W) (formula: $C_{25}H_{33}N_3O_{10}$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C H N O 68 25 30 3 10	0	0
7	B	1	Total C H N O 68 25 30 3 10	0	0

- Molecule 8 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total Cl 1 1	0	0
8	B	1	Total Cl 1 1	0	0

- Molecule 9 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	A	1	Total	C	H	O	0	0
			17	4	10	3		
9	B	1	Total	C	H	O	0	0
			17	4	10	3		
9	B	1	Total	C	H	O	0	0
			17	4	10	3		

- Molecule 10 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	A	1	Total	C	H	O	0	0
			31	8	18	5		

- Molecule 11 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	1	Total	Mg	0	0
			1	1		
11	B	2	Total	Mg	0	0
			2	2		

- Molecule 12 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
12	A	1	Total	C	H	O	0	0
			10	2	6	2		
12	B	1	Total	C	H	O	0	0
			10	2	6	2		
12	B	1	Total	C	H	O	0	0
			10	2	6	2		
12	B	1	Total	C	H	O	0	0
			10	2	6	2		
12	B	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 13 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
13	A	1	Total	C	H	O	0	0
			7	2	3	2		
13	A	1	Total	C	H	O	0	0
			7	2	3	2		

- Molecule 14 is 3,6,9,12,15,18,21-HEPTAOXATRICOSANE-1,23-DIOL (CCD ID: PE8) (formula: C₁₆H₃₄O₉).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
14	B	1	Total	C	H	O	0	0
			59	16	34	9		


- Molecule 15 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	A	332	Total 338	O 338	0	6
15	B	407	Total 410	O 410	0	3


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Angiotensin-converting enzyme



- Molecule 1: Angiotensin-converting enzyme



- Molecule 2: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  50% 50%


NAG1
NAG2
BMA3
FUC4

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%


NAG1
NAG2
BMA3
FUC4

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%


NAG1
NAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%

NAG1
NAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  33% 33% 33%

NAG1
NAG2
FUC3

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	72.59Å 76.97Å 82.64Å 88.43° 64.40° 75.32°	Depositor
Resolution (Å)	44.39 – 1.85 44.39 – 1.85	Depositor EDS
% Data completeness (in resolution range)	98.6 (44.39-1.85) 98.6 (44.39-1.85)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.76 (at 1.86Å)	Xtriage
Refinement program	PHENIX (1.12_2829: ???)	Depositor
R, R_{free}	0.198 , 0.228 0.200 , 0.228	Depositor DCC
R_{free} test set	2593 reflections (1.96%)	wwPDB-VP
Wilson B-factor (Å ²)	27.1	Xtriage
Anisotropy	0.228	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 38.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	21728	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, PE8, ZN, EDO, PG4, NAG, BMA, PEG, CL, ACT, DOW, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/5175	0.43	0/7046
1	B	0.30	0/5527	0.45	0/7527
All	All	0.29	0/10702	0.44	0/14573

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5001	4779	4761	17	0
1	B	5340	5102	5069	30	0
2	C	24	22	22	1	0
3	D	49	43	43	0	0
3	G	49	43	43	0	0
4	E	28	25	25	0	0
4	F	28	27	25	0	0
5	H	38	34	34	3	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
7	A	38	30	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	B	38	30	0	1	0
8	A	1	0	0	0	0
8	B	1	0	0	0	0
9	A	7	10	10	0	0
9	B	14	20	20	1	0
10	A	13	18	18	0	0
11	A	1	0	0	0	0
11	B	2	0	0	0	0
12	A	4	6	6	0	0
12	B	16	24	24	0	0
13	A	8	6	6	2	0
14	B	25	34	34	1	0
15	A	338	0	0	7	0
15	B	410	0	0	5	0
All	All	11475	10253	10140	54	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:526:HIS:ND1	15:A:805:HOH:O	2.21	0.73
1:B:90[A]:ARG:NH2	15:B:803:HOH:O	2.22	0.71
5:H:1:NAG:H83	5:H:1:NAG:H3	1.77	0.64
1:A:518:GLU:OE2	15:A:802:HOH:O	2.15	0.64
1:B:157:LEU:HD11	1:B:477:VAL:HG13	1.85	0.59
1:A:240:ARG:NH2	1:A:603:LEU:O	2.37	0.57
1:A:55:GLU:OE2	15:A:803:HOH:O	2.18	0.57
1:B:184:GLU:OE1	15:B:801:HOH:O	2.18	0.56
1:A:44:THR:C	1:A:328:VAL:HG12	2.35	0.52
1:A:66:GLU:O	1:A:70:GLN:HG2	2.10	0.51
13:A:717:ACT:H3	15:A:871:HOH:O	2.11	0.50
1:A:31:VAL:O	1:A:34:GLN:HG3	2.13	0.49
1:B:83[A]:PHE:HB2	1:B:89[A]:ARG:HG2	1.95	0.49
7:B:711:D0W:C36	7:B:711:D0W:C20	2.91	0.49
1:B:489:LYS:O	1:B:493:PRO:HD2	2.12	0.48
1:B:482:THR:OG1	5:H:1:NAG:C8	2.62	0.48
1:A:306:LEU:O	15:A:804:HOH:O	2.20	0.48
1:B:76[A]:TYR:HB3	1:B:80[A]:TRP:HB3	1.96	0.48
1:B:231:ARG:CG	9:B:714:PEG:H41	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:219:GLU:OE2	15:B:802:HOH:O	2.20	0.47
1:B:31:VAL:O	1:B:34:GLN:HG3	2.14	0.47
5:H:1:NAG:C1	5:H:1:NAG:H82	2.44	0.47
1:B:98[B]:LEU:N	1:B:189:ASP:OD1	2.46	0.46
1:B:365:HIS:CE1	1:B:388:HIS:O	2.68	0.46
1:B:24[A]:TYR:CE1	1:B:64:PHE:CE1	3.04	0.46
1:B:76[A]:TYR:O	1:B:77[A]:GLU:C	2.59	0.46
7:A:710:D0W:C36	7:A:710:D0W:C20	2.94	0.46
1:B:503:VAL:HG13	1:B:565:LEU:HD11	1.98	0.46
2:C:1:NAG:H62	2:C:2:FUC:O2	2.16	0.46
1:A:73:LYS:O	1:A:77:GLU:HB2	2.16	0.45
1:B:607:TYR:CG	1:B:608:PRO:HA	2.52	0.45
1:A:510:GLN:HG2	1:A:569:PRO:HG2	1.99	0.45
1:B:274:LYS:HB3	1:B:275:PRO:HD2	1.99	0.45
1:B:275:PRO:HG3	1:B:413:ARG:HG2	1.99	0.45
1:B:274:LYS:HB3	1:B:275:PRO:CD	2.47	0.44
1:B:20[A]:PHE:CZ	1:B:68:TRP:HE3	2.35	0.44
13:A:717:ACT:H1	15:A:846:HOH:O	2.18	0.43
1:B:192[B]:THR:HG22	15:B:866:HOH:O	2.18	0.43
1:B:14[B]:GLU:HG2	1:B:83[B]:PHE:CD1	2.54	0.43
1:B:86[B]:PRO:O	1:B:90[B]:ARG:CD	2.66	0.43
1:A:267:MET:HE1	15:A:885:HOH:O	2.19	0.43
1:B:157:LEU:HD13	1:B:476:PRO:HB2	2.01	0.43
1:A:157:LEU:HD11	1:A:477:VAL:HG13	2.00	0.42
1:A:187:LYS:HA	1:A:191:PHE:O	2.19	0.42
1:B:270:PRO:HD3	1:B:426:LEU:CD2	2.49	0.42
1:B:570:LEU:C	1:B:570:LEU:HD23	2.44	0.42
1:A:259:GLN:O	1:A:435:PHE:HA	2.20	0.41
1:A:441:LEU:HD12	1:A:441:LEU:C	2.46	0.41
1:B:151:ARG:NH2	15:B:818:HOH:O	2.42	0.41
1:B:580:TRP:O	1:B:584:GLN:HG2	2.21	0.41
1:A:141:PRO:HB3	1:A:350:ARG:HD3	2.03	0.40
1:B:292:HIS:NE2	14:B:721:PE8:H31	2.36	0.40
1:A:169:ILE:HB	1:A:170:PRO:HD3	2.02	0.40
1:B:233:LEU:HD23	1:B:267:MET:HE1	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	611/629 (97%)	597 (98%)	13 (2%)	1 (0%)	43	31
1	B	654/629 (104%)	641 (98%)	12 (2%)	1 (0%)	43	31
All	All	1265/1258 (101%)	1238 (98%)	25 (2%)	2 (0%)	43	31

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	45	ASN
1	B	45	ASN

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	529/541 (98%)	526 (99%)	3 (1%)	78	73
1	B	564/541 (104%)	559 (99%)	5 (1%)	70	64
All	All	1093/1082 (101%)	1085 (99%)	8 (1%)	73	70

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	GLN
1	A	372	TYR
1	A	388	HIS
1	B	235	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	368	TYR
1	B	372	TYR
1	B	388	HIS
1	B	562	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	GLN
1	A	371	GLN
1	A	582	GLN
1	B	224	ASN
1	B	263	ASN
1	B	582	GLN
1	B	585	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

17 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	C	1	2,1	14,14,15	0.28	0	17,19,21	0.72	0
2	FUC	C	2	2	10,10,11	1.16	1 (10%)	14,14,16	0.98	1 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	D	1	3,1	14,14,15	0.31	0	17,19,21	0.44	0
3	NAG	D	2	3	14,14,15	0.22	0	17,19,21	0.67	1 (5%)
3	BMA	D	3	3	11,11,12	0.88	0	15,15,17	0.73	0
3	FUC	D	4	3	10,10,11	0.86	1 (10%)	14,14,16	0.84	0
4	NAG	E	1	4,1	14,14,15	0.35	0	17,19,21	0.43	0
4	NAG	E	2	4	14,14,15	0.20	0	17,19,21	0.45	0
4	NAG	F	1	4,1	14,14,15	0.28	0	17,19,21	0.59	0
4	NAG	F	2	4	14,14,15	0.29	0	17,19,21	0.45	0
3	NAG	G	1	3,1	14,14,15	0.57	0	17,19,21	0.44	0
3	NAG	G	2	3	14,14,15	0.36	0	17,19,21	0.56	0
3	BMA	G	3	3	11,11,12	0.63	0	15,15,17	0.66	0
3	FUC	G	4	3	10,10,11	0.92	0	14,14,16	0.67	0
5	NAG	H	1	5,1	14,14,15	0.36	0	17,19,21	0.96	1 (5%)
5	NAG	H	2	5	14,14,15	0.25	0	17,19,21	0.49	0
5	FUC	H	3	5	10,10,11	1.10	0	14,14,16	1.35	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	4/6/23/26	0/1/1/1
2	FUC	C	2	2	-	-	0/1/1/1
3	NAG	D	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	D	2	3	-	2/6/23/26	0/1/1/1
3	BMA	D	3	3	-	0/2/19/22	0/1/1/1
3	FUC	D	4	3	-	-	0/1/1/1
4	NAG	E	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	E	2	4	-	2/6/23/26	0/1/1/1
4	NAG	F	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	F	2	4	-	1/6/23/26	0/1/1/1
3	NAG	G	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	G	2	3	-	0/6/23/26	0/1/1/1
3	BMA	G	3	3	-	2/2/19/22	0/1/1/1
3	FUC	G	4	3	-	-	0/1/1/1
5	NAG	H	1	5,1	-	4/6/23/26	0/1/1/1
5	NAG	H	2	5	-	2/6/23/26	0/1/1/1
5	FUC	H	3	5	-	-	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	2	FUC	C1-C2	2.77	1.58	1.52
3	D	4	FUC	C1-C2	2.22	1.57	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	H	1	NAG	C2-N2-C7	2.68	126.49	122.90
5	H	3	FUC	C1-O5-C5	2.44	118.71	112.97
2	C	2	FUC	O2-C2-C1	2.33	114.57	109.22
3	D	2	NAG	C1-O5-C5	2.20	115.13	112.19
5	H	3	FUC	C1-C2-C3	2.10	112.70	109.64
5	H	3	FUC	O5-C5-C4	2.04	113.22	109.55

There are no chirality outliers.

All (22) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	D	1	NAG	O5-C5-C6-O6
3	G	1	NAG	O5-C5-C6-O6
2	C	1	NAG	C4-C5-C6-O6
3	D	1	NAG	C4-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6
2	C	1	NAG	O5-C5-C6-O6
5	H	1	NAG	C8-C7-N2-C2
5	H	1	NAG	O7-C7-N2-C2
3	D	2	NAG	C4-C5-C6-O6
3	G	3	BMA	C4-C5-C6-O6
3	G	3	BMA	O5-C5-C6-O6
4	F	2	NAG	O5-C5-C6-O6
2	C	1	NAG	C1-C2-N2-C7
5	H	1	NAG	C1-C2-N2-C7
5	H	2	NAG	C1-C2-N2-C7
2	C	1	NAG	C3-C2-N2-C7
5	H	1	NAG	C3-C2-N2-C7
5	H	2	NAG	C3-C2-N2-C7
4	E	2	NAG	C4-C5-C6-O6
4	E	2	NAG	O5-C5-C6-O6
4	F	1	NAG	O5-C5-C6-O6



There are no ring outliers.


3 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	2	FUC	1	0
2	C	1	NAG	1	0
5	H	1	NAG	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 7 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
12	EDO	B	717	-	3,3,3	0.46	0	2,2,2	0.26	0
9	PEG	B	714	-	6,6,6	0.48	0	5,5,5	0.41	0
9	PEG	B	713	-	6,6,6	0.45	0	5,5,5	0.35	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	EDO	B	718	-	3,3,3	0.46	0	2,2,2	0.34	0
7	D0W	A	710	6	38,39,39	2.21	7 (18%)	45,54,54	1.35	5 (11%)
12	EDO	B	720	-	3,3,3	0.49	0	2,2,2	0.18	0
12	EDO	B	719	-	3,3,3	0.46	0	2,2,2	0.19	0
14	PE8	B	721	-	24,24,24	0.53	0	23,23,23	0.42	0
9	PEG	A	712	-	6,6,6	0.48	0	5,5,5	0.39	0
13	ACT	A	716	-	3,3,3	1.47	1 (33%)	3,3,3	1.49	0
7	D0W	B	711	6	38,39,39	2.28	8 (21%)	45,54,54	1.24	4 (8%)
10	PG4	A	713	-	12,12,12	0.52	0	11,11,11	0.39	0
13	ACT	A	717	-	3,3,3	1.60	1 (33%)	3,3,3	1.39	0
12	EDO	A	715	-	3,3,3	0.49	0	2,2,2	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	EDO	B	717	-	-	1/1/1/1	-
9	PEG	B	714	-	-	1/4/4/4	-
9	PEG	B	713	-	-	1/4/4/4	-
12	EDO	B	718	-	-	0/1/1/1	-
7	D0W	A	710	6	-	8/44/53/53	0/2/2/2
12	EDO	B	720	-	-	1/1/1/1	-
12	EDO	B	719	-	-	1/1/1/1	-
14	PE8	B	721	-	-	14/22/22/22	-
9	PEG	A	712	-	-	3/4/4/4	-
7	D0W	B	711	6	-	10/44/53/53	0/2/2/2
10	PG4	A	713	-	-	7/10/10/10	-
12	EDO	A	715	-	-	1/1/1/1	-

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	711	D0W	C20-C16	-7.24	1.39	1.54
7	A	710	D0W	C20-C16	-7.19	1.39	1.54
7	B	711	D0W	C21-N23	5.74	1.45	1.34
7	B	711	D0W	C10-N12	5.69	1.46	1.33
7	A	710	D0W	C10-N12	5.59	1.46	1.33
7	A	710	D0W	C21-N23	4.53	1.42	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	710	D0W	C20-C19	4.47	1.67	1.52
7	B	711	D0W	C20-C19	4.42	1.67	1.52
7	A	710	D0W	C17-C16	3.79	1.62	1.54
7	B	711	D0W	C02-N04	3.63	1.46	1.34
7	A	710	D0W	C02-N04	3.49	1.45	1.34
7	B	711	D0W	C17-C16	3.08	1.61	1.54
7	A	710	D0W	O11-C10	-2.56	1.18	1.23
13	A	717	ACT	CH3-C	2.36	1.58	1.49
7	B	711	D0W	O11-C10	-2.19	1.19	1.23
13	A	716	ACT	CH3-C	2.16	1.57	1.49
7	B	711	D0W	O32-C29	2.03	1.41	1.37

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	B	711	D0W	C33-C24-N23	-3.90	101.53	110.57
7	A	710	D0W	C20-C16-C17	3.21	106.46	102.43
7	A	710	D0W	O37-C36-C14	3.09	122.18	114.16
7	A	710	D0W	O37-C36-O38	-2.93	117.44	124.08
7	A	710	D0W	C05-C10-N12	2.83	122.61	116.54
7	B	711	D0W	C20-C16-C17	2.63	105.73	102.43
7	B	711	D0W	C01-C02-N04	2.47	120.22	116.12
7	A	710	D0W	C33-C24-N23	-2.37	105.08	110.57
7	B	711	D0W	C05-C10-N12	2.12	121.08	116.54

There are no chirality outliers.

All (48) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	710	D0W	N23-C24-C25-C26
7	B	711	D0W	N23-C24-C25-C26
14	B	721	PE8	O4-C5-C6-O7
7	B	711	D0W	C01-C02-N04-C05
7	B	711	D0W	O03-C02-N04-C05
14	B	721	PE8	O13-C14-C15-O16
9	B	713	PEG	O1-C1-C2-O2
9	B	714	PEG	O2-C3-C4-O4
10	A	713	PG4	O4-C7-C8-O5
14	B	721	PE8	O1-C2-C3-O4
7	A	710	D0W	C33-C24-C25-C26
9	A	712	PEG	O2-C3-C4-O4
10	A	713	PG4	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	A	715	EDO	O1-C1-C2-O2
12	B	720	EDO	O1-C1-C2-O2
14	B	721	PE8	O16-C17-C18-O19
7	B	711	D0W	C33-C24-C25-C26
12	B	719	EDO	O1-C1-C2-O2
7	A	710	D0W	C17-C16-C21-N23
7	A	710	D0W	C20-C16-C21-N23
7	A	710	D0W	C17-C16-C21-O22
7	B	711	D0W	C20-C16-C21-N23
7	B	711	D0W	C17-C16-C21-O22
7	B	711	D0W	C20-C16-C21-O22
14	B	721	PE8	C6-C5-O4-C3
14	B	721	PE8	C18-C17-O16-C15
7	B	711	D0W	C05-C06-C07-O08
7	B	711	D0W	C05-C06-C07-O09
14	B	721	PE8	C14-C15-O16-C17
14	B	721	PE8	C15-C14-O13-C12
14	B	721	PE8	O7-C8-C9-O10
10	A	713	PG4	C5-C6-O4-C7
14	B	721	PE8	C2-C3-O4-C5
14	B	721	PE8	C12-C11-O10-C9
14	B	721	PE8	C21-C20-O19-C18
10	A	713	PG4	C6-C5-O3-C4
9	A	712	PEG	C1-C2-O2-C3
10	A	713	PG4	C8-C7-O4-C6
14	B	721	PE8	C11-C12-O13-C14
10	A	713	PG4	C4-C3-O2-C2
7	A	710	D0W	C15-C16-C21-O22
7	A	710	D0W	C20-C16-C21-O22
7	B	711	D0W	C17-C16-C21-N23
9	A	712	PEG	O1-C1-C2-O2
14	B	721	PE8	C24-C23-O22-C21
12	B	717	EDO	O1-C1-C2-O2
10	A	713	PG4	O2-C3-C4-O3
7	A	710	D0W	C36-C14-C15-C16

There are no ring outliers.

5 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	B	714	PEG	1	0
7	A	710	D0W	1	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
14	B	721	PE8	1	0
7	B	711	D0W	1	0
13	A	717	ACT	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	607/629 (96%)	0.70	85 (14%) 6 6	14, 40, 75, 115	6 (0%)
1	B	604/629 (96%)	0.35	40 (6%) 24 26	13, 32, 58, 89	51 (8%)
All	All	1211/1258 (96%)	0.53	125 (10%) 12 12	13, 35, 70, 115	57 (4%)

All (125) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	83[A]	PHE	5.3
1	A	610	GLY	4.6
1	B	80[A]	TRP	4.4
1	B	134	ALA	4.4
1	A	92	ILE	4.3
1	B	84[A]	THR	4.3
1	A	1	LEU	4.2
1	B	325	GLY	4.0
1	B	607	TYR	4.0
1	A	134	ALA	3.9
1	B	72	ALA	3.7
1	B	136	CYS	3.7
1	A	375	LEU	3.6
1	A	105	LEU	3.6
1	B	25[A]	GLN	3.6
1	A	129	LEU	3.6
1	A	84	THR	3.5
1	B	129	LEU	3.5
1	B	608	PRO	3.5
1	B	27[A]	SER	3.4
1	B	88[A]	LEU	3.4
1	A	325	GLY	3.4
1	A	414	VAL	3.3
1	A	68	TRP	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	413	ARG	3.2
1	A	606	ASN	3.2
1	A	24[A]	TYR	3.1
1	A	29	GLU	3.1
1	A	64	PHE	3.1
1	A	83	PHE	3.1
1	B	11[A]	SER	3.1
1	A	20	PHE	3.0
1	A	206	THR	3.0
1	A	80	TRP	3.0
1	B	135	THR	3.0
1	A	31	VAL	2.9
1	A	71	LYS	2.9
1	A	58	ALA	2.9
1	B	19[A]	LEU	2.9
1	A	70	GLN	2.9
1	A	79	ILE	2.9
1	B	606	ASN	2.8
1	A	10	PHE	2.8
1	A	8	GLY	2.8
1	A	374	ASP	2.8
1	B	52	ARG	2.7
1	A	379	LEU	2.7
1	A	576	LEU	2.7
1	A	9	GLN	2.7
1	B	24[A]	TYR	2.7
1	B	64	PHE	2.7
1	A	562	LEU	2.7
1	B	31	VAL	2.7
1	A	514	ALA	2.7
1	B	87[A]	GLN	2.7
1	B	91[A]	ILE	2.7
1	A	72	ALA	2.6
1	A	412	ASP	2.6
1	A	378	SER	2.6
1	B	14[A]	GLU	2.6
1	A	376	PRO	2.6
1	A	91	ILE	2.6
1	A	95	VAL	2.6
1	A	2	ASP	2.5
1	B	20[A]	PHE	2.5
1	A	19	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	26	SER	2.5
1	A	236[A]	ARG	2.5
1	A	30	GLN	2.5
1	A	94	ALA	2.5
1	A	135	THR	2.5
1	A	86	PRO	2.5
1	B	78[A]	PRO	2.4
1	B	4	GLY	2.4
1	A	49	GLU	2.4
1	B	128	CYS	2.4
1	B	5	LEU	2.4
1	A	15	ALA	2.4
1	A	61	SER	2.4
1	A	5	LEU	2.3
1	B	86[A]	PRO	2.3
1	B	552	TRP	2.3
1	A	82	GLN	2.3
1	B	75[A]	LEU	2.3
1	A	57	ALA	2.3
1	B	155	MET	2.3
1	A	4	GLY	2.3
1	B	414	VAL	2.3
1	A	609	GLU	2.3
1	A	103	LEU	2.3
1	A	203	ASN	2.3
1	B	10[A]	PHE	2.3
1	A	133	THR	2.3
1	A	136	CYS	2.2
1	A	6	GLN	2.2
1	B	81[A]	GLN	2.2
1	A	51	ALA	2.2
1	A	69	GLY	2.2
1	A	78	PRO	2.2
1	A	270	PRO	2.2
1	B	15[A]	ALA	2.2
1	A	591	VAL	2.2
1	A	93	GLY	2.2
1	A	607	TYR	2.1
1	B	29	GLU	2.1
1	A	192	THR	2.1
1	A	523	GLY	2.1
1	A	52[A]	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	59	LEU	2.1
1	A	73	LYS	2.1
1	A	205	PRO	2.1
1	A	56	GLU	2.1
1	A	28	ALA	2.1
1	B	546	ALA	2.1
1	A	25	GLN	2.1
1	A	415	THR	2.1
1	A	561	GLY	2.1
1	A	377	VAL	2.1
1	A	48	ALA	2.1
1	A	106	ALA	2.1
1	A	27	SER	2.0
1	B	213[A]	HIS	2.0
1	A	552	TRP	2.0
1	A	381	ARG	2.0
1	A	3	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	BMA	D	3	11/12	0.60	0.14	84,105,126,130	0
3	FUC	D	4	10/11	0.60	0.17	60,77,93,99	0
4	NAG	E	2	14/15	0.62	0.14	74,90,124,133	0
4	NAG	F	2	14/15	0.63	0.17	61,98,133,155	0
3	FUC	G	4	10/11	0.67	0.22	44,57,75,79	20
2	FUC	C	2	10/11	0.71	0.17	56,70,84,97	0
5	FUC	H	3	10/11	0.71	0.16	48,73,102,108	0
5	NAG	H	2	14/15	0.72	0.17	47,67,84,94	27
3	BMA	G	3	11/12	0.75	0.12	57,73,87,99	0
3	NAG	D	2	14/15	0.76	0.13	68,85,99,109	0
4	NAG	E	1	14/15	0.78	0.16	51,72,89,93	26

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	D	1	14/15	0.80	0.14	50,69,83,88	0
4	NAG	F	1	14/15	0.81	0.12	47,63,83,89	0
2	NAG	C	1	14/15	0.86	0.12	35,53,73,88	0
3	NAG	G	1	14/15	0.89	0.12	33,46,60,63	0
3	NAG	G	2	14/15	0.89	0.12	32,51,58,61	0
5	NAG	H	1	14/15	0.92	0.12	32,45,66,69	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain E:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
12	EDO	A	715	4/4	0.72	0.16	55,66,68,74	0
13	ACT	A	716	4/4	0.80	0.14	50,61,63,69	0
9	PEG	B	714	7/7	0.83	0.15	37,59,71,76	0
9	PEG	B	713	7/7	0.87	0.12	35,46,60,67	0
12	EDO	B	717	4/4	0.87	0.13	45,54,65,68	0
12	EDO	B	719	4/4	0.87	0.13	53,64,70,70	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
10	PG4	A	713	13/13	0.87	0.12	33,51,70,71	0
12	EDO	B	718	4/4	0.88	0.13	41,50,60,61	0
13	ACT	A	717	4/4	0.88	0.15	35,42,53,65	0
14	PE8	B	721	25/25	0.88	0.12	38,54,67,69	0
12	EDO	B	720	4/4	0.89	0.20	52,62,71,71	0
9	PEG	A	712	7/7	0.89	0.12	48,59,87,87	0
7	D0W	B	711	38/38	0.92	0.10	20,32,66,79	0
11	MG	B	716	1/1	0.94	0.12	43,43,43,43	0
11	MG	B	715	1/1	0.95	0.10	45,45,45,45	0
7	D0W	A	710	38/38	0.95	0.09	17,27,65,85	0
8	CL	A	711	1/1	0.98	0.05	26,26,26,26	0
6	ZN	A	709	1/1	0.99	0.02	21,21,21,21	0
11	MG	A	714	1/1	0.99	0.07	26,26,26,26	0
6	ZN	B	710	1/1	0.99	0.02	28,28,28,28	0
8	CL	B	712	1/1	1.00	0.03	24,24,24,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around PE8 B 721:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around D0W B 711:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around D0W A 710:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.