



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 06:17 AM UTC

PDB ID : 9F9I / pdb_00009f9i
Title : Laser excitation effects on BR: Dark dataset recorded at SACLA
Authors : Bertrand, Q.; Weinert, T.; Standfuss, J.
Deposited on : 2024-05-07
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	231	

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 4296 atoms, of which 2143 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Bacteriorhodopsin.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	231	Total	C	H	N	O	S	1691	7	0
			3699	1223	1873	281	313	9			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	4	GLY	-	expression tag	UNP P02945

- Molecule 2 is 1-[2,6,10,14-TETRAMETHYL-HEXADECAN-16-YL]-2-[2,10,14-TRIMETHYLHEXADECAN-16-YL]GLYCEROL (CCD ID: LI1) (formula: C₄₂H₈₆O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	H	0	0
			19	14	5		
2	A	1	Total	C		0	0
			8	8			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	H	0	0
			16	12	4		
2	A	1	Total	C	H	0	0
			19	13	6		
2	A	1	Total	C	H	0	0
			17	13	4		
2	A	1	Total	C	H	0	0
			16	10	6		
2	A	1	Total	C	H	0	0
			19	13	6		
2	A	1	Total	C		0	0
			8	8			
2	A	1	Total	C		0	0
			13	13			
2	A	1	Total	C	H	0	0
			19	13	6		
2	A	1	Total	C		0	0
			6	6			
2	A	1	Total	C	H	0	0
			19	14	5		

- Molecule 3 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: C₂₁H₄₀O₄).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	40	0
			65	21	40	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	40	0
			65	21	40	4		
3	A	1	Total	C	H	O	40	0
			65	21	40	4		
3	A	1	Total	C	H	O	40	0
			65	21	40	4		
3	A	1	Total	C	H	O	40	0
			65	21	40	4		

- Molecule 4 is RETINAL (CCD ID: RET) (formula: C₂₀H₂₈O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H		0	0
			48	20	28			


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	45	Total	O	0	0
			45	45		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bacteriorhodopsin



4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	62.45Å 62.45Å 111.17Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	31.23 – 1.60 31.23 – 1.60	Depositor EDS
% Data completeness (in resolution range)	100.0 (31.23-1.60) 100.0 (31.23-1.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.31 (at 1.60Å)	Xtriage
Refinement program	PHENIX (1.20_4459: ???)	Depositor
R, R_{free}	0.150 , 0.178 0.150 , 0.178	Depositor DCC
R_{free} test set	1994 reflections (4.45%)	wwPDB-VP
Wilson B-factor (Å ²)	25.4	Xtriage
Anisotropy	0.064	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 115.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.085 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4296	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: RET, OLC, LI1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.62	0/1877	0.55	0/2564

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1826	1873	1871	14	0
2	A	137	42	227	6	0
3	A	125	200	195	3	0
4	A	20	28	27	1	0
5	A	45	0	0	2	0
All	All	2153	2143	2320	18	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (18) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:32:MET:O	5:A:401:HOH:O	2.01	0.79
1:A:104:ASP:OD2	5:A:402:HOH:O	2.11	0.67
2:A:312:LI1:H502	2:A:312:LI1:H551	1.76	0.66
1:A:153:PHE:CE1	1:A:179:VAL:HG21	2.32	0.63
1:A:132[B]:SER:HA	2:A:317:LI1:H492	1.82	0.60
4:A:318:RET:H171	4:A:318:RET:H8	1.83	0.59
1:A:150:TYR:HB2	2:A:315:LI1:H531	1.83	0.59
1:A:132[A]:SER:HA	2:A:317:LI1:H492	1.84	0.56
1:A:56:MET:HA	1:A:56:MET:HE2	1.89	0.54
1:A:95[B]:LEU:HD11	3:A:309:OLC:C11	2.38	0.54
1:A:156:PHE:HB3	1:A:171:PHE:CZ	2.46	0.50
2:A:302:LI1:H562	3:A:306:OLC:H18A	1.94	0.50
1:A:175[B]:ARG:NH1	1:A:176:ASN:OD1	2.47	0.47
1:A:15[A]:LEU:HD23	1:A:209:MET:HE1	1.98	0.46
2:A:303:LI1:H572	2:A:303:LI1:H532	1.84	0.45
1:A:194:GLU:OE1	1:A:204:GLU:OE2	2.37	0.43
1:A:26:TYR:OH	1:A:30:LYS:NZ	2.51	0.42
1:A:95[B]:LEU:HD11	3:A:309:OLC:H11A	2.02	0.42

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	236/231 (102%)	234 (99%)	2 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	188/184 (102%)	188 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

18 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	LI1	A	303	-	11,11,44	0.24	0	10,10,51	0.25	0
2	LI1	A	304	-	12,12,44	0.23	0	11,11,51	0.25	0
2	LI1	A	305	-	12,12,44	0.20	0	12,12,51	0.19	0
3	OLC	A	306	-	24,24,24	1.02	1 (4%)	25,25,25	1.22	2 (8%)
3	OLC	A	307	-	24,24,24	1.03	1 (4%)	25,25,25	1.23	2 (8%)
2	LI1	A	315	-	12,12,44	0.24	0	11,11,51	0.24	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	LI1	A	301	-	13,13,44	0.18	0	14,14,51	0.39	0
3	OLC	A	308	-	24,24,24	1.09	1 (4%)	25,25,25	1.36	2 (8%)
2	LI1	A	313	-	7,7,44	0.23	0	6,6,51	0.18	0
2	LI1	A	317	-	13,13,44	0.16	0	14,14,51	0.42	0
4	RET	A	318	1	20,20,21	1.15	2 (10%)	27,27,28	0.68	0
2	LI1	A	316	-	5,5,44	0.32	0	4,4,51	0.27	0
2	LI1	A	311	-	9,9,44	0.25	0	8,8,51	0.26	0
3	OLC	A	309	-	24,24,24	1.04	1 (4%)	25,25,25	1.22	2 (8%)
2	LI1	A	314	-	12,12,44	0.21	0	12,12,51	0.18	0
2	LI1	A	312	-	12,12,44	0.25	0	11,11,51	0.22	0
2	LI1	A	302	-	7,7,44	0.26	0	6,6,51	0.18	0
3	OLC	A	310	-	24,24,24	1.04	1 (4%)	25,25,25	1.14	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LI1	A	303	-	-	3/9/9/49	-
2	LI1	A	304	-	-	3/10/10/49	-
2	LI1	A	305	-	-	5/10/10/49	-
3	OLC	A	306	-	-	4/24/24/24	-
3	OLC	A	307	-	-	15/24/24/24	-
2	LI1	A	315	-	-	5/10/10/49	-
2	LI1	A	301	-	-	5/12/12/49	-
3	OLC	A	308	-	-	14/24/24/24	-
2	LI1	A	313	-	-	4/5/5/49	-
2	LI1	A	317	-	-	4/12/12/49	-
4	RET	A	318	1	-	1/13/30/31	0/1/1/1
2	LI1	A	316	-	-	3/3/3/49	-
2	LI1	A	311	-	-	6/7/7/49	-
3	OLC	A	309	-	-	13/24/24/24	-
2	LI1	A	314	-	-	5/10/10/49	-
2	LI1	A	312	-	-	5/10/10/49	-
2	LI1	A	302	-	-	5/5/5/49	-
3	OLC	A	310	-	-	15/24/24/24	-

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	318	RET	C14-C13	3.61	1.36	1.33
3	A	308	OLC	O20-C1	2.94	1.41	1.33
3	A	307	OLC	O20-C1	2.88	1.41	1.33
3	A	306	OLC	O20-C1	2.87	1.41	1.33
3	A	309	OLC	O20-C1	2.82	1.41	1.33
3	A	310	OLC	O20-C1	2.82	1.41	1.33
4	A	318	RET	C15-C14	-2.29	1.41	1.49

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	309	OLC	C8-C9-C10	4.15	155.91	124.83
3	A	306	OLC	C8-C9-C10	4.11	155.62	124.83
3	A	307	OLC	C8-C9-C10	4.09	155.44	124.83
3	A	310	OLC	C8-C9-C10	4.05	155.19	124.83
3	A	308	OLC	C8-C9-C10	3.79	153.22	124.83
3	A	308	OLC	O20-C1-C2	3.08	121.23	111.83
3	A	307	OLC	O20-C1-C2	2.70	120.06	111.83
3	A	309	OLC	O20-C1-C2	2.66	119.94	111.83
3	A	306	OLC	O20-C1-C2	2.06	118.13	111.83
3	A	310	OLC	O20-C1-C2	2.06	118.11	111.83

There are no chirality outliers.

All (115) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	307	OLC	O20-C21-C22-O23
3	A	308	OLC	O20-C21-C22-C24
3	A	310	OLC	O20-C21-C22-C24
3	A	310	OLC	O20-C21-C22-O23
3	A	309	OLC	O19-C1-O20-C21
3	A	309	OLC	C2-C1-O20-C21
3	A	310	OLC	C2-C1-O20-C21
3	A	308	OLC	O20-C21-C22-O23
3	A	310	OLC	O19-C1-O20-C21
3	A	307	OLC	C1-C2-C3-C4
3	A	308	OLC	C1-C2-C3-C4
3	A	309	OLC	C1-C2-C3-C4
3	A	307	OLC	C21-C22-C24-O25
2	A	312	LI1	C51-C52-C53-C55
2	A	301	LI1	C56-C57-C58-C60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	317	LI1	C52-C53-C55-C56
3	A	309	OLC	C12-C13-C14-C15
2	A	303	LI1	C52-C53-C55-C56
2	A	311	LI1	C46-C47-C48-C50
2	A	317	LI1	C50-C51-C52-C53
3	A	308	OLC	C4-C5-C6-C7
2	A	304	LI1	C51-C52-C53-C55
2	A	311	LI1	C47-C48-C50-C51
2	A	302	LI1	C52-C53-C55-C56
3	A	306	OLC	C12-C13-C14-C15
3	A	309	OLC	C13-C14-C15-C16
3	A	308	OLC	C3-C4-C5-C6
3	A	308	OLC	C13-C14-C15-C16
2	A	313	LI1	C51-C52-C53-C55
3	A	307	OLC	C12-C13-C14-C15
2	A	315	LI1	C52-C53-C55-C56
3	A	308	OLC	C11-C12-C13-C14
2	A	317	LI1	C53-C55-C56-C57
3	A	309	OLC	C6-C7-C8-C9
2	A	305	LI1	C56-C57-C58-C60
3	A	307	OLC	O23-C22-C24-O25
3	A	309	OLC	C3-C4-C5-C6
2	A	304	LI1	C48-C50-C51-C52
2	A	315	LI1	C53-C55-C56-C57
2	A	304	LI1	C53-C55-C56-C57
3	A	308	OLC	C2-C1-O20-C21
3	A	310	OLC	C3-C4-C5-C6
2	A	311	LI1	C50-C51-C52-C53
3	A	307	OLC	C6-C7-C8-C9
3	A	308	OLC	C6-C7-C8-C9
4	A	318	RET	C12-C13-C14-C15
2	A	311	LI1	C52-C53-C55-C56
3	A	307	OLC	C3-C4-C5-C6
2	A	313	LI1	C52-C53-C55-C56
2	A	316	LI1	C55-C56-C57-C58
3	A	306	OLC	C11-C12-C13-C14
2	A	316	LI1	C53-C55-C56-C57
2	A	312	LI1	C50-C51-C52-C53
2	A	312	LI1	C45-C46-C47-C48
3	A	306	OLC	C14-C15-C16-C17
2	A	303	LI1	C46-C47-C48-C50
2	A	313	LI1	C50-C51-C52-C53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	302	LI1	C55-C56-C57-C58
3	A	308	OLC	C15-C16-C17-C18
2	A	301	LI1	C56-C57-C58-C59
2	A	316	LI1	C52-C53-C55-C56
2	A	302	LI1	C51-C52-C53-C55
3	A	306	OLC	C3-C4-C5-C6
3	A	308	OLC	O19-C1-O20-C21
3	A	307	OLC	O20-C21-C22-C24
2	A	305	LI1	C56-C57-C58-C59
2	A	314	LI1	C56-C57-C58-C59
3	A	308	OLC	C7-C8-C9-C10
2	A	302	LI1	C50-C51-C52-C53
2	A	311	LI1	C45-C46-C47-C48
3	A	310	OLC	C21-C22-C24-O25
2	A	314	LI1	C50-C51-C52-C53
3	A	309	OLC	C2-C3-C4-C5
2	A	305	LI1	C52-C53-C55-C56
3	A	310	OLC	C2-C3-C4-C5
2	A	314	LI1	C56-C57-C58-C60
2	A	302	LI1	C53-C55-C56-C57
3	A	310	OLC	O23-C22-C24-O25
2	A	311	LI1	C51-C52-C53-C55
2	A	312	LI1	C52-C53-C55-C56
2	A	303	LI1	C53-C55-C56-C57
2	A	315	LI1	C50-C51-C52-C53
3	A	309	OLC	C7-C8-C9-C10
3	A	308	OLC	C12-C13-C14-C15
2	A	305	LI1	C46-C47-C48-C50
3	A	309	OLC	C4-C5-C6-C7
3	A	310	OLC	C9-C10-C11-C12
3	A	308	OLC	C21-C22-C24-O25
3	A	310	OLC	C4-C5-C6-C7
2	A	317	LI1	C48-C50-C51-C52
2	A	314	LI1	C47-C48-C50-C51
3	A	310	OLC	C12-C13-C14-C15
3	A	310	OLC	C11-C12-C13-C14
3	A	307	OLC	C9-C10-C11-C12
3	A	307	OLC	C11-C12-C13-C14
3	A	307	OLC	C4-C5-C6-C7
3	A	310	OLC	O20-C1-C2-C3
2	A	315	LI1	C45-C46-C47-C48
2	A	305	LI1	C51-C52-C53-C55

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	309	OLC	O20-C21-C22-C24
3	A	309	OLC	O20-C1-C2-C3
3	A	307	OLC	O20-C1-C2-C3
2	A	301	LI1	C52-C53-C55-C56
2	A	315	LI1	C46-C47-C48-C50
2	A	313	LI1	C55-C56-C57-C58
3	A	310	OLC	O19-C1-C2-C3
2	A	301	LI1	C50-C51-C52-C53
2	A	301	LI1	C51-C52-C53-C55
3	A	307	OLC	C2-C1-O20-C21
3	A	310	OLC	C7-C8-C9-C10
3	A	307	OLC	O19-C1-C2-C3
3	A	309	OLC	O19-C1-C2-C3
2	A	312	LI1	C55-C56-C57-C58
3	A	307	OLC	O19-C1-O20-C21
2	A	314	LI1	C46-C47-C48-C50


There are no ring outliers.




8 monomers are involved in 9 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	303	LI1	1	0
3	A	306	OLC	1	0
2	A	315	LI1	1	0
2	A	317	LI1	2	0
4	A	318	RET	1	0
3	A	309	OLC	2	0
2	A	312	LI1	1	0
2	A	302	LI1	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	231/231 (100%)	-0.08	7 (3%) 52 55	9, 15, 38, 84	7 (3%)

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	156	PHE	3.4
1	A	158	SER	3.2
1	A	153	PHE	2.6
1	A	157	THR	2.5
1	A	4	GLY	2.2
1	A	33	GLY	2.1
1	A	160	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	OLC	A	308	25/25	0.72	0.18	54,80,98,110	40

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	OLC	A	309	25/25	0.75	0.15	59,82,117,121	40
3	OLC	A	310	25/25	0.75	0.17	57,88,112,122	40
2	LI1	A	312	13/45	0.76	0.15	58,72,105,105	0
2	LI1	A	313	8/45	0.76	0.15	54,66,79,81	0
2	LI1	A	314	13/45	0.76	0.16	70,79,90,92	0
2	LI1	A	317	14/45	0.78	0.17	57,66,90,90	0
2	LI1	A	305	13/45	0.81	0.14	67,80,119,119	0
2	LI1	A	302	8/45	0.82	0.14	46,61,63,64	0
2	LI1	A	301	14/45	0.83	0.14	60,71,89,91	0
2	LI1	A	315	13/45	0.83	0.12	53,71,92,92	0
3	OLC	A	306	25/25	0.85	0.15	45,64,78,92	40
2	LI1	A	311	10/45	0.85	0.13	46,78,104,104	0
3	OLC	A	307	25/25	0.86	0.12	44,71,93,104	40
2	LI1	A	303	12/45	0.87	0.14	42,63,79,79	0
2	LI1	A	304	13/45	0.87	0.10	61,68,89,89	0
2	LI1	A	316	6/45	0.90	0.07	56,64,70,74	0
4	RET	A	318	20/21	0.96	0.05	19,25,40,44	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around OLC A 309:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around OLC A 310:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LI1 A 312:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LI1 A 313:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LI1 A 314:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LI1 A 317:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LI1 A 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LI1 A 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LI1 A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LI1 A 315:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LI1 A 311:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 307:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LI1 A 303:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LI1 A 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around LI1 A 316:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.