



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 05:00 AM UTC

PDB ID : 5FAJ / pdb_00005faj
Title : Alanine Racemase from Streptomyces coelicolor A3(2) in complex with D-Cycloserine
Authors : Tassoni, R.; Pannu, N.S.
Deposited on : 2015-12-11
Resolution : 1.64 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.64 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1141 (1.64-1.64)
Clashscore	190562	1171 (1.64-1.64)
Ramachandran outliers	187476	1151 (1.64-1.64)
Sidechain outliers	187428	1150 (1.64-1.64)
RSRZ outliers	180081	1141 (1.64-1.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	410	3% 88% 6% 6%
1	B	410	2% 85% 7% 7%
1	C	410	17% 87% 6% 7%
1	D	410	31% 87% 6% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	DCS	C	401	-	X	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12321 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alanine racemase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	385	Total	C	N	O	S	0	7	0
			2922	1830	550	530	12			
1	B	382	Total	C	N	O	S	0	3	0
			2851	1789	526	523	13			
1	C	382	Total	C	N	O	S	0	1	0
			2846	1785	526	523	12			
1	D	382	Total	C	N	O	S	0	2	0
			2843	1784	523	523	13			

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	initiating methionine	UNP O86786
A	-17	GLY	-	expression tag	UNP O86786
A	-16	SER	-	expression tag	UNP O86786
A	-15	HIS	-	expression tag	UNP O86786
A	-14	HIS	-	expression tag	UNP O86786
A	-13	HIS	-	expression tag	UNP O86786
A	-12	HIS	-	expression tag	UNP O86786
A	-11	HIS	-	expression tag	UNP O86786
A	-10	HIS	-	expression tag	UNP O86786
A	-9	SER	-	expression tag	UNP O86786
A	-8	SER	-	expression tag	UNP O86786
A	-7	GLY	-	expression tag	UNP O86786
A	-6	LEU	-	expression tag	UNP O86786
A	-5	VAL	-	expression tag	UNP O86786
A	-4	PRO	-	expression tag	UNP O86786
A	-3	ARG	-	expression tag	UNP O86786
A	-2	GLY	-	expression tag	UNP O86786
A	-1	SER	-	expression tag	UNP O86786
A	0	HIS	-	expression tag	UNP O86786
B	-18	MET	-	initiating methionine	UNP O86786
B	-17	GLY	-	expression tag	UNP O86786

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-16	SER	-	expression tag	UNP O86786
B	-15	HIS	-	expression tag	UNP O86786
B	-14	HIS	-	expression tag	UNP O86786
B	-13	HIS	-	expression tag	UNP O86786
B	-12	HIS	-	expression tag	UNP O86786
B	-11	HIS	-	expression tag	UNP O86786
B	-10	HIS	-	expression tag	UNP O86786
B	-9	SER	-	expression tag	UNP O86786
B	-8	SER	-	expression tag	UNP O86786
B	-7	GLY	-	expression tag	UNP O86786
B	-6	LEU	-	expression tag	UNP O86786
B	-5	VAL	-	expression tag	UNP O86786
B	-4	PRO	-	expression tag	UNP O86786
B	-3	ARG	-	expression tag	UNP O86786
B	-2	GLY	-	expression tag	UNP O86786
B	-1	SER	-	expression tag	UNP O86786
B	0	HIS	-	expression tag	UNP O86786
C	-18	MET	-	initiating methionine	UNP O86786
C	-17	GLY	-	expression tag	UNP O86786
C	-16	SER	-	expression tag	UNP O86786
C	-15	HIS	-	expression tag	UNP O86786
C	-14	HIS	-	expression tag	UNP O86786
C	-13	HIS	-	expression tag	UNP O86786
C	-12	HIS	-	expression tag	UNP O86786
C	-11	HIS	-	expression tag	UNP O86786
C	-10	HIS	-	expression tag	UNP O86786
C	-9	SER	-	expression tag	UNP O86786
C	-8	SER	-	expression tag	UNP O86786
C	-7	GLY	-	expression tag	UNP O86786
C	-6	LEU	-	expression tag	UNP O86786
C	-5	VAL	-	expression tag	UNP O86786
C	-4	PRO	-	expression tag	UNP O86786
C	-3	ARG	-	expression tag	UNP O86786
C	-2	GLY	-	expression tag	UNP O86786
C	-1	SER	-	expression tag	UNP O86786
C	0	HIS	-	expression tag	UNP O86786
D	-18	MET	-	initiating methionine	UNP O86786
D	-17	GLY	-	expression tag	UNP O86786
D	-16	SER	-	expression tag	UNP O86786
D	-15	HIS	-	expression tag	UNP O86786
D	-14	HIS	-	expression tag	UNP O86786
D	-13	HIS	-	expression tag	UNP O86786

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-12	HIS	-	expression tag	UNP O86786
D	-11	HIS	-	expression tag	UNP O86786
D	-10	HIS	-	expression tag	UNP O86786
D	-9	SER	-	expression tag	UNP O86786
D	-8	SER	-	expression tag	UNP O86786
D	-7	GLY	-	expression tag	UNP O86786
D	-6	LEU	-	expression tag	UNP O86786
D	-5	VAL	-	expression tag	UNP O86786
D	-4	PRO	-	expression tag	UNP O86786
D	-3	ARG	-	expression tag	UNP O86786
D	-2	GLY	-	expression tag	UNP O86786
D	-1	SER	-	expression tag	UNP O86786
D	0	HIS	-	expression tag	UNP O86786

- Molecule 2 is D-[3-HYDROXY-2-METHYL-5-PHOSPHONOOXYMETHYL-PYRIDIN-4-YLMETHYL]-N,O-CYCLOSERYLAMIDE (CCD ID: DCS) (formula: $C_{11}H_{16}N_3O_7P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			22	11	3	7	1		
2	B	1	Total	C	N	O	P	0	0
			22	11	3	7	1		
2	C	1	Total	C	N	O	P	0	0
			22	11	3	7	1		
2	D	1	Total	C	N	O	P	0	0
			22	11	3	7	1		

- Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Na 1 1	0	0
3	B	1	Total Na 1 1	0	0
3	C	3	Total Na 3 3	0	0
3	D	1	Total Na 1 1	0	0

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Cl 1 1	0	0
4	B	2	Total Cl 2 2	0	0
4	C	1	Total Cl 1 1	0	0
4	D	1	Total Cl 1 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	221	Total O 221 221	0	0
5	B	231	Total O 231 231	0	0
5	C	165	Total O 165 165	0	0
5	D	143	Total O 143 143	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Alanine racemase




• Molecule 1: Alanine racemase




• Molecule 1: Alanine racemase



• Molecule 1: Alanine racemase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	79.74Å 88.71Å 109.14Å 90.00° 102.25° 90.00°	Depositor
Resolution (Å)	106.60 – 1.64 106.60 – 1.64	Depositor EDS
% Data completeness (in resolution range)	77.3 (106.60-1.64) 77.3 (106.60-1.64)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.38 (at 1.64Å)	Xtrriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.208 , 0.241 0.216 , 0.245	Depositor DCC
R_{free} test set	6996 reflections (3.85%)	wwPDB-VP
Wilson B-factor (Å ²)	25.0	Xtrriage
Anisotropy	0.037	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 37.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12321	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 37.75 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.0910e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, KCX, CL, DCS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.28	11/3002 (0.4%)	1.05	5/4091 (0.1%)
1	B	1.26	8/2916 (0.3%)	1.06	10/3980 (0.3%)
1	C	1.15	4/2908 (0.1%)	0.99	1/3970 (0.0%)
1	D	1.12	2/2905 (0.1%)	1.01	4/3966 (0.1%)
All	All	1.20	25/11731 (0.2%)	1.03	20/16007 (0.1%)

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	30[A]	ARG	CA-C	7.54	1.62	1.52
1	B	30[B]	ARG	CA-C	7.54	1.62	1.52
1	D	299	PRO	CA-CB	-7.35	1.48	1.53
1	B	299	PRO	N-CA	-7.21	1.42	1.47
1	B	174	ARG	C-O	-6.82	1.16	1.24
1	C	302	TYR	C-O	-6.34	1.16	1.24
1	C	384	VAL	CA-C	-5.85	1.48	1.53
1	C	17	ARG	N-CA	-5.81	1.38	1.46
1	A	380	ILE	C-O	-5.64	1.18	1.24
1	A	220	ALA	C-O	-5.61	1.17	1.24
1	A	17	ARG	C-O	-5.54	1.17	1.23
1	B	220	ALA	C-O	-5.51	1.17	1.24
1	A	96	TRP	C-O	-5.48	1.17	1.24
1	D	166	ARG	CA-CB	5.41	1.61	1.53
1	B	303	ALA	N-CA	5.37	1.53	1.46
1	B	122	MET	N-CA	5.36	1.52	1.46
1	A	99	THR	CA-C	5.27	1.57	1.52
1	A	311	SER	CA-C	5.26	1.59	1.52
1	B	19	GLU	C-O	-5.25	1.17	1.24
1	C	16	ALA	CA-C	-5.25	1.46	1.52
1	A	150	GLY	N-CA	5.23	1.51	1.45
1	A	379	ARG	C-O	-5.20	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	379	ARG	N-CA	5.15	1.52	1.46
1	A	259	LEU	N-CA	5.09	1.51	1.45
1	A	302	TYR	CA-C	5.00	1.59	1.52

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	87	LEU	N-CA-C	-10.01	98.62	110.13
1	C	87	LEU	N-CA-C	-9.39	96.31	110.39
1	A	220	ALA	N-CA-C	8.00	121.49	109.25
1	B	220	ALA	N-CA-C	7.98	121.46	109.25
1	B	87	LEU	N-CA-C	-7.44	99.22	110.39
1	D	87	LEU	N-CA-C	-6.89	100.00	110.07
1	D	383	ARG	NE-CZ-NH2	6.71	125.24	119.20
1	D	339	GLY	N-CA-C	-6.50	97.78	113.18
1	B	39	ALA	N-CA-C	6.44	119.67	109.50
1	B	222	SER	CA-C-N	-5.86	112.98	119.19
1	B	222	SER	C-N-CA	-5.86	112.98	119.19
1	A	380	ILE	N-CA-C	-5.85	101.48	109.37
1	A	11	ASP	N-CA-C	5.51	118.12	111.40
1	D	383	ARG	NE-CZ-NH1	-5.46	116.04	121.50
1	B	29	VAL	O-C-N	5.43	127.55	121.90
1	B	384	VAL	CA-C-O	5.16	122.20	119.15
1	A	232	HIS	N-CA-C	5.10	116.92	111.36
1	B	106	GLU	CB-CG-CD	-5.05	104.02	112.60
1	B	111	ARG	NE-CZ-NH2	5.04	123.74	119.20
1	B	35	ARG	NE-CZ-NH2	5.03	123.73	119.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2922	0	2917	17	1
1	B	2851	0	2825	11	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2846	0	2816	14	0
1	D	2843	0	2811	26	0
2	A	22	0	13	3	0
2	B	22	0	13	1	0
2	C	22	0	14	4	0
2	D	22	0	14	2	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	3	0	0	0	0
3	D	1	0	0	0	0
4	A	1	0	0	0	0
4	B	2	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	221	0	0	5	0
5	B	231	0	0	3	0
5	C	165	0	0	6	0
5	D	143	0	0	10	0
All	All	12321	0	11423	74	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (74) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:199:ARG:HG2	5:D:543:HOH:O	1.22	1.30
1:A:148[B]:ARG:HH21	1:A:148[B]:ARG:CG	1.60	1.12
1:D:203:MET:SD	5:D:543:HOH:O	2.08	1.11
1:D:199:ARG:CG	5:D:543:HOH:O	1.79	1.08
1:A:148[B]:ARG:HH21	1:A:148[B]:ARG:HG2	0.90	1.05
1:D:119:MET:HE3	1:D:159:ARG:CG	1.96	0.96
1:D:218:HIS:HE1	5:D:583:HOH:O	1.48	0.96
1:A:148[B]:ARG:HG2	1:A:148[B]:ARG:NH2	1.73	0.95
1:A:141:KCX:OQ2	1:A:148[B]:ARG:NH2	2.01	0.94
1:A:217[A]:ARG:NH2	5:A:503:HOH:O	2.02	0.91
1:A:166[C]:ARG:NH2	5:A:501:HOH:O	1.71	0.89
1:D:218:HIS:CE1	5:D:583:HOH:O	2.24	0.88
1:B:174:ARG:HH22	1:B:213:ARG:HB2	1.38	0.85
1:C:17:ARG:NH2	1:C:348:GLU:OE2	2.08	0.85
1:D:119:MET:HE3	1:D:159:ARG:HG2	1.59	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:174:ARG:NH2	1:B:213:ARG:HB2	1.92	0.84
1:B:17:ARG:NH2	1:B:348:GLU:OE2	2.09	0.83
1:C:119:MET:HE3	1:C:159:ARG:HG2	1.60	0.82
1:D:119:MET:HE3	1:D:159:ARG:HG3	1.61	0.81
1:B:11:ASP:HA	5:B:579:HOH:O	1.88	0.74
1:D:293:THR:OG1	1:D:339:GLY:O	2.05	0.72
1:C:35[A]:ARG:NH1	5:C:502:HOH:O	2.22	0.72
1:A:148[B]:ARG:NH1	5:A:502:HOH:O	1.95	0.66
2:B:401:DCS:OG	5:B:502:HOH:O	2.12	0.66
1:C:272:VAL:O	5:C:501:HOH:O	2.13	0.66
2:D:401:DCS:ND	5:D:501:HOH:O	2.29	0.63
2:A:401:DCS:H4A2	2:A:401:DCS:O4P	1.97	0.62
1:C:46:LYS:HZ1	2:C:401:DCS:HA	1.64	0.61
1:D:199:ARG:HG3	5:D:543:HOH:O	1.70	0.61
1:D:119:MET:HE1	1:D:160:LEU:HA	1.82	0.60
1:D:190:HIS:HD2	1:D:192:SER:OG	1.85	0.59
1:A:148[B]:ARG:CG	1:A:148[B]:ARG:NH2	2.36	0.59
1:D:35[B]:ARG:HH21	1:D:35[B]:ARG:HB3	1.68	0.59
1:C:119:MET:HE1	1:C:160:LEU:HA	1.84	0.58
1:D:119:MET:CE	1:D:159:ARG:HG3	2.34	0.58
1:D:35[B]:ARG:HB3	1:D:35[B]:ARG:NH2	2.18	0.57
1:D:148:ARG:HD3	5:D:524:HOH:O	2.03	0.57
1:C:304:ASP:OD1	1:C:383:ARG:HD2	2.05	0.57
1:D:203:MET:HG3	5:D:543:HOH:O	2.04	0.56
1:B:119[A]:MET:HE1	1:B:160:LEU:HA	1.89	0.55
1:D:174:ARG:HH22	1:D:213:ARG:HB2	1.71	0.55
1:C:35[A]:ARG:NH1	1:C:257:PHE:O	2.39	0.54
1:C:174:ARG:HH22	1:C:213:ARG:HB2	1.72	0.54
2:C:401:DCS:O4P	2:C:401:DCS:C4A	2.55	0.54
1:D:42[B]:MET:CE	1:D:237:ARG:HD2	2.39	0.52
1:D:42[B]:MET:HE3	1:D:237:ARG:HD2	1.92	0.52
1:D:126:THR:HG23	1:D:172:LEU:HD13	1.92	0.52
1:D:126:THR:CG2	1:D:172:LEU:HD13	2.39	0.51
2:C:401:DCS:O4P	2:C:401:DCS:H4A1	2.11	0.51
1:A:148[B]:ARG:HH21	1:A:148[B]:ARG:CB	2.24	0.48
1:D:203:MET:CG	5:D:543:HOH:O	2.46	0.48
1:B:174:ARG:HH22	1:B:213:ARG:CB	2.20	0.47
1:A:217[A]:ARG:HG3	1:A:217[A]:ARG:HH21	1.82	0.45
1:A:328[B]:ARG:NH1	5:A:510:HOH:O	2.50	0.45
2:D:401:DCS:H4A2	2:D:401:DCS:O4P	2.16	0.45
1:A:46:LYS:NZ	2:A:401:DCS:HA	2.32	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:174:ARG:NH1	5:C:511:HOH:O	2.48	0.44
1:C:46:LYS:NZ	2:C:401:DCS:HA	2.31	0.44
1:B:174:ARG:NH2	5:B:511:HOH:O	2.50	0.44
1:C:279:HIS:CE1	5:C:505:HOH:O	2.71	0.44
1:C:390:ASN:HA	5:C:631:HOH:O	2.19	0.43
1:D:119:MET:CE	1:D:160:LEU:HA	2.49	0.43
1:C:26:ARG:NH1	5:C:516:HOH:O	2.52	0.43
1:B:280:GLY:HA3	1:B:285:HIS:CD2	2.54	0.42
1:B:84:GLU:HA	1:B:85:PRO:C	2.43	0.42
1:A:17:ARG:HD2	5:A:684:HOH:O	2.19	0.42
1:A:46:LYS:CE	2:A:401:DCS:H4A1	2.50	0.42
1:A:148[B]:ARG:NH2	1:A:148[B]:ARG:CB	2.83	0.42
1:D:42[B]:MET:CE	1:D:237:ARG:CD	2.97	0.41
1:A:217[A]:ARG:HH21	1:A:217[A]:ARG:CG	2.34	0.41
1:D:42[B]:MET:HE2	1:D:237:ARG:HG2	2.02	0.41
1:B:22:LEU:CD1	1:B:391:GLU:HG3	2.51	0.41
1:A:84:GLU:HA	1:A:85:PRO:C	2.45	0.41
1:B:122:MET:O	1:B:126:THR:HG23	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:166[B]:ARG:NE	1:B:123:GLU:OE1[1_455]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	390/410 (95%)	376 (96%)	14 (4%)	0	100	100
1	B	382/410 (93%)	371 (97%)	11 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	381/410 (93%)	368 (97%)	13 (3%)	0	100	100
1	D	381/410 (93%)	370 (97%)	11 (3%)	0	100	100
All	All	1534/1640 (94%)	1485 (97%)	49 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	284/297 (96%)	280 (99%)	4 (1%)	59	35
1	B	276/297 (93%)	273 (99%)	3 (1%)	65	44
1	C	275/297 (93%)	266 (97%)	9 (3%)	33	8
1	D	275/297 (93%)	272 (99%)	3 (1%)	65	44
All	All	1110/1188 (93%)	1091 (98%)	19 (2%)	55	27

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	ARG
1	A	81	ARG
1	A	174	ARG
1	A	250	GLU
1	B	81	ARG
1	B	100	PRO
1	B	391	GLU
1	C	14	LEU
1	C	35[A]	ARG
1	C	35[B]	ARG
1	C	35[C]	ARG
1	C	81	ARG
1	C	100	PRO
1	C	138	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	383	ARG
1	C	391	GLU
1	D	17	ARG
1	D	81	ARG
1	D	100	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	286	HIS
1	A	309	HIS
1	B	286	HIS
1	B	309	HIS
1	C	286	HIS
1	C	333	GLN
1	D	190	HIS
1	D	286	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	KCX	B	141	1	10,11,12	1.89	1 (10%)	6,12,14	1.59	1 (16%)
1	KCX	D	141	1	10,11,12	2.49	2 (20%)	6,12,14	2.29	1 (16%)
1	KCX	C	141	1	10,11,12	2.00	2 (20%)	6,12,14	1.50	1 (16%)
1	KCX	A	141	1	10,11,12	0.82	0	6,12,14	1.01	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	B	141	1	-	1/9/10/12	-
1	KCX	D	141	1	-	1/9/10/12	-
1	KCX	C	141	1	-	1/9/10/12	-
1	KCX	A	141	1	-	1/9/10/12	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	141	KCX	OQ1-CX	6.33	1.33	1.21
1	B	141	KCX	OQ1-CX	5.39	1.31	1.21
1	C	141	KCX	OQ1-CX	5.29	1.31	1.21
1	D	141	KCX	CX-NZ	-3.31	1.29	1.35
1	C	141	KCX	O-C	2.02	1.27	1.20

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	141	KCX	CE-NZ-CX	4.88	130.26	121.98
1	B	141	KCX	OQ1-CX-NZ	-3.42	119.72	124.92
1	C	141	KCX	OQ1-CX-NZ	-3.28	119.94	124.92

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	D	141	KCX	CG-CD-CE-NZ
1	A	141	KCX	CG-CD-CE-NZ
1	C	141	KCX	CG-CD-CE-NZ
1	B	141	KCX	CG-CD-CE-NZ

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	141	KCX	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 11 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	DCS	C	401	-	22,23,23	2.87	8 (36%)	27,33,33	2.84	18 (66%)
2	DCS	B	401	-	22,23,23	2.85	7 (31%)	27,33,33	2.63	15 (55%)
2	DCS	D	401	-	22,23,23	3.03	4 (18%)	27,33,33	3.31	12 (44%)
2	DCS	A	401	-	22,23,23	3.03	8 (36%)	27,33,33	2.73	12 (44%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DCS	C	401	-	-	6/11/21/21	0/2/2/2
2	DCS	B	401	-	-	3/11/21/21	0/2/2/2
2	DCS	D	401	-	-	4/11/21/21	0/2/2/2
2	DCS	A	401	-	-	4/11/21/21	0/2/2/2

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	401	DCS	C3-C2	8.37	1.49	1.41
2	A	401	DCS	C5-C4	7.32	1.50	1.40
2	C	401	DCS	C3-C2	7.04	1.48	1.41
2	D	401	DCS	C3-C4	6.86	1.50	1.40
2	A	401	DCS	C3-C2	6.75	1.48	1.41
2	C	401	DCS	C3-C4	6.63	1.49	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	401	DCS	C5-C4	6.31	1.49	1.40
2	A	401	DCS	C3-C4	6.31	1.49	1.40
2	B	401	DCS	C5-C4	6.29	1.49	1.40
2	A	401	DCS	CA-C	-5.76	1.48	1.52
2	B	401	DCS	C3-C2	5.65	1.46	1.41
2	D	401	DCS	CA-C	-5.48	1.48	1.52
2	B	401	DCS	C3-C4	5.33	1.47	1.40
2	C	401	DCS	C5-C4	5.12	1.47	1.40
2	B	401	DCS	P-O2P	-4.87	1.36	1.54
2	C	401	DCS	CA-C	-4.77	1.48	1.52
2	C	401	DCS	C-ND	-3.75	1.30	1.34
2	B	401	DCS	C2-N1	3.49	1.40	1.33
2	B	401	DCS	P-O1P	3.44	1.61	1.50
2	B	401	DCS	C-ND	-3.16	1.30	1.34
2	C	401	DCS	P-O3P	-2.80	1.44	1.54
2	A	401	DCS	CA-N	-2.31	1.41	1.46
2	A	401	DCS	C-ND	-2.23	1.31	1.34
2	A	401	DCS	P-O1P	-2.22	1.43	1.50
2	C	401	DCS	CA-N	-2.19	1.41	1.46
2	A	401	DCS	C4A-N	-2.07	1.40	1.46
2	C	401	DCS	C4A-N	-2.03	1.40	1.46

All (57) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	DCS	O-C-CA	-11.47	117.94	126.19
2	A	401	DCS	O-C-CA	-6.18	121.74	126.19
2	C	401	DCS	CA-C-ND	-5.54	104.22	107.63
2	A	401	DCS	O-C-ND	5.22	132.15	125.73
2	B	401	DCS	CA-C-ND	-5.21	104.42	107.63
2	D	401	DCS	O-C-ND	5.06	131.94	125.73
2	D	401	DCS	C4A-C4-C3	5.03	126.67	119.98
2	C	401	DCS	O-C-ND	4.73	131.53	125.73
2	B	401	DCS	C2A-C2-C3	-4.64	115.37	120.80
2	C	401	DCS	OG-CB-CA	-4.41	98.50	104.80
2	A	401	DCS	OG-CB-CA	-4.23	98.77	104.80
2	D	401	DCS	O2P-P-O4P	-4.21	95.68	106.67
2	A	401	DCS	C4A-C4-C3	4.08	125.40	119.98
2	B	401	DCS	O4P-P-O1P	-4.05	95.49	106.44
2	C	401	DCS	O2P-P-O4P	-4.01	96.21	106.67
2	C	401	DCS	C4A-N-CA	4.00	121.35	113.84
2	B	401	DCS	O3P-P-O2P	3.98	122.73	107.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	DCS	CA-C-ND	3.97	110.07	107.63
2	D	401	DCS	C4A-C4-C5	-3.97	115.42	119.75
2	B	401	DCS	C2A-C2-N1	3.90	125.00	117.64
2	A	401	DCS	O3P-P-O1P	3.85	125.85	110.83
2	B	401	DCS	C6-N1-C2	3.79	126.07	119.20
2	A	401	DCS	CB-OG-ND	3.68	112.32	105.92
2	C	401	DCS	C2A-C2-C3	-3.65	116.53	120.80
2	C	401	DCS	CB-OG-ND	3.52	112.06	105.92
2	B	401	DCS	O3P-P-O4P	-3.28	98.12	106.67
2	C	401	DCS	C4-C3-C2	-3.21	115.06	119.91
2	A	401	DCS	C4-C3-C2	-3.16	115.14	119.91
2	B	401	DCS	C4-C3-C2	-3.08	115.26	119.91
2	A	401	DCS	C4A-C4-C5	-3.00	116.48	119.75
2	C	401	DCS	C6-C5-C4	2.89	120.25	118.06
2	C	401	DCS	O3P-P-O2P	2.87	118.58	107.80
2	B	401	DCS	O-C-CA	2.85	128.23	126.19
2	A	401	DCS	C6-N1-C2	2.85	124.36	119.20
2	C	401	DCS	O-C-CA	-2.79	124.18	126.19
2	D	401	DCS	C6-N1-C2	2.75	124.19	119.20
2	D	401	DCS	CB-OG-ND	2.64	110.52	105.92
2	C	401	DCS	O4P-P-O1P	-2.59	99.44	106.44
2	D	401	DCS	C4A-N-CA	2.58	118.69	113.84
2	B	401	DCS	C4A-N-CA	-2.58	109.00	113.84
2	A	401	DCS	O3P-P-O4P	-2.57	99.97	106.67
2	A	401	DCS	CA-C-ND	-2.57	106.05	107.63
2	D	401	DCS	C4-C3-C2	-2.55	116.05	119.91
2	D	401	DCS	O4P-C5A-C5	2.48	114.01	109.36
2	B	401	DCS	CB-OG-ND	2.46	110.19	105.92
2	C	401	DCS	O3-C3-C2	2.46	122.67	117.58
2	D	401	DCS	O3P-P-O2P	2.44	116.95	107.80
2	C	401	DCS	C6-N1-C2	2.44	123.62	119.20
2	B	401	DCS	C5-C6-N1	-2.40	119.93	123.83
2	B	401	DCS	OG-CB-CA	-2.39	101.39	104.80
2	C	401	DCS	C4A-C4-C3	2.36	123.11	119.98
2	C	401	DCS	O3P-P-O1P	2.34	119.95	110.83
2	C	401	DCS	C5A-C5-C4	-2.30	117.81	122.67
2	A	401	DCS	O3-C3-C4	2.27	124.76	118.18
2	C	401	DCS	C2A-C2-N1	2.24	121.85	117.64
2	B	401	DCS	C3-C4-C5	2.23	120.75	118.73
2	B	401	DCS	O3-C3-C2	2.21	122.16	117.58

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	DCS	CB-CA-N-C4A
2	B	401	DCS	C-CA-N-C4A
2	C	401	DCS	C4-C5-C5A-O4P
2	C	401	DCS	C6-C5-C5A-O4P
2	C	401	DCS	C-CA-N-C4A
2	C	401	DCS	CB-CA-N-C4A
2	D	401	DCS	C5-C4-C4A-N
2	D	401	DCS	CB-CA-N-C4A
2	C	401	DCS	C5-C4-C4A-N
2	A	401	DCS	C5-C4-C4A-N
2	C	401	DCS	C3-C4-C4A-N
2	A	401	DCS	C3-C4-C4A-N
2	D	401	DCS	C3-C4-C4A-N
2	B	401	DCS	CB-CA-N-C4A
2	B	401	DCS	C5A-O4P-P-O1P
2	A	401	DCS	C4-C4A-N-CA
2	D	401	DCS	C4-C5-C5A-O4P


There are no ring outliers.

4 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	401	DCS	4	0
2	B	401	DCS	1	0
2	D	401	DCS	2	0
2	A	401	DCS	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand DCS C 401




Bond lengths



Bond angles




Torsions




Rings


Ligand DCS B 401




Bond lengths



Bond angles




Torsions




Rings

Ligand DCS D 401



Ligand DCS A 401



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	384/410 (93%)	0.41	12 (3%) 51 56	13, 26, 47, 73	7 (1%)
1	B	381/410 (92%)	0.29	7 (1%) 67 73	8, 25, 43, 70	3 (0%)
1	C	381/410 (92%)	1.01	68 (17%) 4 4	15, 33, 61, 81	1 (0%)
1	D	381/410 (92%)	1.32	129 (33%) 1 1	15, 34, 70, 93	2 (0%)
All	All	1527/1640 (93%)	0.76	216 (14%) 6 7	8, 28, 61, 93	13 (0%)

All (216) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	172	LEU	6.7
1	D	157	TRP	6.6
1	D	212	LEU	6.0
1	D	173	LEU	5.3
1	B	10	ALA	5.3
1	C	290	PRO	5.2
1	D	165	LEU	5.1
1	C	10	ALA	5.1
1	D	197	LEU	5.0
1	D	160	LEU	5.0
1	D	10	ALA	4.8
1	D	175	VAL	4.8
1	D	136	ALA	4.7
1	D	164	ALA	4.7
1	D	205	ALA	4.6
1	D	207	ALA	4.6
1	D	114	VAL	4.6
1	D	134	VAL	4.6
1	D	133	GLY	4.4
1	D	129	ALA	4.4
1	D	211	GLY	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	276	PRO	4.4
1	D	171	GLY	4.4
1	D	339	GLY	4.4
1	D	216	VAL	4.2
1	D	151	CYS	4.2
1	D	195	ALA	4.1
1	D	214	PRO	4.1
1	D	153	PRO	4.1
1	D	145	GLY	4.1
1	D	163	ALA	4.1
1	D	161	VAL	4.1
1	D	118	ALA	4.0
1	D	108	VAL	4.0
1	D	140	LEU	3.9
1	D	208	GLU	3.9
1	D	178	LEU	3.9
1	D	206	TYR	3.9
1	D	167	ALA	3.9
1	D	125	VAL	3.8
1	D	235	LEU	3.8
1	D	155	ALA	3.8
1	D	182	PHE	3.7
1	C	275	VAL	3.7
1	D	233	PHE	3.7
1	C	293	THR	3.7
1	C	272	VAL	3.7
1	C	339	GLY	3.6
1	C	345	PRO	3.6
1	D	126	THR	3.6
1	D	162	GLY	3.6
1	C	287	TYR	3.6
1	C	35[A]	ARG	3.5
1	D	128	ALA	3.5
1	C	270	ALA	3.5
1	D	131	ALA	3.5
1	D	219	ILE	3.5
1	C	165	LEU	3.4
1	D	68	TRP	3.4
1	D	231	ALA	3.4
1	D	150	GLY	3.4
1	C	14	LEU	3.4
1	D	228	LEU	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	167	ALA	3.3
1	C	291	GLY	3.3
1	D	191	PRO	3.2
1	D	12	ALA	3.2
1	C	280	GLY	3.2
1	D	122	MET	3.1
1	D	147	GLY	3.1
1	D	194	ALA	3.1
1	C	389	VAL	3.1
1	C	162	GLY	3.1
1	C	212	LEU	3.1
1	D	176	THR	3.1
1	D	204	THR	3.1
1	C	336	VAL	3.1
1	D	154	GLY	3.1
1	D	169	GLU	3.1
1	D	200	PHE	3.1
1	D	152	GLN	3.0
1	C	131	ALA	3.0
1	D	104	TRP	3.0
1	C	91	VAL	2.9
1	D	217	ARG	2.9
1	C	288	THR	2.9
1	D	110	ALA	2.9
1	C	271	LEU	2.9
1	D	102	GLY	2.9
1	B	356	ASP	2.9
1	C	289	THR	2.9
1	D	99	THR	2.9
1	C	338	LEU	2.9
1	D	179	TRP	2.9
1	A	356	ASP	2.9
1	C	322	TRP	2.9
1	D	201	ARG	2.8
1	C	279	HIS	2.8
1	C	294	THR	2.8
1	A	277	GLY	2.8
1	C	335	VAL	2.8
1	D	37	PRO	2.8
1	C	277	GLY	2.8
1	D	177	GLY	2.8
1	D	121	ALA	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	132	ALA	2.8
1	D	144	THR	2.8
1	D	127	GLY	2.8
1	C	318	VAL	2.7
1	D	174	ARG	2.7
1	D	224	ALA	2.7
1	D	85	PRO	2.7
1	C	134	VAL	2.7
1	C	281	VAL	2.7
1	D	91	VAL	2.7
1	D	123	GLU	2.7
1	C	282	SER	2.7
1	D	96	TRP	2.7
1	D	120	TRP	2.7
1	B	134	VAL	2.7
1	D	95	CYS	2.7
1	C	171	GLY	2.7
1	C	327	GLY	2.7
1	D	149	GLY	2.7
1	C	321	LYS	2.7
1	D	156	ASP	2.7
1	D	35[A]	ARG	2.6
1	D	137	ARG	2.6
1	D	146	LEU	2.6
1	D	209	GLN	2.6
1	D	188	PRO	2.6
1	D	92	ARG	2.6
1	D	142	ALA	2.6
1	A	357	ARG	2.6
1	C	340	GLY	2.6
1	D	234	ASP	2.6
1	D	193	ILE	2.6
1	D	251	ILE	2.6
1	D	210	ARG	2.5
1	C	164	ALA	2.5
1	D	89	ASP	2.5
1	D	192	SER	2.5
1	D	391	GLU	2.5
1	C	132	ALA	2.5
1	D	135	PRO	2.5
1	C	296	GLY	2.5
1	C	90	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	107	ALA	2.5
1	A	275	VAL	2.5
1	C	286	HIS	2.5
1	C	292	GLU	2.5
1	D	124	GLU	2.4
1	D	198	THR	2.4
1	C	85	PRO	2.4
1	D	78	LEU	2.4
1	C	172	LEU	2.4
1	D	93	ILE	2.4
1	C	350	VAL	2.4
1	C	390	ASN	2.3
1	D	180	SER	2.3
1	C	128	ALA	2.3
1	D	112	LEU	2.3
1	D	227	THR	2.3
1	D	203	MET	2.3
1	D	38	GLY	2.3
1	D	202	GLU	2.3
1	D	130	ARG	2.3
1	D	113	ASP	2.3
1	D	103	PRO	2.3
1	C	207	ALA	2.3
1	D	196	GLN	2.3
1	D	143	ASP	2.3
1	C	209	GLN	2.3
1	C	278	GLY	2.3
1	A	134	VAL	2.3
1	D	116	VAL	2.3
1	A	274	GLN	2.2
1	D	117	SER	2.2
1	B	189	GLY	2.2
1	C	86	GLY	2.2
1	C	320	GLY	2.2
1	C	175	VAL	2.2
1	C	250	GLU	2.2
1	D	236	VAL	2.2
1	C	343	PRO	2.2
1	B	155	ALA	2.2
1	C	64	ALA	2.2
1	C	341	ASP	2.2
1	A	279	HIS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	166[A]	ARG	2.2
1	B	159[A]	ARG	2.2
1	C	166	ARG	2.2
1	C	269	LEU	2.2
1	D	170	GLU	2.1
1	D	98	TRP	2.1
1	C	126	THR	2.1
1	D	111	ARG	2.1
1	D	190	HIS	2.1
1	A	339	GLY	2.1
1	C	295	LEU	2.1
1	D	115	SER	2.1
1	C	324	THR	2.1
1	A	286	HIS	2.1
1	A	10	ALA	2.1
1	D	189	GLY	2.1
1	D	159	ARG	2.1
1	D	88	PRO	2.1
1	A	155	ALA	2.0
1	C	326	ALA	2.0
1	D	77	ALA	2.0
1	B	191	PRO	2.0
1	C	274	GLN	2.0
1	D	199	ARG	2.0
1	D	213	ARG	2.0
1	D	11	ASP	2.0
1	C	125	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	KCX	D	141	12/13	0.83	0.17	41,44,82,84	0
1	KCX	C	141	12/13	0.92	0.10	24,28,51,64	0
1	KCX	B	141	12/13	0.93	0.12	22,29,60,61	0
1	KCX	A	141	12/13	0.94	0.09	21,26,56,63	0

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NA	C	404	1/1	0.89	0.14	34,34,34,34	0
4	CL	D	403	1/1	0.91	0.10	35,35,35,35	0
3	NA	B	402	1/1	0.93	0.15	31,31,31,31	0
2	DCS	D	401	22/22	0.94	0.11	31,51,64,75	0
3	NA	A	402	1/1	0.95	0.09	31,31,31,31	0
2	DCS	A	401	22/22	0.95	0.11	18,37,55,67	0
2	DCS	C	401	22/22	0.96	0.10	21,39,44,54	0
2	DCS	B	401	22/22	0.96	0.10	18,34,53,55	0
3	NA	C	402	1/1	0.97	0.09	28,28,28,28	0
3	NA	D	402	1/1	0.98	0.07	26,26,26,26	0
4	CL	B	403	1/1	0.98	0.04	20,20,20,20	0
4	CL	B	404	1/1	0.98	0.05	29,29,29,29	0
3	NA	C	403	1/1	0.98	0.06	33,33,33,33	0
4	CL	C	405	1/1	0.99	0.07	15,15,15,15	0
4	CL	A	403	1/1	0.99	0.03	17,17,17,17	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around DCS D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DCS A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DCS C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around DCS B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.