



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 02:20 AM UTC

PDB ID : 5FAK / pdb_00005fak
Title : Crystal structure of Double Mutant S12T and N87T of Adenosine/Methylthio adenosine Phosphorylase from Schistosoma mansoni in complex with Adenine
Authors : Torini, J.R.; Brandao-Neto, J.; DeMarco, R.; Pereira, H.M.
Deposited on : 2015-12-11
Resolution : 1.87 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.87 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1220 (1.88-1.88)
Clashscore	190562	1234 (1.88-1.88)
Ramachandran outliers	187476	1222 (1.88-1.88)
Sidechain outliers	187428	1222 (1.88-1.88)
RSRZ outliers	180081	1220 (1.88-1.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	320	4% 81% 8% 12%
1	B	320	6% 78% 11% 11%
1	C	320	2% 86% 11%
1	D	320	6% 81% 8% 12%
1	E	320	6% 83% 6% 12%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	320	5% 82% 7% 12%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 14268 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Methylthioadenosine phosphorylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	283	Total	C	N	O	S	0	1	0
			2162	1369	377	399	17			
1	B	286	Total	C	N	O	S	0	1	0
			2161	1371	378	397	15			
1	C	286	Total	C	N	O	S	0	0	0
			2175	1380	374	405	16			
1	D	282	Total	C	N	O	S	0	1	0
			2130	1350	369	394	17			
1	E	283	Total	C	N	O	S	0	0	0
			2144	1361	371	397	15			
1	F	283	Total	C	N	O	S	0	0	0
			2149	1364	370	398	17			

There are 138 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	initiating methionine	UNP I0B503
A	-19	GLY	-	expression tag	UNP I0B503
A	-18	SER	-	expression tag	UNP I0B503
A	-17	SER	-	expression tag	UNP I0B503
A	-16	HIS	-	expression tag	UNP I0B503
A	-15	HIS	-	expression tag	UNP I0B503
A	-14	HIS	-	expression tag	UNP I0B503
A	-13	HIS	-	expression tag	UNP I0B503
A	-12	HIS	-	expression tag	UNP I0B503
A	-11	HIS	-	expression tag	UNP I0B503
A	-10	SER	-	expression tag	UNP I0B503
A	-9	SER	-	expression tag	UNP I0B503
A	-8	GLY	-	expression tag	UNP I0B503
A	-7	LEU	-	expression tag	UNP I0B503
A	-6	VAL	-	expression tag	UNP I0B503
A	-5	PRO	-	expression tag	UNP I0B503
A	-4	ARG	-	expression tag	UNP I0B503

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP I0B503
A	-2	SER	-	expression tag	UNP I0B503
A	-1	HIS	-	expression tag	UNP I0B503
A	0	MET	-	expression tag	UNP I0B503
A	12	THR	SER	conflict	UNP I0B503
A	87	THR	ASN	conflict	UNP I0B503
B	-20	MET	-	initiating methionine	UNP I0B503
B	-19	GLY	-	expression tag	UNP I0B503
B	-18	SER	-	expression tag	UNP I0B503
B	-17	SER	-	expression tag	UNP I0B503
B	-16	HIS	-	expression tag	UNP I0B503
B	-15	HIS	-	expression tag	UNP I0B503
B	-14	HIS	-	expression tag	UNP I0B503
B	-13	HIS	-	expression tag	UNP I0B503
B	-12	HIS	-	expression tag	UNP I0B503
B	-11	HIS	-	expression tag	UNP I0B503
B	-10	SER	-	expression tag	UNP I0B503
B	-9	SER	-	expression tag	UNP I0B503
B	-8	GLY	-	expression tag	UNP I0B503
B	-7	LEU	-	expression tag	UNP I0B503
B	-6	VAL	-	expression tag	UNP I0B503
B	-5	PRO	-	expression tag	UNP I0B503
B	-4	ARG	-	expression tag	UNP I0B503
B	-3	GLY	-	expression tag	UNP I0B503
B	-2	SER	-	expression tag	UNP I0B503
B	-1	HIS	-	expression tag	UNP I0B503
B	0	MET	-	expression tag	UNP I0B503
B	12	THR	SER	conflict	UNP I0B503
B	87	THR	ASN	conflict	UNP I0B503
C	-20	MET	-	initiating methionine	UNP I0B503
C	-19	GLY	-	expression tag	UNP I0B503
C	-18	SER	-	expression tag	UNP I0B503
C	-17	SER	-	expression tag	UNP I0B503
C	-16	HIS	-	expression tag	UNP I0B503
C	-15	HIS	-	expression tag	UNP I0B503
C	-14	HIS	-	expression tag	UNP I0B503
C	-13	HIS	-	expression tag	UNP I0B503
C	-12	HIS	-	expression tag	UNP I0B503
C	-11	HIS	-	expression tag	UNP I0B503
C	-10	SER	-	expression tag	UNP I0B503
C	-9	SER	-	expression tag	UNP I0B503
C	-8	GLY	-	expression tag	UNP I0B503

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-7	LEU	-	expression tag	UNP I0B503
C	-6	VAL	-	expression tag	UNP I0B503
C	-5	PRO	-	expression tag	UNP I0B503
C	-4	ARG	-	expression tag	UNP I0B503
C	-3	GLY	-	expression tag	UNP I0B503
C	-2	SER	-	expression tag	UNP I0B503
C	-1	HIS	-	expression tag	UNP I0B503
C	0	MET	-	expression tag	UNP I0B503
C	12	THR	SER	conflict	UNP I0B503
C	87	THR	ASN	conflict	UNP I0B503
D	-20	MET	-	initiating methionine	UNP I0B503
D	-19	GLY	-	expression tag	UNP I0B503
D	-18	SER	-	expression tag	UNP I0B503
D	-17	SER	-	expression tag	UNP I0B503
D	-16	HIS	-	expression tag	UNP I0B503
D	-15	HIS	-	expression tag	UNP I0B503
D	-14	HIS	-	expression tag	UNP I0B503
D	-13	HIS	-	expression tag	UNP I0B503
D	-12	HIS	-	expression tag	UNP I0B503
D	-11	HIS	-	expression tag	UNP I0B503
D	-10	SER	-	expression tag	UNP I0B503
D	-9	SER	-	expression tag	UNP I0B503
D	-8	GLY	-	expression tag	UNP I0B503
D	-7	LEU	-	expression tag	UNP I0B503
D	-6	VAL	-	expression tag	UNP I0B503
D	-5	PRO	-	expression tag	UNP I0B503
D	-4	ARG	-	expression tag	UNP I0B503
D	-3	GLY	-	expression tag	UNP I0B503
D	-2	SER	-	expression tag	UNP I0B503
D	-1	HIS	-	expression tag	UNP I0B503
D	0	MET	-	expression tag	UNP I0B503
D	12	THR	SER	conflict	UNP I0B503
D	87	THR	ASN	conflict	UNP I0B503
E	-20	MET	-	initiating methionine	UNP I0B503
E	-19	GLY	-	expression tag	UNP I0B503
E	-18	SER	-	expression tag	UNP I0B503
E	-17	SER	-	expression tag	UNP I0B503
E	-16	HIS	-	expression tag	UNP I0B503
E	-15	HIS	-	expression tag	UNP I0B503
E	-14	HIS	-	expression tag	UNP I0B503
E	-13	HIS	-	expression tag	UNP I0B503
E	-12	HIS	-	expression tag	UNP I0B503

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	-11	HIS	-	expression tag	UNP I0B503
E	-10	SER	-	expression tag	UNP I0B503
E	-9	SER	-	expression tag	UNP I0B503
E	-8	GLY	-	expression tag	UNP I0B503
E	-7	LEU	-	expression tag	UNP I0B503
E	-6	VAL	-	expression tag	UNP I0B503
E	-5	PRO	-	expression tag	UNP I0B503
E	-4	ARG	-	expression tag	UNP I0B503
E	-3	GLY	-	expression tag	UNP I0B503
E	-2	SER	-	expression tag	UNP I0B503
E	-1	HIS	-	expression tag	UNP I0B503
E	0	MET	-	expression tag	UNP I0B503
E	12	THR	SER	conflict	UNP I0B503
E	87	THR	ASN	conflict	UNP I0B503
F	-20	MET	-	initiating methionine	UNP I0B503
F	-19	GLY	-	expression tag	UNP I0B503
F	-18	SER	-	expression tag	UNP I0B503
F	-17	SER	-	expression tag	UNP I0B503
F	-16	HIS	-	expression tag	UNP I0B503
F	-15	HIS	-	expression tag	UNP I0B503
F	-14	HIS	-	expression tag	UNP I0B503
F	-13	HIS	-	expression tag	UNP I0B503
F	-12	HIS	-	expression tag	UNP I0B503
F	-11	HIS	-	expression tag	UNP I0B503
F	-10	SER	-	expression tag	UNP I0B503
F	-9	SER	-	expression tag	UNP I0B503
F	-8	GLY	-	expression tag	UNP I0B503
F	-7	LEU	-	expression tag	UNP I0B503
F	-6	VAL	-	expression tag	UNP I0B503
F	-5	PRO	-	expression tag	UNP I0B503
F	-4	ARG	-	expression tag	UNP I0B503
F	-3	GLY	-	expression tag	UNP I0B503
F	-2	SER	-	expression tag	UNP I0B503
F	-1	HIS	-	expression tag	UNP I0B503
F	0	MET	-	expression tag	UNP I0B503
F	12	THR	SER	conflict	UNP I0B503
F	87	THR	ASN	conflict	UNP I0B503

- Molecule 2 is ADENINE (CCD ID: ADE) (formula: $C_5H_5N_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	N	0	0
			10	5	5		
2	B	1	Total	C	N	0	0
			10	5	5		
2	D	1	Total	C	N	0	0
			10	5	5		
2	E	1	Total	C	N	0	0
			10	5	5		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	E	1	Total O S 5 4 1	0	0
3	F	1	Total O S 5 4 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	216	Total O 216 216	0	0
4	B	191	Total O 191 191	0	0
4	C	279	Total O 279 279	0	0
4	D	201	Total O 201 201	0	0
4	E	190	Total O 190 190	0	0
4	F	200	Total O 200 200	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Methylthioadenosine phosphorylase




- Molecule 1: Methylthioadenosine phosphorylase




- Molecule 1: Methylthioadenosine phosphorylase





- Molecule 1: Methylthioadenosine phosphorylase







● Molecule 1: Methylthioadenosine phosphorylase



● Molecule 1: Methylthioadenosine phosphorylase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.06Å 82.09Å 150.15Å 90.00° 101.23° 90.00°	Depositor
Resolution (Å)	79.51 – 1.87 79.51 – 1.87	Depositor EDS
% Data completeness (in resolution range)	97.4 (79.51-1.87) 97.5 (79.51-1.87)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.86 (at 1.87Å)	Xtrriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.181 , 0.215 0.184 , 0.217	Depositor DCC
R_{free} test set	7594 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	24.5	Xtrriage
Anisotropy	0.224	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 48.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14268	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 51.91 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.2431e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ADE, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.26	0/2208	0.44	0/2995
1	B	0.24	0/2207	0.42	0/2996
1	C	0.27	0/2218	0.44	0/3011
1	D	0.24	0/2175	0.43	0/2955
1	E	0.23	0/2187	0.42	0/2969
1	F	0.22	0/2192	0.42	0/2976
All	All	0.24	0/13187	0.43	0/17902

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2162	0	2148	18	0
1	B	2161	0	2131	23	0
1	C	2175	0	2162	8	0
1	D	2130	0	2107	16	0
1	E	2144	0	2121	11	0
1	F	2149	0	2137	14	0
2	A	10	0	4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	10	0	4	0	0
2	D	10	0	4	0	0
2	E	10	0	4	0	0
3	A	5	0	0	1	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	D	5	0	0	0	0
3	E	5	0	0	0	0
3	F	5	0	0	0	0
4	A	216	0	0	5	0
4	B	191	0	0	4	0
4	C	279	0	0	4	0
4	D	201	0	0	2	0
4	E	190	0	0	1	0
4	F	200	0	0	2	0
All	All	14268	0	12822	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:134:MET:CE	1:D:216:ARG:HD2	2.15	0.76
1:B:180:VAL:HB	1:B:201:LEU:HD13	1.71	0.73
1:E:243:VAL:N	4:E:401:HOH:O	2.20	0.73
1:B:41:GLU:HG2	1:B:50:VAL:HG22	1.71	0.72
1:C:132:MET:HE2	1:C:216:ARG:HG2	1.71	0.70
1:E:41:GLU:HG2	1:E:50:VAL:HG22	1.74	0.69
1:B:132:MET:HE2	1:B:216:ARG:HG2	1.76	0.67
1:E:132:MET:HE2	1:E:216:ARG:HG2	1.77	0.65
1:F:132:MET:HE2	1:F:216:ARG:HG2	1.77	0.65
1:D:196:HIS:HA	1:D:199:MET:HE3	1.79	0.64
1:F:196:HIS:HA	1:F:199:MET:HE3	1.82	0.62
1:C:160:LYS:NZ	4:C:403:HOH:O	2.32	0.62
1:D:134:MET:HE1	1:D:216:ARG:HD2	1.81	0.62
1:F:180:VAL:HB	1:F:201:LEU:HD13	1.82	0.61
1:A:281:LYS:NZ	4:A:405:HOH:O	2.33	0.60
1:A:87:THR:OG1	3:A:302:SO4:O2	2.17	0.59
1:E:131:HIS:HD2	1:E:289:GLN:HG3	1.67	0.58
1:C:41:GLU:OE2	4:C:401:HOH:O	2.17	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:132:MET:HE2	1:A:216:ARG:HG2	1.86	0.56
1:B:247:LEU:H	1:B:250:PHE:HB3	1.70	0.55
1:D:195:ILE:HG22	1:D:199:MET:HE2	1.89	0.55
1:D:153:LYS:NZ	4:D:404:HOH:O	2.40	0.54
1:F:98:PRO:HG3	1:F:230:ASP:HA	1.88	0.54
1:B:196:HIS:HA	1:B:199:MET:HE3	1.90	0.54
1:B:163:MET:HE2	1:B:167:ALA:HB1	1.89	0.53
1:A:151[B]:ARG:NH2	4:A:409:HOH:O	2.42	0.53
1:F:195:ILE:HG22	1:F:199:MET:HE2	1.90	0.53
1:E:190:ARG:HH12	1:E:236:SER:HA	1.72	0.53
1:C:151:ARG:NH2	4:C:405:HOH:O	2.41	0.53
1:C:180:VAL:HB	1:C:201:LEU:HD13	1.91	0.53
1:F:19:LEU:HD13	1:F:51:VAL:HG21	1.90	0.53
1:A:108:MET:HE1	1:A:199:MET:HE1	1.90	0.52
1:D:180:VAL:HB	1:D:201:LEU:HD13	1.92	0.51
1:A:258:ARG:NH1	4:A:410:HOH:O	2.44	0.51
1:A:184:GLY:HA3	1:A:206:MET:HE2	1.92	0.51
1:D:79:GLY:O	4:D:401:HOH:O	2.20	0.51
1:A:163:MET:O	4:A:401:HOH:O	2.19	0.51
1:B:151[A]:ARG:NH2	4:B:404:HOH:O	2.45	0.50
1:F:115:GLU:OE1	4:F:401:HOH:O	2.20	0.50
1:A:252:LYS:NZ	4:A:411:HOH:O	2.45	0.49
1:D:134:MET:HE2	1:D:216:ARG:HD2	1.94	0.49
1:C:15:ASP:OD2	4:C:402:HOH:O	2.20	0.49
1:C:98:PRO:HG3	1:C:230:ASP:HA	1.95	0.49
1:D:132:MET:HE1	1:D:284:VAL:HA	1.94	0.48
1:F:249:GLN:NE2	4:F:402:HOH:O	2.20	0.48
1:F:255:VAL:O	1:F:259:GLU:HG3	2.14	0.48
1:D:14:PHE:HE1	1:D:258:ARG:HG2	1.79	0.48
1:A:76:LYS:HD2	1:A:218:ALA:HB1	1.96	0.47
1:A:52:LEU:HD12	1:A:53:PRO:HD2	1.96	0.47
1:A:250:PHE:O	1:A:254:VAL:HG13	2.15	0.47
1:A:169:ILE:O	1:A:172:CYS:HB3	2.14	0.47
1:B:195:ILE:HG22	1:B:199:MET:HE2	1.96	0.47
1:E:122:LYS:H	1:E:122:LYS:CD	2.28	0.47
1:E:143:ARG:NH2	1:E:175:ALA:O	2.47	0.47
1:B:17:PRO:HG2	1:B:51:VAL:HG11	1.98	0.46
1:A:185:PRO:HA	1:A:206:MET:HE2	1.97	0.45
1:D:133:PRO:O	1:D:134:MET:HE2	2.16	0.45
1:D:94:GLU:OE2	1:D:235:LYS:NZ	2.45	0.45
1:B:110:LYS:NZ	1:B:196:HIS:HE1	2.14	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:169:ILE:O	1:D:172:CYS:HB3	2.16	0.45
1:B:108:MET:HE3	1:B:201:LEU:HD11	1.99	0.45
1:B:19:LEU:HB3	1:B:262:LEU:HD21	1.98	0.45
1:D:76:LYS:HD2	1:D:218:ALA:HB1	1.99	0.44
1:A:243:VAL:HG12	1:C:292:LEU:HD22	1.99	0.44
1:E:17:PRO:HB2	1:E:19:LEU:HG	1.98	0.44
1:D:13:GLY:HA3	1:D:250:PHE:CE2	2.52	0.44
1:A:184:GLY:HA3	1:A:206:MET:CE	2.48	0.44
1:B:250:PHE:O	1:B:254:VAL:HG23	2.17	0.43
1:A:237:GLU:HA	1:A:240:HIS:CE1	2.54	0.43
1:B:235:LYS:NZ	4:B:405:HOH:O	2.48	0.43
1:B:22:LYS:HD2	1:B:25:VAL:CG2	2.48	0.43
1:F:19:LEU:HD12	1:F:19:LEU:H	1.83	0.43
1:B:76:LYS:HD2	1:B:218:ALA:HB1	2.01	0.43
1:F:243:VAL:HG22	1:F:247:LEU:HD13	2.00	0.43
1:E:145:ILE:HG21	1:E:268:ILE:HG13	2.01	0.43
1:B:227:ILE:HD11	1:B:257:VAL:HG21	2.01	0.42
1:B:122:LYS:HG3	1:B:124:ASP:OD1	2.19	0.42
1:B:143:ARG:NH2	1:B:175:ALA:O	2.47	0.42
1:B:76:LYS:NZ	4:B:413:HOH:O	2.53	0.42
1:A:185:PRO:HA	1:A:206:MET:CE	2.50	0.42
1:E:122:LYS:H	1:E:122:LYS:HD3	1.85	0.41
1:F:104:LEU:HD21	1:F:203:ILE:HD11	2.02	0.41
1:F:25:VAL:HB	1:F:38:THR:HG21	2.01	0.41
1:E:34:LYS:HB3	1:E:34:LYS:HE3	1.81	0.41
1:B:153:LYS:NZ	4:B:402:HOH:O	2.25	0.40
1:B:122:LYS:NZ	1:B:125:SER:OG	2.54	0.40
1:D:59:HIS:CE1	1:F:289:GLN:HG2	2.56	0.40
1:B:4:VAL:HG11	1:B:268:ILE:HG22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	280/320 (88%)	277 (99%)	3 (1%)	0	100	100
1	B	283/320 (88%)	278 (98%)	5 (2%)	0	100	100
1	C	282/320 (88%)	281 (100%)	1 (0%)	0	100	100
1	D	279/320 (87%)	277 (99%)	2 (1%)	0	100	100
1	E	279/320 (87%)	277 (99%)	2 (1%)	0	100	100
1	F	279/320 (87%)	277 (99%)	2 (1%)	0	100	100
All	All	1682/1920 (88%)	1667 (99%)	15 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	235/274 (86%)	233 (99%)	2 (1%)	70	63
1	B	229/274 (84%)	228 (100%)	1 (0%)	84	79
1	C	237/274 (86%)	236 (100%)	1 (0%)	84	79
1	D	230/274 (84%)	229 (100%)	1 (0%)	84	79
1	E	230/274 (84%)	229 (100%)	1 (0%)	84	79
1	F	234/274 (85%)	234 (100%)	0	100	100
All	All	1395/1644 (85%)	1389 (100%)	6 (0%)	84	79

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	205	ASN
1	A	206	MET
1	B	122	LYS
1	C	39	LEU
1	D	52	LEU
1	E	52	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	196	HIS
1	C	148	GLN
1	D	156	ASN
1	E	148	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	E	302	-	4,4,4	0.27	0	6,6,6	0.22	0
3	SO4	F	301	-	4,4,4	0.24	0	6,6,6	0.23	0
2	ADE	D	301	-	11,11,11	0.54	0	15,15,15	0.45	0
3	SO4	D	302	-	4,4,4	0.31	0	6,6,6	0.28	0
2	ADE	B	301	-	11,11,11	0.50	0	15,15,15	0.40	0
2	ADE	A	301	-	11,11,11	0.52	0	15,15,15	0.42	0
3	SO4	A	302	-	4,4,4	0.25	0	6,6,6	0.13	0
3	SO4	C	301	-	4,4,4	0.20	0	6,6,6	0.22	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	B	302	-	4,4,4	0.29	0	6,6,6	0.34	0
2	ADE	E	301	-	11,11,11	0.49	0	15,15,15	0.42	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADE	B	301	-	-	-	0/2/2/2
2	ADE	A	301	-	-	-	0/2/2/2
2	ADE	D	301	-	-	-	0/2/2/2
2	ADE	E	301	-	-	-	0/2/2/2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	302	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	283/320 (88%)	0.32	12 (4%)	40 44	19, 33, 57, 116	1 (0%)
1	B	286/320 (89%)	0.35	18 (6%)	26 28	21, 32, 65, 89	1 (0%)
1	C	286/320 (89%)	0.01	8 (2%)	55 59	19, 28, 51, 81	0
1	D	282/320 (88%)	0.35	18 (6%)	25 28	19, 35, 62, 86	1 (0%)
1	E	283/320 (88%)	0.36	18 (6%)	25 28	23, 35, 64, 89	0
1	F	283/320 (88%)	0.23	15 (5%)	32 34	22, 33, 63, 109	0
All	All	1703/1920 (88%)	0.27	89 (5%)	33 34	19, 33, 61, 116	3 (0%)

All (89) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	246	VAL	9.0
1	B	242	CYS	8.1
1	A	11	GLY	7.8
1	B	241	VAL	7.3
1	B	247	LEU	7.1
1	A	13	GLY	6.6
1	A	12	THR	6.4
1	B	244	ASP	6.4
1	C	242	CYS	5.9
1	A	14	PHE	5.9
1	B	243	VAL	5.8
1	D	14	PHE	5.7
1	E	246	VAL	5.2
1	D	250	PHE	5.0
1	F	19	LEU	4.5
1	D	13	GLY	4.5
1	B	245	MET	4.5
1	E	245	MET	4.4
1	D	247	LEU	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	243	VAL	4.0
1	F	242	CYS	4.0
1	C	17	PRO	3.6
1	B	240	HIS	3.5
1	A	255	VAL	3.5
1	E	247	LEU	3.4
1	C	234	TRP	3.4
1	E	236	SER	3.4
1	A	250	PHE	3.4
1	C	18	ASN	3.4
1	D	291	LEU	3.4
1	A	20	PHE	3.3
1	B	17	PRO	3.3
1	E	17	PRO	3.3
1	E	166	SER	3.3
1	A	258	ARG	3.2
1	F	18	ASN	3.2
1	B	13	GLY	3.2
1	D	21	LYS	3.1
1	F	162	THR	3.1
1	E	237	GLU	3.1
1	D	244	ASP	3.1
1	C	236	SER	3.0
1	B	14	PHE	2.9
1	E	244	ASP	2.9
1	F	17	PRO	2.8
1	B	248	GLU	2.8
1	D	262	LEU	2.8
1	F	243	VAL	2.8
1	B	16	ASP	2.8
1	F	20	PHE	2.7
1	E	18	ASN	2.7
1	A	254	VAL	2.7
1	B	291	LEU	2.7
1	D	23	VAL	2.7
1	A	285	MET	2.6
1	F	231	PHE	2.6
1	D	237	GLU	2.6
1	E	249	GLN	2.5
1	B	3	LYS	2.5
1	C	46	ASP	2.5
1	D	236	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	58	GLY	2.4
1	F	291	LEU	2.3
1	E	167	ALA	2.3
1	B	18	ASN	2.3
1	C	293	HIS	2.3
1	E	3	LYS	2.3
1	E	13	GLY	2.3
1	E	15	ASP	2.3
1	F	73	TRP	2.2
1	B	239	GLU	2.2
1	F	234	TRP	2.2
1	D	166	SER	2.2
1	D	243	VAL	2.2
1	F	29	THR	2.2
1	A	247	LEU	2.2
1	E	16	ASP	2.1
1	A	49	CYS	2.1
1	B	250	PHE	2.1
1	C	243	VAL	2.1
1	E	28	VAL	2.1
1	D	22	LYS	2.1
1	D	289	GLN	2.1
1	D	242	CYS	2.1
1	D	167	ALA	2.1
1	F	46	ASP	2.1
1	D	4	VAL	2.0
1	F	24	GLY	2.0
1	F	28	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	A	302	5/5	0.80	0.19	71,73,74,75	0
2	ADE	E	301	10/10	0.89	0.15	69,75,77,78	0
2	ADE	B	301	10/10	0.89	0.13	56,60,64,65	0
2	ADE	D	301	10/10	0.93	0.08	32,34,39,39	0
2	ADE	A	301	10/10	0.95	0.07	26,28,29,33	0
3	SO4	D	302	5/5	0.96	0.11	32,35,39,39	0
3	SO4	F	301	5/5	0.97	0.06	23,23,29,30	0
3	SO4	E	302	5/5	0.98	0.06	23,28,31,32	0
3	SO4	B	302	5/5	0.98	0.07	26,27,32,34	0
3	SO4	C	301	5/5	0.99	0.04	20,22,24,24	0

6.5 Other polymers [i](#)

There are no such residues in this entry.