



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 10:24 AM UTC

PDB ID : 7FAC / pdb_00007fac
Title : Crystal Structure of C-terminus of the non-structural protein 2 from SARS coronavirus
Authors : Li, Y.Y.; Ren, Z.L.; Bao, Z.H.; Ming, Z.H.; Yan, L.M.; Lou, Z.Y.; Rao, Z.H.
Deposited on : 2021-07-06
Resolution : 2.71 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4348 (2.74-2.70)
Clashscore	190562	4665 (2.74-2.70)
Ramachandran outliers	187476	4584 (2.74-2.70)
Sidechain outliers	187428	4585 (2.74-2.70)
RSRZ outliers	180081	4348 (2.74-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	529	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4029 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Non-structural protein 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	524	4018	2539	684	766	29	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P0C6U8
A	0	SER	-	expression tag	UNP P0C6U8

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	9	Total	O	0	0
			9	9		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Non-structural protein 2



4 Data and refinement statistics i

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	112.83Å 112.83Å 91.08Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	36.93 – 2.71 36.93 – 2.71	Depositor EDS
% Data completeness (in resolution range)	99.6 (36.93-2.71) 99.6 (36.93-2.71)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.39 (at 2.72Å)	Xtrriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.197 , 0.257 0.214 , 0.218	Depositor DCC
R_{free} test set	853 reflections (4.74%)	wwPDB-VP
Wilson B-factor (Å ²)	68.5	Xtrriage
Anisotropy	0.196	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 50.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.055 for h,-h-k,-l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4029	wwPDB-VP
Average B, all atoms (Å ²)	87.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.68	0/4089	0.99	14/5544 (0.3%)

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	222	LYS	CA-C-N	-6.91	114.76	120.98
1	A	222	LYS	C-N-CA	-6.91	114.76	120.98
1	A	52	HIS	CA-C-N	6.77	129.91	120.29
1	A	52	HIS	C-N-CA	6.77	129.91	120.29
1	A	513	PRO	N-CA-C	-6.50	100.98	110.80
1	A	64	THR	CA-CB-OG1	-5.81	100.88	109.60
1	A	42	THR	CA-CB-OG1	-5.54	101.28	109.60
1	A	490	THR	CB-CA-C	5.42	116.74	109.42
1	A	503	LYS	N-CA-C	5.18	116.93	111.28
1	A	496	GLY	CA-C-N	5.18	131.43	121.54
1	A	496	GLY	C-N-CA	5.18	131.43	121.54
1	A	474	ALA	CA-C-N	-5.18	115.69	122.99
1	A	474	ALA	C-N-CA	-5.18	115.69	122.99
1	A	491	PRO	N-CA-C	5.03	119.21	111.21

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4018	0	4037	151	0
2	A	2	0	0	0	0
3	A	9	0	0	0	0
All	All	4029	0	4037	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:35:CYS:SG	1:A:53:CYS:HB2	1.83	1.18
1:A:438:LEU:CD2	1:A:463:GLU:HB3	1.77	1.13
1:A:224:LYS:HG3	1:A:225:PRO:HD3	1.28	1.13
1:A:438:LEU:HD21	1:A:463:GLU:CB	1.92	0.98
1:A:28:THR:HG22	1:A:64:THR:HG22	1.44	0.97
1:A:438:LEU:HD21	1:A:463:GLU:HB3	0.98	0.96
1:A:433:LYS:HB3	1:A:440:MET:HE3	1.47	0.95
1:A:53:CYS:SG	1:A:55:THR:HG23	2.08	0.92
1:A:35:CYS:SG	1:A:53:CYS:CB	2.57	0.92
1:A:173:VAL:O	1:A:224:LYS:HA	1.74	0.86
1:A:224:LYS:CG	1:A:225:PRO:HD3	2.06	0.84
1:A:53:CYS:SG	1:A:55:THR:CG2	2.66	0.84
1:A:35:CYS:HG	1:A:53:CYS:HB2	1.41	0.83
1:A:433:LYS:CB	1:A:440:MET:HE3	2.08	0.83
1:A:433:LYS:O	1:A:440:MET:CE	2.28	0.82
1:A:433:LYS:CA	1:A:440:MET:HE3	2.12	0.80
1:A:15:VAL:HG23	1:A:20:GLU:HB2	1.64	0.80
1:A:449:THR:H	1:A:497:LEU:HA	1.46	0.80
1:A:471:GLU:O	1:A:524:LEU:HD13	1.83	0.78
1:A:433:LYS:O	1:A:440:MET:HE1	1.85	0.77
1:A:35:CYS:HG	1:A:53:CYS:CB	1.94	0.76
1:A:515:LEU:N	1:A:515:LEU:HD13	2.01	0.75
1:A:450:PHE:CE2	1:A:498:MET:SD	2.81	0.74
1:A:433:LYS:HD2	1:A:446:LYS:HA	1.69	0.73
1:A:325:LEU:HD22	1:A:366:PHE:CZ	2.24	0.73
1:A:498:MET:HB2	1:A:511:LEU:HD13	1.70	0.72
1:A:446:LYS:NZ	1:A:446:LYS:HB2	2.05	0.71
1:A:149:GLY:N	1:A:152:VAL:HG11	2.06	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:433:LYS:HB3	1:A:440:MET:CE	2.23	0.69
1:A:471:GLU:O	1:A:524:LEU:CD1	2.41	0.68
1:A:441:PRO:HD3	1:A:465:VAL:CG2	2.24	0.68
1:A:506:GLU:N	1:A:506:GLU:OE1	2.27	0.67
1:A:498:MET:HG3	1:A:511:LEU:HB2	1.77	0.66
1:A:305:ILE:H	1:A:305:ILE:HD12	1.59	0.65
1:A:498:MET:HB2	1:A:511:LEU:CD1	2.27	0.64
1:A:173:VAL:O	1:A:224:LYS:CA	2.46	0.64
1:A:433:LYS:C	1:A:440:MET:HE3	2.24	0.63
1:A:497:LEU:O	1:A:497:LEU:HG	1.98	0.62
1:A:438:LEU:CD2	1:A:463:GLU:CB	2.66	0.62
1:A:441:PRO:HD3	1:A:465:VAL:HG21	1.81	0.62
1:A:433:LYS:CD	1:A:446:LYS:HB3	2.31	0.61
1:A:475:LEU:HB3	1:A:521:VAL:HG12	1.82	0.60
1:A:79:CYS:SG	1:A:82:CYS:SG	3.00	0.60
1:A:438:LEU:C	1:A:438:LEU:HD13	2.27	0.60
1:A:206:LYS:NZ	1:A:209:LYS:HE3	2.16	0.60
1:A:433:LYS:O	1:A:440:MET:HE3	2.01	0.59
1:A:153:GLU:HA	1:A:156:ASN:HB2	1.83	0.59
1:A:438:LEU:O	1:A:440:MET:SD	2.61	0.58
1:A:82:CYS:SG	1:A:125:CYS:SG	3.02	0.58
1:A:430:ILE:HG12	1:A:449:THR:HG23	1.87	0.57
1:A:450:PHE:CD2	1:A:498:MET:SD	2.98	0.57
1:A:450:PHE:CZ	1:A:498:MET:SD	2.98	0.56
1:A:8:ARG:HD2	1:A:123:VAL:O	2.05	0.56
1:A:433:LYS:HD2	1:A:446:LYS:HB3	1.88	0.55
1:A:166:GLU:H	1:A:166:GLU:CD	2.13	0.55
1:A:325:LEU:HD22	1:A:366:PHE:CE2	2.42	0.55
1:A:446:LYS:HB2	1:A:446:LYS:HZ3	1.70	0.54
1:A:444:ALA:HB2	1:A:467:LEU:HG	1.91	0.53
1:A:476:GLU:N	1:A:476:GLU:OE1	2.42	0.52
1:A:173:VAL:HG22	1:A:233:GLY:HA2	1.92	0.52
1:A:430:ILE:CG1	1:A:449:THR:HG23	2.40	0.52
1:A:173:VAL:O	1:A:224:LYS:CB	2.58	0.52
1:A:436:LEU:HD11	1:A:450:PHE:HZ	1.75	0.52
1:A:169:ASN:HD22	1:A:229:ALA:HB3	1.74	0.52
1:A:206:LYS:HZ3	1:A:209:LYS:HE3	1.75	0.52
1:A:325:LEU:HD22	1:A:366:PHE:HZ	1.71	0.52
1:A:169:ASN:HB3	1:A:229:ALA:CB	2.40	0.51
1:A:515:LEU:N	1:A:515:LEU:CD1	2.73	0.51
1:A:317:GLN:NE2	1:A:317:GLN:N	2.59	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:502:ILE:HG23	1:A:505:LYS:HB2	1.91	0.51
1:A:206:LYS:HD2	1:A:210:THR:HG23	1.92	0.50
1:A:315:VAL:HG13	1:A:337:PHE:CD1	2.47	0.50
1:A:317:GLN:NE2	1:A:317:GLN:H	2.09	0.50
1:A:385:LYS:HE3	1:A:389:ASP:OD2	2.12	0.50
1:A:370:LYS:HD3	1:A:410:ARG:NH2	2.27	0.49
1:A:436:LEU:HD23	1:A:437:GLN:N	2.27	0.49
1:A:433:LYS:HD3	1:A:446:LYS:HB3	1.95	0.49
1:A:441:PRO:C	1:A:443:LYS:H	2.21	0.49
1:A:459:VAL:CG2	1:A:488:VAL:HG12	2.43	0.49
1:A:149:GLY:C	1:A:152:VAL:HG13	2.38	0.48
1:A:180:GLU:HG2	1:A:257:PHE:CD1	2.48	0.48
1:A:433:LYS:HD2	1:A:446:LYS:CB	2.43	0.48
1:A:50:CYS:SG	1:A:53:CYS:HB3	2.53	0.47
1:A:50:CYS:SG	1:A:53:CYS:N	2.78	0.47
1:A:434:GLU:O	1:A:435:GLN:HB2	2.14	0.47
1:A:222:LYS:O	1:A:222:LYS:HG2	2.14	0.47
1:A:342:ALA:O	1:A:345:SER:OG	2.30	0.47
1:A:499:LEU:HD23	1:A:510:ALA:HA	1.95	0.47
1:A:438:LEU:HD13	1:A:439:LEU:O	2.14	0.47
1:A:34:HIS:ND1	1:A:34:HIS:C	2.72	0.47
1:A:506:GLU:N	1:A:506:GLU:CD	2.72	0.47
1:A:468:LYS:HD3	1:A:469:ASN:N	2.30	0.47
1:A:385:LYS:CE	1:A:389:ASP:OD2	2.64	0.46
1:A:430:ILE:HG12	1:A:449:THR:HA	1.96	0.46
1:A:315:VAL:HG13	1:A:337:PHE:HB3	1.98	0.46
1:A:372:GLN:OE1	1:A:392:ASN:HB3	2.16	0.46
1:A:422:SER:OG	1:A:423:LYS:N	2.49	0.45
1:A:311:THR:O	1:A:314:LEU:HB2	2.16	0.45
1:A:462:SER:H	1:A:490:THR:HG1	1.63	0.45
1:A:173:VAL:O	1:A:224:LYS:HB2	2.17	0.45
1:A:35:CYS:SG	1:A:53:CYS:SG	3.11	0.45
1:A:438:LEU:HD13	1:A:439:LEU:N	2.31	0.45
1:A:449:THR:HB	1:A:497:LEU:HB2	1.99	0.45
1:A:439:LEU:HD23	1:A:439:LEU:HA	1.63	0.45
1:A:468:LYS:O	1:A:469:ASN:OD1	2.34	0.45
1:A:473:GLU:OE1	1:A:524:LEU:C	2.60	0.45
1:A:224:LYS:N	1:A:225:PRO:CD	2.80	0.44
1:A:433:LYS:HD2	1:A:446:LYS:CA	2.41	0.44
1:A:362:ILE:HG22	1:A:363:THR:HG23	1.98	0.44
1:A:333:LEU:HB3	1:A:336:ILE:HD12	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:TYR:O	1:A:15:VAL:HG12	2.17	0.44
1:A:446:LYS:NZ	1:A:446:LYS:CB	2.73	0.43
1:A:433:LYS:HA	1:A:440:MET:HE3	1.99	0.43
1:A:403:THR:OG1	1:A:408:LYS:HG2	2.17	0.43
1:A:53:CYS:SG	1:A:55:THR:HG21	2.56	0.43
1:A:370:LYS:HD3	1:A:410:ARG:HH21	1.83	0.43
1:A:224:LYS:CD	1:A:225:PRO:HD3	2.47	0.43
1:A:343:LYS:HA	1:A:343:LYS:HD2	1.93	0.43
1:A:34:HIS:CG	1:A:53:CYS:HG	2.35	0.43
1:A:524:LEU:HD13	1:A:524:LEU:HA	1.69	0.43
1:A:56:GLU:O	1:A:56:GLU:HG2	2.18	0.43
1:A:508:TYR:O	1:A:521:VAL:HG22	2.18	0.43
1:A:24:MET:CE	1:A:66:CYS:HB3	2.49	0.42
1:A:34:HIS:CG	1:A:53:CYS:SG	3.12	0.42
1:A:430:ILE:HG23	1:A:448:VAL:O	2.19	0.42
1:A:6:MET:SD	1:A:18:PRO:HD3	2.60	0.42
1:A:331:GLU:H	1:A:331:GLU:CD	2.28	0.42
1:A:205:TYR:CZ	1:A:222:LYS:HB2	2.55	0.42
1:A:489:GLY:HA3	1:A:500:LEU:HD11	2.02	0.42
1:A:431:ARG:NE	1:A:431:ARG:HA	2.35	0.42
1:A:155:LEU:HD13	1:A:155:LEU:HA	1.85	0.41
1:A:449:THR:H	1:A:497:LEU:CA	2.24	0.41
1:A:77:MET:HE2	1:A:77:MET:HB3	1.63	0.41
1:A:182:VAL:HG13	1:A:208:PHE:CE1	2.56	0.41
1:A:311:THR:HB	1:A:354:ALA:HB1	2.01	0.41
1:A:436:LEU:HD23	1:A:437:GLN:H	1.84	0.41
1:A:169:ASN:HB3	1:A:229:ALA:HB3	2.01	0.41
1:A:408:LYS:C	1:A:409:LEU:HD12	2.45	0.41
1:A:50:CYS:SG	1:A:53:CYS:CB	3.08	0.41
1:A:503:LYS:HA	1:A:503:LYS:HD3	1.45	0.41
1:A:507:GLN:HA	1:A:523:ARG:HG2	2.02	0.41
1:A:500:LEU:HD13	1:A:501:GLU:N	2.35	0.41
1:A:224:LYS:HG3	1:A:225:PRO:CD	2.21	0.40
1:A:413:ASN:OD1	1:A:413:ASN:N	2.53	0.40
1:A:32:CYS:SG	1:A:50:CYS:HB2	2.61	0.40
1:A:24:MET:HE2	1:A:66:CYS:HB3	2.02	0.40
1:A:432:GLY:HA3	1:A:434:GLU:OE1	2.22	0.40
1:A:456:HIS:CE1	1:A:519:ASN:OD1	2.74	0.40
1:A:43:CYS:HB3	1:A:48:ALA:CB	2.51	0.40
1:A:433:LYS:HG2	1:A:440:MET:HG2	2.03	0.40
1:A:498:MET:HE2	1:A:498:MET:HB3	1.60	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	522/529 (99%)	499 (96%)	23 (4%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	447/451 (99%)	419 (94%)	28 (6%)	16 37

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	LEU
1	A	153	GLU
1	A	155	LEU
1	A	173	VAL
1	A	226	VAL
1	A	317	GLN
1	A	385	LYS
1	A	446	LYS
1	A	458	THR
1	A	465	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	475	LEU
1	A	479	VAL
1	A	480	ASP
1	A	482	PHE
1	A	483	THR
1	A	487	ILE
1	A	490	THR
1	A	497	LEU
1	A	498	MET
1	A	501	GLU
1	A	502	ILE
1	A	503	LYS
1	A	505	LYS
1	A	509	CYS
1	A	511	LEU
1	A	515	LEU
1	A	521	VAL
1	A	524	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	169	ASN
1	A	171	ASN
1	A	248	GLN
1	A	285	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	524/529 (99%)	0.32	23 (4%) 39 36	30, 79, 147, 167	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	4	GLY	5.8
1	A	435	GLN	4.6
1	A	491	PRO	3.8
1	A	35	CYS	3.4
1	A	502	ILE	3.4
1	A	53	CYS	3.2
1	A	228	GLY	3.1
1	A	494	VAL	3.1
1	A	442	LEU	2.7
1	A	448	VAL	2.7
1	A	470	GLY	2.6
1	A	483	THR	2.6
1	A	492	VAL	2.5
1	A	450	PHE	2.4
1	A	5	PHE	2.3
1	A	229	ALA	2.3
1	A	472	LEU	2.2
1	A	109	GLY	2.2
1	A	479	VAL	2.1
1	A	313	GLY	2.1
1	A	485	GLY	2.1
1	A	465	VAL	2.1
1	A	488	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ZN	A	602	1/1	0.48	0.36	85,85,85,85	0
2	ZN	A	601	1/1	0.78	0.12	79,79,79,79	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ZN A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.