



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 07:32 AM UTC

PDB ID : 7FAI / pdb_00007fai
Title : CARM1 bound with compound 9
Authors : Cao, D.Y.; Li, J.; Xiong, B.
Deposited on : 2021-07-06
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	336	93% 6%
1	B	336	88% 11%
1	C	336	90% 9%
1	D	336	94% 5%

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 11109 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone-arginine methyltransferase CARM1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	333	Total	C	N	O	S	0	0	0
			2670	1728	441	487	14			
1	B	334	Total	C	N	O	S	0	0	0
			2676	1731	442	489	14			
1	C	336	Total	C	N	O	S	0	0	0
			2694	1741	444	495	14			
1	D	336	Total	C	N	O	S	0	0	0
			2686	1737	441	494	14			

- Molecule 2 is N'-[[3-[4-(3,5-dimethyl-1,2-oxazol-4-yl)-5-methyl-6-(oxan-4-ylamino)pyrimidin-2-yl]phenyl]methyl]-N-methyl-ethane-1,2-diamine (CCD ID: XJ3) (formula: C₂₅H₃₄N₆O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			33	25	6	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total 33	C 25	N 6	O 2	0	0
2	C	1	Total 33	C 25	N 6	O 2	0	0
2	D	1	Total 33	C 25	N 6	O 2	0	0


- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	94	Total 94	O 94	0	0
3	B	35	Total 35	O 35	0	0
3	C	29	Total 29	O 29	0	0
3	D	93	Total 93	O 93	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Histone-arginine methyltransferase CARM1

Chain A: 




- Molecule 1: Histone-arginine methyltransferase CARM1

Chain B: 




- Molecule 1: Histone-arginine methyltransferase CARM1

Chain C: 



- Molecule 1: Histone-arginine methyltransferase CARM1

Chain D: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	74.82Å 98.60Å 205.97Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	60.53 – 2.10 60.53 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.7 (60.53-2.10) 99.7 (60.53-2.10)	Depositor EDS
R_{merge}	0.61	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.26 (at 2.10Å)	Xtrriage
Refinement program	PHENIX 1.11.1 _2575	Depositor
R, R_{free}	0.194 , 0.232 0.195 , 0.232	Depositor DCC
R_{free} test set	4489 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	23.6	Xtrriage
Anisotropy	0.141	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 40.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11109	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 26.28 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.7102e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: XJ3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/2739	0.55	0/3713
1	B	0.27	0/2745	0.46	0/3721
1	C	0.32	1/2763 (0.0%)	0.51	1/3745 (0.0%)
1	D	0.36	0/2755	0.60	2/3735 (0.1%)
All	All	0.33	1/11002 (0.0%)	0.53	3/14914 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	2
1	D	0	1
All	All	0	3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	331	VAL	CA-CB	-6.71	1.45	1.54

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	319	HIS	CA-C-N	-7.04	104.41	122.78
1	D	319	HIS	C-N-CA	-7.04	104.41	122.78
1	C	331	VAL	N-CA-C	6.64	123.16	109.34

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	330	ALA	Peptide
1	C	331	VAL	Peptide
1	D	320	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2670	0	2628	18	0
1	B	2676	0	2633	27	0
1	C	2694	0	2645	40	0
1	D	2686	0	2629	18	0
2	A	33	0	0	0	0
2	B	33	0	0	0	0
2	C	33	0	0	0	0
2	D	33	0	0	0	0
3	A	94	0	0	0	0
3	B	35	0	0	0	0
3	C	29	0	0	0	0
3	D	93	0	0	1	0
All	All	11109	0	10535	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:330:ALA:HB1	1:C:331:VAL:HA	1.51	0.92
1:A:459:THR:HG23	1:A:461:SER:H	1.37	0.89
1:C:331:VAL:CG1	1:C:334:TYR:H	1.91	0.84
1:C:304:MET:HE2	1:D:304:MET:HE1	1.59	0.84
1:C:331:VAL:HG13	1:C:334:TYR:H	1.44	0.81
1:B:179:ASN:HA	1:B:399:ILE:HD13	1.68	0.76
1:B:263:LEU:HD23	1:B:292:VAL:HG22	1.68	0.76
1:B:294:LEU:HD22	1:B:389:PHE:CD2	2.21	0.76
1:C:294:LEU:HD22	1:C:389:PHE:CE2	2.21	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:331:VAL:HG11	1:C:334:TYR:CD2	2.24	0.72
1:D:474:PHE:O	1:D:476:TYR:N	2.20	0.72
1:C:330:ALA:HB1	1:C:333:GLU:H	1.57	0.70
1:A:456:VAL:HB	1:A:459:THR:HG22	1.74	0.69
1:C:294:LEU:CD2	1:C:389:PHE:CE2	2.77	0.68
1:B:156:LEU:HD12	1:C:330:ALA:HB3	1.76	0.67
1:C:331:VAL:HG11	1:C:334:TYR:HD2	1.58	0.66
1:B:387:LEU:HD12	1:B:452:ILE:HD13	1.79	0.65
1:C:331:VAL:HG11	1:C:334:TYR:HB2	1.80	0.63
1:B:336:ARG:HH21	1:B:337:GLN:HG2	1.65	0.61
1:C:349:MET:HE1	1:C:384:VAL:HG22	1.84	0.60
1:D:476:TYR:HA	1:D:477:THR:C	2.27	0.59
1:B:294:LEU:HD22	1:B:389:PHE:CE2	2.38	0.59
1:C:330:ALA:CB	1:C:331:VAL:HA	2.20	0.57
1:C:292:VAL:HG12	1:C:355:TYR:HB3	1.86	0.57
1:C:440:LEU:HD22	1:C:450:ILE:HD13	1.86	0.57
1:B:145:SER:OG	1:B:446:GLN:OE1	2.14	0.56
1:A:148:GLN:HG3	1:D:148:GLN:HG3	1.87	0.55
1:D:416:TYR:CZ	1:D:477:THR:HA	2.42	0.54
1:C:310:ALA:HB1	1:C:331:VAL:HB	1.89	0.54
1:B:189:LEU:HD13	1:B:247:LEU:HD21	1.90	0.54
1:D:262:MET:HE1	1:D:420:CYS:SG	2.48	0.54
1:B:262:MET:HE3	1:B:418:VAL:HG11	1.89	0.53
1:A:204:GLN:NE2	1:D:320:GLY:HA3	2.23	0.53
1:A:187:ILE:HD11	1:A:208:ARG:NH1	2.23	0.53
1:B:233:ASP:OD1	1:B:233:ASP:N	2.40	0.53
1:D:262:MET:HE2	1:D:389:PHE:CD1	2.44	0.53
1:C:304:MET:HE2	1:D:304:MET:CE	2.34	0.53
1:C:294:LEU:HD22	1:C:389:PHE:CD2	2.44	0.53
1:C:294:LEU:CD2	1:C:389:PHE:CD2	2.92	0.52
1:B:219:ALA:O	1:B:223:GLU:HG3	2.09	0.52
1:D:262:MET:HE3	1:D:418:VAL:CG1	2.38	0.52
1:B:181:THR:OG1	1:B:399:ILE:HD11	2.09	0.52
1:C:439:LEU:HB3	1:C:451:SER:HB3	1.91	0.51
1:D:188:VAL:HG22	1:D:210:ILE:HG23	1.93	0.51
1:B:174:ARG:HG2	1:B:178:GLN:HG3	1.92	0.51
1:C:420:CYS:SG	1:C:467:LEU:HD22	2.50	0.50
1:C:450:ILE:O	1:C:466:LEU:HD22	2.11	0.50
1:B:440:LEU:HD22	1:B:450:ILE:HG12	1.95	0.49
1:C:255:ILE:HG22	1:C:286:PHE:HB2	1.95	0.49
1:C:265:ASN:O	1:C:447:SER:HA	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:264:PHE:CE2	1:B:292:VAL:HG21	2.48	0.48
1:B:279:LEU:HD11	1:B:283:GLY:HA3	1.96	0.48
1:A:188:VAL:CG2	1:A:210:ILE:HG12	2.44	0.48
1:D:474:PHE:C	1:D:476:TYR:H	2.15	0.48
1:C:450:ILE:HB	1:C:467:LEU:HB2	1.96	0.48
1:C:327:ARG:O	1:C:331:VAL:N	2.44	0.47
1:A:440:LEU:HD23	1:A:450:ILE:HG12	1.97	0.47
1:A:187:ILE:HD12	1:A:209:LYS:HB3	1.97	0.47
1:A:459:THR:HG23	1:A:461:SER:HB3	1.96	0.47
1:C:292:VAL:CG1	1:C:355:TYR:HB3	2.44	0.47
1:B:258:PRO:HD2	1:B:259:MET:SD	2.55	0.47
1:C:349:MET:CE	1:C:384:VAL:HG22	2.44	0.46
1:D:262:MET:HE3	1:D:418:VAL:HG11	1.96	0.46
1:C:304:MET:HE1	1:C:307:PHE:HD2	1.80	0.46
1:B:262:MET:HE1	1:B:420:CYS:SG	2.56	0.46
1:C:331:VAL:HG11	1:C:334:TYR:CB	2.45	0.46
1:D:207:ALA:HB3	1:D:210:ILE:HD11	1.97	0.46
1:B:341:ASP:HB2	1:B:475:ARG:HB3	1.97	0.46
1:B:247:LEU:HB2	1:B:278:TYR:CE1	2.52	0.45
1:A:174:ARG:NH1	1:A:178:GLN:HE22	2.15	0.45
1:A:188:VAL:HG22	1:A:210:ILE:HG12	1.99	0.45
1:A:187:ILE:HD11	1:A:208:ARG:CZ	2.48	0.44
1:A:174:ARG:HH11	1:A:178:GLN:HE22	1.65	0.44
1:B:376:PHE:O	1:B:433:THR:HA	2.18	0.44
1:B:336:ARG:O	1:B:336:ARG:HG2	2.18	0.44
1:B:262:MET:HE3	1:B:418:VAL:CG1	2.47	0.43
1:A:459:THR:CG2	1:A:461:SER:HB3	2.48	0.43
1:D:262:MET:HE1	1:D:420:CYS:HG	1.82	0.43
1:A:264:PHE:CE2	1:A:292:VAL:HG21	2.53	0.43
1:C:217:THR:O	1:C:220:GLN:HG2	2.19	0.43
1:C:258:PRO:HD2	1:C:259:MET:SD	2.58	0.43
1:C:331:VAL:O	1:C:331:VAL:HG12	2.18	0.42
1:A:178:GLN:HB3	1:A:400:MET:HE3	2.02	0.42
1:D:474:PHE:C	1:D:476:TYR:N	2.75	0.42
1:B:300:GLU:HG3	1:B:304:MET:HE2	2.01	0.42
1:C:450:ILE:O	1:C:466:LEU:HA	2.20	0.42
1:A:183:PHE:O	1:A:207:ALA:HA	2.20	0.41
1:B:294:LEU:CD2	1:B:389:PHE:CD2	2.98	0.41
1:C:440:LEU:HD22	1:C:450:ILE:CD1	2.50	0.41
1:D:241:LYS:NZ	3:D:607:HOH:O	2.52	0.41
1:C:298:THR:O	1:C:347:ILE:HB	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:294:LEU:HD21	1:C:389:PHE:CE2	2.54	0.41
1:C:341:ASP:OD2	1:C:475:ARG:HD3	2.21	0.41
1:D:294:LEU:HA	1:D:388:ALA:O	2.20	0.41
1:C:331:VAL:CG1	1:C:334:TYR:HB2	2.50	0.41
1:B:262:MET:HE2	1:B:389:PHE:CD1	2.55	0.40
1:C:349:MET:HE1	1:C:384:VAL:HA	2.02	0.40
1:A:174:ARG:HG2	1:A:178:GLN:NE2	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	331/336 (98%)	319 (96%)	12 (4%)	0	100	100
1	B	332/336 (99%)	321 (97%)	11 (3%)	0	100	100
1	C	334/336 (99%)	321 (96%)	13 (4%)	0	100	100
1	D	334/336 (99%)	320 (96%)	12 (4%)	2 (1%)	21	18
All	All	1331/1344 (99%)	1281 (96%)	48 (4%)	2 (0%)	43	44

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	475	ARG
1	D	476	TYR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	289/292 (99%)	289 (100%)	0	100	100
1	B	290/292 (99%)	289 (100%)	1 (0%)	86	91
1	C	292/292 (100%)	292 (100%)	0	100	100
1	D	290/292 (99%)	289 (100%)	1 (0%)	86	91
All	All	1161/1168 (99%)	1159 (100%)	2 (0%)	87	93

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	446	GLN
1	D	188	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	148	GLN
1	A	164	GLN
1	A	180	HIS
1	C	158	GLN
1	C	315	GLN
1	D	311	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	XJ3	B	501	-	34,36,36	2.00	9 (26%)	42,49,49	2.41	13 (30%)
2	XJ3	A	501	-	34,36,36	1.87	6 (17%)	42,49,49	2.39	11 (26%)
2	XJ3	C	501	-	34,36,36	2.00	9 (26%)	42,49,49	2.38	12 (28%)
2	XJ3	D	501	-	34,36,36	1.99	9 (26%)	42,49,49	2.62	14 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	XJ3	B	501	-	-	5/18/26/26	0/4/4/4
2	XJ3	A	501	-	-	5/18/26/26	0/4/4/4
2	XJ3	C	501	-	-	6/18/26/26	0/4/4/4
2	XJ3	D	501	-	-	5/18/26/26	0/4/4/4

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	XJ3	C12-N13	8.94	1.49	1.35
2	C	501	XJ3	C12-N13	8.91	1.49	1.35
2	D	501	XJ3	C12-N13	8.48	1.48	1.35
2	A	501	XJ3	C12-N13	8.25	1.48	1.35
2	B	501	XJ3	C9-C10	2.84	1.56	1.48
2	D	501	XJ3	C23-C24	2.82	1.39	1.36
2	B	501	XJ3	C6-C7	2.73	1.57	1.51
2	A	501	XJ3	C6-C7	2.68	1.57	1.51
2	D	501	XJ3	C6-C7	2.61	1.57	1.51
2	C	501	XJ3	C6-C7	2.52	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	501	XJ3	O26-N27	-2.51	1.37	1.42
2	A	501	XJ3	C15-C14	-2.51	1.46	1.52
2	C	501	XJ3	C25-C24	2.44	1.54	1.49
2	A	501	XJ3	C9-C10	2.41	1.55	1.48
2	D	501	XJ3	C25-C24	2.37	1.54	1.49
2	D	501	XJ3	C28-N27	2.35	1.35	1.30
2	D	501	XJ3	C15-C14	-2.35	1.46	1.52
2	C	501	XJ3	C9-C10	2.34	1.54	1.48
2	C	501	XJ3	C29-C28	2.24	1.54	1.49
2	C	501	XJ3	C15-C14	-2.23	1.46	1.52
2	B	501	XJ3	O26-N27	-2.23	1.38	1.42
2	A	501	XJ3	C25-C24	2.20	1.54	1.49
2	B	501	XJ3	C25-C24	2.20	1.54	1.49
2	C	501	XJ3	C23-C24	2.16	1.38	1.36
2	B	501	XJ3	C28-N27	2.15	1.35	1.30
2	B	501	XJ3	C29-C28	2.12	1.54	1.49
2	B	501	XJ3	C23-C24	2.12	1.38	1.36
2	B	501	XJ3	C15-C14	-2.10	1.47	1.52
2	D	501	XJ3	O26-N27	-2.08	1.38	1.42
2	A	501	XJ3	O26-N27	-2.08	1.38	1.42
2	D	501	XJ3	C19-C14	-2.05	1.47	1.52
2	D	501	XJ3	C9-C10	2.04	1.54	1.48
2	C	501	XJ3	C28-N27	2.00	1.35	1.30

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	XJ3	C24-C23-C28	8.79	109.50	104.38
2	A	501	XJ3	C24-C23-C28	7.71	108.87	104.38
2	B	501	XJ3	C24-C23-C28	6.93	108.42	104.38
2	D	501	XJ3	C12-N13-C14	-6.84	112.63	124.18
2	C	501	XJ3	C24-C23-C28	6.45	108.14	104.38
2	C	501	XJ3	O26-C24-C25	6.21	126.19	116.59
2	D	501	XJ3	O26-C24-C25	5.93	125.76	116.59
2	B	501	XJ3	O26-C24-C25	5.86	125.65	116.59
2	A	501	XJ3	O26-C24-C25	5.69	125.39	116.59
2	D	501	XJ3	C29-C28-N27	4.85	128.30	119.86
2	C	501	XJ3	C20-C22-N30	-4.80	118.33	123.32
2	A	501	XJ3	C20-C22-N30	-4.57	118.56	123.32
2	B	501	XJ3	C12-N13-C14	-4.54	116.52	124.18
2	C	501	XJ3	C25-C24-C23	-4.53	127.69	133.91
2	A	501	XJ3	C22-N30-C10	4.29	121.00	116.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	XJ3	C29-C28-N27	4.18	127.12	119.86
2	B	501	XJ3	C25-C24-C23	-4.14	128.22	133.91
2	B	501	XJ3	C20-C22-N30	-4.11	119.04	123.32
2	B	501	XJ3	C22-N30-C10	3.91	120.57	116.19
2	C	501	XJ3	C22-C20-C12	3.88	118.89	115.84
2	A	501	XJ3	C29-C28-N27	3.83	126.52	119.86
2	C	501	XJ3	C29-C28-N27	3.74	126.35	119.86
2	D	501	XJ3	C25-C24-C23	-3.61	128.95	133.91
2	C	501	XJ3	C22-N30-C10	3.54	120.16	116.19
2	A	501	XJ3	C25-C24-C23	-3.44	129.18	133.91
2	B	501	XJ3	C19-C14-C15	3.42	116.71	110.80
2	A	501	XJ3	C24-O26-N27	3.37	112.26	108.51
2	A	501	XJ3	C12-N13-C14	-3.33	118.56	124.18
2	C	501	XJ3	C20-C12-N11	-3.18	119.31	122.39
2	D	501	XJ3	C20-C12-N11	-3.18	119.31	122.39
2	D	501	XJ3	C24-O26-N27	3.11	111.97	108.51
2	B	501	XJ3	C22-C20-C12	2.82	118.05	115.84
2	A	501	XJ3	C19-C14-N13	-2.75	106.34	110.77
2	D	501	XJ3	C22-N30-C10	2.74	119.26	116.19
2	D	501	XJ3	C31-C9-C8	2.74	121.99	118.23
2	C	501	XJ3	C24-O26-N27	2.73	111.54	108.51
2	B	501	XJ3	C24-O26-N27	2.67	111.48	108.51
2	A	501	XJ3	C22-C20-C12	2.66	117.93	115.84
2	B	501	XJ3	C20-C12-N11	-2.66	119.81	122.39
2	C	501	XJ3	C31-C9-C8	2.64	121.87	118.23
2	D	501	XJ3	C20-C22-N30	-2.60	120.61	123.32
2	B	501	XJ3	C15-C14-N13	-2.58	106.63	110.77
2	D	501	XJ3	C12-N11-C10	2.49	120.86	116.36
2	C	501	XJ3	C12-N13-C14	-2.48	120.00	124.18
2	C	501	XJ3	C15-C14-N13	-2.46	106.81	110.77
2	A	501	XJ3	C20-C12-N11	-2.44	120.03	122.39
2	D	501	XJ3	C1-N2-C3	-2.29	105.63	112.01
2	D	501	XJ3	C9-C8-C7	-2.23	118.22	121.20
2	B	501	XJ3	C12-N11-C10	2.22	120.37	116.36
2	D	501	XJ3	C29-C28-C23	-2.09	125.50	129.01

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	XJ3	C20-C22-C23-C28
2	B	501	XJ3	C20-C22-C23-C28

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	501	XJ3	C20-C22-C23-C28
2	D	501	XJ3	C20-C22-C23-C28
2	C	501	XJ3	N30-C10-C9-C31
2	C	501	XJ3	N11-C10-C9-C31
2	C	501	XJ3	N30-C10-C9-C8
2	C	501	XJ3	N11-C10-C9-C8
2	A	501	XJ3	N30-C10-C9-C31
2	A	501	XJ3	N11-C10-C9-C31
2	A	501	XJ3	N30-C10-C9-C8
2	A	501	XJ3	N11-C10-C9-C8
2	D	501	XJ3	N30-C10-C9-C31
2	D	501	XJ3	N11-C10-C9-C31
2	B	501	XJ3	N30-C10-C9-C31
2	D	501	XJ3	N30-C10-C9-C8
2	D	501	XJ3	N11-C10-C9-C8
2	B	501	XJ3	N30-C10-C9-C8
2	B	501	XJ3	N11-C10-C9-C31
2	B	501	XJ3	N11-C10-C9-C8
2	C	501	XJ3	N2-C3-C4-N05

There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand XJ3 B 501



Ligand XJ3 A 501





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	333/336 (99%)	-0.18	5 (1%) 72 74	11, 18, 29, 34	0
1	B	334/336 (99%)	0.36	5 (1%) 72 74	23, 31, 42, 49	0
1	C	336/336 (100%)	0.39	7 (2%) 63 66	23, 30, 40, 54	0
1	D	336/336 (100%)	-0.05	9 (2%) 56 59	11, 20, 33, 54	0
All	All	1339/1344 (99%)	0.13	26 (1%) 66 69	11, 26, 39, 54	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	329	ALA	11.3
1	D	476	TYR	7.7
1	C	331	VAL	6.5
1	D	477	THR	5.9
1	C	330	ALA	5.3
1	D	320	GLY	3.7
1	D	144	SER	3.3
1	D	314	TYR	3.2
1	C	314	TYR	3.0
1	B	185	ASP	2.6
1	D	142	GLU	2.5
1	C	466	LEU	2.5
1	D	143	GLU	2.5
1	A	459	THR	2.4
1	B	144	SER	2.3
1	A	185	ASP	2.3
1	A	314	TYR	2.3
1	D	427	PHE	2.2
1	B	336	ARG	2.1
1	B	233	ASP	2.1
1	B	477	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	146	ALA	2.1
1	C	307	PHE	2.1
1	A	282	SER	2.1
1	A	308	THR	2.1
1	D	185	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	XJ3	C	501	33/33	0.90	0.10	21,28,36,39	0
2	XJ3	B	501	33/33	0.93	0.09	19,24,31,33	0
2	XJ3	D	501	33/33	0.93	0.08	11,16,24,28	0
2	XJ3	A	501	33/33	0.95	0.07	14,17,24,30	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around XJ3 C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around XJ3 B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XJ3 D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around XJ3 A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.