



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 07:00 AM UTC

PDB ID : 8FBV / pdb_00008fbv
Title : Compound 7 bound to procaspase-6
Authors : Fan, P.; Zhao, Y.; Renslo, A.R.; Arkin, M.R.
Deposited on : 2022-11-30
Resolution : 2.86 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.86 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1407 (2.88-2.84)
Clashscore	190562	1446 (2.88-2.84)
Ramachandran outliers	187476	1406 (2.88-2.84)
Sidechain outliers	187428	1407 (2.88-2.84)
RSRZ outliers	180081	1408 (2.88-2.84)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	299	
1	B	299	
1	C	299	
1	D	299	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8102 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Procaspase-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	251	Total	C	N	O	S	0	0	0
			2024	1292	350	368	14			
1	B	245	Total	C	N	O	S	0	0	0
			1967	1254	342	357	14			
1	C	245	Total	C	N	O	S	0	0	0
			1967	1254	342	357	14			
1	D	245	Total	C	N	O	S	0	0	0
			1967	1254	342	357	14			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	163	ALA	CYS	conflict	UNP P55212
A	294	GLU	-	expression tag	UNP P55212
A	295	ASN	-	expression tag	UNP P55212
A	296	LEU	-	expression tag	UNP P55212
A	297	TYR	-	expression tag	UNP P55212
A	298	PHE	-	expression tag	UNP P55212
A	299	GLN	-	expression tag	UNP P55212
B	163	ALA	CYS	conflict	UNP P55212
B	294	GLU	-	expression tag	UNP P55212
B	295	ASN	-	expression tag	UNP P55212
B	296	LEU	-	expression tag	UNP P55212
B	297	TYR	-	expression tag	UNP P55212
B	298	PHE	-	expression tag	UNP P55212
B	299	GLN	-	expression tag	UNP P55212
C	163	ALA	CYS	conflict	UNP P55212
C	294	GLU	-	expression tag	UNP P55212
C	295	ASN	-	expression tag	UNP P55212
C	296	LEU	-	expression tag	UNP P55212
C	297	TYR	-	expression tag	UNP P55212
C	298	PHE	-	expression tag	UNP P55212
C	299	GLN	-	expression tag	UNP P55212

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	163	ALA	CYS	conflict	UNP P55212
D	294	GLU	-	expression tag	UNP P55212
D	295	ASN	-	expression tag	UNP P55212
D	296	LEU	-	expression tag	UNP P55212
D	297	TYR	-	expression tag	UNP P55212
D	298	PHE	-	expression tag	UNP P55212
D	299	GLN	-	expression tag	UNP P55212

- Molecule 2 is 5-fluoro-2-({[(3M)-3-(1H-imidazol-2-yl)pyridin-2-yl]amino}methyl)phenol (CCD ID: XOW) (formula: C₁₅H₁₃FN₄O).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	F	N	O	0	1
			42	30	2	8	2		
2	D	1	Total	C	F	N	O	0	1
			42	30	2	8	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	21	Total	O	0	0
			21	21		
3	B	25	Total	O	0	0
			25	25		
3	C	20	Total	O	0	0
			20	20		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	27	Total	O	0	0
			27	27		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Procaspase-6



• Molecule 1: Procaspase-6




• Molecule 1: Procaspase-6





● Molecule 1: Procaspase-6



4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	101.57Å 101.57Å 321.26Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.42 – 2.86 48.42 – 2.86	Depositor EDS
% Data completeness (in resolution range)	61.0 (48.42-2.86) 61.3 (48.42-2.86)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.65 (at 2.86Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.189 , 0.221 0.197 , 0.235	Depositor DCC
R_{free} test set	1333 reflections (3.09%)	wwPDB-VP
Wilson B-factor (Å ²)	34.8	Xtriage
Anisotropy	0.122	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 2.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.439 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8102	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: XOW

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.99	0/2071	1.35	0/2789
1	B	0.98	0/2012	1.36	0/2709
1	C	0.99	1/2012 (0.0%)	1.37	0/2709
1	D	0.99	0/2012	1.41	4/2709 (0.1%)
All	All	0.98	1/8107 (0.0%)	1.37	4/10916 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	202	ALA	C-O	5.71	1.27	1.23

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	165	GLY	CA-C-N	6.21	129.07	120.63
1	D	165	GLY	C-N-CA	6.21	129.07	120.63
1	D	291	LYS	CA-C-N	5.55	128.59	120.71
1	D	291	LYS	C-N-CA	5.55	128.59	120.71

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2024	0	1985	27	0
1	B	1967	0	1936	25	0
1	C	1967	0	1936	26	0
1	D	1967	0	1936	20	0
2	B	42	0	0	1	0
2	D	42	0	0	0	0
3	A	21	0	0	2	0
3	B	25	0	0	1	0
3	C	20	0	0	0	0
3	D	27	0	0	1	0
All	All	8102	0	7793	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:201:PRO:HB2	1:B:281:MET:SD	2.25	0.76
1:A:201:PRO:HB2	1:A:281:MET:SD	2.26	0.75
1:A:243:LEU:O	3:A:301:HOH:O	2.08	0.72
1:C:112:ASP:OD2	1:C:291:LYS:HE2	1.90	0.72
1:A:112:ASP:OD2	1:A:291:LYS:HE2	1.90	0.70
1:B:112:ASP:OD2	1:B:291:LYS:HE2	1.92	0.69
1:D:224:ASN:HD22	1:D:224:ASN:N	1.91	0.68
1:A:224:ASN:HD22	1:A:224:ASN:N	1.93	0.67
1:B:224:ASN:HD22	1:B:224:ASN:N	1.93	0.67
1:C:188:ASN:ND2	1:C:223:VAL:H	1.92	0.66
1:C:224:ASN:N	1:C:224:ASN:HD22	1.90	0.65
1:D:201:PRO:HB2	1:D:281:MET:SD	2.38	0.63
1:C:227:TRP:CE3	1:C:259:ARG:HD2	2.34	0.63
1:B:125:ASN:HB3	3:B:418:HOH:O	1.98	0.63
1:D:227:TRP:CE3	1:D:259:ARG:HD2	2.33	0.62
1:D:235:MET:HE3	1:D:255:LYS:HG3	1.82	0.62
1:C:144:LYS:HE2	3:D:426:HOH:O	2.03	0.58
1:C:143:PHE:O	1:C:145:GLY:N	2.37	0.57
1:D:166:ASN:C	1:D:167:GLN:HG2	2.32	0.54
1:B:145:GLY:HA3	1:B:152:VAL:HG22	1.91	0.53
1:D:224:ASN:N	1:D:224:ASN:ND2	2.56	0.52
1:C:224:ASN:N	1:C:224:ASN:ND2	2.56	0.51
1:B:224:ASN:N	1:B:224:ASN:ND2	2.58	0.51
1:C:206:PHE:O	1:C:281:MET:HE2	2.09	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:GLY:HA3	3:A:304:HOH:O	2.10	0.50
1:A:248:LEU:C	1:A:248:LEU:HD23	2.37	0.49
1:D:248:LEU:C	1:D:248:LEU:HD23	2.38	0.49
1:B:198:TYR:HB2	1:B:200:LEU:HD23	1.95	0.49
1:D:75:THR:HG23	1:D:85:VAL:HG11	1.94	0.49
1:C:248:LEU:C	1:C:248:LEU:HD23	2.38	0.49
1:B:227:TRP:CD1	1:B:259:ARG:HH21	2.31	0.48
1:A:145:GLY:HA3	1:A:152:VAL:HG22	1.94	0.48
1:B:248:LEU:C	1:B:248:LEU:HD23	2.37	0.48
1:B:75:THR:HG23	1:B:85:VAL:HG11	1.96	0.48
1:A:75:THR:HG23	1:A:85:VAL:HG11	1.96	0.47
1:A:112:ASP:OD2	1:A:291:LYS:CE	2.62	0.47
1:C:75:THR:HG23	1:C:85:VAL:HG11	1.94	0.47
1:C:188:ASN:ND2	1:C:223:VAL:N	2.61	0.47
1:A:227:TRP:CD1	1:A:259:ARG:HH21	2.31	0.47
1:B:112:ASP:OD2	1:B:291:LYS:CE	2.63	0.47
1:D:145:GLY:HA3	1:D:152:VAL:HG22	1.97	0.47
1:A:224:ASN:N	1:A:224:ASN:ND2	2.58	0.46
1:B:51:ASN:HD22	1:B:89:ASN:ND2	2.14	0.46
1:A:199:THR:OG1	1:B:201:PRO:HD3	2.16	0.46
1:B:126:HIS:HB3	1:B:133:LYS:HB2	1.97	0.46
1:A:51:ASN:HD22	1:A:89:ASN:ND2	2.13	0.46
1:A:244:GLU:O	1:A:247:GLU:HB2	2.16	0.46
1:A:32:ASP:O	1:B:254:ARG:NH2	2.49	0.46
1:B:244:GLU:O	1:B:247:GLU:HB2	2.16	0.46
1:C:126:HIS:HB3	1:C:133:LYS:HB2	1.97	0.46
1:A:126:HIS:HB3	1:A:133:LYS:HB2	1.97	0.46
1:C:51:ASN:HD22	1:C:89:ASN:ND2	2.14	0.46
1:C:244:GLU:O	1:C:247:GLU:HB2	2.16	0.46
1:D:126:HIS:HB3	1:D:133:LYS:HB2	1.96	0.46
1:D:51:ASN:HD22	1:D:89:ASN:ND2	2.14	0.46
1:D:244:GLU:O	1:D:247:GLU:HB2	2.16	0.46
1:D:248:LEU:O	1:D:251:LEU:HB2	2.16	0.46
1:C:248:LEU:O	1:C:251:LEU:HB2	2.16	0.45
1:D:245:PHE:O	1:D:248:LEU:HB3	2.17	0.45
1:C:111:ALA:O	1:C:154:LYS:HE3	2.17	0.45
1:D:211:SER:HA	1:D:228:TYR:CG	2.52	0.44
1:A:208:MET:HB3	1:A:210:TYR:CE1	2.52	0.44
1:B:248:LEU:O	1:B:251:LEU:HB2	2.18	0.44
1:C:112:ASP:OD2	1:C:291:LYS:CE	2.63	0.44
1:C:211:SER:HA	1:C:228:TYR:CG	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:245:PHE:O	1:C:248:LEU:HB3	2.17	0.44
1:B:145:GLY:CA	1:B:152:VAL:HG22	2.48	0.44
1:D:53:GLU:O	1:D:63:GLU:HA	2.18	0.43
1:A:248:LEU:O	1:A:251:LEU:HB2	2.18	0.43
1:C:143:PHE:C	1:C:145:GLY:H	2.27	0.43
1:A:200:LEU:HD23	2:B:301[A]:XOW:C1	2.49	0.43
1:A:245:PHE:O	1:A:248:LEU:HB3	2.18	0.43
1:B:211:SER:HA	1:B:228:TYR:CG	2.53	0.43
1:A:211:SER:HA	1:A:228:TYR:CG	2.53	0.42
1:B:245:PHE:O	1:B:248:LEU:HB3	2.18	0.42
1:B:120:SER:O	1:B:162:ALA:HA	2.20	0.42
1:C:108:HIS:H	1:C:150:SER:CB	2.33	0.42
1:A:120:SER:O	1:A:162:ALA:HA	2.20	0.42
1:C:202:ALA:H	1:C:281:MET:CE	2.33	0.42
1:C:53:GLU:O	1:C:63:GLU:HA	2.19	0.42
1:D:120:SER:O	1:D:162:ALA:HA	2.20	0.42
1:A:145:GLY:CA	1:A:152:VAL:HG22	2.50	0.42
1:C:202:ALA:H	1:C:281:MET:HE3	1.85	0.42
1:B:99:LYS:HD3	1:B:99:LYS:HA	1.89	0.41
1:C:120:SER:O	1:C:162:ALA:HA	2.20	0.41
1:D:166:ASN:O	1:D:167:GLN:CG	2.68	0.41
1:A:108:HIS:H	1:A:150:SER:CB	2.34	0.41
1:D:108:HIS:H	1:D:150:SER:CB	2.33	0.41
1:A:254:ARG:NH2	1:B:32:ASP:O	2.54	0.41
1:B:108:HIS:H	1:B:150:SER:CB	2.33	0.41
1:A:53:GLU:O	1:A:63:GLU:HA	2.21	0.41
1:D:166:ASN:C	1:D:167:GLN:CG	2.94	0.41
1:B:53:GLU:O	1:B:63:GLU:HA	2.21	0.40
1:A:281:MET:HE2	1:A:281:MET:HB3	1.93	0.40
1:C:122:GLY:O	1:C:196:SER:OG	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	247/299 (83%)	227 (92%)	20 (8%)	0	100	100
1	B	241/299 (81%)	222 (92%)	19 (8%)	0	100	100
1	C	241/299 (81%)	219 (91%)	21 (9%)	1 (0%)	30	48
1	D	241/299 (81%)	220 (91%)	21 (9%)	0	100	100
All	All	970/1196 (81%)	888 (92%)	81 (8%)	1 (0%)	48	68

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	144	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	219/260 (84%)	205 (94%)	14 (6%)	16	33
1	B	213/260 (82%)	198 (93%)	15 (7%)	14	29
1	C	213/260 (82%)	198 (93%)	15 (7%)	14	29
1	D	213/260 (82%)	202 (95%)	11 (5%)	21	43
All	All	858/1040 (82%)	803 (94%)	55 (6%)	16	33

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	LYS
1	A	64	ARG
1	A	71	ARG
1	A	123	GLU
1	A	125	ASN
1	A	127	ILE
1	A	150	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	167	GLN
1	A	200	LEU
1	A	224	ASN
1	A	255	LYS
1	A	262	ASP
1	A	291	LYS
1	A	292	SER
1	B	38	LYS
1	B	64	ARG
1	B	71	ARG
1	B	99	LYS
1	B	123	GLU
1	B	127	ILE
1	B	150	SER
1	B	167	GLN
1	B	200	LEU
1	B	201	PRO
1	B	224	ASN
1	B	255	LYS
1	B	262	ASP
1	B	291	LYS
1	B	292	SER
1	C	35	GLU
1	C	38	LYS
1	C	64	ARG
1	C	71	ARG
1	C	99	LYS
1	C	123	GLU
1	C	127	ILE
1	C	144	LYS
1	C	150	SER
1	C	154	LYS
1	C	192	VAL
1	C	200	LEU
1	C	224	ASN
1	C	262	ASP
1	C	291	LYS
1	D	64	ARG
1	D	71	ARG
1	D	99	LYS
1	D	123	GLU
1	D	127	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	150	SER
1	D	192	VAL
1	D	200	LEU
1	D	224	ASN
1	D	262	ASP
1	D	292	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	41	HIS
1	A	52	HIS
1	A	89	ASN
1	A	101	HIS
1	A	121	HIS
1	A	224	ASN
1	A	230	GLN
1	A	293	ASN
1	A	299	GLN
1	B	41	HIS
1	B	89	ASN
1	B	101	HIS
1	B	121	HIS
1	B	224	ASN
1	B	230	GLN
1	C	89	ASN
1	C	101	HIS
1	C	121	HIS
1	C	188	ASN
1	C	224	ASN
1	C	230	GLN
1	D	41	HIS
1	D	52	HIS
1	D	89	ASN
1	D	101	HIS
1	D	121	HIS
1	D	224	ASN
1	D	230	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	XOW	B	301[A]	-	23,23,23	1.06	1 (4%)	29,31,31	1.44	6 (20%)
2	XOW	D	301[B]	-	23,23,23	1.05	1 (4%)	29,31,31	1.63	6 (20%)
2	XOW	B	301[B]	-	23,23,23	1.00	1 (4%)	29,31,31	1.60	7 (24%)
2	XOW	D	301[A]	-	23,23,23	1.03	1 (4%)	29,31,31	1.54	5 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	XOW	B	301[A]	-	-	2/9/9/9	0/3/3/3
2	XOW	D	301[B]	-	-	1/9/9/9	0/3/3/3
2	XOW	B	301[B]	-	-	3/9/9/9	0/3/3/3
2	XOW	D	301[A]	-	-	0/9/9/9	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	301[B]	XOW	C1-N2	3.66	1.40	1.34
2	B	301[A]	XOW	C1-N2	3.61	1.40	1.34
2	D	301[A]	XOW	C1-N2	3.59	1.40	1.34
2	B	301[B]	XOW	C1-N2	3.29	1.39	1.34

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301[B]	XOW	C1-C5-C6	4.43	122.96	120.80
2	D	301[B]	XOW	C1-C5-C6	4.17	122.83	120.80
2	D	301[B]	XOW	C15-N4-C6	3.98	109.82	105.60
2	D	301[A]	XOW	C15-N4-C6	3.93	109.77	105.60
2	B	301[B]	XOW	C15-N4-C6	3.66	109.48	105.60
2	D	301[A]	XOW	C5-C1-N2	-3.62	119.65	121.81
2	B	301[A]	XOW	C15-N4-C6	3.61	109.43	105.60
2	D	301[B]	XOW	C2-N1-C1	2.82	122.22	116.74
2	D	301[A]	XOW	C2-N1-C1	2.70	122.00	116.74
2	B	301[B]	XOW	C10-C11-C12	-2.65	119.73	123.23
2	B	301[B]	XOW	C2-N1-C1	2.56	121.72	116.74
2	B	301[A]	XOW	C2-N1-C1	2.55	121.70	116.74
2	D	301[B]	XOW	C7-N2-C1	-2.49	119.86	123.08
2	D	301[B]	XOW	C9-C8-C13	2.45	120.83	118.16
2	D	301[B]	XOW	N3-C6-N4	-2.32	107.30	110.83
2	D	301[A]	XOW	C9-C8-C13	2.28	120.64	118.16
2	D	301[A]	XOW	N3-C6-N4	-2.26	107.39	110.83
2	B	301[B]	XOW	C7-N2-C1	-2.19	120.25	123.08
2	B	301[A]	XOW	C5-C1-N2	-2.14	120.53	121.81
2	B	301[B]	XOW	C9-C10-C11	2.12	120.55	118.38
2	B	301[A]	XOW	C1-C5-C6	2.10	121.82	120.80
2	B	301[A]	XOW	C10-C11-C12	-2.10	120.46	123.23
2	B	301[B]	XOW	N3-C6-N4	-2.07	107.68	110.83
2	B	301[A]	XOW	N3-C6-N4	-2.02	107.75	110.83

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	301[B]	XOW	C1-C5-C6-N3
2	D	301[B]	XOW	C1-C5-C6-N3
2	B	301[B]	XOW	N2-C7-C8-C13
2	B	301[A]	XOW	N2-C7-C8-C13

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	301[B]	XOW	N2-C7-C8-C9
2	B	301[A]	XOW	N2-C7-C8-C9

There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	301[A]	XOW	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand XOW D 301 (B)



Ligand XOW B 301 (B)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	251/299 (83%)	-1.62	0 100 100	19, 38, 89, 115	0
1	B	245/299 (81%)	-1.62	0 100 100	20, 40, 76, 114	0
1	C	245/299 (81%)	-1.66	0 100 100	21, 37, 80, 113	0
1	D	245/299 (81%)	-1.66	0 100 100	20, 38, 78, 101	0
All	All	986/1196 (82%)	-1.64	0 100 100	19, 38, 83, 115	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	XOW	B	301[A]	21/21	0.97	0.08	27,39,51,51	21
2	XOW	B	301[B]	21/21	0.97	0.08	25,38,50,50	21
2	XOW	D	301[A]	21/21	0.99	0.06	20,31,40,40	21
2	XOW	D	301[B]	21/21	0.99	0.06	20,31,39,40	21

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around XOW B 301 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XOW B 301 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around XOW D 301 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around XOW D 301 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.