



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 04:51 PM UTC

PDB ID : 9FBA / pdb_00009fba
Title : Dye-decolourising peroxidase DtpB (392 kGy)
Authors : Lucic, M.; Worrall, J.A.R.; Hough, M.A.; Strange, R.W.; Owen, R.L.
Deposited on : 2024-05-13
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	313	
1	B	313	
1	C	313	
1	D	313	
1	E	313	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	313	82% 14% ••

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 14066 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative dye-decolorizing peroxidase (DyP), encapsulated subgroup.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	305	Total	C	N	O	S	0	0	0
			2307	1455	393	450	9			
1	B	305	Total	C	N	O	S	0	0	0
			2284	1443	386	446	9			
1	C	306	Total	C	N	O	S	0	0	0
			2299	1455	391	444	9			
1	D	306	Total	C	N	O	S	0	0	0
			2299	1452	394	444	9			
1	E	306	Total	C	N	O	S	0	0	0
			2305	1456	396	444	9			
1	F	306	Total	C	N	O	S	0	0	0
			2301	1452	392	448	9			

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	
2	B	1	Total	C	Fe	N	O	
			43	34	1	4	4	
2	C	1	Total	C	Fe	N	O	
			43	34	1	4	4	
2	D	1	Total	C	Fe	N	O	
			43	34	1	4	4	
2	E	1	Total	C	Fe	N	O	
			43	34	1	4	4	
2	F	1	Total	C	Fe	N	O	
			43	34	1	4	4	

- Molecule 3 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	C	O		
			10	6	4	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	O		
			2	2	0	0
4	F	1	Total	O		
			1	1	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative dye-decolorizing peroxidase (DyP), encapsulated subgroup




- Molecule 1: Putative dye-decolorizing peroxidase (DyP), encapsulated subgroup



- Molecule 1: Putative dye-decolorizing peroxidase (DyP), encapsulated subgroup






- Molecule 1: Putative dye-decolorizing peroxidase (DyP), encapsulated subgroup







- Molecule 1: Putative dye-decolorizing peroxidase (DyP), encapsulated subgroup



- Molecule 1: Putative dye-decolorizing peroxidase (DyP), encapsulated subgroup



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	86.97Å 121.96Å 199.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.15 – 2.40 40.15 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.9 (40.15-2.40) 99.9 (40.15-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.08 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.8.0425	Depositor
R, R_{free}	0.242 , 0.273 0.242 , 0.271	Depositor DCC
R_{free} test set	4178 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	35.1	Xtriage
Anisotropy	0.035	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.24 , 0.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.36$, $\langle L^2 \rangle = 0.19$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14066	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, PG4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.77	1/2357 (0.0%)	1.38	22/3203 (0.7%)
1	B	0.68	0/2334	1.31	15/3174 (0.5%)
1	C	0.79	0/2349	1.43	19/3194 (0.6%)
1	D	0.74	0/2349	1.34	18/3193 (0.6%)
1	E	0.69	0/2355	1.29	16/3202 (0.5%)
1	F	0.76	0/2351	1.41	20/3197 (0.6%)
All	All	0.74	1/14095 (0.0%)	1.36	110/19163 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	5
1	C	0	5
1	D	0	6
1	E	0	7
1	F	0	5
All	All	0	29

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	191	ASP	CG-OD2	8.08	1.40	1.25

All (110) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	8	PRO	N-CA-C	10.42	127.54	110.55
1	A	191	ASP	CA-CB-CG	10.35	122.95	112.60
1	A	270	THR	CA-CB-OG1	8.67	122.61	109.60
1	A	141	TYR	CB-CA-C	8.53	124.00	110.19
1	D	218	ASP	CA-CB-CG	8.03	120.62	112.60
1	F	223	ASP	CA-CB-CG	7.87	120.47	112.60
1	A	218	ASP	CA-CB-CG	7.64	120.24	112.60
1	A	311	ASP	CA-CB-CG	7.63	120.23	112.60
1	B	223	ASP	CA-CB-CG	7.63	120.23	112.60
1	A	95	ARG	CB-CG-CD	7.60	128.78	111.30
1	C	164	ARG	CA-CB-CG	7.56	129.22	114.10
1	D	223	ASP	CA-CB-CG	7.46	120.06	112.60
1	C	69	GLU	CB-CG-CD	-7.33	100.15	112.60
1	D	307	ASP	CB-CA-C	-7.23	98.38	110.68
1	E	223	ASP	CA-CB-CG	7.07	119.67	112.60
1	C	270	THR	CA-CB-OG1	7.03	120.15	109.60
1	A	95	ARG	CB-CA-C	7.02	121.38	110.14
1	A	223	ASP	CA-CB-CG	6.98	119.58	112.60
1	B	311	ASP	CA-CB-CG	6.97	119.57	112.60
1	E	42	ASP	CA-CB-CG	6.93	119.53	112.60
1	E	164	ARG	CA-CB-CG	6.83	127.77	114.10
1	A	191	ASP	CB-CA-C	6.80	123.95	110.42
1	E	311	ASP	CA-CB-CG	6.58	119.18	112.60
1	E	95	ARG	N-CA-CB	-6.55	100.49	110.77
1	B	7	GLU	CB-CA-C	6.50	122.45	110.10
1	C	268	GLU	CB-CA-C	6.43	121.62	110.68
1	F	152	ASP	CA-CB-CG	6.40	119.00	112.60
1	C	272	THR	CA-CB-OG1	-6.38	100.03	109.60
1	D	87	ARG	CG-CD-NE	-6.35	98.04	112.00
1	C	141	TYR	N-CA-CB	-6.34	99.94	110.47
1	F	184	GLN	CB-CA-C	-6.29	101.54	110.34
1	B	218	ASP	CA-CB-CG	6.25	118.85	112.60
1	C	191	ASP	CA-CB-CG	6.25	118.85	112.60
1	D	7	GLU	CB-CA-C	6.22	121.92	110.10
1	E	97	VAL	O-C-N	6.19	127.88	122.12
1	F	163	ARG	CA-CB-CG	6.17	126.45	114.10
1	E	152	ASP	CA-CB-CG	6.15	118.75	112.60
1	F	191	ASP	CB-CA-C	6.04	120.36	110.88
1	E	310	GLU	CB-CG-CD	6.01	122.81	112.60
1	D	127	ARG	CA-CB-CG	6.00	126.10	114.10
1	A	142	PHE	CA-CB-CG	5.99	119.79	113.80
1	C	199	GLU	CB-CG-CD	5.98	122.76	112.60
1	F	207	ARG	NE-CZ-NH1	-5.95	115.55	121.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	24	LEU	N-CA-CB	-5.92	101.42	110.65
1	C	7	GLU	CB-CA-C	5.92	121.34	110.10
1	F	307	ASP	CA-CB-CG	5.91	118.51	112.60
1	B	307	ASP	CB-CA-C	-5.91	100.99	110.79
1	A	191	ASP	CA-C-O	5.84	128.87	120.51
1	B	8	PRO	N-CA-C	5.83	123.18	111.69
1	F	88	GLU	CB-CA-C	5.82	119.07	109.70
1	B	152	ASP	CA-CB-CG	5.80	118.40	112.60
1	E	120	THR	CA-CB-OG1	-5.80	100.90	109.60
1	C	141	TYR	CB-CA-C	5.75	120.16	110.79
1	C	255	GLU	CB-CA-C	-5.73	101.61	110.78
1	F	255	GLU	CB-CA-C	-5.73	100.91	110.19
1	C	163	ARG	CA-CB-CG	5.71	125.53	114.10
1	F	42	ASP	CA-CB-CG	5.70	118.30	112.60
1	C	307	ASP	CA-CB-CG	5.70	118.30	112.60
1	C	223	ASP	CA-CB-CG	5.70	118.30	112.60
1	E	158	THR	CA-CB-OG1	-5.70	101.06	109.60
1	D	152	ASP	CA-CB-CG	5.63	118.23	112.60
1	F	120	THR	CA-CB-OG1	-5.63	101.16	109.60
1	A	141	TYR	N-CA-CB	-5.60	101.28	110.42
1	F	232	THR	CA-CB-OG1	-5.59	101.21	109.60
1	E	125	ARG	CB-CG-CD	5.59	124.16	111.30
1	B	57	ASP	CB-CA-C	-5.57	100.33	110.63
1	A	287	ASP	CA-CB-CG	5.55	118.15	112.60
1	D	127	ARG	N-CA-CB	5.54	117.82	109.34
1	B	120	THR	CA-CB-OG1	-5.54	101.29	109.60
1	D	140	LYS	CB-CA-C	5.52	118.83	109.84
1	A	158	THR	CA-CB-OG1	-5.52	101.33	109.60
1	F	127	ARG	N-CA-CB	5.51	118.03	109.48
1	E	87	ARG	CG-CD-NE	-5.51	99.87	112.00
1	D	287	ASP	CA-CB-CG	5.51	118.11	112.60
1	F	7	GLU	CB-CA-C	5.48	120.52	110.10
1	A	172	ASP	CA-CB-CG	5.48	118.08	112.60
1	A	152	ASP	CA-CB-CG	5.46	118.06	112.60
1	F	52	PHE	CA-CB-CG	-5.46	108.34	113.80
1	D	158	THR	CA-CB-OG1	-5.45	101.42	109.60
1	D	307	ASP	CA-CB-CG	5.45	118.05	112.60
1	A	270	THR	OG1-CB-CG2	-5.44	98.42	109.30
1	A	57	ASP	CB-CA-C	-5.44	100.57	110.63
1	D	140	LYS	CB-CG-CD	5.43	123.80	111.30
1	F	210	MET	CG-SD-CE	-5.43	88.96	100.90
1	A	307	ASP	CB-CA-C	5.42	120.65	110.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	24	LEU	N-CA-CB	-5.40	102.22	110.65
1	C	95	ARG	N-CA-CB	-5.38	102.14	110.65
1	D	29	ASP	CA-CB-CG	5.35	117.95	112.60
1	E	287	ASP	CA-CB-CG	5.35	117.95	112.60
1	B	287	ASP	CA-CB-CG	5.34	117.94	112.60
1	D	281	THR	CA-CB-OG1	5.34	117.62	109.60
1	C	120	THR	CA-CB-OG1	-5.33	101.61	109.60
1	E	7	GLU	CB-CA-C	5.33	120.22	110.10
1	F	280	GLY	CA-C-O	-5.30	118.33	122.52
1	B	158	THR	CA-CB-OG1	-5.28	101.67	109.60
1	A	8	PRO	CA-N-CD	5.28	119.39	112.00
1	D	52	PHE	CA-CB-CG	-5.26	108.54	113.80
1	F	199	GLU	CB-CG-CD	5.26	121.54	112.60
1	B	134	ASP	CA-CB-CG	5.24	117.84	112.60
1	B	95	ARG	CB-CA-C	5.23	118.84	110.16
1	C	311	ASP	CA-CB-CG	5.20	117.80	112.60
1	B	9	GLU	N-CA-CB	5.12	118.36	110.01
1	E	127	ARG	CA-CB-CG	5.12	124.34	114.10
1	C	254	GLU	CB-CG-CD	5.09	121.25	112.60
1	F	90	ASP	CA-CB-CG	5.06	117.66	112.60
1	E	307	ASP	CA-CB-CG	5.06	117.66	112.60
1	A	307	ASP	CA-CB-CG	5.05	117.65	112.60
1	D	35	THR	CA-CB-OG1	-5.05	102.03	109.60
1	B	29	ASP	CA-CB-CG	5.02	117.62	112.60
1	D	275	GLU	CB-CG-CD	5.01	121.11	112.60

There are no chirality outliers.

All (29) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	95	ARG	Sidechain
1	B	141	TYR	Peptide
1	B	203	ARG	Sidechain
1	B	208	ARG	Sidechain
1	B	59	ARG	Sidechain
1	B	7	GLU	Peptide
1	C	125	ARG	Sidechain
1	C	208	ARG	Sidechain
1	C	233	GLY	Peptide
1	C	7	GLU	Peptide
1	C	95	ARG	Sidechain
1	D	141	TYR	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	D	203	ARG	Sidechain
1	D	253	ARG	Sidechain
1	D	37	ARG	Sidechain
1	D	59	ARG	Sidechain
1	D	7	GLU	Peptide
1	E	125	ARG	Sidechain
1	E	141	TYR	Peptide
1	E	203	ARG	Sidechain
1	E	37	ARG	Sidechain
1	E	59	ARG	Sidechain
1	E	7	GLU	Peptide
1	E	95	ARG	Sidechain
1	F	125	ARG	Sidechain
1	F	145	ARG	Sidechain
1	F	233	GLY	Peptide
1	F	75	PHE	Peptide
1	F	87	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2307	0	2224	17	0
1	B	2284	0	2185	9	0
1	C	2299	0	2214	15	0
1	D	2299	0	2212	18	0
1	E	2305	0	2224	13	0
1	F	2301	0	2207	12	0
2	A	43	0	30	1	0
2	B	43	0	30	0	0
2	C	43	0	30	2	0
2	D	43	0	30	1	0
2	E	43	0	30	2	0
2	F	43	0	30	1	0
3	D	10	0	13	0	0
4	A	2	0	0	0	0
4	F	1	0	0	0	0
All	All	14066	0	13459	73	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (73) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:210:MET:HE1	1:D:210:MET:HB2	1.36	1.06
1:C:210:MET:HE1	1:E:210:MET:HB2	1.43	0.96
1:A:191:ASP:OD1	1:C:127:ARG:NH2	2.12	0.81
1:B:251:VAL:HG12	1:E:123:MET:HG3	1.69	0.75
1:A:210:MET:CE	1:D:210:MET:HB2	2.17	0.74
1:C:48:ARG:NH2	1:D:155:GLU:OE2	2.25	0.69
1:B:17:LEU:O	1:B:59:ARG:NH1	2.24	0.69
2:E:401:HEM:HBC2	2:E:401:HEM:HMC2	1.73	0.69
1:A:53:ARG:HH11	1:A:53:ARG:HG2	1.59	0.67
1:D:53:ARG:HG2	1:D:53:ARG:NH1	2.10	0.65
1:F:187:LEU:HD12	1:F:296:VAL:HG11	1.79	0.63
1:E:53:ARG:NH1	1:E:53:ARG:HG2	2.12	0.63
1:A:155:GLU:OE2	1:F:48:ARG:NH2	2.31	0.62
1:C:300:LEU:HD23	1:C:301:PHE:N	2.13	0.62
1:A:53:ARG:HG2	1:A:53:ARG:NH1	2.12	0.62
2:E:401:HEM:HBC2	2:E:401:HEM:CMC	2.28	0.62
1:E:53:ARG:HG2	1:E:53:ARG:HH11	1.64	0.62
2:A:401:HEM:HMC2	2:A:401:HEM:HBC2	1.82	0.62
1:D:53:ARG:HG2	1:D:53:ARG:HH11	1.64	0.61
2:F:401:HEM:HBC2	2:F:401:HEM:HMC2	1.83	0.60
1:D:251:VAL:CG1	1:F:123:MET:HG3	2.33	0.59
1:F:300:LEU:HD23	1:F:301:PHE:N	2.18	0.59
1:D:8:PRO:HB3	1:D:307:ASP:OD2	2.03	0.58
1:B:155:GLU:CD	1:D:48:ARG:HH21	2.12	0.57
1:E:48:ARG:HH21	1:F:155:GLU:CD	2.12	0.57
1:A:189:ASP:OD1	1:A:191:ASP:HB2	2.05	0.56
1:C:48:ARG:HH21	1:D:155:GLU:CD	2.14	0.55
1:B:251:VAL:CG1	1:E:123:MET:HG3	2.36	0.55
2:D:401:HEM:HMC2	2:D:401:HEM:HBC2	1.88	0.55
1:B:300:LEU:HD23	1:B:301:PHE:N	2.24	0.53
1:B:53:ARG:HG2	1:B:53:ARG:NH1	2.22	0.53
1:A:53:ARG:HH11	1:A:53:ARG:CG	2.22	0.52
1:D:300:LEU:HD23	1:D:301:PHE:N	2.25	0.51
1:A:254:GLU:OE1	1:C:127:ARG:NH1	2.43	0.51
1:E:300:LEU:HD23	1:E:301:PHE:N	2.25	0.50
1:A:300:LEU:HD23	1:A:301:PHE:N	2.27	0.49
1:D:53:ARG:HH11	1:D:53:ARG:CG	2.25	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:401:HEM:HMC2	2:C:401:HEM:HBC2	1.97	0.47
1:C:228:LEU:HD12	1:C:287:ASP:HA	1.98	0.47
1:A:94:HIS:C	1:A:95:ARG:HG3	2.40	0.46
1:B:48:ARG:HH21	1:C:155:GLU:CD	2.24	0.46
1:F:47:GLU:OE2	1:F:61:SER:HA	2.16	0.46
1:E:53:ARG:HH11	1:E:53:ARG:CG	2.25	0.45
1:E:37:ARG:NH1	1:E:74:LEU:O	2.49	0.45
1:C:95:ARG:HG2	1:C:95:ARG:NH1	2.32	0.45
1:F:200:ALA:O	1:F:204:VAL:HG23	2.17	0.44
1:A:55:GLN:HB2	1:E:17:LEU:CD1	2.48	0.44
1:D:42:ASP:OD2	1:D:125:ARG:NH2	2.51	0.44
1:C:26:VAL:HG22	1:C:103:LEU:HB2	1.99	0.44
1:D:111:ARG:HH21	1:F:142:PHE:HA	1.82	0.44
1:A:147:MET:HG2	1:A:256:PHE:HB3	2.00	0.43
1:F:39:LEU:C	1:F:39:LEU:HD13	2.42	0.43
1:C:111:ARG:HH11	1:C:111:ARG:HG3	1.83	0.43
1:D:42:ASP:HB2	1:D:125:ARG:NH2	2.33	0.42
1:E:300:LEU:HD23	1:E:300:LEU:C	2.44	0.42
1:B:300:LEU:HD23	1:B:300:LEU:C	2.44	0.42
1:D:251:VAL:HG12	1:F:123:MET:HG3	2.02	0.42
1:F:53:ARG:NH1	1:F:53:ARG:HG2	2.34	0.42
1:A:55:GLN:HA	1:A:55:GLN:OE1	2.20	0.42
1:A:300:LEU:HD23	1:A:300:LEU:C	2.44	0.42
1:C:19:SER:HB3	1:C:140:LYS:HD3	2.01	0.41
1:A:57:ASP:N	1:A:57:ASP:OD1	2.53	0.41
1:C:300:LEU:HD23	1:C:300:LEU:C	2.44	0.41
1:D:300:LEU:HD23	1:D:300:LEU:C	2.45	0.41
2:C:401:HEM:HBC2	2:C:401:HEM:CMC	2.50	0.41
1:D:143:ASP:OD1	1:D:143:ASP:N	2.53	0.41
1:B:26:VAL:HG22	1:B:103:LEU:HB2	2.02	0.41
1:C:39:LEU:HD13	1:C:125:ARG:HB2	2.03	0.41
1:D:111:ARG:NH2	1:F:142:PHE:HA	2.36	0.41
1:E:39:LEU:HD23	1:E:125:ARG:HB2	2.03	0.41
1:E:55:GLN:HA	1:E:55:GLN:OE1	2.20	0.41
1:A:26:VAL:HG22	1:A:103:LEU:HB2	2.03	0.40
1:C:70:ALA:HB2	1:C:102:ASP:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	303/313 (97%)	289 (95%)	14 (5%)	0	100	100
1	B	303/313 (97%)	291 (96%)	12 (4%)	0	100	100
1	C	304/313 (97%)	288 (95%)	16 (5%)	0	100	100
1	D	304/313 (97%)	295 (97%)	9 (3%)	0	100	100
1	E	304/313 (97%)	290 (95%)	14 (5%)	0	100	100
1	F	304/313 (97%)	293 (96%)	10 (3%)	1 (0%)	36	50
All	All	1822/1878 (97%)	1746 (96%)	75 (4%)	1 (0%)	48	64

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	76	SER

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	239/250 (96%)	227 (95%)	12 (5%)	22	38
1	B	233/250 (93%)	223 (96%)	10 (4%)	26	44
1	C	235/250 (94%)	224 (95%)	11 (5%)	23	41
1	D	236/250 (94%)	223 (94%)	13 (6%)	19	34
1	E	237/250 (95%)	228 (96%)	9 (4%)	29	49
1	F	236/250 (94%)	223 (94%)	13 (6%)	19	34

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	1416/1500 (94%)	1348 (95%)	68 (5%)	23	40

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	LEU
1	A	19	SER
1	A	45	SER
1	A	53	ARG
1	A	57	ASP
1	A	111	ARG
1	A	164	ARG
1	A	166	VAL
1	A	219	VAL
1	A	226	VAL
1	A	268	GLU
1	A	307	ASP
1	B	19	SER
1	B	24	LEU
1	B	88	GLU
1	B	112	LEU
1	B	219	VAL
1	B	238	ASP
1	B	254	GLU
1	B	258	THR
1	B	283	SER
1	B	311	ASP
1	C	19	SER
1	C	30	SER
1	C	37	ARG
1	C	45	SER
1	C	53	ARG
1	C	57	ASP
1	C	140	LYS
1	C	231	VAL
1	C	258	THR
1	C	299	SER
1	C	307	ASP
1	D	19	SER
1	D	39	LEU
1	D	53	ARG
1	D	140	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	143	ASP
1	D	166	VAL
1	D	203	ARG
1	D	231	VAL
1	D	235	ASP
1	D	251	VAL
1	D	283	SER
1	D	293	SER
1	D	311	ASP
1	E	19	SER
1	E	38	ASP
1	E	53	ARG
1	E	140	LYS
1	E	143	ASP
1	E	210	MET
1	E	219	VAL
1	E	293	SER
1	E	307	ASP
1	F	30	SER
1	F	53	ARG
1	F	90	ASP
1	F	111	ARG
1	F	140	LYS
1	F	158	THR
1	F	166	VAL
1	F	199	GLU
1	F	226	VAL
1	F	253	ARG
1	F	268	GLU
1	F	296	VAL
1	F	307	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	133	GLN
1	B	286	HIS
1	C	245	ASN
1	C	286	HIS
1	E	133	GLN
1	E	286	HIS
1	F	286	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HEM	D	401	1	50,50,50	2.01	16 (32%)	67,82,82	2.47	22 (32%)
2	HEM	F	401	1	50,50,50	1.78	12 (24%)	67,82,82	1.85	16 (23%)
2	HEM	A	401	1	50,50,50	1.75	12 (24%)	67,82,82	2.21	19 (28%)
2	HEM	B	401	1	50,50,50	2.00	20 (40%)	67,82,82	2.09	22 (32%)
3	PG4	D	402	-	9,9,12	0.67	0	8,8,11	0.43	0
2	HEM	C	401	1	50,50,50	2.04	17 (34%)	67,82,82	2.79	30 (44%)
2	HEM	E	401	1	50,50,50	1.72	10 (20%)	67,82,82	1.88	20 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	D	401	1	-	6/14/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	F	401	1	-	4/14/54/54	-
2	HEM	A	401	1	-	4/14/54/54	-
2	HEM	B	401	1	-	6/14/54/54	-
3	PG4	D	402	-	-	6/7/7/10	-
2	HEM	C	401	1	-	5/14/54/54	-
2	HEM	E	401	1	-	6/14/54/54	-

All (87) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	401	HEM	C4D-C3D	5.38	1.54	1.45
2	C	401	HEM	C4B-NB	-5.06	1.28	1.38
2	B	401	HEM	C4D-C3D	4.88	1.53	1.45
2	F	401	HEM	C4C-NC	-4.72	1.30	1.39
2	D	401	HEM	C4C-NC	-4.64	1.30	1.39
2	D	401	HEM	C1C-NC	-4.60	1.31	1.39
2	E	401	HEM	C1B-NB	-4.59	1.32	1.40
2	B	401	HEM	FE-NB	4.40	2.08	1.94
2	A	401	HEM	C1B-NB	-4.37	1.32	1.40
2	D	401	HEM	C1C-C2C	-4.33	1.36	1.45
2	D	401	HEM	C1B-NB	-4.26	1.32	1.40
2	A	401	HEM	FE-NB	4.25	2.08	1.94
2	C	401	HEM	CBD-CGD	4.25	1.60	1.50
2	E	401	HEM	FE-NB	4.04	2.07	1.94
2	F	401	HEM	C1C-C2C	-3.95	1.37	1.45
2	F	401	HEM	FE-NB	3.95	2.07	1.94
2	F	401	HEM	C4D-C3D	3.93	1.51	1.45
2	A	401	HEM	CBD-CGD	3.90	1.59	1.50
2	B	401	HEM	C1C-NC	-3.61	1.32	1.39
2	A	401	HEM	C1D-ND	-3.55	1.31	1.38
2	D	401	HEM	C4B-NB	-3.49	1.32	1.38
2	C	401	HEM	C1B-NB	-3.34	1.34	1.40
2	E	401	HEM	FE-NC	3.29	2.06	1.95
2	B	401	HEM	C1C-C2C	-3.19	1.39	1.45
2	F	401	HEM	C1B-NB	-3.16	1.34	1.40
2	B	401	HEM	C1D-C2D	3.15	1.50	1.44
2	C	401	HEM	O1A-CGA	3.13	1.32	1.22
2	C	401	HEM	CMC-C2C	3.12	1.57	1.50
2	C	401	HEM	C3C-C2C	3.12	1.43	1.37
2	C	401	HEM	FE-NB	3.09	2.04	1.94
2	B	401	HEM	CAD-C3D	3.05	1.59	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	401	HEM	CMC-C2C	3.02	1.57	1.50
2	B	401	HEM	FE-NC	3.02	2.05	1.95
2	F	401	HEM	C4B-NB	-3.00	1.33	1.38
2	D	401	HEM	CHC-C1C	-2.95	1.32	1.38
2	E	401	HEM	CAD-C3D	2.94	1.58	1.51
2	D	401	HEM	C4D-C3D	2.92	1.50	1.45
2	E	401	HEM	C4D-ND	-2.91	1.35	1.40
2	C	401	HEM	C4C-NC	-2.90	1.34	1.39
2	D	401	HEM	C1D-ND	-2.83	1.33	1.38
2	D	401	HEM	O1A-CGA	2.82	1.31	1.22
2	D	401	HEM	CBD-CGD	2.80	1.57	1.50
2	B	401	HEM	C1D-ND	-2.80	1.33	1.38
2	F	401	HEM	C1C-NC	-2.78	1.34	1.39
2	B	401	HEM	CBD-CAD	2.76	1.61	1.51
2	B	401	HEM	C3B-C4B	2.76	1.50	1.44
2	A	401	HEM	O1D-CGD	2.75	1.31	1.22
2	E	401	HEM	C1D-ND	-2.74	1.33	1.38
2	B	401	HEM	C4B-NB	-2.73	1.33	1.38
2	D	401	HEM	C1D-C2D	2.73	1.50	1.44
2	B	401	HEM	C4C-NC	-2.72	1.34	1.39
2	F	401	HEM	O1D-CGD	2.69	1.30	1.22
2	F	401	HEM	FE-NC	2.68	2.04	1.95
2	D	401	HEM	C4A-NA	-2.67	1.34	1.39
2	D	401	HEM	CHC-C4B	-2.64	1.33	1.39
2	C	401	HEM	C1D-C2D	2.63	1.49	1.44
2	B	401	HEM	C1B-NB	-2.61	1.35	1.40
2	F	401	HEM	C1D-C2D	2.57	1.49	1.44
2	B	401	HEM	C3C-C4C	-2.51	1.41	1.46
2	C	401	HEM	CAD-C3D	2.47	1.57	1.51
2	D	401	HEM	C4D-ND	-2.44	1.36	1.40
2	C	401	HEM	C1C-C2C	-2.43	1.40	1.45
2	C	401	HEM	CHC-C1C	-2.42	1.33	1.38
2	A	401	HEM	C4B-NB	-2.41	1.34	1.38
2	D	401	HEM	FE-NB	2.40	2.02	1.94
2	A	401	HEM	C4D-C3D	2.36	1.49	1.45
2	D	401	HEM	C3C-C4C	-2.36	1.41	1.46
2	B	401	HEM	O1A-CGA	2.33	1.29	1.22
2	A	401	HEM	C1B-C2B	-2.33	1.39	1.44
2	E	401	HEM	CBD-CAD	2.32	1.60	1.51
2	C	401	HEM	O1D-CGD	2.27	1.29	1.22
2	E	401	HEM	C4A-NA	-2.26	1.35	1.39
2	B	401	HEM	O1D-CGD	2.26	1.29	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	HEM	CAC-C3C	2.25	1.53	1.47
2	B	401	HEM	FE-ND	-2.22	1.88	1.94
2	F	401	HEM	C4D-ND	-2.22	1.36	1.40
2	B	401	HEM	FE-NA	2.21	2.02	1.95
2	B	401	HEM	CBD-CGD	2.20	1.55	1.50
2	A	401	HEM	CBD-CAD	2.18	1.59	1.51
2	A	401	HEM	FE-NA	2.17	2.02	1.95
2	C	401	HEM	CHD-C4C	2.09	1.42	1.38
2	F	401	HEM	C1D-ND	-2.08	1.34	1.38
2	E	401	HEM	O1A-CGA	2.08	1.28	1.22
2	A	401	HEM	FE-NC	2.02	2.01	1.95
2	A	401	HEM	C4D-ND	-2.02	1.36	1.40
2	C	401	HEM	CHA-C1A	2.01	1.43	1.39
2	C	401	HEM	CBD-CAD	2.01	1.58	1.51

All (129) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	HEM	CHC-C4B-NB	8.40	133.46	124.42
2	C	401	HEM	C3C-C2C-C1C	-7.96	99.51	107.05
2	D	401	HEM	C3D-C4D-ND	6.43	117.23	110.17
2	A	401	HEM	C3B-C4B-NB	-6.31	104.94	109.47
2	D	401	HEM	CHC-C4B-NB	6.27	131.17	124.42
2	F	401	HEM	CHC-C4B-NB	6.21	131.11	124.42
2	C	401	HEM	C4C-C3C-C2C	5.65	111.71	106.81
2	C	401	HEM	CHD-C4C-NC	5.59	130.54	124.45
2	D	401	HEM	O2D-CGD-CBD	5.37	130.96	114.00
2	D	401	HEM	CHD-C4C-NC	5.28	130.20	124.45
2	A	401	HEM	CHB-C1B-NB	5.06	130.63	124.37
2	A	401	HEM	C1B-NB-C4B	4.99	111.11	105.21
2	C	401	HEM	CBD-CAD-C3D	4.97	126.28	112.53
2	E	401	HEM	C4C-C3C-C2C	4.69	110.88	106.81
2	B	401	HEM	CBD-CAD-C3D	4.66	125.42	112.53
2	D	401	HEM	C2D-C1D-ND	4.65	115.27	109.90
2	A	401	HEM	CHD-C4C-NC	4.64	129.51	124.45
2	E	401	HEM	C3C-C2C-C1C	-4.63	102.67	107.05
2	D	401	HEM	O1D-CGD-CBD	-4.61	108.47	123.09
2	D	401	HEM	C3C-C2C-C1C	-4.58	102.72	107.05
2	C	401	HEM	CHB-C1B-NB	4.57	130.03	124.37
2	D	401	HEM	C4D-ND-C1D	-4.56	99.80	105.21
2	F	401	HEM	CMD-C2D-C1D	4.38	131.88	125.03
2	C	401	HEM	C3D-C4D-ND	4.37	114.97	110.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	HEM	CAD-C3D-C4D	4.35	132.27	124.70
2	A	401	HEM	CAA-CBA-CGA	-4.33	102.17	113.67
2	B	401	HEM	CHB-C1B-NB	4.31	129.70	124.37
2	B	401	HEM	C3B-C4B-NB	-4.29	106.38	109.47
2	C	401	HEM	C3B-C2B-C1B	-4.22	103.25	106.41
2	C	401	HEM	C2D-C1D-ND	4.18	114.73	109.90
2	A	401	HEM	C3D-C4D-ND	4.13	114.70	110.17
2	D	401	HEM	CHA-C4D-ND	-3.94	119.49	124.37
2	B	401	HEM	CMA-C3A-C4A	3.94	131.42	125.42
2	B	401	HEM	CHC-C4B-NB	3.93	128.66	124.42
2	C	401	HEM	CHD-C1D-ND	-3.88	120.25	124.42
2	D	401	HEM	CHA-C1A-NA	3.87	130.88	123.86
2	A	401	HEM	CHC-C4B-NB	3.86	128.58	124.42
2	D	401	HEM	CBD-CAD-C3D	3.86	123.20	112.53
2	B	401	HEM	C4C-C3C-C2C	-3.86	103.47	106.81
2	C	401	HEM	CMD-C2D-C1D	3.83	131.02	125.03
2	F	401	HEM	C2D-C1D-ND	3.83	114.33	109.90
2	C	401	HEM	O2D-CGD-CBD	3.77	125.91	114.00
2	B	401	HEM	O2D-CGD-CBD	3.72	125.75	114.00
2	A	401	HEM	C4D-C3D-C2D	-3.68	101.54	106.89
2	D	401	HEM	C4D-C3D-C2D	-3.66	101.57	106.89
2	B	401	HEM	C4D-C3D-C2D	-3.65	101.58	106.89
2	F	401	HEM	CHD-C4C-NC	3.61	128.39	124.45
2	A	401	HEM	CBD-CAD-C3D	3.57	122.40	112.53
2	A	401	HEM	C2D-C1D-ND	3.55	114.01	109.90
2	B	401	HEM	CMB-C2B-C1B	3.53	130.55	125.03
2	C	401	HEM	CHC-C4B-C3B	-3.47	118.14	125.07
2	B	401	HEM	CAB-C3B-C2B	-3.44	117.25	128.43
2	E	401	HEM	CMB-C2B-C1B	3.41	130.36	125.03
2	F	401	HEM	C1B-NB-C4B	3.39	109.22	105.21
2	C	401	HEM	C1B-NB-C4B	3.38	109.21	105.21
2	C	401	HEM	CHA-C4D-ND	-3.38	120.19	124.37
2	F	401	HEM	CBD-CAD-C3D	3.36	121.82	112.53
2	E	401	HEM	CHD-C4C-NC	3.35	128.10	124.45
2	C	401	HEM	CAD-C3D-C4D	3.32	130.48	124.70
2	E	401	HEM	C1B-NB-C4B	3.26	109.07	105.21
2	B	401	HEM	O1D-CGD-CBD	-3.25	112.80	123.09
2	F	401	HEM	O1A-CGA-CBA	-3.22	112.88	123.09
2	C	401	HEM	C4D-ND-C1D	-3.22	101.39	105.21
2	E	401	HEM	CBD-CAD-C3D	3.21	121.42	112.53
2	E	401	HEM	CHA-C4D-C3D	-3.20	119.33	125.23
2	D	401	HEM	CHC-C4B-C3B	-3.17	118.74	125.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	HEM	C4D-C3D-C2D	-3.06	102.43	106.89
2	A	401	HEM	C4C-NC-C1C	3.06	110.81	105.82
2	D	401	HEM	CHD-C1D-ND	-3.05	121.14	124.42
2	D	401	HEM	C1B-NB-C4B	3.03	108.79	105.21
2	D	401	HEM	CAD-C3D-C4D	3.01	129.94	124.70
2	E	401	HEM	CHB-C1B-NB	2.98	128.06	124.37
2	B	401	HEM	CHB-C1B-C2B	-2.95	118.58	126.95
2	E	401	HEM	CAB-C3B-C2B	-2.94	118.86	128.43
2	C	401	HEM	C4A-CHB-C1B	-2.90	119.42	126.25
2	E	401	HEM	CMB-C2B-C3B	-2.86	121.50	128.43
2	B	401	HEM	C1B-NB-C4B	2.85	108.58	105.21
2	D	401	HEM	C4C-C3C-C2C	2.85	109.28	106.81
2	C	401	HEM	CAD-CBD-CGD	2.84	121.20	113.67
2	A	401	HEM	CAB-C3B-C2B	-2.80	119.31	128.43
2	E	401	HEM	C4D-C3D-C2D	-2.79	102.83	106.89
2	E	401	HEM	CHD-C1D-ND	2.78	127.42	124.42
2	A	401	HEM	CHA-C4D-C3D	-2.78	120.11	125.23
2	E	401	HEM	CHA-C4D-ND	2.77	127.80	124.37
2	A	401	HEM	CAA-C2A-C1A	2.74	130.28	124.94
2	E	401	HEM	C4B-C3B-C2B	-2.73	104.77	107.28
2	C	401	HEM	C2C-C1C-NC	2.72	114.67	109.64
2	E	401	HEM	CHD-C1D-C2D	-2.71	120.75	125.03
2	C	401	HEM	C2A-C1A-NA	-2.65	107.21	110.15
2	F	401	HEM	O1D-CGD-CBD	-2.64	114.72	123.09
2	C	401	HEM	CHB-C1B-C2B	-2.61	119.52	126.95
2	E	401	HEM	CAB-C3B-C4B	2.57	135.74	124.39
2	C	401	HEM	O2D-CGD-O1D	-2.51	116.88	123.33
2	E	401	HEM	CHC-C4B-NB	2.49	127.10	124.42
2	D	401	HEM	C2A-C1A-NA	-2.48	107.40	110.15
2	C	401	HEM	CAC-C3C-C4C	-2.44	119.00	124.82
2	F	401	HEM	C3C-C2C-C1C	-2.40	104.77	107.05
2	E	401	HEM	C3D-C4D-ND	2.40	112.80	110.17
2	F	401	HEM	CHC-C4B-C3B	-2.39	120.29	125.07
2	C	401	HEM	CHA-C1A-NA	2.39	128.19	123.86
2	A	401	HEM	CHB-C1B-C2B	-2.38	120.20	126.95
2	D	401	HEM	CMA-C3A-C4A	2.36	129.01	125.42
2	F	401	HEM	C1D-C2D-C3D	-2.33	104.53	106.98
2	B	401	HEM	C3D-C4D-ND	2.31	112.70	110.17
2	A	401	HEM	C4D-ND-C1D	-2.30	102.48	105.21
2	E	401	HEM	C3B-C2B-C1B	2.30	108.14	106.41
2	F	401	HEM	C3D-C4D-ND	2.27	112.66	110.17
2	F	401	HEM	CHA-C1A-NA	2.26	127.96	123.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	HEM	C4C-NC-C1C	2.17	109.36	105.82
2	A	401	HEM	CAC-C3C-C4C	-2.16	119.65	124.82
2	F	401	HEM	CHA-C4D-C3D	-2.15	121.26	125.23
2	D	401	HEM	C1C-CHC-C4B	-2.15	121.45	126.02
2	B	401	HEM	C4A-C3A-C2A	-2.13	104.38	106.82
2	B	401	HEM	CAB-C3B-C4B	2.13	133.80	124.39
2	B	401	HEM	C4C-NC-C1C	2.13	109.29	105.82
2	B	401	HEM	C3B-C2B-C1B	-2.10	104.83	106.41
2	A	401	HEM	CMA-C3A-C4A	2.10	128.61	125.42
2	C	401	HEM	CMC-C2C-C3C	2.09	133.49	128.43
2	F	401	HEM	O2A-CGA-CBA	2.08	120.56	114.00
2	B	401	HEM	CAA-C2A-C3A	-2.07	122.43	127.07
2	C	401	HEM	O2A-CGA-O1A	2.07	128.65	123.33
2	C	401	HEM	C1C-CHC-C4B	-2.06	121.65	126.02
2	E	401	HEM	O2D-CGD-O1D	-2.05	118.05	123.33
2	B	401	HEM	C1D-C2D-C3D	2.05	109.13	106.98
2	D	401	HEM	C4B-C3B-C2B	-2.03	105.42	107.28
2	D	401	HEM	C4C-NC-C1C	2.03	109.12	105.82
2	B	401	HEM	C3A-C4A-NA	2.01	113.37	110.14
2	A	401	HEM	CMB-C2B-C1B	2.01	128.17	125.03
2	F	401	HEM	CHD-C1D-C2D	-2.00	121.87	125.03

There are no chirality outliers.

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	401	HEM	C2D-C3D-CAD-CBD
2	E	401	HEM	C4D-C3D-CAD-CBD
2	F	401	HEM	C2D-C3D-CAD-CBD
2	F	401	HEM	C4D-C3D-CAD-CBD
3	D	402	PG4	O2-C3-C4-O3
2	B	401	HEM	C4D-C3D-CAD-CBD
2	B	401	HEM	C2D-C3D-CAD-CBD
3	D	402	PG4	O3-C5-C6-O4
2	D	401	HEM	C4D-C3D-CAD-CBD
3	D	402	PG4	C3-C4-O3-C5
3	D	402	PG4	C4-C3-O2-C2
2	C	401	HEM	CAD-CBD-CGD-O2D
2	E	401	HEM	CAA-CBA-CGA-O1A
2	C	401	HEM	CAA-CBA-CGA-O1A
2	C	401	HEM	CAD-CBD-CGD-O1D
2	B	401	HEM	CAA-CBA-CGA-O2A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	E	401	HEM	CAA-CBA-CGA-O2A
2	F	401	HEM	CAA-CBA-CGA-O1A
2	C	401	HEM	CAA-CBA-CGA-O2A
2	D	401	HEM	CAA-CBA-CGA-O1A
2	D	401	HEM	CAA-CBA-CGA-O2A
2	A	401	HEM	CAA-CBA-CGA-O1A
2	F	401	HEM	CAA-CBA-CGA-O2A
2	C	401	HEM	C4D-C3D-CAD-CBD
2	A	401	HEM	CAA-CBA-CGA-O2A
2	A	401	HEM	CAD-CBD-CGD-O1D
2	A	401	HEM	CAD-CBD-CGD-O2D
2	B	401	HEM	CAA-CBA-CGA-O1A
2	B	401	HEM	CAD-CBD-CGD-O2D
2	D	401	HEM	CAD-CBD-CGD-O2D
2	D	401	HEM	C2D-C3D-CAD-CBD
3	D	402	PG4	O1-C1-C2-O2
2	B	401	HEM	CAD-CBD-CGD-O1D
2	D	401	HEM	CAD-CBD-CGD-O1D
3	D	402	PG4	C1-C2-O2-C3
2	E	401	HEM	CAD-CBD-CGD-O1D
2	E	401	HEM	CAD-CBD-CGD-O2D


There are no ring outliers.


5 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	401	HEM	1	0
2	F	401	HEM	1	0
2	A	401	HEM	1	0
2	C	401	HEM	2	0
2	E	401	HEM	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.


The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	305/313 (97%)	-1.02	1 (0%) 90 88	25, 41, 70, 91	0
1	B	305/313 (97%)	-0.90	0 100 100	29, 50, 81, 110	0
1	C	306/313 (97%)	-1.02	0 100 100	24, 43, 79, 118	0
1	D	306/313 (97%)	-0.98	0 100 100	24, 40, 74, 99	0
1	E	306/313 (97%)	-0.98	0 100 100	27, 43, 80, 119	0
1	F	306/313 (97%)	-1.01	0 100 100	24, 43, 74, 105	0
All	All	1834/1878 (97%)	-0.98	1 (0%) 92 90	24, 43, 77, 119	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	312	LEU	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	PG4	D	402	10/13	0.86	0.11	65,85,92,95	0
2	HEM	C	401	43/43	0.98	0.05	30,39,48,51	0
2	HEM	A	401	43/43	0.99	0.04	29,37,42,48	0
2	HEM	D	401	43/43	0.99	0.04	27,32,37,43	0
2	HEM	E	401	43/43	0.99	0.04	25,32,40,47	0
2	HEM	F	401	43/43	0.99	0.05	27,31,45,52	0
2	HEM	B	401	43/43	0.99	0.04	27,33,44,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around HEM A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM E 401:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM F 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.