



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 12:29 AM UTC

PDB ID : 6FDI / pdb_00006fdi
Title : Crystal structure of human phosphodiesterase 4D2 catalytic domain with inhibitor NPD-226
Authors : Singh, A.K.; Brown, D.G.
Deposited on : 2017-12-24
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	364	
1	B	364	
1	C	364	
1	D	364	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	EDO	B	505	-	-	X	-
5	PEG	D	511	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 11904 atoms, of which 18 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cAMP-specific 3',5'-cyclic phosphodiesterase 4D.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	330	Total	C	N	O	S	0	2	0
			2690	1702	462	512	14			
1	B	323	Total	C	N	O	S	0	0	0
			2613	1654	446	499	14			
1	C	326	Total	C	N	O	S	0	0	0
			2638	1668	450	506	14			
1	D	324	Total	C	N	O	S	0	1	0
			2632	1665	451	502	14			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	75	GLY	-	expression tag	UNP Q08499
A	76	SER	-	expression tag	UNP Q08499
A	77	HIS	-	expression tag	UNP Q08499
A	78	MET	-	expression tag	UNP Q08499
B	75	GLY	-	expression tag	UNP Q08499
B	76	SER	-	expression tag	UNP Q08499
B	77	HIS	-	expression tag	UNP Q08499
B	78	MET	-	expression tag	UNP Q08499
C	75	GLY	-	expression tag	UNP Q08499
C	76	SER	-	expression tag	UNP Q08499
C	77	HIS	-	expression tag	UNP Q08499
C	78	MET	-	expression tag	UNP Q08499
D	75	GLY	-	expression tag	UNP Q08499
D	76	SER	-	expression tag	UNP Q08499
D	77	HIS	-	expression tag	UNP Q08499
D	78	MET	-	expression tag	UNP Q08499


- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		
2	D	1	Total	Zn	0	0
			1	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	O		0	0
			4	2	2			
4	B	1	Total	C	O		0	0
			4	2	2			
4	B	1	Total	C	O		0	0
			4	2	2			
4	B	1	Total	C	O		0	0
			4	2	2			
4	B	1	Total	C	O		0	0
			4	2	2			
4	B	1	Total	C	O		0	0
			4	2	2			
4	B	1	Total	C	H	O	0	0
			10	2	6	2		
4	C	1	Total	C	O		0	0
			4	2	2			
4	C	1	Total	C	O		0	0
			4	2	2			
4	C	1	Total	C	O		0	0
			4	2	2			
4	C	1	Total	C	O		0	0
			4	2	2			
4	C	1	Total	C	O		0	0
			4	2	2			
4	C	1	Total	C	O		0	0
			4	2	2			
4	C	1	Total	C	O		0	0
			4	2	2			
4	C	1	Total	C	O		0	0
			4	2	2			
4	C	1	Total	C	O		0	0
			4	2	2			
4	C	1	Total	C	O		0	0
			4	2	2			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	C	1	Total	C	O		0	0
			4	2	2			
4	C	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	O		0	0
			4	2	2			
4	D	1	Total	C	H	O	0	0
			10	2	6	2		
4	D	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	4	3		
5	B	1	Total	C	O	0	0
			7	4	3		
5	D	1	Total	C	O	0	0
			7	4	3		
5	D	1	Total	C	O	0	0
			7	4	3		
5	D	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is 1-[2-[4-[(4 {a} {S},8 {a} {R})-4-(3,4-dimethoxyphenyl)-1-oxidanylidene-4 {a}, 5,8,8 {a}-tetrahydrophthalazin-2-yl]piperidin-1-yl]-2-oxidanylidene-ethyl]-4,4-dimethyl-piperidine-2,6-dione (CCD ID: D5T) (formula: C₃₀H₃₈N₄O₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			40	30	4	6		
6	B	1	Total	C	N	O	0	0
			40	30	4	6		
6	C	1	Total	C	N	O	0	0
			40	30	4	6		
6	D	1	Total	C	N	O	0	0
			40	30	4	6		

- Molecule 7 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (CCD ID: EPE) (formula: $C_8H_{18}N_2O_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
7	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 8 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	D	1	Total	C	O	0	0
			13	8	5		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	220	Total	O	0	0
			220	220		
9	B	197	Total	O	0	0
			197	197		
9	C	150	Total	O	0	0
			150	150		
9	D	264	Total	O	0	0
			264	264		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D



- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D




- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D



- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	98.80Å 111.04Å 161.09Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	67.10 – 1.90 67.10 – 1.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (67.10-1.90) 100.0 (67.10-1.90)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.78 (at 1.90Å)	Xtriage
Refinement program	REFMAC 5.8.0189	Depositor
R, R_{free}	0.174 , 0.200 0.186 , 0.212	Depositor DCC
R_{free} test set	7136 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å ²)	26.3	Xtriage
Anisotropy	0.086	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 41.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11904	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, PG4, EDO, EPE, MG, PEG, D5T

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.10	8/2746 (0.3%)	0.94	4/3729 (0.1%)
1	B	0.93	1/2667 (0.0%)	0.87	0/3624
1	C	0.91	0/2692	0.92	6/3658 (0.2%)
1	D	1.17	17/2687 (0.6%)	0.93	5/3651 (0.1%)
All	All	1.03	26/10792 (0.2%)	0.92	15/14662 (0.1%)

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	333	THR	C-O	-7.06	1.15	1.24
1	D	151	ASP	C-O	-6.41	1.16	1.24
1	D	308	GLN	C-O	-6.18	1.16	1.24
1	D	337	MET	C-O	-6.03	1.17	1.24
1	A	337	MET	C-O	-5.83	1.17	1.24
1	D	326	LEU	C-O	-5.80	1.17	1.24
1	D	174	VAL	C-O	-5.74	1.17	1.24
1	D	313	MET	C-O	-5.69	1.17	1.24
1	D	317	ALA	C-O	-5.63	1.17	1.24
1	A	232	HIS	C-O	-5.61	1.17	1.24
1	D	370	VAL	C-O	-5.57	1.17	1.24
1	A	343	GLN	C-O	-5.51	1.17	1.24
1	D	321	ASN	C-O	-5.50	1.19	1.24
1	A	124	THR	C-O	-5.46	1.17	1.24
1	A	308	GLN	C-O	-5.41	1.17	1.24
1	A	139	VAL	C-O	-5.35	1.18	1.24
1	A	259	SER	C-O	-5.33	1.18	1.24
1	D	343	GLN	C-O	-5.31	1.18	1.24
1	D	311	GLN	C-O	-5.25	1.18	1.24
1	D	101	LYS	C-O	-5.12	1.17	1.24
1	D	368	SER	C-O	-5.07	1.18	1.24
1	D	340	PHE	C-O	-5.07	1.18	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	155	ALA	C-O	-5.05	1.17	1.24
1	D	329	TYR	C-O	-5.03	1.18	1.24
1	B	307	ILE	C-O	-5.02	1.17	1.24
1	D	178	THR	C-O	-5.01	1.17	1.24

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	376	ILE	N-CA-C	8.25	118.14	111.62
1	C	116	ARG	NE-CZ-NH2	7.85	126.27	119.20
1	D	157	VAL	O-C-N	-7.06	115.19	123.03
1	A	376	ILE	CB-CA-C	-7.02	104.80	111.05
1	A	158	ALA	N-CA-C	6.93	118.83	111.28
1	C	349	GLU	CB-CA-C	-6.34	99.90	110.68
1	D	377	VAL	N-CA-C	6.26	116.42	110.53
1	D	349	GLU	CB-CA-C	-6.03	100.42	110.68
1	A	349	GLU	CB-CA-C	-5.92	100.61	110.68
1	D	375	TYR	N-CA-C	5.65	120.31	112.90
1	C	106	VAL	N-CA-C	5.38	116.11	110.62
1	C	116	ARG	NE-CZ-NH1	-5.38	116.12	121.50
1	C	296	GLY	N-CA-C	5.35	125.87	113.18
1	D	326	LEU	N-CA-C	5.21	117.64	111.33
1	C	294	SER	N-CA-C	-5.14	105.56	111.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2690	0	2643	17	0
1	B	2613	0	2570	10	0
1	C	2638	0	2591	20	0
1	D	2632	0	2584	28	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	84	0	126	1	0
4	B	44	6	66	5	0
4	C	56	0	84	4	0
4	D	52	12	78	5	0
5	A	7	0	10	0	0
5	B	7	0	10	0	0
5	D	21	0	30	6	0
6	A	40	0	0	1	0
6	B	40	0	0	0	0
6	C	40	0	0	0	0
6	D	40	0	0	0	0
7	B	15	0	17	1	0
7	C	15	0	17	0	0
8	D	13	0	18	2	0
9	A	220	0	0	1	0
9	B	197	0	0	1	0
9	C	150	0	0	2	0
9	D	264	0	0	0	0
All	All	11886	18	10844	73	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (73) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:162:ASN:OD1	4:D:520:EDO:H12	1.71	0.90
1:D:153:TYR:O	5:D:509:PEG:H41	1.73	0.88
1:A:349:GLU:HB3	1:C:147:MET:HE1	1.63	0.79
1:D:244:GLU:HA	5:D:511:PEG:H31	1.63	0.79
1:D:262:LYS:HD3	4:D:506:EDO:H22	1.63	0.79
1:D:245:ASN:H	5:D:511:PEG:H31	1.49	0.78
4:B:505:EDO:H11	1:D:215:THR:HG22	1.70	0.74
1:D:158:ALA:H	1:D:342:ARG:HH12	1.36	0.72
9:A:611:HOH:O	1:C:346:ARG:HD2	1.91	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:162:ASN:OD1	4:D:520:EDO:C1	2.39	0.69
1:C:132:LEU:HD22	1:C:139:VAL:HG22	1.75	0.69
1:D:245:ASN:H	5:D:511:PEG:C3	2.06	0.68
1:D:293:THR:HG22	1:D:299:LEU:HD23	1.79	0.64
1:C:181:LEU:CD2	1:C:298:LEU:HD12	2.31	0.60
1:D:150:GLU:O	5:D:509:PEG:H22	2.01	0.60
1:A:181:LEU:CD2	1:A:298:LEU:HD12	2.32	0.60
1:C:181:LEU:HD21	1:C:298:LEU:HD12	1.85	0.59
1:D:286:MET:HE3	1:D:308:GLN:OE1	2.02	0.59
1:A:357:MET:HE2	6:A:514:D5T:O2	2.03	0.59
1:D:245:ASN:N	5:D:511:PEG:H31	2.17	0.58
1:C:221:LEU:HD23	1:C:221:LEU:C	2.29	0.57
1:C:132:LEU:CD2	1:C:139:VAL:HG22	2.34	0.56
1:B:290:LYS:NZ	9:B:602:HOH:O	2.32	0.56
1:C:330:ARG:HD3	1:C:405:TRP:CH2	2.42	0.55
7:B:510:EPE:H31	7:B:510:EPE:O8	2.07	0.54
1:A:181:LEU:HD21	1:A:298:LEU:HD12	1.90	0.54
1:D:330:ARG:HD3	1:D:405:TRP:CZ3	2.45	0.52
1:A:270:ALA:HB1	1:A:279:LEU:HD11	1.92	0.51
1:B:286:MET:HE3	1:B:308:GLN:NE2	2.25	0.51
1:D:270:ALA:HB1	1:D:279:LEU:HD11	1.92	0.51
1:C:409:THR:HG22	1:C:409:THR:O	2.11	0.51
1:C:223:TYR:OH	8:D:518:PG4:H71	2.11	0.49
1:B:270:ALA:HB1	1:B:279:LEU:HD11	1.93	0.49
1:C:345:ASP:O	1:C:349:GLU:HG3	2.12	0.49
1:C:162:ASN:ND2	4:C:506:EDO:H22	2.28	0.49
1:D:158:ALA:N	1:D:342:ARG:HH12	2.07	0.49
1:A:148:THR:O	1:A:152:HIS:HD2	1.96	0.48
1:C:261:ARG:HB2	4:C:508:EDO:H12	1.94	0.48
1:C:270:ALA:HB1	1:C:279:LEU:HD11	1.95	0.48
1:C:221:LEU:HD23	1:C:221:LEU:O	2.14	0.47
1:A:181:LEU:HD23	1:A:298:LEU:HD12	1.96	0.47
1:C:326:LEU:HB2	4:C:518:EDO:H12	1.97	0.47
1:D:286:MET:CE	1:D:308:GLN:OE1	2.63	0.47
1:D:303:TYR:CE1	4:D:506:EDO:H12	2.49	0.47
1:A:225:ASP:CG	1:B:261:ARG:HH12	2.23	0.47
1:A:294:SER:O	1:A:295:SER:CB	2.63	0.46
1:A:294:SER:O	1:A:295:SER:HB3	2.15	0.46
1:D:330:ARG:HD3	1:D:405:TRP:CH2	2.50	0.45
1:C:139:VAL:HG23	9:C:704:HOH:O	2.16	0.45
1:D:345:ASP:O	1:D:349:GLU:HG3	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:115:ASN:HD21	4:D:520:EDO:C1	2.30	0.44
1:C:345:ASP:OD1	1:C:348:ARG:NH2	2.50	0.44
1:A:225:ASP:OD2	1:B:261:ARG:NH1	2.41	0.43
1:B:244:GLU:HB3	4:B:505:EDO:H12	1.99	0.43
1:D:222:MET:HA	8:D:518:PG4:C7	2.48	0.43
1:C:181:LEU:HD23	1:C:298:LEU:HD12	2.00	0.43
1:A:105[B]:HIS:HE1	1:A:107:PHE:HB2	1.84	0.43
1:A:222:MET:HE1	1:B:222:MET:HB3	2.00	0.43
4:B:505:EDO:C1	1:D:215:THR:HG22	2.43	0.43
4:C:518:EDO:H21	9:C:646:HOH:O	2.18	0.43
1:B:323:THR:HB	1:B:395:ILE:HG23	2.00	0.42
4:B:505:EDO:O2	1:D:350:ARG:HB3	2.20	0.42
1:D:105[A]:HIS:HE1	1:D:107:PHE:HB2	1.85	0.42
1:A:153:TYR:O	4:A:525:EDO:H11	2.20	0.42
1:B:113:SER:OG	1:B:116:ARG:HB2	2.21	0.41
1:D:323:THR:HB	1:D:395:ILE:HG23	2.01	0.41
1:A:105[B]:HIS:CE1	1:A:107:PHE:HB2	2.56	0.41
1:A:350[A]:ARG:HH11	1:A:350[A]:ARG:HD2	1.55	0.41
1:D:104:LEU:HD22	1:D:170:GLN:HG3	2.02	0.41
1:D:90:ASP:OD1	1:D:91:VAL:N	2.54	0.41
1:C:275:LYS:HA	1:C:275:LYS:HD3	1.96	0.40
1:B:144:THR:HG23	4:B:505:EDO:H22	2.02	0.40
1:A:158:ALA:H	1:A:342:ARG:HH12	1.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	330/364 (91%)	326 (99%)	4 (1%)	0	100	100
1	B	321/364 (88%)	319 (99%)	2 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	324/364 (89%)	317 (98%)	5 (2%)	2 (1%)	21	13
1	D	323/364 (89%)	318 (98%)	5 (2%)	0	100	100
All	All	1298/1456 (89%)	1280 (99%)	16 (1%)	2 (0%)	43	36

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	299	LEU
1	C	296	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	303/331 (92%)	300 (99%)	3 (1%)	68	70
1	B	295/331 (89%)	291 (99%)	4 (1%)	59	59
1	C	298/331 (90%)	294 (99%)	4 (1%)	61	61
1	D	297/331 (90%)	292 (98%)	5 (2%)	53	52
All	All	1193/1324 (90%)	1177 (99%)	16 (1%)	61	61

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	85	LYS
1	A	297	VAL
1	A	299	LEU
1	B	91	VAL
1	B	255	LYS
1	B	260	LEU
1	B	364	SER
1	C	87	GLU
1	C	116	ARG
1	C	254	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	364	SER
1	D	178	THR
1	D	260	LEU
1	D	298	LEU
1	D	327	GLN
1	D	364	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	210	GLN
1	A	250	GLN
1	A	258	GLN
1	A	389	HIS
1	B	105	HIS
1	B	210	GLN
1	B	214	ASN
1	B	321	ASN
1	C	210	GLN
1	C	250	GLN
1	C	407	GLN
1	D	210	GLN
1	D	224	ASN
1	D	250	GLN
1	D	321	ASN
1	D	362	ASN
1	D	407	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 79 ligands modelled in this entry, 8 are monoatomic - leaving 71 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	A	505	-	3,3,3	0.50	0	2,2,2	0.23	0
4	EDO	A	512	-	3,3,3	0.60	0	2,2,2	0.16	0
4	EDO	A	519	-	3,3,3	0.27	0	2,2,2	0.86	0
4	EDO	A	525	-	3,3,3	0.66	0	2,2,2	0.31	0
4	EDO	B	504	-	3,3,3	0.60	0	2,2,2	0.04	0
4	EDO	B	505	-	3,3,3	0.21	0	2,2,2	0.24	0
4	EDO	B	515	-	3,3,3	0.39	0	2,2,2	0.04	0
4	EDO	B	514	-	3,3,3	0.35	0	2,2,2	0.78	0
4	EDO	D	502	-	3,3,3	0.55	0	2,2,2	0.64	0
4	EDO	C	510	-	3,3,3	0.34	0	2,2,2	0.54	0
4	EDO	A	507	-	3,3,3	0.60	0	2,2,2	0.44	0
4	EDO	A	520	-	3,3,3	0.38	0	2,2,2	0.34	0
4	EDO	A	516	-	3,3,3	0.33	0	2,2,2	1.00	0
4	EDO	B	507	-	3,3,3	0.39	0	2,2,2	0.76	0
4	EDO	C	506	-	3,3,3	0.24	0	2,2,2	1.16	0
4	EDO	A	515	-	3,3,3	0.46	0	2,2,2	0.30	0
4	EDO	C	507	-	3,3,3	0.60	0	2,2,2	0.66	0
4	EDO	D	501	-	3,3,3	0.23	0	2,2,2	0.83	0
4	EDO	D	514	-	3,3,3	0.58	0	2,2,2	0.77	0
4	EDO	D	519	-	3,3,3	0.43	0	2,2,2	0.23	0
6	D5T	C	513	-	43,44,44	0.73	2 (4%)	57,65,65	0.85	2 (3%)
5	PEG	A	513	-	6,6,6	0.68	0	5,5,5	0.54	0
4	EDO	B	503	-	3,3,3	0.44	0	2,2,2	0.78	0
4	EDO	C	514	-	3,3,3	0.38	0	2,2,2	0.47	0
4	EDO	C	508	-	3,3,3	0.36	0	2,2,2	0.38	0
4	EDO	A	517	-	3,3,3	0.24	0	2,2,2	0.91	0
5	PEG	B	509	-	6,6,6	0.91	0	5,5,5	0.85	0
4	EDO	B	511	-	3,3,3	0.33	0	2,2,2	0.80	0
4	EDO	A	510	-	3,3,3	0.41	0	2,2,2	0.04	0
4	EDO	A	524	-	3,3,3	0.53	0	2,2,2	0.76	0
4	EDO	D	515	-	3,3,3	0.44	0	2,2,2	0.23	0
4	EDO	C	517	-	3,3,3	0.15	0	2,2,2	1.11	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	PG4	D	518	-	12,12,12	1.12	0	11,11,11	1.11	1 (9%)
6	D5T	D	512	-	43,44,44	0.47	0	57,65,65	0.70	2 (3%)
4	EDO	C	515	-	3,3,3	0.21	0	2,2,2	0.70	0
4	EDO	C	516	-	3,3,3	0.81	0	2,2,2	0.47	0
4	EDO	A	521	-	3,3,3	0.37	0	2,2,2	0.62	0
4	EDO	D	517	-	3,3,3	0.28	0	2,2,2	0.87	0
5	PEG	D	509	-	6,6,6	0.46	0	5,5,5	0.90	0
4	EDO	C	501	-	3,3,3	0.31	0	2,2,2	0.32	0
4	EDO	A	523	-	3,3,3	0.58	0	2,2,2	0.31	0
4	EDO	D	516	-	3,3,3	0.48	0	2,2,2	0.56	0
4	EDO	C	518	-	3,3,3	0.56	0	2,2,2	0.30	0
4	EDO	B	506	-	3,3,3	0.48	0	2,2,2	0.28	0
4	EDO	A	508	-	3,3,3	0.63	0	2,2,2	0.76	0
4	EDO	B	516	-	3,3,3	0.17	0	2,2,2	0.73	0
4	EDO	B	508	-	3,3,3	0.29	0	2,2,2	1.17	0
4	EDO	A	509	-	3,3,3	0.27	0	2,2,2	0.95	0
4	EDO	C	511	-	3,3,3	0.60	0	2,2,2	0.34	0
4	EDO	D	513	-	3,3,3	0.52	0	2,2,2	0.83	0
7	EPE	B	510	-	15,15,15	2.10	1 (6%)	19,20,20	1.37	2 (10%)
7	EPE	C	512	-	15,15,15	2.29	1 (6%)	19,20,20	1.73	6 (31%)
6	D5T	B	512	-	43,44,44	0.63	1 (2%)	57,65,65	1.37	6 (10%)
4	EDO	D	520	-	3,3,3	0.46	0	2,2,2	0.89	0
4	EDO	C	509	-	3,3,3	0.23	0	2,2,2	0.59	0
4	EDO	C	503	-	3,3,3	0.28	0	2,2,2	0.45	0
4	EDO	D	505	-	3,3,3	0.36	0	2,2,2	0.15	0
4	EDO	D	508	-	3,3,3	0.40	0	2,2,2	0.19	0
4	EDO	A	504	-	3,3,3	0.41	0	2,2,2	1.07	0
4	EDO	A	503	-	3,3,3	0.47	0	2,2,2	0.67	0
5	PEG	D	510	-	6,6,6	0.44	0	5,5,5	0.39	0
4	EDO	B	513	-	3,3,3	0.22	0	2,2,2	0.64	0
4	EDO	D	506	-	3,3,3	0.17	0	2,2,2	0.76	0
5	PEG	D	511	-	6,6,6	0.49	0	5,5,5	1.01	0
4	EDO	A	522	-	3,3,3	0.41	0	2,2,2	0.39	0
4	EDO	D	507	-	3,3,3	0.52	0	2,2,2	0.54	0
4	EDO	A	511	-	3,3,3	0.44	0	2,2,2	0.41	0
6	D5T	A	514	-	43,44,44	0.47	0	57,65,65	0.69	2 (3%)
4	EDO	A	518	-	3,3,3	0.64	0	2,2,2	0.17	0
4	EDO	C	502	-	3,3,3	0.28	0	2,2,2	0.88	0
4	EDO	A	506	-	3,3,3	0.37	0	2,2,2	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
 '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	505	-	-	0/1/1/1	-
4	EDO	A	512	-	-	1/1/1/1	-
4	EDO	A	519	-	-	1/1/1/1	-
4	EDO	A	525	-	-	1/1/1/1	-
4	EDO	B	504	-	-	1/1/1/1	-
4	EDO	B	505	-	-	0/1/1/1	-
4	EDO	B	515	-	-	0/1/1/1	-
4	EDO	B	514	-	-	1/1/1/1	-
4	EDO	D	502	-	-	1/1/1/1	-
4	EDO	C	510	-	-	1/1/1/1	-
4	EDO	A	507	-	-	1/1/1/1	-
4	EDO	A	520	-	-	0/1/1/1	-
4	EDO	A	516	-	-	0/1/1/1	-
4	EDO	B	507	-	-	0/1/1/1	-
4	EDO	C	506	-	-	0/1/1/1	-
4	EDO	A	515	-	-	1/1/1/1	-
4	EDO	C	507	-	-	0/1/1/1	-
4	EDO	D	501	-	-	1/1/1/1	-
4	EDO	D	514	-	-	0/1/1/1	-
4	EDO	D	519	-	-	1/1/1/1	-
6	D5T	C	513	-	-	0/20/75/75	0/5/5/5
5	PEG	A	513	-	-	3/4/4/4	-
4	EDO	B	503	-	-	0/1/1/1	-
4	EDO	C	514	-	-	1/1/1/1	-
4	EDO	C	508	-	-	0/1/1/1	-
4	EDO	A	517	-	-	0/1/1/1	-
5	PEG	B	509	-	-	1/4/4/4	-
4	EDO	B	511	-	-	0/1/1/1	-
4	EDO	A	510	-	-	1/1/1/1	-
4	EDO	A	524	-	-	1/1/1/1	-
4	EDO	D	515	-	-	1/1/1/1	-
4	EDO	C	517	-	-	1/1/1/1	-
8	PG4	D	518	-	-	6/10/10/10	-
6	D5T	D	512	-	-	0/20/75/75	0/5/5/5
4	EDO	C	515	-	-	0/1/1/1	-
4	EDO	C	516	-	-	1/1/1/1	-
4	EDO	A	521	-	-	1/1/1/1	-
4	EDO	D	517	-	-	1/1/1/1	-
5	PEG	D	509	-	-	2/4/4/4	-
4	EDO	C	501	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	523	-	-	1/1/1/1	-
4	EDO	D	516	-	-	1/1/1/1	-
4	EDO	C	518	-	-	1/1/1/1	-
4	EDO	B	506	-	-	1/1/1/1	-
4	EDO	A	508	-	-	0/1/1/1	-
4	EDO	B	516	-	-	0/1/1/1	-
4	EDO	B	508	-	-	1/1/1/1	-
4	EDO	A	509	-	-	1/1/1/1	-
4	EDO	C	511	-	-	1/1/1/1	-
4	EDO	D	513	-	-	1/1/1/1	-
7	EPE	B	510	-	-	5/9/19/19	0/1/1/1
7	EPE	C	512	-	-	4/9/19/19	0/1/1/1
6	D5T	B	512	-	-	0/20/75/75	0/5/5/5
4	EDO	D	520	-	-	1/1/1/1	-
4	EDO	C	509	-	-	1/1/1/1	-
4	EDO	C	503	-	-	0/1/1/1	-
4	EDO	D	505	-	-	0/1/1/1	-
4	EDO	D	508	-	-	1/1/1/1	-
4	EDO	A	504	-	-	0/1/1/1	-
4	EDO	A	503	-	-	0/1/1/1	-
5	PEG	D	510	-	-	3/4/4/4	-
4	EDO	B	513	-	-	1/1/1/1	-
4	EDO	D	506	-	-	0/1/1/1	-
5	PEG	D	511	-	-	3/4/4/4	-
4	EDO	A	522	-	-	0/1/1/1	-
4	EDO	D	507	-	-	0/1/1/1	-
4	EDO	A	511	-	-	0/1/1/1	-
6	D5T	A	514	-	-	1/20/75/75	0/5/5/5
4	EDO	A	518	-	-	1/1/1/1	-
4	EDO	C	502	-	-	1/1/1/1	-
4	EDO	A	506	-	-	1/1/1/1	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	C	512	EPE	C10-S	-8.67	1.65	1.77
7	B	510	EPE	C10-S	-7.98	1.66	1.77
6	C	513	D5T	C11-N4	3.71	1.51	1.46
6	B	512	D5T	C11-N4	2.46	1.49	1.46
6	C	513	D5T	C7-N2	2.03	1.49	1.47

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	512	D5T	C18-N4-C12	-6.61	120.59	123.98
7	B	510	EPE	O2S-S-C10	4.10	112.93	106.73
7	C	512	EPE	O3S-S-O2S	-3.65	102.27	111.40
6	C	513	D5T	C11-C10-N3	3.01	120.69	117.04
6	D	512	D5T	C6-N1-N2	-2.94	115.89	118.97
6	B	512	D5T	C11-N4-C12	2.89	119.99	117.80
6	A	514	D5T	C6-N1-N2	-2.88	115.96	118.97
6	B	512	D5T	C11-C10-N3	2.70	120.31	117.04
7	C	512	EPE	C9-N1-C2	-2.66	104.14	111.24
7	C	512	EPE	C7-N4-C3	-2.59	104.33	111.24
6	C	513	D5T	O2-C10-C11	-2.37	117.06	120.56
6	B	512	D5T	C28-C5-C6	-2.36	117.31	120.24
6	B	512	D5T	C5-C6-N1	2.34	118.81	115.98
7	B	510	EPE	O2S-S-O1S	-2.31	106.32	113.82
7	C	512	EPE	C9-N1-C6	2.27	117.30	111.24
7	C	512	EPE	O2S-S-C10	2.25	110.13	106.73
8	D	518	PG4	O4-C7-C8	2.21	119.86	110.11
7	C	512	EPE	C3-C2-N1	2.19	115.07	110.65
6	B	512	D5T	C11-N4-C18	2.04	119.35	117.80
6	D	512	D5T	C26-C27-C22	-2.04	107.11	110.59
6	A	514	D5T	C26-C27-C22	-2.02	107.13	110.59

There are no chirality outliers.

All (63) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	C	512	EPE	C10-C9-N1-C6
7	C	512	EPE	C8-C7-N4-C5
5	D	511	PEG	C4-C3-O2-C2
7	B	510	EPE	C8-C7-N4-C3
5	D	510	PEG	O2-C3-C4-O4
7	B	510	EPE	C9-C10-S-O3S
5	A	513	PEG	O1-C1-C2-O2
5	A	513	PEG	O2-C3-C4-O4
5	D	509	PEG	O1-C1-C2-O2
5	D	510	PEG	O1-C1-C2-O2
8	D	518	PG4	O2-C3-C4-O3
8	D	518	PG4	O4-C7-C8-O5
7	B	510	EPE	C8-C7-N4-C5
4	A	512	EDO	O1-C1-C2-O2
4	A	518	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	523	EDO	O1-C1-C2-O2
4	A	525	EDO	O1-C1-C2-O2
4	C	510	EDO	O1-C1-C2-O2
5	D	511	PEG	O1-C1-C2-O2
5	D	511	PEG	O2-C3-C4-O4
4	A	510	EDO	O1-C1-C2-O2
4	C	518	EDO	O1-C1-C2-O2
8	D	518	PG4	O1-C1-C2-O2
4	B	504	EDO	O1-C1-C2-O2
4	B	506	EDO	O1-C1-C2-O2
4	C	509	EDO	O1-C1-C2-O2
4	D	519	EDO	O1-C1-C2-O2
7	B	510	EPE	C9-C10-S-O1S
7	B	510	EPE	C9-C10-S-O2S
5	D	509	PEG	C4-C3-O2-C2
8	D	518	PG4	C5-C6-O4-C7
8	D	518	PG4	C1-C2-O2-C3
4	A	515	EDO	O1-C1-C2-O2
4	C	517	EDO	O1-C1-C2-O2
5	A	513	PEG	C1-C2-O2-C3
7	C	512	EPE	C9-C10-S-O3S
8	D	518	PG4	C6-C5-O3-C4
4	B	508	EDO	O1-C1-C2-O2
4	C	516	EDO	O1-C1-C2-O2
4	D	516	EDO	O1-C1-C2-O2
7	C	512	EPE	C10-C9-N1-C2
5	D	510	PEG	C1-C2-O2-C3
4	A	507	EDO	O1-C1-C2-O2
4	A	524	EDO	O1-C1-C2-O2
4	B	514	EDO	O1-C1-C2-O2
4	C	514	EDO	O1-C1-C2-O2
4	D	517	EDO	O1-C1-C2-O2
4	D	520	EDO	O1-C1-C2-O2
4	A	519	EDO	O1-C1-C2-O2
4	A	521	EDO	O1-C1-C2-O2
4	B	513	EDO	O1-C1-C2-O2
4	C	501	EDO	O1-C1-C2-O2
4	D	502	EDO	O1-C1-C2-O2
4	C	511	EDO	O1-C1-C2-O2
4	D	513	EDO	O1-C1-C2-O2
4	A	509	EDO	O1-C1-C2-O2
4	D	508	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	B	509	PEG	O1-C1-C2-O2
4	A	506	EDO	O1-C1-C2-O2
4	D	501	EDO	O1-C1-C2-O2
4	D	515	EDO	O1-C1-C2-O2
6	A	514	D5T	O2-C10-N3-C19
4	C	502	EDO	O1-C1-C2-O2


There are no ring outliers.

12 monomers are involved in 25 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	525	EDO	1	0
4	B	505	EDO	5	0
4	C	506	EDO	1	0
4	C	508	EDO	1	0
8	D	518	PG4	2	0
5	D	509	PEG	2	0
4	C	518	EDO	2	0
7	B	510	EPE	1	0
4	D	520	EDO	3	0
4	D	506	EDO	2	0
5	D	511	PEG	4	0
6	A	514	D5T	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand D5T C 513



Ligand D5T D 512





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	330/364 (90%)	0.16	25 (7%)	20 21	12, 27, 58, 106	2 (0%)
1	B	323/364 (88%)	0.59	25 (7%)	19 21	17, 33, 53, 81	0
1	C	326/364 (89%)	0.41	18 (5%)	30 32	18, 31, 62, 99	0
1	D	324/364 (89%)	-0.10	11 (3%)	48 51	10, 23, 43, 73	1 (0%)
All	All	1303/1456 (89%)	0.26	79 (6%)	27 29	10, 28, 54, 106	3 (0%)

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	82	PHE	8.1
1	A	83	GLY	4.5
1	C	86	THR	4.4
1	C	299	LEU	3.9
1	C	411	PRO	3.9
1	A	411	PRO	3.8
1	D	362	ASN	3.7
1	A	375	TYR	3.6
1	A	105[A]	HIS	3.6
1	C	298	LEU	3.4
1	A	84	VAL	3.4
1	C	293	THR	3.4
1	A	363	ALA	3.3
1	C	375	TYR	3.3
1	A	295	SER	3.2
1	B	294	SER	3.2
1	D	105[A]	HIS	3.2
1	C	297	VAL	3.2
1	B	257	ARG	3.1
1	B	295	SER	3.0
1	C	292	VAL	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	295	SER	2.9
1	D	342	ARG	2.9
1	C	296	GLY	2.9
1	B	252	LEU	2.8
1	B	135	PHE	2.7
1	A	409	THR	2.7
1	B	91	VAL	2.7
1	A	410	ILE	2.7
1	A	294	SER	2.7
1	A	222	MET	2.7
1	A	292	VAL	2.7
1	B	297	VAL	2.7
1	A	350[A]	ARG	2.6
1	D	327	GLN	2.6
1	A	349	GLU	2.6
1	B	188	LEU	2.6
1	B	411	PRO	2.5
1	B	132	LEU	2.5
1	D	90	ASP	2.5
1	A	362	ASN	2.5
1	C	87	GLU	2.5
1	D	363	ALA	2.5
1	B	92	LEU	2.4
1	B	131	LEU	2.4
1	B	308	GLN	2.4
1	D	88	GLN	2.4
1	B	93	ALA	2.4
1	A	298	LEU	2.4
1	C	294	SER	2.4
1	D	351	GLY	2.4
1	C	291	LYS	2.4
1	D	89	GLU	2.4
1	C	303	TYR	2.3
1	A	293	THR	2.3
1	B	362	ASN	2.3
1	D	375	TYR	2.3
1	B	133	LYS	2.3
1	B	327	GLN	2.3
1	B	238	PHE	2.2
1	B	137	ILE	2.2
1	B	250	GLN	2.2
1	A	297	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	288	GLU	2.2
1	C	286	MET	2.2
1	A	299	LEU	2.2
1	C	300	LEU	2.2
1	B	296	GLY	2.1
1	A	291	LYS	2.1
1	B	112	LEU	2.1
1	B	181	LEU	2.1
1	C	302	ASN	2.1
1	A	342	ARG	2.1
1	B	254	LYS	2.1
1	A	327	GLN	2.1
1	C	301	ASP	2.1
1	A	351	GLY	2.0
1	B	287	VAL	2.0
1	D	91	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	C	517	4/4	0.70	0.27	50,52,58,61	0
4	EDO	A	525	4/4	0.71	0.22	50,50,54,57	0
4	EDO	B	514	4/4	0.72	0.24	45,57,59,59	0
4	EDO	A	517	4/4	0.72	0.24	53,55,59,64	0
4	EDO	B	516	4/4	0.77	0.36	20,20,20,20	0
4	EDO	A	511	4/4	0.77	0.20	69,74,75,80	0
4	EDO	D	520	4/4	0.77	0.35	20,20,20,20	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	PG4	D	518	13/13	0.77	0.22	39,46,67,71	0
5	PEG	D	509	7/7	0.78	0.20	36,45,54,56	0
4	EDO	C	502	4/4	0.78	0.24	54,55,59,66	0
4	EDO	A	518	4/4	0.79	0.20	51,55,58,62	0
4	EDO	C	511	4/4	0.79	0.22	52,56,59,59	0
4	EDO	C	516	4/4	0.82	0.23	36,56,58,70	0
4	EDO	A	512	4/4	0.82	0.18	54,57,60,63	0
4	EDO	D	506	4/4	0.82	0.17	46,48,49,60	0
4	EDO	B	507	4/4	0.83	0.16	51,52,53,55	0
4	EDO	C	518	4/4	0.83	0.16	50,52,56,61	0
4	EDO	A	524	4/4	0.83	0.18	42,46,49,52	0
5	PEG	D	511	7/7	0.84	0.18	27,40,52,54	0
4	EDO	A	523	4/4	0.84	0.18	53,54,58,59	0
4	EDO	B	513	4/4	0.85	0.19	46,48,48,57	0
4	EDO	D	517	4/4	0.85	0.18	52,56,57,59	0
4	EDO	C	509	4/4	0.85	0.17	53,53,56,62	0
4	EDO	D	501	4/4	0.86	0.18	43,62,63,64	0
4	EDO	C	514	4/4	0.86	0.16	43,44,53,59	0
5	PEG	D	510	7/7	0.86	0.17	48,61,66,69	0
4	EDO	B	511	4/4	0.86	0.14	41,42,47,47	0
7	EPE	B	510	15/15	0.86	0.18	50,74,86,87	0
4	EDO	D	519	4/4	0.86	0.30	20,20,20,20	0
4	EDO	B	505	4/4	0.87	0.32	40,46,50,54	0
4	EDO	B	506	4/4	0.87	0.14	49,51,53,56	0
4	EDO	A	506	4/4	0.87	0.15	47,52,57,68	0
4	EDO	A	505	4/4	0.88	0.15	51,52,54,55	0
4	EDO	D	513	4/4	0.88	0.12	31,35,36,37	0
6	D5T	A	514	40/40	0.88	0.14	21,26,67,71	0
5	PEG	B	509	7/7	0.88	0.15	42,53,57,58	0
4	EDO	A	516	4/4	0.88	0.16	39,44,46,57	0
4	EDO	D	508	4/4	0.89	0.14	35,40,44,50	0
4	EDO	A	508	4/4	0.89	0.15	32,42,43,44	0
4	EDO	C	510	4/4	0.89	0.16	44,46,49,52	0
4	EDO	A	509	4/4	0.89	0.19	43,55,56,62	0
4	EDO	A	507	4/4	0.89	0.13	32,40,44,55	0
4	EDO	C	515	4/4	0.89	0.15	53,55,57,59	0
4	EDO	C	501	4/4	0.90	0.15	43,49,51,52	0
4	EDO	A	515	4/4	0.90	0.13	35,38,39,47	0
5	PEG	A	513	7/7	0.90	0.16	33,56,62,62	0
4	EDO	C	506	4/4	0.90	0.15	39,43,53,57	0
4	EDO	A	510	4/4	0.90	0.16	60,61,64,67	0
4	EDO	C	507	4/4	0.91	0.10	30,31,31,37	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	EDO	B	508	4/4	0.91	0.14	42,44,45,46	0
6	D5T	D	512	40/40	0.91	0.13	20,25,66,71	0
4	EDO	C	503	4/4	0.91	0.12	45,46,49,49	0
4	EDO	A	519	4/4	0.91	0.11	30,33,36,40	0
4	EDO	A	504	4/4	0.92	0.11	29,36,37,41	0
4	EDO	A	522	4/4	0.92	0.13	38,44,46,49	0
4	EDO	B	515	4/4	0.92	0.17	27,37,48,57	0
7	EPE	C	512	15/15	0.92	0.14	28,63,79,82	0
4	EDO	C	508	4/4	0.92	0.15	56,56,57,58	0
4	EDO	A	520	4/4	0.93	0.12	40,45,51,53	0
4	EDO	B	503	4/4	0.94	0.08	22,24,28,31	0
4	EDO	D	515	4/4	0.94	0.09	28,31,32,33	0
4	EDO	D	505	4/4	0.94	0.09	24,25,26,28	0
6	D5T	B	512	40/40	0.95	0.09	20,23,63,67	0
6	D5T	C	513	40/40	0.95	0.09	22,27,65,68	0
4	EDO	D	514	4/4	0.95	0.08	27,27,29,30	0
4	EDO	A	521	4/4	0.95	0.09	27,31,31,32	0
4	EDO	D	516	4/4	0.95	0.09	32,33,34,37	0
4	EDO	B	504	4/4	0.95	0.09	37,46,47,55	0
4	EDO	A	503	4/4	0.96	0.08	32,33,34,34	0
4	EDO	D	502	4/4	0.96	0.08	32,32,34,35	0
3	MG	D	504	1/1	0.97	0.04	15,15,15,15	0
4	EDO	D	507	4/4	0.97	0.07	27,28,29,32	0
3	MG	B	502	1/1	0.98	0.04	20,20,20,20	0
2	ZN	D	503	1/1	0.99	0.02	21,21,21,21	0
2	ZN	B	501	1/1	0.99	0.03	26,26,26,26	0
3	MG	C	505	1/1	0.99	0.03	20,20,20,20	0
3	MG	A	502	1/1	1.00	0.02	17,17,17,17	0
2	ZN	C	504	1/1	1.00	0.02	26,26,26,26	0
2	ZN	A	501	1/1	1.00	0.02	23,23,23,23	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around D5T A 514:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around D5T D 512:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around D5T B 512:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around D5T C 513:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.