



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 10:51 AM UTC

PDB ID : 5FF0 / pdb\_00005ff0  
Title : HydE from *T. maritima* in complex with S-adenosyl-L-cysteine and methionine  
Authors : Rohac, R.; Amara, P.; Benjdia, A.; Martin, L.; Ruffie, P.; Favier, A.; Bertheau, O.; Mouesca, J.M.; Fontecilla-Camps, J.C.; Nicolet, Y.  
Deposited on : 2015-12-17  
Resolution : 1.49 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : 2.0  
EDS : 3.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	4037 (1.50-1.50)
Clashscore	190562	4235 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)
RSRZ outliers	180081	4039 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	358	

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 3703 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called [FeFe] hydrogenase maturase subunit HydE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	346	2956	1887	504	546	19	0	32	0

There are 14 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-9	MET	-	initiating methionine	UNP Q9X0Z6
A	-8	TRP	-	expression tag	UNP Q9X0Z6
A	-7	SER	-	expression tag	UNP Q9X0Z6
A	-6	HIS	-	expression tag	UNP Q9X0Z6
A	-5	PRO	-	expression tag	UNP Q9X0Z6
A	-4	GLN	-	expression tag	UNP Q9X0Z6
A	-3	PHE	-	expression tag	UNP Q9X0Z6
A	-2	GLU	-	expression tag	UNP Q9X0Z6
A	-1	LYS	-	expression tag	UNP Q9X0Z6
A	0	ALA	-	expression tag	UNP Q9X0Z6
A	1	SER	-	expression tag	UNP Q9X0Z6
A	311	SER	CYS	engineered mutation	UNP Q9X0Z6
A	319	SER	CYS	engineered mutation	UNP Q9X0Z6
A	322	SER	CYS	engineered mutation	UNP Q9X0Z6

- Molecule 2 is Fe<sub>4</sub>-Se<sub>4</sub> cluster (CCD ID: SFS) (formula: Fe<sub>4</sub>Se<sub>4</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	Fe	Se	0	0	
			8	4	4			

- Molecule 3 is 3-[(3-CHOLAMIDOPROPYL)DIMETHYLAMMONIO]-1-PROPANESULFONATE (CCD ID: CPS) (formula: C<sub>32</sub>H<sub>58</sub>N<sub>2</sub>O<sub>7</sub>S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	A	1	Total	C	N	O	S	0	0
			42	32	2	7	1		
3	A	1	Total	C	N	O	S	0	0
			42	32	2	7	1		

*Continued on next page...*


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 29 24 1 4	0	0
3	A	1	Total C O 50 44 6	0	1
3	A	1	Total C N O 37 31 2 4	0	0

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	2	Total Cl 2 2	0	0

- Molecule 5 is METHIONINE (CCD ID: MET) (formula: C<sub>5</sub>H<sub>11</sub>NO<sub>2</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C N O S 9 5 1 2 1	0	0

- Molecule 6 is S-adenosyl-L-cysteine (CCD ID: 5X8) (formula: C<sub>13</sub>H<sub>18</sub>N<sub>6</sub>O<sub>5</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
6	A	1	25	13	6	5	1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	499	Total	O	0	13
			503	503		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: [FeFe] hydrogenase maturase subunit HydE



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	50.89Å 79.34Å 86.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.84 – 1.49 42.84 – 1.49	Depositor EDS
% Data completeness (in resolution range)	99.7 (42.84-1.49) 99.8 (42.84-1.49)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.68 (at 1.49Å)	Xtrriage
Refinement program	REFMAC 5.8.0131	Depositor
R, $R_{free}$	0.150 , 0.169 (Not available) , 0.174	Depositor DCC
$R_{free}$ test set	2898 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	14.8	Xtrriage
Anisotropy	0.440	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 42.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	3703	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	21.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.08% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: SFS, CL, 5X8, CPS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.42	16/3038 (0.5%)	1.08	8/4109 (0.2%)

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	310[A]	ILE	C-N	-18.53	1.06	1.33
1	A	310[B]	ILE	C-N	-18.53	1.06	1.33
1	A	7	LEU	C-O	-6.27	1.16	1.24
1	A	198	SER	CA-C	-5.97	1.45	1.52
1	A	293	ASN	CG-OD1	-5.82	1.12	1.23
1	A	170	LYS	C-O	-5.51	1.17	1.24
1	A	26	ILE	C-O	5.40	1.29	1.24
1	A	333	LYS	C-N	5.37	1.40	1.33
1	A	5	GLU	C-O	-5.35	1.17	1.24
1	A	304	GLN	C-O	-5.34	1.17	1.23
1	A	314[A]	GLU	C-O	-5.22	1.17	1.23
1	A	9	LYS	C-O	-5.17	1.18	1.24
1	A	334[B]	PRO	C-N	-5.11	1.28	1.33
1	A	18[A]	GLU	C-O	-5.09	1.18	1.24
1	A	300[A]	ARG	C-O	-5.03	1.18	1.24
1	A	300[B]	ARG	C-O	-5.03	1.18	1.24

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	313	PHE	N-CA-C	6.08	120.86	113.38
1	A	319	SER	N-CA-C	5.74	117.54	111.28
1	A	310[A]	ILE	CA-C-N	-5.40	112.61	122.38
1	A	310[A]	ILE	C-N-CA	-5.40	112.61	122.38
1	A	310[B]	ILE	CA-C-N	-5.40	112.61	122.38

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	310[B]	ILE	C-N-CA	-5.40	112.61	122.38
1	A	312	VAL	N-CA-C	5.37	117.77	111.05
1	A	70	CYS	N-CA-C	5.14	117.99	109.46

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2956	0	2923	46	0
2	A	8	0	0	0	0
3	A	200	0	279	19	0
4	A	2	0	0	0	0
5	A	9	0	8	3	0
6	A	25	0	0	0	0
7	A	503	0	0	18	1
All	All	3703	0	3210	60	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:17:ARG:NH1	7:A:501[B]:HOH:O	1.76	1.18
3:A:405[A]:CPS:H9	7:A:718:HOH:O	1.45	1.16
1:A:324[B]:MET:HE3	3:A:405[B]:CPS:C11	1.88	1.03
3:A:405[A]:CPS:C9	7:A:718:HOH:O	2.02	0.99
1:A:107[B]:GLN:HE21	5:A:408:MET:HE2	1.31	0.94
1:A:114[B]:TYR:CD1	1:A:118:VAL:HG11	2.08	0.88
1:A:107[B]:GLN:NE2	5:A:408:MET:HE2	1.94	0.83
1:A:321:PRO:HB3	3:A:405[A]:CPS:H11A	1.61	0.82
3:A:405[A]:CPS:C8	7:A:718:HOH:O	2.27	0.82
1:A:87:GLU:CG	7:A:994:HOH:O	2.28	0.79

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:324[B]:MET:CE	3:A:405[B]:CPS:H11B	2.15	0.77
1:A:114[B]:TYR:CE1	1:A:118:VAL:HG11	2.20	0.76
1:A:324[B]:MET:CE	3:A:405[B]:CPS:C11	2.63	0.76
1:A:324[B]:MET:HE3	3:A:405[B]:CPS:H11	1.67	0.75
1:A:324[B]:MET:HE3	3:A:405[B]:CPS:H11B	1.68	0.75
1:A:310[B]:ILE:HD12	1:A:311:SER:N	2.03	0.73
1:A:217:LEU:HD11	7:A:510:HOH:O	1.89	0.71
1:A:4:ARG:O	1:A:8:GLU:HG3	1.91	0.71
1:A:309:LYS:CD	7:A:616[B]:HOH:O	2.39	0.70
1:A:157:LEU:CD2	1:A:224[A]:MET:HE2	2.21	0.70
1:A:157:LEU:HD23	1:A:224[A]:MET:HE2	1.73	0.69
1:A:150:GLU:OE1	7:A:502:HOH:O	2.14	0.65
1:A:334[B]:PRO:CB	7:A:899[B]:HOH:O	2.46	0.63
1:A:114[B]:TYR:CD1	1:A:118:VAL:CG1	2.84	0.60
1:A:310[B]:ILE:HD12	1:A:310[B]:ILE:C	2.27	0.58
3:A:405[A]:CPS:H4	3:A:405[A]:CPS:H21A	1.89	0.54
3:A:405[A]:CPS:H8	7:A:718:HOH:O	2.01	0.53
1:A:107[B]:GLN:HE21	5:A:408:MET:CE	2.12	0.53
3:A:410:CPS:H262	3:A:410:CPS:C31	2.38	0.52
1:A:324[B]:MET:HE2	3:A:405[B]:CPS:H11B	1.92	0.51
3:A:405[B]:CPS:H21A	3:A:405[B]:CPS:H4	1.93	0.50
1:A:188[A]:LYS:CG	7:A:901:HOH:O	2.58	0.50
1:A:114[B]:TYR:HD1	1:A:118:VAL:HG21	1.76	0.50
3:A:410:CPS:C31	3:A:410:CPS:C26	2.90	0.49
1:A:157:LEU:CD2	1:A:224[A]:MET:CE	2.89	0.49
1:A:310[B]:ILE:C	1:A:310[B]:ILE:CD1	2.86	0.48
1:A:157:LEU:HD23	1:A:224[A]:MET:CE	2.40	0.48
3:A:403:CPS:H4	3:A:403:CPS:H21A	1.97	0.47
1:A:259:LEU:C	1:A:261[B]:PRO:HD3	2.40	0.47
1:A:107[B]:GLN:HG2	1:A:303:TYR:OH	2.16	0.45
1:A:22[B]:GLU:OE2	1:A:22[B]:GLU:HA	2.17	0.45
1:A:83:ARG:HD3	1:A:113[B]:TYR:HD1	1.81	0.45
3:A:405[A]:CPS:H8	7:A:557:HOH:O	2.17	0.45
1:A:12:ARG:NH2	7:A:503:HOH:O	2.26	0.44
1:A:314[A]:GLU:HG3	7:A:527[A]:HOH:O	2.17	0.43
1:A:192:TYR:O	1:A:194[B]:THR:HG23	2.19	0.43
1:A:320:ILE:HG23	1:A:324[A]:MET:HE3	2.01	0.43
1:A:56[B]:ILE:HD11	1:A:291[B]:MET:HB3	2.01	0.42
1:A:124:LYS:NZ	7:A:519:HOH:O	2.53	0.42
1:A:94:ARG:HG3	1:A:129[B]:MET:SD	2.60	0.41
3:A:405[A]:CPS:C6	7:A:718:HOH:O	2.67	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:410:CPS:H21A	3:A:410:CPS:H4	2.02	0.41
1:A:224[A]:MET:HA	1:A:264:ASN:O	2.19	0.41
1:A:107[B]:GLN:NE2	1:A:303:TYR:OH	2.53	0.41
1:A:224[B]:MET:HA	1:A:264:ASN:O	2.21	0.41
1:A:86:PRO:HD3	1:A:114[B]:TYR:OH	2.20	0.41
1:A:114[B]:TYR:CD1	1:A:118:VAL:CB	3.04	0.41
1:A:54:ARG:O	1:A:291[A]:MET:HA	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:782:HOH:O	7:A:895:HOH:O[2_655]	2.02	0.18

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	373/358 (104%)	361 (97%)	12 (3%)	0	<b>100</b> <b>100</b>

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	208/313 (66%)	205 (99%)	3 (1%)	59 33

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	THR
1	A	290	ILE
1	A	311	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	301	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 2 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	CPS	A	402	-	45,45,45	1.76	5 (11%)	70,70,70	1.65	13 (18%)
6	5X8	A	409	-	26,27,27	1.77	8 (30%)	35,39,39	2.30	9 (25%)
3	CPS	A	405[B]	-	28,28,45	1.40	4 (14%)	46,46,70	1.99	14 (30%)
3	CPS	A	403	-	45,45,45	1.60	6 (13%)	70,70,70	1.58	15 (21%)
3	CPS	A	404	-	32,32,45	1.27	4 (12%)	51,51,70	1.62	10 (19%)
2	SFS	A	401	1,5	0,12,12	-	-	-	-	-
3	CPS	A	405[A]	-	28,28,45	1.36	4 (14%)	46,46,70	2.07	12 (26%)
3	CPS	A	410	-	40,40,45	1.25	3 (7%)	61,62,70	2.32	14 (22%)
5	MET	A	408	2	7,8,8	0.42	0	5,9,9	0.84	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CPS	A	402	-	-	0/25/90/90	0/4/4/4
6	5X8	A	409	-	-	0/14/30/30	0/3/3/3
3	CPS	A	405[B]	-	-	0/4/69/90	0/4/4/4
3	CPS	A	403	-	-	1/25/90/90	0/4/4/4
3	CPS	A	404	-	-	0/9/74/90	0/4/4/4
3	CPS	A	405[A]	-	-	0/4/69/90	0/4/4/4
3	CPS	A	410	-	-	7/20/85/90	0/4/4/4
2	SFS	A	401	1,5	-	-	0/6/5/5
5	MET	A	408	2	-	1/8/8/8	-

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	402	CPS	C32-S	-7.06	1.67	1.77
3	A	403	CPS	C32-S	-6.88	1.67	1.77
3	A	402	CPS	C30-N2	-3.84	1.43	1.52
3	A	405[B]	CPS	C5-C4	-3.64	1.49	1.54
6	A	409	5X8	C5'-SG	3.50	1.94	1.81
6	A	409	5X8	C4-N9	-3.25	1.30	1.37
6	A	409	5X8	C5-C6	-3.23	1.32	1.41
3	A	405[B]	CPS	C7-C6	-3.12	1.48	1.54
6	A	409	5X8	C5-N7	-3.11	1.33	1.39
3	A	402	CPS	C1-C12	-3.04	1.47	1.53
3	A	410	CPS	O4-C4	2.92	1.48	1.43

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	402	CPS	C2-C15	-2.88	1.50	1.55
3	A	410	CPS	C5-C4	-2.85	1.50	1.54
3	A	410	CPS	C5-C6	-2.76	1.50	1.55
3	A	404	CPS	C5-C6	-2.74	1.50	1.55
3	A	405[A]	CPS	C5-C9	-2.68	1.51	1.55
3	A	403	CPS	C14-C15	-2.66	1.49	1.53
3	A	403	CPS	C11-C2	-2.66	1.49	1.54
3	A	403	CPS	C2-C15	-2.57	1.51	1.55
3	A	404	CPS	C2-C15	-2.54	1.51	1.55
6	A	409	5X8	C4-N3	-2.53	1.29	1.34
3	A	402	CPS	C10-C5	-2.49	1.50	1.54
3	A	405[B]	CPS	C5-C6	-2.49	1.51	1.55
3	A	405[A]	CPS	C18-C6	-2.44	1.49	1.53
3	A	404	CPS	O4-C4	2.41	1.47	1.43
6	A	409	5X8	C5-C4	-2.32	1.34	1.39
3	A	405[A]	CPS	C9-C20	-2.29	1.50	1.54
3	A	405[B]	CPS	C16-C15	-2.26	1.50	1.53
6	A	409	5X8	O4'-C1'	-2.11	1.37	1.42
3	A	403	CPS	C5-C9	-2.10	1.52	1.55
3	A	403	CPS	C10-C5	-2.07	1.51	1.54
3	A	404	CPS	C11-C2	-2.06	1.50	1.54
3	A	405[A]	CPS	C5-C4	-2.05	1.51	1.54
6	A	409	5X8	O-C	-2.02	1.24	1.30

All (87) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	410	CPS	C25-N1-C24	-12.45	99.64	122.82
3	A	410	CPS	C27-C26-C25	-7.77	95.76	110.95
3	A	405[A]	CPS	C7-C6-C5	-6.29	97.44	103.54
3	A	405[A]	CPS	C14-C15-C2	-5.77	106.53	112.66
6	A	409	5X8	N3-C2-N1	-5.75	119.88	128.58
6	A	409	5X8	C5-C4-N9	5.70	112.02	105.81
3	A	405[B]	CPS	C1-C12-C13	5.05	117.17	110.48
3	A	404	CPS	C3-C19-C2	-4.84	108.80	113.70
6	A	409	5X8	C4-C5-N7	-4.53	105.40	110.58
6	A	409	5X8	O4'-C1'-N9	4.35	116.45	108.09
3	A	403	CPS	C14-C15-C2	4.27	117.21	112.66
6	A	409	5X8	C5-C4-N3	-4.08	121.10	126.72
3	A	410	CPS	C23-C24-N1	-4.05	108.97	116.34
3	A	403	CPS	C16-C15-C2	-3.98	108.42	112.66
3	A	402	CPS	O1S-S-C32	3.98	112.74	106.73

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	403	CPS	O2S-S-C32	3.95	113.74	106.00
3	A	405[B]	CPS	C15-C14-C13	-3.81	106.95	112.71
3	A	405[B]	CPS	C8-C9-C5	-3.79	99.86	103.54
3	A	405[B]	CPS	C9-C5-C6	3.74	103.86	100.11
3	A	402	CPS	C14-C13-C12	-3.64	106.18	110.62
3	A	402	CPS	C7-C6-C5	-3.62	100.03	103.54
3	A	405[B]	CPS	C16-C17-C18	3.60	115.43	111.50
3	A	405[A]	CPS	C19-C18-C17	3.52	116.29	111.86
3	A	405[A]	CPS	C16-C17-C18	-3.50	107.67	111.50
3	A	405[A]	CPS	C1-C2-C15	3.49	112.76	107.75
6	A	409	5X8	N9-C8-N7	-3.41	109.10	113.94
6	A	409	5X8	C2-N3-C4	3.40	120.14	111.83
6	A	409	5X8	C5-N7-C8	3.31	108.65	103.45
3	A	402	CPS	O2S-S-C32	-3.31	99.54	106.00
3	A	405[B]	CPS	C5-C9-C20	3.30	123.47	119.48
3	A	405[B]	CPS	C10-C5-C9	-3.26	106.09	111.20
3	A	405[A]	CPS	C5-C9-C20	3.26	123.42	119.48
3	A	404	CPS	C1-C2-C15	3.24	112.40	107.75
3	A	405[B]	CPS	C3-C19-C2	3.24	116.99	113.70
3	A	403	CPS	C16-C15-C14	3.23	114.92	111.23
3	A	404	CPS	C9-C5-C4	3.21	120.55	117.67
3	A	402	CPS	C5-C9-C20	3.17	123.33	119.48
3	A	402	CPS	C9-C5-C6	3.15	103.28	100.11
3	A	405[A]	CPS	C15-C14-C13	-3.02	108.16	112.71
3	A	404	CPS	C19-C18-C17	-3.01	108.07	111.86
6	A	409	5X8	C2'-C3'-C4'	-2.97	96.88	102.61
3	A	403	CPS	O1-C24-C23	-2.96	116.67	122.02
3	A	404	CPS	C15-C14-C13	-2.95	108.26	112.71
3	A	405[A]	CPS	C10-C5-C9	-2.95	106.58	111.20
3	A	405[B]	CPS	C12-C1-C2	2.94	117.70	112.74
3	A	405[A]	CPS	C3-C19-C2	-2.93	110.73	113.70
3	A	402	CPS	C8-C9-C5	-2.91	100.72	103.54
3	A	410	CPS	C1-C2-C15	2.90	111.91	107.75
3	A	403	CPS	C3-C4-C5	2.81	114.12	111.26
3	A	402	CPS	O2S-S-O1S	2.76	118.31	111.40
3	A	402	CPS	C14-C15-C2	2.75	115.58	112.66
3	A	402	CPS	O3S-S-C32	-2.72	102.61	106.73
3	A	404	CPS	C11-C2-C1	-2.71	104.00	108.31
3	A	405[B]	CPS	C7-C6-C5	-2.70	100.92	103.54
3	A	410	CPS	C21-C20-C22	-2.69	106.17	110.34
3	A	405[B]	CPS	C14-C15-C2	2.66	115.49	112.66
3	A	410	CPS	O1-C24-C23	2.63	126.79	122.02

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	404	CPS	C14-C15-C2	-2.60	109.89	112.66
3	A	405[B]	CPS	C11-C2-C1	-2.58	104.20	108.31
3	A	410	CPS	C29-N2-C27	-2.57	102.50	109.49
3	A	403	CPS	C5-C9-C20	-2.53	116.42	119.48
3	A	402	CPS	C16-C17-C18	-2.49	108.78	111.50
3	A	403	CPS	C9-C5-C6	2.42	102.54	100.11
3	A	405[A]	CPS	C5-C6-C18	-2.38	111.70	114.72
3	A	410	CPS	C9-C5-C4	2.38	119.81	117.67
3	A	404	CPS	C22-C23-C24	-2.38	104.46	112.55
3	A	405[A]	CPS	C7-C6-C18	-2.33	115.16	118.36
3	A	403	CPS	O2S-S-O3S	-2.28	105.70	111.40
3	A	405[B]	CPS	C22-C20-C21	-2.25	104.39	110.58
3	A	405[B]	CPS	C16-C15-C14	-2.25	108.65	111.23
3	A	405[A]	CPS	C9-C5-C6	2.25	102.37	100.11
3	A	403	CPS	C28-N2-C27	-2.24	103.40	109.49
3	A	402	CPS	C22-C23-C24	2.22	118.00	113.06
3	A	404	CPS	C11-C2-C15	-2.20	106.76	110.44
3	A	403	CPS	C10-C5-C4	-2.15	106.91	109.06
3	A	410	CPS	C23-C22-C20	-2.14	110.46	114.46
3	A	404	CPS	C19-C3-C4	-2.14	111.50	114.29
3	A	410	CPS	C1-C12-C13	2.11	113.28	110.48
3	A	403	CPS	C12-C1-C2	2.10	116.28	112.74
3	A	403	CPS	C7-C8-C9	2.08	109.22	105.14
3	A	410	CPS	C29-N2-C28	2.08	117.63	108.91
3	A	410	CPS	O3-C17-C18	2.05	114.22	109.52
3	A	403	CPS	C3-C19-C18	2.05	113.93	110.89
3	A	403	CPS	C8-C9-C5	-2.04	101.56	103.54
3	A	402	CPS	C23-C24-N1	-2.03	112.64	116.34
3	A	410	CPS	C10-C5-C9	-2.01	108.06	111.20
3	A	410	CPS	C19-C18-C17	-2.00	109.33	111.86

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	410	CPS	C23-C24-N1-C25
3	A	410	CPS	O1-C24-N1-C25
3	A	410	CPS	C26-C27-N2-C28
3	A	410	CPS	C26-C27-N2-C29
3	A	410	CPS	C26-C27-N2-C30
5	A	408	MET	C-CA-CB-CG
3	A	410	CPS	N1-C25-C26-C27

*Continued on next page...*

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	403	CPS	C26-C25-N1-C24
3	A	410	CPS	C25-C26-C27-N2



There are no ring outliers.



5 monomers are involved in 22 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	405[B]	CPS	7	0
3	A	403	CPS	1	0
3	A	405[A]	CPS	8	0
3	A	410	CPS	3	0
5	A	408	MET	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	310[A]:ILE	C	311:SER	N	1.06
1	A	310[B]:ILE	C	311:SER	N	1.05

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	346/358 (96%)	0.04	8 (2%) 61 65	7, 16, 32, 51	36 (10%)

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	THR	4.4
1	A	347	THR	3.4
1	A	310[A]	ILE	3.2
1	A	312	VAL	3.1
1	A	311	SER	3.1
1	A	313	PHE	2.8
1	A	15	PHE	2.7
1	A	78[A]	ASN	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	CPS	A	405[A]	25/42	0.79	0.14	11,13,16,16	25
3	CPS	A	405[B]	25/42	0.79	0.14	21,24,31,35	25
3	CPS	A	404	29/42	0.86	0.10	19,22,28,39	0
3	CPS	A	403	42/42	0.92	0.11	15,21,43,46	5
3	CPS	A	410	37/42	0.93	0.10	14,17,35,38	0
5	MET	A	408	9/9	0.93	0.11	20,22,25,25	0
2	SFS	A	401	8/8	0.94	0.13	16,17,18,22	0
3	CPS	A	402	42/42	0.95	0.07	11,14,27,33	5
6	5X8	A	409	25/25	0.96	0.06	14,17,20,23	0
4	CL	A	407	1/1	0.99	0.03	18,18,18,18	1
4	CL	A	406	1/1	1.00	0.02	16,16,16,16	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around CPS A 405 (B):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around CPS A 404:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CPS A 403:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around CPS A 410:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around CPS A 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.