



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:30 PM UTC

PDB ID : 7FF7 / pdb_00007ff7
Title : Structure of OmpF2
Authors : Jeong, W.J.; Song, W.J.
Deposited on : 2021-07-22
Resolution : 3.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 3.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1047 (3.42-3.34)
Clashscore	190562	1067 (3.42-3.34)
Ramachandran outliers	187476	1056 (3.42-3.34)
Sidechain outliers	187428	1056 (3.42-3.34)
RSRZ outliers	180081	1047 (3.42-3.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	340	
1	B	340	
1	C	340	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7055 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Outer membrane protein F.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	340	2531	1589	425	514	3	0	0	0
1	B	324	2251	1403	377	468	3	0	0	0
1	C	322	2256	1403	389	461	3	0	0	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	83	HIS	LEU	conflict	UNP A0A7Z7L1X9
A	102	HIS	TYR	conflict	UNP A0A7Z7L1X9
A	132	HIS	ARG	conflict	UNP A0A7Z7L1X9
B	83	HIS	LEU	conflict	UNP A0A7Z7L1X9
B	102	HIS	TYR	conflict	UNP A0A7Z7L1X9
B	132	HIS	ARG	conflict	UNP A0A7Z7L1X9
C	83	HIS	LEU	conflict	UNP A0A7Z7L1X9
C	102	HIS	TYR	conflict	UNP A0A7Z7L1X9
C	132	HIS	ARG	conflict	UNP A0A7Z7L1X9

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total 1	Zn 1	0	0
2	B	1	Total 1	Zn 1	0	0
2	C	1	Total 1	Zn 1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	6	Total O 6 6	0	0
3	B	6	Total O 6 6	0	0
3	C	2	Total O 2 2	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Outer membrane protein F




- Molecule 1: Outer membrane protein F



- Molecule 1: Outer membrane protein F





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	153.73Å 111.97Å 110.87Å 90.00° 110.87° 90.00°	Depositor
Resolution (Å)	38.05 – 3.38 38.05 – 3.38	Depositor EDS
% Data completeness (in resolution range)	98.7 (38.05-3.38) 98.7 (38.05-3.38)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.78 (at 3.40Å)	Xtrriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.290 , 0.337 0.285 , 0.326	Depositor DCC
R_{free} test set	1206 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	113.2	Xtrriage
Anisotropy	0.249	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 99.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.36$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	7055	wwPDB-VP
Average B, all atoms (Å ²)	102.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.93	0/2588	1.04	0/3519
1	B	0.98	0/2290	1.10	0/3118
1	C	0.95	0/2296	1.07	0/3122
All	All	0.95	0/7174	1.07	0/9759

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2531	0	2239	64	0
1	B	2251	0	1858	47	0
1	C	2256	0	1894	46	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	6	0	0	0	0
3	B	6	0	0	0	0
3	C	2	0	0	0	0
All	All	7055	0	5991	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:76:GLN:HE21	1:C:76:GLN:HB3	1.45	0.81
1:A:76:GLN:HB3	1:B:76:GLN:HE21	1.49	0.76
1:C:18:VAL:HG22	1:C:337:VAL:HG23	1.67	0.76
1:A:76:GLN:HB3	1:B:76:GLN:NE2	2.02	0.75
1:A:306:ASN:OD1	1:C:9:ASN:ND2	2.19	0.75
1:C:83:HIS:CE1	1:C:102:HIS:CE1	2.74	0.74
1:B:166:ALA:O	1:B:200:GLN:NE2	2.21	0.74
1:A:76:GLN:NE2	1:C:76:GLN:HB3	2.08	0.69
1:B:79:ASN:O	1:C:76:GLN:NE2	2.26	0.68
1:C:83:HIS:CE1	1:C:102:HIS:HE1	2.11	0.67
1:B:242:ASN:HB2	1:B:324:LEU:HA	1.78	0.66
1:B:106:TYR:O	1:B:110:GLY:N	2.28	0.65
1:A:241:THR:HA	1:A:248:SER:HA	1.78	0.65
1:A:305:LYS:C	1:A:306:ASN:HD22	2.06	0.64
1:A:163:ARG:NH1	1:B:68:ASN:O	2.31	0.61
1:B:95:SER:N	1:B:140:ARG:O	2.29	0.61
1:A:270:ARG:HB3	1:A:300:THR:HG23	1.83	0.59
1:A:76:GLN:CB	1:B:76:GLN:HE21	2.15	0.59
1:C:18:VAL:HG22	1:C:337:VAL:CG2	2.33	0.59
1:A:104:VAL:HG13	1:A:156:GLN:HB2	1.85	0.59
1:A:295:PHE:HB2	1:A:315:ILE:HB	1.84	0.58
1:A:104:VAL:N	1:A:156:GLN:OE1	2.36	0.58
1:C:270:ARG:HB3	1:C:300:THR:HG23	1.84	0.58
1:B:270:ARG:HB3	1:B:300:THR:HG23	1.86	0.58
1:A:274:ALA:HB3	1:A:296:GLU:HB3	1.85	0.57
1:A:240:ILE:HG22	1:A:291:LEU:HD11	1.87	0.57
1:B:253:LYS:O	1:B:281:LYS:N	2.36	0.57
1:A:80:LYS:HD3	1:B:71:GLU:HG2	1.85	0.57
1:A:106:TYR:OH	1:A:113:ASP:OD2	2.22	0.57
1:C:54:ASP:HB3	1:C:91:ALA:HB2	1.87	0.57
1:C:70:SER:OG	1:C:74:ASP:OD1	2.23	0.56
1:B:230:ASN:OD1	1:B:258:LEU:HB2	2.05	0.56
1:B:93:VAL:O	1:B:141:ASN:ND2	2.39	0.56
1:B:112:THR:OG1	1:B:230:ASN:ND2	2.36	0.55
1:C:122:THR:HG21	1:C:256:ASP:HB3	1.89	0.55
1:C:38:MET:HA	1:C:68:ASN:HD22	1.71	0.55
1:A:68:ASN:O	1:C:163:ARG:NH2	2.40	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:294:TYR:CD2	1:A:314:ILE:HD11	2.42	0.54
1:C:32:TYR:OH	1:C:121:ASP:OD2	2.20	0.54
1:A:306:ASN:HD22	1:A:306:ASN:N	2.06	0.53
1:B:59:GLY:HA3	1:C:338:TYR:CD2	2.44	0.53
1:A:47:GLY:HA3	1:B:338:TYR:CZ	2.44	0.53
1:A:112:THR:OG1	1:A:230:ASN:ND2	2.36	0.53
1:A:230:ASN:OD1	1:A:258:LEU:HB2	2.09	0.52
1:C:221:ASP:HA	1:C:225:ILE:O	2.09	0.52
1:C:329:ASP:N	1:C:329:ASP:OD1	2.41	0.52
1:A:24:SER:O	1:A:35:ASN:ND2	2.43	0.52
1:A:338:TYR:OH	1:C:47:GLY:HA3	2.10	0.52
1:B:76:GLN:N	1:B:76:GLN:OE1	2.43	0.51
1:A:205:LEU:HB2	1:A:249:GLY:HA3	1.93	0.51
1:A:76:GLN:CG	1:B:76:GLN:HE21	2.24	0.51
1:B:47:GLY:HA3	1:C:338:TYR:CZ	2.46	0.51
1:C:1:ALA:N	1:C:12:ASP:OD1	2.42	0.51
1:A:51:ILE:HG13	1:B:304:ASN:HD22	1.77	0.50
1:B:23:PHE:HB2	1:B:332:VAL:HG13	1.93	0.50
1:B:297:VAL:HG13	1:B:313:TYR:HB3	1.94	0.50
1:B:69:ASN:ND2	1:B:77:THR:O	2.24	0.49
1:B:37:ASP:OD1	1:B:38:MET:N	2.45	0.49
1:A:80:LYS:HD3	1:B:71:GLU:CG	2.43	0.49
1:B:126:ASP:OD2	1:C:70:SER:HB2	2.13	0.49
1:A:128:PHE:O	1:A:133:VAL:HG11	2.13	0.49
1:A:314:ILE:HG22	1:A:331:THR:O	2.13	0.49
1:C:191:TYR:HD1	1:C:214:TRP:HB3	1.77	0.49
1:A:269:LEU:HD23	1:A:271:PRO:HD3	1.95	0.48
1:C:253:LYS:O	1:C:281:LYS:N	2.37	0.48
1:A:76:GLN:NE2	1:C:76:GLN:O	2.46	0.48
1:A:124:TYR:CE2	1:A:238:THR:HG23	2.48	0.48
1:A:28:GLY:H	1:A:35:ASN:HB2	1.79	0.48
1:B:280:ALA:N	1:B:289:VAL:O	2.47	0.48
1:A:102:HIS:O	1:A:156:GLN:NE2	2.41	0.47
1:A:240:ILE:HG21	1:A:251:ALA:HB2	1.96	0.47
1:A:302:TYR:HA	1:A:308:SER:HB2	1.97	0.47
1:B:319:ASP:O	1:B:322:ASN:HB2	2.15	0.46
1:A:264:GLN:NE2	1:A:265:PHE:O	2.47	0.46
1:C:242:ASN:OD1	1:C:244:PHE:N	2.49	0.46
1:B:35:ASN:OD1	1:B:36:GLY:N	2.49	0.46
1:C:101:ASN:OD1	1:C:102:HIS:N	2.42	0.46
1:C:274:ALA:HB3	1:C:296:GLU:HB3	1.98	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:87:GLY:HA3	1:B:97:ASP:HB3	1.97	0.45
1:B:234:THR:O	1:B:253:LYS:HA	2.16	0.45
1:A:27:ASN:O	1:A:29:GLU:N	2.49	0.45
1:A:62:GLU:OE1	1:A:83:HIS:ND1	2.49	0.45
1:C:24:SER:H	1:C:35:ASN:ND2	2.14	0.45
1:A:112:THR:HG22	1:A:260:VAL:HG23	1.99	0.45
1:A:54:ASP:HB3	1:A:91:ALA:HB2	1.98	0.45
1:B:98:TYR:CZ	1:C:21:HIS:HB2	2.52	0.45
1:B:217:GLY:HA2	1:B:230:ASN:HB3	1.99	0.44
1:C:143:ASN:HB3	1:C:149:ASP:HA	1.99	0.44
1:A:272:SER:N	1:A:298:GLY:O	2.46	0.44
1:B:94:GLY:HA3	1:B:141:ASN:HA	2.00	0.44
1:B:96:PHE:HA	1:B:138:THR:O	2.17	0.44
1:A:47:GLY:O	1:A:58:TYR:HA	2.17	0.44
1:A:196:ARG:HH21	1:A:201:GLU:HA	1.83	0.44
1:B:74:ASP:OD1	1:B:74:ASP:N	2.50	0.44
1:A:168:ARG:HH21	1:B:72:GLY:HA2	1.83	0.44
1:A:307:MET:HE1	1:A:338:TYR:HB2	1.99	0.44
1:A:262:GLN:OE1	1:A:270:ARG:NE	2.51	0.43
1:B:211:ALA:HB1	1:B:237:ALA:HB2	2.00	0.43
1:C:256:ASP:OD1	1:C:278:SER:OG	2.27	0.43
1:A:283:VAL:O	1:A:285:GLY:N	2.52	0.43
1:A:173:GLY:O	1:A:174:VAL:HG23	2.18	0.43
1:B:203:GLN:HG3	1:B:204:PRO:HD2	2.00	0.43
1:C:240:ILE:O	1:C:241:THR:HG22	2.19	0.43
1:A:322:ASN:CG	1:A:326:VAL:HG22	2.43	0.43
1:C:219:LYS:HA	1:C:227:LEU:O	2.18	0.43
1:C:293:ASN:ND2	1:C:317:GLN:HB2	2.34	0.43
1:A:109:LEU:HD13	1:A:109:LEU:HA	1.89	0.43
1:C:203:GLN:HG3	1:C:204:PRO:HD2	1.99	0.43
1:A:32:TYR:OH	1:A:121:ASP:OD2	2.27	0.42
1:B:61:TRP:CZ2	1:B:63:TYR:HB2	2.54	0.42
1:B:1:ALA:O	1:B:3:ILE:HG23	2.20	0.42
1:C:104:VAL:HG13	1:C:156:GLN:HB2	2.01	0.42
1:A:66:GLN:HG3	1:A:78:GLY:HA3	2.02	0.42
1:B:224:ASN:HB3	1:B:264:GLN:O	2.20	0.42
1:A:274:ALA:O	1:A:296:GLU:N	2.52	0.42
1:A:1:ALA:HB1	1:C:4:TYR:CD2	2.55	0.41
1:A:92:ASP:O	1:A:145:PHE:HA	2.19	0.41
1:A:260:VAL:CG1	1:A:262:GLN:HE21	2.33	0.41
1:A:104:VAL:HG21	1:A:175:GLY:HA3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:37:ASP:OD1	1:C:38:MET:N	2.54	0.41
1:B:1:ALA:N	1:B:12:ASP:OD1	2.41	0.41
1:C:61:TRP:CZ2	1:C:63:TYR:HB2	2.55	0.41
1:A:219:LYS:HA	1:A:227:LEU:O	2.20	0.41
1:C:106:TYR:O	1:C:110:GLY:N	2.45	0.41
1:A:304:ASN:HD21	1:C:49:THR:CG2	2.34	0.41
1:A:307:MET:HE1	1:C:58:TYR:O	2.20	0.41
1:C:37:ASP:OD2	1:C:68:ASN:HA	2.21	0.41
1:A:228:ALA:HB3	1:A:260:VAL:HB	2.03	0.40
1:B:3:ILE:HD12	1:C:3:ILE:HG21	2.02	0.40
1:B:84:ALA:O	1:C:39:THR:HG21	2.22	0.40
1:B:152:ASN:O	1:B:178:ILE:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	338/340 (99%)	297 (88%)	33 (10%)	8 (2%)	4	22
1	B	308/340 (91%)	267 (87%)	35 (11%)	6 (2%)	6	25
1	C	308/340 (91%)	273 (89%)	29 (9%)	6 (2%)	6	25
All	All	954/1020 (94%)	837 (88%)	97 (10%)	20 (2%)	5	24

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	28	GLY
1	A	241	THR
1	A	26	GLY
1	A	284	GLU
1	B	26	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	282	ASP
1	B	284	GLU
1	C	135	GLY
1	A	303	PHE
1	B	303	PHE
1	B	321	ASP
1	C	241	THR
1	A	128	PHE
1	C	158	LEU
1	C	204	PRO
1	A	158	LEU
1	C	128	PHE
1	B	135	GLY
1	C	240	ILE
1	A	135	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	238/263 (90%)	228 (96%)	10 (4%)	26	52
1	B	190/263 (72%)	183 (96%)	7 (4%)	30	55
1	C	191/263 (73%)	187 (98%)	4 (2%)	47	64
All	All	619/789 (78%)	598 (97%)	21 (3%)	32	58

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	76	GLN
1	A	104	VAL
1	A	109	LEU
1	A	114	MET
1	A	174	VAL
1	A	178	ILE
1	A	273	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	297	VAL
1	A	306	ASN
1	A	337	VAL
1	B	49	THR
1	B	53	SER
1	B	136	VAL
1	B	256	ASP
1	B	297	VAL
1	B	336	ILE
1	B	337	VAL
1	C	133	VAL
1	C	155	VAL
1	C	297	VAL
1	C	309	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	306	ASN
1	C	9	ASN
1	C	203	GLN
1	C	306	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	340/340 (100%)	0.36	12 (3%) 47 34	43, 84, 110, 139	0
1	B	324/340 (95%)	0.79	34 (10%) 11 11	42, 114, 147, 172	0
1	C	322/340 (94%)	0.78	30 (9%) 14 13	48, 124, 158, 183	0
All	All	986/1020 (96%)	0.64	76 (7%) 19 16	42, 104, 149, 183	0

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	159	GLY	7.3
1	B	290	ASP	6.2
1	B	161	ASN	4.4
1	B	58	TYR	3.9
1	C	135	GLY	3.7
1	B	56	THR	3.7
1	B	159	GLY	3.7
1	C	213	GLN	3.6
1	B	158	LEU	3.6
1	B	35	ASN	3.5
1	B	226	TYR	3.4
1	B	264	GLN	3.3
1	C	111	TYR	3.2
1	B	6	LYS	3.0
1	C	164	ASP	3.0
1	C	240	ILE	2.9
1	A	315	ILE	2.9
1	C	297	VAL	2.9
1	C	129	PHE	2.9
1	B	139	TYR	2.8
1	B	8	GLY	2.8
1	B	164	ASP	2.7
1	B	160	LYS	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	257	VAL	2.7
1	B	128	PHE	2.7
1	C	152	ASN	2.7
1	B	268	GLY	2.6
1	A	299	ALA	2.6
1	C	275	TYR	2.6
1	B	215	ALA	2.6
1	C	280	ALA	2.6
1	C	310	TYR	2.5
1	B	107	ASP	2.5
1	C	231	TYR	2.5
1	C	269	LEU	2.5
1	B	94	GLY	2.5
1	C	94	GLY	2.4
1	C	250	PHE	2.4
1	C	93	VAL	2.4
1	A	184	GLY	2.4
1	B	173	GLY	2.4
1	C	211	ALA	2.3
1	C	151	LEU	2.3
1	A	71	GLU	2.3
1	B	116	PRO	2.3
1	B	114	MET	2.3
1	B	275	TYR	2.3
1	C	234	THR	2.3
1	C	315	ILE	2.2
1	B	155	VAL	2.2
1	C	288	ASP	2.2
1	B	168	ARG	2.2
1	B	180	TYR	2.2
1	B	213	GLN	2.2
1	B	241	THR	2.2
1	A	275	TYR	2.2
1	A	154	ALA	2.2
1	C	69	ASN	2.2
1	A	81	THR	2.1
1	B	233	GLU	2.1
1	A	271	PRO	2.1
1	B	87	GLY	2.1
1	C	227	LEU	2.1
1	C	259	LEU	2.1
1	A	161	ASN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	236	ASN	2.1
1	C	336	ILE	2.1
1	B	257	VAL	2.1
1	C	128	PHE	2.1
1	A	128	PHE	2.0
1	C	136	VAL	2.0
1	B	108	ALA	2.0
1	C	108	ALA	2.0
1	B	111	TYR	2.0
1	C	110	GLY	2.0
1	A	284	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ZN	B	401	1/1	0.98	0.03	80,80,80,80	0
2	ZN	C	401	1/1	0.98	0.05	102,102,102,102	0
2	ZN	A	401	1/1	0.99	0.02	59,59,59,59	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ZN B 401:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ZN C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.