



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:32 PM UTC

PDB ID : 2FHD / pdb_00002fhd
Title : Crystal structure of Crb2 tandem tudor domains
Authors : Lee, J.; Botuyan, M.V.; Thompson, J.R.; Mer, G.
Deposited on : 2005-12-23
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	153	4% 61% 26% 7% 5% .
1	B	153	13% 48% 22% 12% 9% 8%
1	C	153	% 58% 21% 7% 7% 7%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3722 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called DNA repair protein rhp9/CRB2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	150	Total	C	N	O	Se	0	4	0
			1230	788	213	223	6			
1	B	140	Total	C	N	O	Se	0	1	0
			1124	721	196	204	3			
1	C	142	Total	C	N	O	Se	0	1	0
			1137	733	193	207	4			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	355	GLY	-	insertion	GB 1449177
A	356	HIS	-	insertion	GB 1449177
A	357	MSE	-	insertion	GB 1449177
B	355	GLY	-	insertion	GB 1449177
B	356	HIS	-	insertion	GB 1449177
B	357	MSE	-	insertion	GB 1449177
C	355	GLY	-	insertion	GB 1449177
C	356	HIS	-	insertion	GB 1449177
C	357	MSE	-	insertion	GB 1449177

- Molecule 2 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	1
			10	8	2		
2	A	1	Total	O	P	0	0
			5	4	1		
2	A	1	Total	O	P	0	0
			5	4	1		
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	1
			10	8	2		
2	C	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	69	Total	O	0	11
			78	78		
3	B	47	Total	O	0	6
			49	49		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	40	Total	O	0	4
			44	44		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: DNA repair protein rhp9/CRB2



• Molecule 1: DNA repair protein rhp9/CRB2



• Molecule 1: DNA repair protein rhp9/CRB2



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	116.92Å 116.92Å 87.02Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	33.00 – 2.40 33.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (33.00-2.40) 99.9 (33.00-2.40)	Depositor EDS
R_{merge}	0.19	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	45.76 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.192 , 0.256 0.196 , 0.184	Depositor DCC
R_{free} test set	1366 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	40.0	Xtriage
Anisotropy	0.059	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 69.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.027 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3722	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.64	11/1249 (0.9%)	1.47	13/1676 (0.8%)
1	B	1.59	12/1143 (1.0%)	1.61	26/1541 (1.7%)
1	C	1.49	9/1156 (0.8%)	1.54	26/1556 (1.7%)
All	All	1.58	32/3548 (0.9%)	1.54	65/4773 (1.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	12
1	C	0	4
All	All	0	18

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	459	MSE	N-CA	14.47	1.64	1.46
1	A	496	LEU	N-CA	12.74	1.62	1.46
1	B	395	MSE	SE-CE	10.43	2.26	1.95
1	A	496	LEU	CA-C	9.84	1.66	1.52
1	A	458	ASP	CB-CG	-7.92	1.32	1.52
1	C	493	PHE	N-CA	7.92	1.56	1.46
1	B	407	THR	N-CA	7.18	1.54	1.46
1	A	436	VAL	N-CA	-6.89	1.37	1.46
1	A	405	MSE	SE-CE	6.67	2.15	1.95
1	A	357	MSE	SE-CE	6.66	2.15	1.95
1	B	407	THR	CA-CB	6.64	1.64	1.53
1	B	402	ASP	N-CA	-6.60	1.37	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	362	PHE	N-CA	6.56	1.54	1.46
1	C	378	TYR	N-CA	-6.23	1.40	1.45
1	C	403	ALA	CA-CB	6.11	1.62	1.54
1	A	434	HIS	C-O	-6.08	1.16	1.23
1	B	403	ALA	CA-C	5.97	1.60	1.53
1	A	459	MSE	SE-CE	5.78	2.12	1.95
1	A	427	THR	CA-C	5.68	1.60	1.52
1	B	403	ALA	N-CA	-5.68	1.40	1.46
1	B	402	ASP	CA-C	-5.67	1.45	1.52
1	B	406	SER	C-O	5.62	1.31	1.23
1	B	388	SER	N-CA	5.62	1.53	1.46
1	C	499	MSE	SE-CE	5.55	2.12	1.95
1	C	473	ILE	CA-CB	5.52	1.62	1.54
1	B	404	THR	CA-CB	5.46	1.62	1.53
1	C	407	THR	CA-CB	5.46	1.63	1.53
1	A	403	ALA	CA-CB	5.45	1.61	1.53
1	B	386	VAL	CA-CB	5.41	1.61	1.54
1	C	492	SER	C-O	5.20	1.30	1.24
1	C	441	ARG	N-CA	-5.17	1.39	1.46
1	A	388	SER	C-O	-5.14	1.17	1.23

All (65) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	406	SER	N-CA-C	13.31	130.39	112.68
1	C	407	THR	CA-C-N	12.10	143.49	121.70
1	C	407	THR	C-N-CA	12.10	143.49	121.70
1	B	455	LEU	N-CA-C	11.74	135.80	110.80
1	A	359	ARG	N-CA-C	-10.69	86.80	107.44
1	B	407	THR	N-CA-C	10.54	125.52	110.23
1	B	454	ALA	N-CA-C	9.29	124.76	113.23
1	C	385	PRO	N-CA-C	7.59	123.89	113.65
1	A	373	TYR	N-CA-C	7.55	126.50	109.81
1	B	487	GLN	N-CA-C	7.45	122.43	113.12
1	C	489	ARG	CG-CD-NE	-7.41	95.71	112.00
1	B	459	MSE	N-CA-C	7.28	126.30	110.80
1	B	406	SER	CB-CA-C	-7.10	98.38	110.24
1	C	378	TYR	CA-C-N	7.10	127.07	119.76
1	C	378	TYR	C-N-CA	7.10	127.07	119.76
1	C	492	SER	CA-C-O	-7.04	110.44	120.51
1	C	361	SER	CA-C-N	6.87	134.66	121.54
1	C	361	SER	C-N-CA	6.87	134.66	121.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	471	VAL	N-CA-CB	-6.84	104.32	111.64
1	B	491	LEU	N-CA-C	6.59	120.35	109.86
1	A	465	GLY	N-CA-C	-6.47	101.59	111.24
1	C	459	MSE	CG-SE-CE	6.46	113.14	98.92
1	B	406	SER	O-C-N	6.44	130.62	122.19
1	C	361	SER	CB-CA-C	-6.35	98.03	110.10
1	B	458	ASP	N-CA-C	-6.31	100.86	109.95
1	B	466	GLU	N-CA-C	6.27	124.16	110.80
1	C	427	THR	CA-CB-CG2	6.23	121.09	110.50
1	C	407	THR	CA-C-O	-6.16	112.70	120.28
1	C	475	THR	N-CA-CB	-6.11	101.42	110.53
1	A	503	GLU	N-CA-C	6.10	117.93	109.15
1	B	454	ALA	CA-C-N	6.08	133.15	121.54
1	B	454	ALA	C-N-CA	6.08	133.15	121.54
1	C	407	THR	O-C-N	-5.96	116.08	123.36
1	C	499	MSE	CA-C-N	5.96	132.92	121.54
1	C	499	MSE	C-N-CA	5.96	132.92	121.54
1	B	495	THR	CA-C-N	5.96	132.42	121.70
1	B	495	THR	C-N-CA	5.96	132.42	121.70
1	A	458	ASP	N-CA-CB	-5.94	96.81	110.83
1	C	427	THR	N-CA-CB	-5.80	100.98	110.14
1	A	484	ARG	NE-CZ-NH1	-5.79	115.71	121.50
1	A	475	THR	N-CA-CB	-5.74	101.44	110.46
1	B	434	HIS	N-CA-C	-5.66	100.70	109.24
1	A	427	THR	N-CA-C	5.63	118.95	111.75
1	A	471	VAL	CB-CA-C	5.56	114.78	109.33
1	C	427	THR	OG1-CB-CG2	5.56	120.42	109.30
1	C	386	VAL	N-CA-C	5.54	120.87	109.34
1	C	500	LYS	N-CA-C	5.54	122.60	110.80
1	B	404	THR	N-CA-C	5.47	122.46	110.80
1	B	388	SER	N-CA-C	5.43	122.38	110.80
1	C	489	ARG	NE-CZ-NH2	-5.37	114.37	119.20
1	B	406	SER	CA-C-N	5.35	128.30	120.71
1	B	406	SER	C-N-CA	5.35	128.30	120.71
1	B	493	PHE	CA-C-N	5.31	131.25	121.70
1	B	493	PHE	C-N-CA	5.31	131.25	121.70
1	C	407	THR	N-CA-C	-5.30	99.31	108.69
1	A	427	THR	N-CA-CB	-5.27	101.81	110.14
1	A	498	ASP	N-CA-C	5.23	117.75	109.33
1	C	408	VAL	CB-CA-C	5.20	121.28	111.40
1	B	492	SER	CA-C-N	5.13	130.93	121.70
1	B	492	SER	C-N-CA	5.13	130.93	121.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	398	VAL	CG1-CB-CG2	5.09	122.00	110.80
1	C	385	PRO	O-C-N	-5.05	115.71	122.22
1	C	376	PHE	N-CA-C	-5.01	101.79	108.86
1	B	386	VAL	CB-CA-C	5.00	117.63	110.33
1	B	409	ASN	CB-CA-C	-5.00	99.42	109.68

There are no chirality outliers.

All (18) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	358	SER	Peptide
1	A	373	TYR	Peptide
1	B	387	HIS	Peptide
1	B	390	VAL	Peptide
1	B	391	THR	Peptide
1	B	392	SER	Peptide
1	B	401	ASP	Peptide
1	B	402	ASP	Peptide
1	B	405	MSE	Peptide
1	B	406	SER	Peptide
1	B	454	ALA	Peptide
1	B	488	GLY	Peptide
1	B	494	SER	Peptide
1	B	495	THR	Peptide
1	C	361	SER	Peptide
1	C	491	LEU	Peptide
1	C	492	SER	Peptide
1	C	499	MSE	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1230	0	1258	52	0
1	B	1124	0	1150	77	0
1	C	1137	0	1162	46	0
2	A	25	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	10	0	0	1	0
2	C	25	0	0	0	0
3	A	78	0	0	6	1
3	B	49	0	0	3	0
3	C	44	0	0	2	1
All	All	3722	0	3570	167	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:405:MSE:SE	1:A:405:MSE:CE	2.15	1.44
1:A:357:MSE:SE	1:A:357:MSE:CE	2.15	1.43
1:A:499[A]:MSE:SE	1:A:499[A]:MSE:CE	2.16	1.43
1:B:395:MSE:CE	1:B:395:MSE:SE	2.26	1.33
1:A:388:SER:HB2	1:A:395:MSE:CE	1.67	1.23
1:C:492:SER:OG	1:C:493:PHE:HA	1.47	1.12
1:A:496:LEU:HA	1:A:497:LYS:HB2	1.27	1.12
1:B:406:SER:OG	1:B:407:THR:HA	1.51	1.09
1:C:492:SER:HB3	1:C:496:LEU:HG	1.25	1.08
1:C:487:GLN:HE21	1:C:487:GLN:HA	1.23	1.01
1:C:492:SER:CB	1:C:496:LEU:HG	1.89	1.01
1:B:360:ARG:HH21	1:B:497:LYS:CD	1.74	1.01
1:A:356:HIS:O	3:A:87:HOH:O	1.77	1.00
1:B:360:ARG:HH21	1:B:497:LYS:HD2	1.23	1.00
1:C:492:SER:OG	1:C:493:PHE:CA	2.09	1.00
1:A:388:SER:HB2	1:A:395:MSE:HE2	1.45	0.99
1:C:492:SER:HB2	1:C:496:LEU:H	1.25	0.98
1:A:388:SER:HB2	1:A:395:MSE:HE1	1.45	0.98
1:B:398:VAL:O	1:B:406:SER:HB3	1.64	0.98
1:B:403:ALA:C	1:B:404:THR:HG22	1.89	0.98
1:B:488:GLY:H	1:B:489:ARG:NH1	1.65	0.95
1:C:487:GLN:HA	1:C:487:GLN:NE2	1.79	0.95
1:C:361:SER:OG	1:C:362:PHE:N	1.88	0.94
1:B:493:PHE:HB2	1:B:495:THR:N	1.82	0.94
1:B:406:SER:OG	1:B:407:THR:CA	2.16	0.94
1:A:496:LEU:HD23	1:A:496:LEU:O	1.68	0.92
1:B:403:ALA:O	1:B:404:THR:HG22	1.68	0.92
1:B:398:VAL:HG12	1:B:406:SER:HB2	1.50	0.91

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:493:PHE:HD1	1:B:494:SER:HA	1.35	0.87
1:B:403:ALA:O	1:B:404:THR:CB	2.23	0.84
1:B:493:PHE:CD1	1:B:494:SER:HA	2.13	0.83
1:B:403:ALA:O	1:B:404:THR:CG2	2.26	0.82
1:A:496:LEU:HD23	1:A:496:LEU:C	2.02	0.82
1:B:406:SER:HG	1:B:407:THR:HA	1.40	0.82
1:B:406:SER:OG	1:B:407:THR:N	2.08	0.79
1:C:422:ASP:OD2	1:C:489:ARG:NH2	2.15	0.79
1:B:409:ASN:HB2	1:B:412:GLN:OE1	1.83	0.78
1:C:492:SER:HB2	1:C:496:LEU:N	1.99	0.78
1:C:361:SER:HB2	1:C:364:ASN:HD22	1.49	0.78
1:C:492:SER:HA	1:C:495:THR:HB	1.65	0.77
1:C:433:LYS:O	1:C:464:HIS:HD2	1.69	0.76
1:B:365:ARG:HD3	1:B:449:LEU:HD22	1.68	0.75
1:A:496:LEU:HA	1:A:497:LYS:CB	2.13	0.74
1:B:403:ALA:O	1:B:404:THR:HB	1.86	0.74
1:A:388:SER:CB	1:A:395:MSE:HE2	2.17	0.74
1:B:360:ARG:NH2	1:B:497:LYS:HD2	2.01	0.73
1:A:465:GLY:HA3	3:A:9:HOH:O	1.89	0.73
1:B:398:VAL:H	1:B:406:SER:HB3	1.53	0.73
1:B:488:GLY:N	1:B:489:ARG:NH1	2.36	0.72
1:B:488:GLY:N	1:B:489:ARG:HH11	1.86	0.72
1:B:488:GLY:H	1:B:489:ARG:HH11	1.35	0.72
1:A:388:SER:CB	1:A:395:MSE:CE	2.60	0.72
1:B:360:ARG:HH21	1:B:497:LYS:CE	2.03	0.71
1:B:493:PHE:HB2	1:B:495:THR:H	1.53	0.71
1:C:499:MSE:HA	1:C:500:LYS:HB2	1.71	0.71
1:A:387:HIS:H	1:A:499[A]:MSE:HE1	1.56	0.70
1:B:398:VAL:CG1	1:B:406:SER:HB2	2.21	0.69
1:B:403:ALA:C	1:B:404:THR:CG2	2.59	0.69
1:C:361:SER:OG	1:C:362:PHE:CA	2.42	0.69
1:C:426:SER:OG	1:C:475:THR:HG23	1.93	0.68
1:B:493:PHE:HB2	1:B:494:SER:C	2.18	0.68
1:C:487:GLN:NE2	1:C:487:GLN:CA	2.56	0.68
1:A:409:ASN:OD1	1:A:411:ASN:HB2	1.94	0.68
1:B:360:ARG:HG2	1:B:364:ASN:ND2	2.09	0.67
1:B:455:LEU:H	1:B:455:LEU:HD13	1.61	0.64
1:B:398:VAL:H	1:B:406:SER:CB	2.11	0.64
1:A:505:SER:HB3	1:B:371:LYS:HB2	1.80	0.63
1:B:401:ASP:O	1:B:402:ASP:HB2	1.98	0.63
1:A:382:LEU:HG	1:A:497:LYS:HE3	1.80	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:496:LEU:HD22	3:A:221:HOH:O	1.98	0.62
1:A:471:VAL:HG13	1:A:475:THR:HG21	1.82	0.62
1:C:365:ARG:HD3	1:C:449:LEU:HD22	1.82	0.62
1:C:433:LYS:O	1:C:464:HIS:CD2	2.52	0.61
1:B:494:SER:O	1:B:495:THR:O	2.19	0.61
1:A:504:THR:HG22	1:B:406:SER:O	2.01	0.61
1:A:501:PHE:C	1:A:501:PHE:CD1	2.78	0.61
1:C:422:ASP:CG	1:C:489:ARG:HH22	2.08	0.60
1:B:360:ARG:NH2	1:B:497:LYS:HE3	2.17	0.60
1:A:504:THR:OG1	3:A:75[B]:HOH:O	2.16	0.60
1:C:492:SER:HG	1:C:493:PHE:HA	1.65	0.59
1:A:356:HIS:HB2	1:A:357:MSE:O	2.02	0.59
1:B:360:ARG:HH21	1:B:497:LYS:HE3	1.68	0.58
1:A:427:THR:HG21	3:A:227:HOH:O	2.03	0.57
1:B:455:LEU:CD1	1:B:455:LEU:N	2.68	0.57
1:C:397:LYS:HD2	1:C:405:MSE:HG2	1.85	0.57
1:A:479:ALA:HB3	1:A:482:ASN:HD22	1.70	0.57
1:C:396:TYR:O	1:C:407:THR:HA	2.04	0.57
1:A:426:SER:OG	1:A:475:THR:HG23	2.04	0.56
1:C:487:GLN:O	1:C:489:ARG:HD3	2.06	0.56
1:B:398:VAL:O	1:B:406:SER:CB	2.49	0.56
1:C:416:PHE:CZ	1:C:473:ILE:HD12	2.40	0.56
1:B:495:THR:HA	1:B:498:ASP:HB2	1.88	0.55
1:A:496:LEU:C	1:A:496:LEU:CD2	2.72	0.55
1:B:398:VAL:HG12	1:B:406:SER:CB	2.31	0.55
1:B:359:ARG:HG2	3:B:88:HOH:O	2.07	0.54
1:A:496:LEU:O	1:A:496:LEU:CD2	2.49	0.54
1:A:485:ARG:NH1	1:A:487:GLN:HE21	2.05	0.54
1:A:471:VAL:HG13	1:A:475:THR:CG2	2.36	0.54
1:B:391:THR:OG1	1:B:393:SER:HB2	2.07	0.54
1:C:397:LYS:HD3	1:C:407:THR:HG22	1.89	0.54
1:C:501:PHE:O	1:C:502:GLU:HB2	2.06	0.53
1:B:422:ASP:OD1	1:B:489:ARG:NH2	2.41	0.53
1:B:455:LEU:HD13	1:B:455:LEU:N	2.23	0.53
1:A:501:PHE:C	1:A:501:PHE:HD1	2.16	0.53
1:B:494:SER:OG	1:B:495:THR:HG23	2.10	0.52
1:A:485:ARG:HH11	1:A:487:GLN:HE21	1.59	0.51
1:C:492:SER:CB	1:C:496:LEU:CG	2.78	0.51
1:A:496:LEU:CA	1:A:497:LYS:HB2	2.18	0.51
1:C:386:VAL:N	3:C:21[B]:HOH:O	1.76	0.51
1:C:496:LEU:O	1:C:499:MSE:HG2	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:426:SER:OG	1:C:475:THR:CG2	2.59	0.51
1:B:492:SER:HA	1:B:493:PHE:CG	2.46	0.50
1:C:492:SER:OG	1:C:493:PHE:N	2.43	0.50
1:B:455:LEU:H	1:B:455:LEU:CD1	2.23	0.50
1:A:504:THR:CG2	1:B:407:THR:N	2.76	0.49
1:A:444:ASN:HD22	1:A:444:ASN:H	1.61	0.49
1:A:503:GLU:HA	1:A:503:GLU:OE1	2.13	0.49
1:B:493:PHE:HD1	1:B:494:SER:CA	2.18	0.49
1:A:397:LYS:HE3	1:A:405:MSE:SE	2.62	0.48
1:A:485:ARG:HH11	1:A:487:GLN:NE2	2.11	0.48
1:B:370:PHE:HB2	1:B:378:TYR:HD2	1.78	0.48
1:B:385:PRO:HG3	1:B:498:ASP:C	2.38	0.48
1:C:425:GLN:NE2	1:C:434:HIS:HD2	2.11	0.48
1:A:485:ARG:NH1	1:A:487:GLN:NE2	2.62	0.48
1:B:360:ARG:NH2	1:B:497:LYS:CD	2.59	0.48
1:B:360:ARG:NH2	1:B:497:LYS:CE	2.72	0.47
1:B:409:ASN:HB2	1:B:412:GLN:CD	2.39	0.47
1:A:504:THR:CG2	1:B:406:SER:C	2.87	0.47
1:C:499:MSE:O	3:C:8:HOH:O	2.20	0.47
1:A:504:THR:HG23	1:B:407:THR:N	2.30	0.47
1:B:388:SER:HA	1:B:391:THR:CG2	2.45	0.46
1:A:499[B]:MSE:HG3	1:C:392[B]:SER:O	2.16	0.46
1:B:392:SER:O	1:B:393:SER:O	2.32	0.46
1:B:484:ARG:HD2	3:B:140:HOH:O	2.15	0.46
1:C:492:SER:OG	1:C:493:PHE:C	2.58	0.46
1:B:391:THR:OG1	1:B:393:SER:CB	2.65	0.45
1:C:472:PRO:O	1:C:475:THR:HB	2.16	0.45
1:B:398:VAL:CB	1:B:406:SER:HB2	2.46	0.45
1:B:434:HIS:HB3	1:B:462:LEU:HB3	2.00	0.44
1:A:433:LYS:NZ	1:A:482:ASN:HD21	2.16	0.44
1:C:484:ARG:HB3	1:C:485:ARG:NH2	2.33	0.44
1:C:487:GLN:HE21	1:C:487:GLN:CA	2.04	0.44
1:A:443:THR:OG1	1:A:445:GLU:HG2	2.18	0.44
1:A:503:GLU:OE1	1:A:503:GLU:CA	2.65	0.44
1:A:452:VAL:HA	1:A:457:ASN:O	2.18	0.43
1:C:498:ASP:O	1:C:500:LYS:HD3	2.19	0.43
1:C:471:VAL:HB	1:C:475:THR:HG21	2.01	0.43
1:B:442:SER:HB3	1:B:459:MSE:HG3	2.01	0.43
1:C:425:GLN:O	1:C:476:ILE:HA	2.18	0.43
1:B:425:GLN:NE2	3:B:197:HOH:O	2.52	0.42
1:A:394:ILE:HD13	1:C:499:MSE:HE3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:385:PRO:HD2	1:C:500:LYS:O	2.20	0.42
1:B:388:SER:HA	1:B:391:THR:HG22	2.02	0.42
1:B:459:MSE:HA	1:B:471:VAL:O	2.19	0.42
1:A:496:LEU:HD12	1:C:394:ILE:HG23	2.02	0.42
1:B:363:LYS:HB3	1:B:496:LEU:HD21	2.01	0.42
1:B:455:LEU:O	1:B:456:ASN:CB	2.66	0.41
1:C:397:LYS:HD2	1:C:405:MSE:CG	2.50	0.41
1:B:433:LYS:NZ	1:B:482:ASN:HD21	2.18	0.41
1:B:389:ALA:C	1:B:391:THR:H	2.29	0.41
1:B:456:ASN:ND2	2:B:311[B]:PO4:O4	2.26	0.41
1:B:456:ASN:HD22	1:B:456:ASN:HA	1.64	0.41
1:A:422:ASP:O	1:A:435:THR:HA	2.21	0.41
1:A:466:GLU:HG2	3:A:9:HOH:O	2.22	0.40
1:A:503:GLU:C	1:A:503:GLU:CD	2.88	0.40
1:B:360:ARG:N	1:B:360:ARG:HD2	2.36	0.40
1:B:404:THR:OG1	1:B:405:MSE:O	2.36	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:121:HOH:O	3:C:122:HOH:O[3_665]	1.63	0.57

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	152/153 (99%)	140 (92%)	8 (5%)	4 (3%)	4	4
1	B	139/153 (91%)	116 (84%)	11 (8%)	12 (9%)	0	0
1	C	141/153 (92%)	129 (92%)	6 (4%)	6 (4%)	2	1
All	All	432/459 (94%)	385 (89%)	25 (6%)	22 (5%)	1	1

All (22) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	496	LEU
1	A	497	LYS
1	B	388	SER
1	B	391	THR
1	B	393	SER
1	B	455	LEU
1	B	492	SER
1	B	495	THR
1	B	496	LEU
1	C	362	PHE
1	C	408	VAL
1	C	492	SER
1	C	500	LYS
1	B	390	VAL
1	B	402	ASP
1	B	459	MSE
1	A	357	MSE
1	B	404	THR
1	B	464	HIS
1	C	386	VAL
1	A	374	PRO
1	C	372	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	140/133 (105%)	118 (84%)	22 (16%)	2	3
1	B	127/133 (96%)	99 (78%)	28 (22%)	1	1
1	C	129/133 (97%)	108 (84%)	21 (16%)	2	3
All	All	396/399 (99%)	325 (82%)	71 (18%)	2	2

All (71) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	358	SER
1	A	375[A]	SER
1	A	375[B]	SER
1	A	390	VAL
1	A	393	SER
1	A	398	VAL
1	A	405	MSE
1	A	415	ARG
1	A	427	THR
1	A	431	LYS
1	A	444	ASN
1	A	445	GLU
1	A	448	SER
1	A	449	LEU
1	A	471	VAL
1	A	473	ILE
1	A	475	THR
1	A	496	LEU
1	A	497	LYS
1	A	501	PHE
1	A	502	GLU
1	A	505	SER
1	B	382	LEU
1	B	386	VAL
1	B	387	HIS
1	B	393	SER
1	B	398	VAL
1	B	404	THR
1	B	407	THR
1	B	408	VAL
1	B	409	ASN
1	B	410	SER
1	B	419	LYS
1	B	448	SER
1	B	449	LEU
1	B	450	ILE
1	B	452	VAL
1	B	455	LEU
1	B	456	ASN
1	B	459	MSE
1	B	466	GLU
1	B	469	VAL
1	B	473	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	483	ILE
1	B	487	GLN
1	B	489	ARG
1	B	491	LEU
1	B	493	PHE
1	B	495	THR
1	B	496	LEU
1	C	361	SER
1	C	371	LYS
1	C	394	ILE
1	C	405	MSE
1	C	407	THR
1	C	427	THR
1	C	431	LYS
1	C	448	SER
1	C	449	LEU
1	C	456	ASN
1	C	462	LEU
1	C	473	ILE
1	C	475	THR
1	C	484	ARG
1	C	485	ARG
1	C	487	GLN
1	C	489	ARG
1	C	492	SER
1	C	494	SER
1	C	500	LYS
1	C	502	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	434	HIS
1	A	444	ASN
1	A	446	GLN
1	A	457	ASN
1	A	482	ASN
1	A	487	GLN
1	B	399	GLN
1	B	411	ASN
1	B	425	GLN
1	B	444	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	457	ASN
1	B	482	ASN
1	C	364	ASN
1	C	425	GLN
1	C	434	HIS
1	C	456	ASN
1	C	464	HIS
1	C	487	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	B	311[A]	-	4,4,4	0.72	0	6,6,6	0.70	0
2	PO4	C	302	-	4,4,4	0.78	0	6,6,6	0.68	0
2	PO4	A	301[B]	-	4,4,4	0.61	0	6,6,6	1.79	2 (33%)
2	PO4	C	305	-	4,4,4	1.06	0	6,6,6	0.45	0
2	PO4	A	301[A]	-	4,4,4	0.93	0	6,6,6	1.32	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PO4	C	303	-	4,4,4	1.38	1 (25%)	6,6,6	0.35	0
2	PO4	A	307	-	4,4,4	0.82	0	6,6,6	0.81	0
2	PO4	C	304	-	4,4,4	0.27	0	6,6,6	0.92	0
2	PO4	C	309	-	4,4,4	0.96	0	6,6,6	0.63	0
2	PO4	B	311[B]	-	4,4,4	1.44	0	6,6,6	0.92	0
2	PO4	A	306	-	4,4,4	0.84	0	6,6,6	0.65	0
2	PO4	A	312	-	4,4,4	1.36	1 (25%)	6,6,6	0.85	0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	312	PO4	P-O1	2.30	1.56	1.50
2	C	303	PO4	P-O1	2.17	1.55	1.50

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301[B]	PO4	O4-P-O3	2.84	116.75	107.91
2	A	301[B]	PO4	O3-P-O1	-2.21	103.14	110.95

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	311[B]	PO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	145/153 (94%)	-0.22	6 (4%) 41 37	16, 30, 54, 66	3 (2%)
1	B	137/153 (89%)	0.45	20 (14%) 6 4	25, 40, 79, 88	1 (0%)
1	C	138/153 (90%)	-0.20	2 (1%) 73 69	22, 35, 58, 65	1 (0%)
All	All	420/459 (91%)	0.00	28 (6%) 24 20	16, 35, 63, 88	5 (1%)

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	390	VAL	6.4
1	A	496	LEU	5.8
1	B	498	ASP	5.1
1	A	373	TYR	4.9
1	B	403	ALA	4.7
1	B	404	THR	4.4
1	B	496	LEU	4.0
1	B	391	THR	4.0
1	B	493	PHE	3.7
1	B	497	LYS	3.5
1	B	492	SER	3.4
1	B	389	ALA	3.3
1	B	467	ILE	3.3
1	A	505	SER	3.2
1	C	390	VAL	2.9
1	B	495	THR	2.6
1	B	387	HIS	2.6
1	B	360	ARG	2.5
1	B	490[A]	ASP	2.5
1	B	491	LEU	2.5
1	B	392	SER	2.4
1	A	374	PRO	2.4
1	A	502	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	503	GLU	2.2
1	B	466	GLU	2.2
1	B	359	ARG	2.1
1	B	388	SER	2.1
1	C	389	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PO4	C	302	5/5	0.59	0.19	125,125,125,126	0
2	PO4	A	312	5/5	0.68	0.36	120,120,122,122	0
2	PO4	C	304	5/5	0.70	0.18	91,92,94,95	0
2	PO4	A	306	5/5	0.71	0.13	121,122,122,123	0
2	PO4	B	311[A]	5/5	0.80	0.23	57,60,61,62	5
2	PO4	B	311[B]	5/5	0.80	0.23	27,30,35,37	5
2	PO4	C	303	5/5	0.84	0.15	66,67,67,69	0
2	PO4	C	309	5/5	0.85	0.15	90,91,92,92	0
2	PO4	A	301[A]	5/5	0.86	0.23	54,56,57,59	5
2	PO4	C	305	5/5	0.86	0.14	90,91,92,93	0
2	PO4	A	301[B]	5/5	0.86	0.23	50,51,52,54	5
2	PO4	A	307	5/5	0.88	0.14	76,76,78,80	0

6.5 Other polymers [i](#)

There are no such residues in this entry.