



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 03:42 PM UTC

PDB ID : 5FJP / pdb_00005fjp
Title : N-acyl amino acid racemase from Amycolatopsis sp Ts-1-60: G291D F323Y
I293G mutant in complex with N-acetyl naphthylalanine
Authors : Sanchez Carron, G.; Campopiano, D.; Grogan, G.
Deposited on : 2015-10-12
Resolution : 2.58 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4770 (2.60-2.56)
Clashscore	190562	5124 (2.60-2.56)
Ramachandran outliers	187476	5046 (2.60-2.56)
Sidechain outliers	187428	5046 (2.60-2.56)
RSRZ outliers	180081	4770 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	368	% 87% 11% ..
1	B	368	2% 87% 11% .
1	C	368	% 90% 9% .
1	D	368	4% 85% 13% ..

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11378 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called O-SUCCINYLBENZOATE SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	368	Total	C	N	O	S	0	0	0
			2758	1753	477	516	12			
1	B	368	Total	C	N	O	S	0	0	0
			2747	1746	476	514	11			
1	C	367	Total	C	N	O	S	0	0	0
			2749	1746	478	514	11			
1	D	367	Total	C	N	O	S	0	0	0
			2739	1740	478	510	11			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	291	ASP	GLY	engineered mutation	UNP Q44244
A	293	GLY	ILE	engineered mutation	UNP Q44244
A	323	TYR	PHE	engineered mutation	UNP Q44244
B	291	ASP	GLY	engineered mutation	UNP Q44244
B	293	GLY	ILE	engineered mutation	UNP Q44244
B	323	TYR	PHE	engineered mutation	UNP Q44244
C	291	ASP	GLY	engineered mutation	UNP Q44244
C	293	GLY	ILE	engineered mutation	UNP Q44244
C	323	TYR	PHE	engineered mutation	UNP Q44244
D	291	ASP	GLY	engineered mutation	UNP Q44244
D	293	GLY	ILE	engineered mutation	UNP Q44244
D	323	TYR	PHE	engineered mutation	UNP Q44244

- Molecule 2 is N-acetyl naphthylalanine (CCD ID: NPQ) (formula: C₁₅H₁₅NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			19	15	1	3		
2	B	1	Total	C	N	O	0	0
			19	15	1	3		
2	C	1	Total	C	N	O	0	0
			19	15	1	3		
2	D	1	Total	C	N	O	0	0
			19	15	1	3		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	102	Total	O	0	0
			102	102		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	91	Total 91	O 91	0	0
4	C	59	Total 59	O 59	0	0
4	D	53	Total 53	O 53	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: O-SUCCINYLBENZOATE SYNTHASE




• Molecule 1: O-SUCCINYLBENZOATE SYNTHASE



• Molecule 1: O-SUCCINYLBENZOATE SYNTHASE



• Molecule 1: O-SUCCINYLBENZOATE SYNTHASE





4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	217.29Å 217.29Å 262.22Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	76.44 – 2.58 76.44 – 2.58	Depositor EDS
% Data completeness (in resolution range)	99.9 (76.44-2.58) 99.9 (76.44-2.58)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.59 (at 2.58Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.179 , 0.208 0.188 , 0.214	Depositor DCC
R_{free} test set	3755 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	43.9	Xtriage
Anisotropy	0.004	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 24.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.022 for -2/3*h-1/3*k+2/3*l,-1/3*h-2/3*k- 2/3*l,2/3*h-2/3*k+1/3*l 0.018 for -h,1/3*h-1/3*k+2/3*l,2/3*h+4/3* k+1/3*l 0.013 for -1/3*h+1/3*k-2/3*l,-k,-4/3*h-2/3* *k+1/3*l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11378	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NPQ, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.07	0/2814	1.07	5/3835 (0.1%)
1	B	1.05	2/2803 (0.1%)	1.07	4/3823 (0.1%)
1	C	1.02	0/2805	1.05	5/3825 (0.1%)
1	D	1.05	3/2795 (0.1%)	1.07	7/3813 (0.2%)
All	All	1.05	5/11217 (0.0%)	1.06	21/15296 (0.1%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	72	ILE	CA-CB	-6.16	1.51	1.54
1	B	215	GLN	C-O	-6.10	1.20	1.23
1	D	358	GLU	N-CA	5.62	1.53	1.46
1	D	215	GLN	C-O	-5.61	1.21	1.23
1	D	72	ILE	CA-CB	-5.19	1.51	1.54

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	359	VAL	CB-CA-C	6.90	118.53	110.93
1	D	359	VAL	N-CA-CB	-6.80	103.52	112.36
1	C	359	VAL	N-CA-CB	-6.36	104.09	112.36
1	A	359	VAL	N-CA-CB	-6.34	104.11	112.36
1	B	359	VAL	N-CA-CB	-6.33	104.14	112.36
1	D	359	VAL	CB-CA-C	6.17	117.72	110.93
1	D	10	ARG	N-CA-C	-6.03	99.36	109.07
1	A	359	VAL	CB-CA-C	5.95	117.48	110.93
1	C	359	VAL	CB-CA-C	5.76	117.27	110.93
1	C	260	VAL	N-CA-C	5.41	115.69	108.11
1	A	260	VAL	N-CA-C	5.30	115.53	108.11
1	C	341	VAL	CA-C-N	5.26	125.20	119.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	341	VAL	C-N-CA	5.26	125.20	119.78
1	A	21	THR	N-CA-CB	-5.23	102.45	111.55
1	D	325	LYS	N-CA-C	-5.19	105.63	111.28
1	B	236	ILE	CB-CA-C	-5.17	104.50	110.91
1	A	115	HIS	N-CA-C	-5.13	106.26	112.88
1	D	242	ILE	N-CA-C	5.12	111.69	106.21
1	B	260	VAL	N-CA-C	5.08	115.22	108.11
1	D	341	VAL	CA-C-N	5.00	124.99	119.89
1	D	341	VAL	C-N-CA	5.00	124.99	119.89

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2758	0	2781	33	0
1	B	2747	0	2759	27	0
1	C	2749	0	2765	20	0
1	D	2739	0	2752	30	0
2	A	19	0	0	1	0
2	B	19	0	0	1	0
2	C	19	0	0	0	0
2	D	19	0	0	1	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	102	0	0	7	0
4	B	91	0	0	3	0
4	C	59	0	0	3	0
4	D	53	0	0	1	0
All	All	11378	0	11057	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:58:GLU:HB2	1:A:98:MET:CE	2.06	0.85
1:B:58:GLU:HB2	1:B:98:MET:CE	2.07	0.84
1:D:58:GLU:HB2	1:D:98:MET:CE	2.09	0.82
1:A:179:ARG:HD2	4:A:2059:HOH:O	1.80	0.80
1:D:11:VAL:HG13	1:D:359:VAL:HG13	1.66	0.77
1:A:10:ARG:HD3	4:A:2023:HOH:O	1.90	0.70
1:A:58:GLU:HB2	1:A:98:MET:HE3	1.74	0.69
1:A:92:LYS:HE2	4:A:2034:HOH:O	1.93	0.69
1:D:58:GLU:HB2	1:D:98:MET:HE3	1.79	0.65
1:B:98:MET:HE2	4:B:2011:HOH:O	1.95	0.65
1:B:58:GLU:HB2	1:B:98:MET:HE3	1.78	0.65
1:D:159:ARG:NH2	1:D:316:ASP:OD1	2.25	0.64
1:B:127:ARG:HD3	4:B:2041:HOH:O	1.97	0.62
1:A:127:ARG:HD3	4:A:2049:HOH:O	2.00	0.62
1:D:8:LEU:HD12	1:D:366:ILE:HD13	1.85	0.58
1:B:21:THR:HG21	1:B:23:PHE:CZ	2.39	0.58
1:D:7:GLU:OE1	1:D:9:ARG:NH1	2.36	0.58
1:B:159:ARG:NH2	1:B:316:ASP:OD1	2.28	0.57
1:B:8:LEU:HD12	1:B:366:ILE:HD13	1.88	0.56
1:A:8:LEU:HD12	1:A:366:ILE:HD13	1.88	0.55
1:C:11:VAL:HG13	1:C:359:VAL:HG13	1.88	0.55
1:A:11:VAL:HG13	1:A:359:VAL:HG13	1.87	0.55
1:B:21:THR:HG21	1:B:23:PHE:CE1	2.42	0.55
1:B:11:VAL:HG13	1:B:359:VAL:HG13	1.89	0.55
1:A:21:THR:HG21	1:A:23:PHE:CE1	2.42	0.55
1:D:159:ARG:HG2	1:D:160:ILE:N	2.20	0.54
1:B:8:LEU:HD23	1:B:32:LEU:HD22	1.90	0.54
1:C:8:LEU:HD12	1:C:366:ILE:HD13	1.90	0.54
1:B:135:SER:OG	2:B:1369:NPQ:OAB	2.25	0.54
1:A:21:THR:HG21	1:A:23:PHE:CZ	2.43	0.54
1:A:159:ARG:NH2	1:A:316:ASP:OD1	2.29	0.54
1:B:367:GLY:O	1:B:368:SER:C	2.51	0.54
1:C:21:THR:HG21	1:C:23:PHE:CZ	2.43	0.53
1:C:82:THR:HG22	1:C:84:ALA:H	1.74	0.53
1:B:159:ARG:HG2	1:B:160:ILE:N	2.23	0.53
1:A:8:LEU:HD23	1:A:32:LEU:HD22	1.91	0.53
1:D:21:THR:HG21	1:D:23:PHE:CZ	2.44	0.53
1:B:153:LEU:HG	1:B:160:ILE:HD11	1.91	0.52
1:C:171:GLU:HB2	1:C:172:PRO:HD3	1.91	0.52
1:A:135:SER:OG	2:A:1369:NPQ:OAB	2.27	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:159:ARG:NH2	1:C:316:ASP:OD1	2.27	0.52
1:A:171:GLU:HB2	1:A:172:PRO:HD3	1.91	0.52
1:A:159:ARG:HG2	1:A:160:ILE:N	2.24	0.52
1:C:8:LEU:HD23	1:C:32:LEU:HD22	1.91	0.51
1:C:153:LEU:HG	1:C:160:ILE:HD11	1.92	0.51
1:D:23:PHE:HE1	1:D:50:MET:HE1	1.75	0.51
1:D:153:LEU:HG	1:D:160:ILE:HD11	1.93	0.51
1:D:21:THR:HG21	1:D:23:PHE:CE1	2.45	0.51
1:C:21:THR:HG21	1:C:23:PHE:CE1	2.44	0.51
1:C:23:PHE:HE1	1:C:50:MET:HE1	1.76	0.51
1:B:171:GLU:HB2	1:B:172:PRO:HD3	1.92	0.50
1:D:8:LEU:HD23	1:D:32:LEU:HD22	1.93	0.50
1:A:237:CYS:HA	1:A:259:ILE:O	2.11	0.50
1:B:23:PHE:HE1	1:B:50:MET:HE1	1.77	0.49
1:C:159:ARG:HG2	1:C:160:ILE:N	2.26	0.49
1:A:153:LEU:HG	1:A:160:ILE:HD11	1.95	0.49
1:D:44:TRP:CZ2	1:D:351:PRO:HG2	2.48	0.48
1:A:2:LYS:HG3	1:A:79:GLU:O	2.13	0.48
1:A:23:PHE:HE1	1:A:50:MET:HE1	1.77	0.48
1:C:79:GLU:CB	4:C:2020:HOH:O	2.62	0.48
1:D:171:GLU:HB2	1:D:172:PRO:HD3	1.94	0.47
1:B:237:CYS:HA	1:B:259:ILE:O	2.14	0.47
1:D:68:ARG:HG2	1:D:68:ARG:HH11	1.79	0.47
1:A:68:ARG:HH11	1:A:68:ARG:HG2	1.78	0.47
1:D:11:VAL:HG13	1:D:359:VAL:CG1	2.41	0.47
1:D:135:SER:OG	2:D:1368:NPQ:OAB	2.30	0.46
1:B:21:THR:CG2	1:B:23:PHE:H	2.28	0.46
1:A:1:MET:HE1	1:A:40:ALA:HB2	1.97	0.46
1:C:237:CYS:HA	1:C:259:ILE:O	2.15	0.46
1:A:21:THR:CG2	1:A:23:PHE:H	2.29	0.46
1:D:98:MET:HE2	4:D:2008:HOH:O	2.15	0.45
1:D:237:CYS:HA	1:D:259:ILE:O	2.17	0.45
1:A:82:THR:HG22	1:A:84:ALA:H	1.80	0.45
1:B:68:ARG:HH11	1:B:68:ARG:HG2	1.81	0.45
1:B:306:ALA:HB1	4:B:2085:HOH:O	2.17	0.45
1:C:68:ARG:HG2	1:C:68:ARG:HH11	1.81	0.45
1:C:127:ARG:NH1	1:C:307:SER:HA	2.32	0.45
1:A:127:ARG:NH1	1:A:307:SER:HA	2.32	0.45
1:D:127:ARG:NH1	1:D:307:SER:HA	2.32	0.45
1:B:35:ARG:NE	1:B:42:GLU:OE2	2.50	0.44
1:B:190:ALA:O	1:B:191:ASN:C	2.61	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:190:ALA:O	1:D:191:ASN:C	2.61	0.44
1:C:21:THR:CG2	1:C:23:PHE:H	2.31	0.44
1:A:10:ARG:CD	4:A:2023:HOH:O	2.58	0.43
1:D:201:GLN:O	1:D:204:ARG:HB2	2.18	0.43
1:D:206:ASP:N	1:D:207:PRO:CD	2.80	0.43
1:B:44:TRP:CZ2	1:B:351:PRO:HG2	2.54	0.43
1:C:144:GLN:HG2	4:C:2033:HOH:O	2.17	0.43
1:A:72:ILE:HB	1:A:73:PRO:HD3	2.01	0.42
1:A:127:ARG:HH12	1:A:307:SER:C	2.27	0.42
1:C:159:ARG:HD2	4:C:2035:HOH:O	2.19	0.42
1:D:21:THR:CG2	1:D:23:PHE:H	2.32	0.42
1:A:7:GLU:CD	1:A:35:ARG:NH1	2.77	0.42
1:B:127:ARG:NH1	1:B:307:SER:HA	2.34	0.42
1:D:9:ARG:NE	1:D:356:LEU:HD13	2.34	0.42
1:A:98:MET:HE1	4:A:2016:HOH:O	2.18	0.42
1:D:35:ARG:NE	1:D:42:GLU:OE2	2.51	0.42
1:D:82:THR:HG22	1:D:84:ALA:H	1.85	0.42
1:B:127:ARG:HH12	1:B:307:SER:C	2.28	0.42
1:D:8:LEU:HD12	1:D:366:ILE:CD1	2.48	0.42
1:C:35:ARG:NE	1:C:42:GLU:OE2	2.52	0.42
1:C:82:THR:HG22	1:C:84:ALA:N	2.34	0.41
1:B:192:THR:HB	1:B:218:GLU:HA	2.02	0.41
1:A:1:MET:O	1:A:80:ASP:HA	2.20	0.41
1:A:21:THR:HG23	1:A:23:PHE:H	1.85	0.41
1:D:10:ARG:NH1	1:D:64:GLU:OE1	2.53	0.41
1:A:92:LYS:CE	4:A:2034:HOH:O	2.61	0.41
1:B:72:ILE:HB	1:B:73:PRO:HD3	2.03	0.40
1:A:35:ARG:NE	1:A:42:GLU:OE2	2.50	0.40
1:D:329:THR:O	1:D:330:GLU:C	2.63	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	366/368 (100%)	357 (98%)	9 (2%)	0	100	100
1	B	366/368 (100%)	357 (98%)	9 (2%)	0	100	100
1	C	365/368 (99%)	353 (97%)	12 (3%)	0	100	100
1	D	365/368 (99%)	357 (98%)	8 (2%)	0	100	100
All	All	1462/1472 (99%)	1424 (97%)	38 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	287/291 (99%)	271 (94%)	16 (6%)	19	38
1	B	284/291 (98%)	270 (95%)	14 (5%)	22	44
1	C	285/291 (98%)	270 (95%)	15 (5%)	20	41
1	D	283/291 (97%)	267 (94%)	16 (6%)	18	38
All	All	1139/1164 (98%)	1078 (95%)	61 (5%)	20	40

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	8	LEU
1	A	21	THR
1	A	81	ILE
1	A	92	LYS
1	A	116	GLU
1	A	127	ARG
1	A	142	ILE
1	A	160	ILE
1	A	165	GLU
1	A	177	ARG
1	A	179	ARG
1	A	339	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	356	LEU
1	A	359	VAL
1	A	368	SER
1	B	8	LEU
1	B	21	THR
1	B	81	ILE
1	B	116	GLU
1	B	127	ARG
1	B	142	ILE
1	B	160	ILE
1	B	165	GLU
1	B	177	ARG
1	B	179	ARG
1	B	220	GLU
1	B	339	LEU
1	B	356	LEU
1	B	359	VAL
1	C	8	LEU
1	C	21	THR
1	C	81	ILE
1	C	92	LYS
1	C	116	GLU
1	C	127	ARG
1	C	142	ILE
1	C	160	ILE
1	C	165	GLU
1	C	177	ARG
1	C	178	GLU
1	C	179	ARG
1	C	339	LEU
1	C	356	LEU
1	C	359	VAL
1	D	8	LEU
1	D	10	ARG
1	D	21	THR
1	D	81	ILE
1	D	92	LYS
1	D	116	GLU
1	D	127	ARG
1	D	142	ILE
1	D	160	ILE
1	D	165	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	177	ARG
1	D	179	ARG
1	D	220	GLU
1	D	339	LEU
1	D	356	LEU
1	D	359	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	338	HIS
1	B	258	GLN
1	B	338	HIS
1	C	258	GLN
1	C	338	HIS
1	D	258	GLN
1	D	338	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NPQ	C	1368	3	20,20,20	1.55	3 (15%)	27,27,27	2.54	10 (37%)
2	NPQ	D	1368	3	20,20,20	1.67	3 (15%)	27,27,27	1.71	5 (18%)
2	NPQ	A	1369	3	20,20,20	1.87	5 (25%)	27,27,27	2.08	5 (18%)
2	NPQ	B	1369	3	20,20,20	1.53	3 (15%)	27,27,27	1.97	3 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NPQ	C	1368	3	-	7/12/12/12	0/2/2/2
2	NPQ	D	1368	3	-	7/12/12/12	0/2/2/2
2	NPQ	A	1369	3	-	6/12/12/12	0/2/2/2
2	NPQ	B	1369	3	-	5/12/12/12	0/2/2/2

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1368	NPQ	CB-CG	-4.43	1.40	1.51
2	A	1369	NPQ	CAR-CAQ	-4.17	1.32	1.42
2	A	1369	NPQ	CB-CG	-3.83	1.42	1.51
2	B	1369	NPQ	CB-CG	-3.73	1.42	1.51
2	C	1368	NPQ	CB-CG	-3.68	1.42	1.51
2	D	1368	NPQ	CAR-CAQ	-2.76	1.36	1.42
2	C	1368	NPQ	CA-C	2.75	1.59	1.52
2	C	1368	NPQ	CAR-CAQ	-2.72	1.36	1.42
2	B	1369	NPQ	CAR-CAQ	-2.51	1.36	1.42
2	A	1369	NPQ	CA-C	2.23	1.58	1.52
2	A	1369	NPQ	CD2-CAR	-2.15	1.37	1.42
2	B	1369	NPQ	CA-C	2.07	1.57	1.52
2	D	1368	NPQ	CA-C	2.07	1.57	1.52
2	A	1369	NPQ	CAJ-CAQ	-2.02	1.37	1.42

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1368	NPQ	C-CA-N	-8.75	90.26	110.57
2	B	1369	NPQ	C-CA-N	-7.51	93.15	110.57
2	A	1369	NPQ	C-CA-N	-6.94	94.48	110.57
2	D	1368	NPQ	C-CA-N	-5.35	98.16	110.57
2	A	1369	NPQ	CA-N-CAN	5.11	135.92	121.58
2	B	1369	NPQ	CA-N-CAN	4.87	135.22	121.58
2	C	1368	NPQ	CA-N-CAN	4.19	133.32	121.58
2	C	1368	NPQ	CB-CA-N	-3.82	102.92	110.83
2	D	1368	NPQ	CA-N-CAN	3.66	131.85	121.58
2	C	1368	NPQ	OAB-CAN-N	-3.48	115.83	121.98
2	C	1368	NPQ	CAF-CAE-CAH	-2.72	116.77	120.40
2	B	1369	NPQ	CB-CA-N	-2.65	105.34	110.83
2	A	1369	NPQ	CAF-CAE-CAH	-2.57	116.96	120.40
2	C	1368	NPQ	CD1-CG-CD2	-2.47	114.39	118.88
2	A	1369	NPQ	OAB-CAN-N	-2.46	117.64	121.98
2	A	1369	NPQ	CAA-CAN-N	2.42	120.13	116.12
2	C	1368	NPQ	CB-CA-C	2.40	116.17	110.45
2	D	1368	NPQ	OAB-CAN-N	-2.33	117.87	121.98
2	C	1368	NPQ	CB-CG-CD2	2.24	125.88	120.91
2	D	1368	NPQ	OXT-C-CA	2.14	120.76	113.51
2	C	1368	NPQ	O-C-CA	-2.07	115.56	122.26
2	C	1368	NPQ	OXT-C-CA	2.07	120.50	113.51
2	D	1368	NPQ	CB-CG-CD1	-2.04	117.10	120.90

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1369	NPQ	CAA-CAN-N-CA
2	A	1369	NPQ	CAA-CAN-N-CA
2	D	1368	NPQ	CAA-CAN-N-CA
2	A	1369	NPQ	OAB-CAN-N-CA
2	B	1369	NPQ	OAB-CAN-N-CA
2	C	1368	NPQ	CAA-CAN-N-CA
2	C	1368	NPQ	OAB-CAN-N-CA
2	D	1368	NPQ	OAB-CAN-N-CA
2	C	1368	NPQ	O-C-CA-N
2	C	1368	NPQ	OXT-C-CA-N
2	C	1368	NPQ	N-CA-CB-CG
2	A	1369	NPQ	O-C-CA-N
2	B	1369	NPQ	O-C-CA-N
2	B	1369	NPQ	O-C-CA-CB
2	C	1368	NPQ	OXT-C-CA-CB

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
2	A	1369	NPQ	OXT-C-CA-N
2	D	1368	NPQ	CA-CB-CG-CD1
2	D	1368	NPQ	CA-CB-CG-CD2
2	D	1368	NPQ	O-C-CA-N
2	A	1369	NPQ	O-C-CA-CB
2	A	1369	NPQ	OXT-C-CA-CB
2	B	1369	NPQ	OXT-C-CA-CB
2	D	1368	NPQ	O-C-CA-CB
2	C	1368	NPQ	O-C-CA-CB
2	D	1368	NPQ	OXT-C-CA-CB



There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	1368	NPQ	1	0
2	A	1369	NPQ	1	0
2	B	1369	NPQ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	368/368 (100%)	-0.43	5 (1%) 73 70	24, 35, 56, 80	0
1	B	368/368 (100%)	-0.11	6 (1%) 70 67	26, 40, 65, 93	0
1	C	367/368 (99%)	-0.11	5 (1%) 73 70	25, 44, 69, 93	0
1	D	367/368 (99%)	0.24	13 (3%) 47 42	27, 47, 74, 92	0
All	All	1470/1472 (99%)	-0.10	29 (1%) 65 61	24, 42, 68, 93	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	1	MET	7.9
1	B	1	MET	6.2
1	D	367	GLY	5.2
1	C	1	MET	5.2
1	C	367	GLY	5.0
1	D	2	LYS	4.3
1	C	79	GLU	4.3
1	D	40	ALA	4.2
1	B	368	SER	3.9
1	B	40	ALA	3.9
1	D	79	GLU	3.8
1	C	2	LYS	3.7
1	A	368	SER	3.6
1	C	40	ALA	3.5
1	B	79	GLU	3.4
1	D	39	PRO	3.3
1	D	178	GLU	3.3
1	A	1	MET	3.1
1	D	354	GLU	3.0
1	B	2	LYS	3.0
1	A	204	ARG	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	325	LYS	2.8
1	D	44	TRP	2.5
1	D	80	ASP	2.5
1	D	37	VAL	2.5
1	A	2	LYS	2.3
1	A	79	GLU	2.3
1	D	204	ARG	2.3
1	B	39	PRO	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NPQ	C	1368	19/19	0.91	0.14	44,58,83,84	0
2	NPQ	B	1369	19/19	0.95	0.10	34,51,65,65	0
2	NPQ	A	1369	19/19	0.95	0.10	30,48,59,61	0
2	NPQ	D	1368	19/19	0.95	0.11	42,64,81,84	0
3	MG	A	1370	1/1	0.97	0.07	34,34,34,34	0
3	MG	B	1370	1/1	0.98	0.07	35,35,35,35	0
3	MG	D	1369	1/1	0.98	0.07	55,55,55,55	0
3	MG	C	1369	1/1	0.99	0.03	40,40,40,40	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NPQ C 1368:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NPQ B 1369:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NPQ A 1369:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NPQ D 1368:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.