



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 03:11 PM UTC

PDB ID : 9FJF / pdb_00009fjf
EMDB ID : EMD-50502
Title : Lysosomal transporting complex of beta-glucocerebrosidase (GCase) and lysosomal integral membrane protein 2 (LIMP-2) with bound Pro-macrobodies (Combined focus map)
Authors : Dobert, J.P.; Schaefer, J.H.S.; Dal Maso, T.; Socher, E.; Versees, W.; Moeller, A.; Zunke, F.; Arnold, P.
Deposited on : 2024-05-31
Resolution : 3.70 Å(reported)
Based on initial models : 6TN1, 9ENA, 4Q4F

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.








Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	11569 (3.20 - 4.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	391	 90% 10%
2	B	497	 90% 8% .
3	C	130	 13% 82% 18%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	121	 16% 71% 25%
5	E	3	 33% 33% 33%
6	F	2	 100%
6	G	2	 100%
6	H	2	 100%
6	J	2	 100%
7	I	5	 80% 20%

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 9307 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lysosome membrane protein 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	391	Total	C	N	O	S	0	0
			3166	2044	513	597	12		

- Molecule 2 is a protein called Lysosomal acid glucosylceramidase.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	487	Total	C	N	O	S	0	0
			3854	2482	661	696	15		


- Molecule 3 is a protein called Nanobody Nb1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	130	Total	C	N	O	S	0	0
			1014	636	172	201	5		

- Molecule 4 is a protein called Nanobody Nb6.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	116	Total	C	N	O	S	0	0
			888	560	150	172	6		

- Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
5	E	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
6	F	2	Total	C	N	O	0	0
			28	16	2	10		
6	G	2	Total	C	N	O	0	0
			28	16	2	10		
6	H	2	Total	C	N	O	0	0
			28	16	2	10		
6	J	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
7	I	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	A	1	Total	C	N	O	0
			14	8	1	5	
8	B	1	Total	C	N	O	0
			14	8	1	5	
8	B	1	Total	C	N	O	0
			14	8	1	5	
8	B	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 9 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: $C_6H_{13}NO_4S$).



Mol	Chain	Residues	Atoms					AltConf
9	A	1	Total	C	N	O	S	0
			12	6	1	4	1	
9	B	1	Total	C	N	O	S	0
			12	6	1	4	1	
9	B	1	Total	C	N	O	S	0
			12	6	1	4	1	
9	B	1	Total	C	N	O	S	0
			12	6	1	4	1	


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		AltConf
10	A	11	Total	O	0
			11	11	
10	B	11	Total	O	0
			11	11	
10	C	1	Total	O	0
			1	1	
10	D	4	Total	O	0
			4	4	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Lysosome membrane protein 2




- Molecule 2: Lysosomal acid glucosylceramidase




- Molecule 3: Nanobody Nb1



- Molecule 4: Nanobody Nb6





- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 33% 33% 33%



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 100%



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 100%



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 100%



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 100%



- Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 80% 20%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	397385	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	130000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	79.621	Depositor
Minimum map value	-47.509	Depositor
Average map value	-0.008	Depositor
Map value standard deviation	1.041	Depositor
Recommended contour level	3.5	Depositor
Map size (Å)	296.0, 296.0, 296.0	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.925, 0.925, 0.925	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, MES, MAN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.75	1/3249 (0.0%)	0.84	0/4416
2	B	0.50	0/3970	0.63	0/5411
3	C	0.61	0/1040	0.74	0/1412
4	D	0.50	0/908	0.62	0/1233
All	All	0.61	1/9167 (0.0%)	0.72	0/12472

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	357	HIS	C-N	6.13	1.41	1.33

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3166	0	3072	28	0
2	B	3854	0	3778	26	0
3	C	1014	0	946	15	0
4	D	888	0	854	22	0
5	E	39	0	34	2	0
6	F	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	G	28	0	25	1	0
6	H	28	0	25	0	0
6	J	28	0	25	2	0
7	I	61	0	52	1	0
8	A	56	0	52	2	0
8	B	42	0	39	0	0
9	A	12	0	13	0	0
9	B	36	0	39	1	0
10	A	11	0	0	0	0
10	B	11	0	0	0	0
10	C	1	0	0	0	0
10	D	4	0	0	0	0
All	All	9307	0	8979	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:313:ILE:HG23	1:A:314:PRO:HA	1.57	0.85
3:C:69:THR:HB	3:C:82:GLN:HB3	1.64	0.79
2:B:47:ARG:NH2	4:D:56:SER:OG	2.25	0.70
2:B:394:VAL:HG12	2:B:394:VAL:O	1.92	0.69
1:A:57:PRO:C	1:A:58:LEU:HD12	2.18	0.68
2:B:444:LEU:HD11	2:B:468:VAL:HG21	1.77	0.66
3:C:53:SER:HA	3:C:72:ARG:HH12	1.61	0.64
3:C:64:ALA:HB3	3:C:68:PHE:CE2	2.32	0.64
1:A:313:ILE:CG2	1:A:314:PRO:HA	2.26	0.63
3:C:91:THR:HG23	3:C:127:THR:HG22	1.82	0.61
3:C:88:PRO:CB	3:C:130:PRO:HA	2.30	0.61
4:D:1:GLN:NE2	4:D:3:GLN:O	2.32	0.61
4:D:100:ARG:HA	4:D:107:TYR:HA	1.83	0.59
4:D:39:GLN:HB2	4:D:45:ARG:HG2	1.83	0.59
2:B:22:TYR:CD2	6:J:1:NAG:H61	2.37	0.59
1:A:57:PRO:O	1:A:58:LEU:HD12	2.04	0.58
5:E:1:NAG:H61	5:E:2:NAG:HN2	1.68	0.57
1:A:57:PRO:HG2	1:A:58:LEU:HD13	1.84	0.57
4:D:14:PRO:HG2	4:D:20:LEU:HA	1.88	0.55
2:B:292:ALA:HB1	2:B:296:LEU:HD12	1.88	0.55
3:C:67:ARG:HG3	3:C:84:ASN:HB3	1.87	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:363:TYR:HD2	2:B:420:LEU:HD11	1.72	0.55
1:A:95:ARG:HB3	1:A:115:LYS:HG2	1.90	0.54
3:C:51:ILE:HB	3:C:70:ILE:HD12	1.90	0.54
1:A:94:LEU:C	1:A:94:LEU:HD12	2.33	0.53
1:A:81:PRO:O	1:A:354:GLU:HG2	2.08	0.53
4:D:39:GLN:O	4:D:91:ALA:HB1	2.08	0.52
4:D:31:ILE:HG22	4:D:99:ILE:HG23	1.90	0.52
3:C:98:THR:HG22	3:C:99:ASP:H	1.75	0.52
2:B:65:LEU:HD12	2:B:65:LEU:H	1.76	0.51
4:D:100:ARG:C	4:D:108:THR:H	2.19	0.51
1:A:57:PRO:HG2	1:A:58:LEU:CD1	2.41	0.50
2:B:252:THR:C	2:B:254:GLU:H	2.19	0.50
1:A:43:LEU:HD12	1:A:217:THR:HA	1.93	0.50
4:D:100:ARG:HA	4:D:107:TYR:HD1	1.76	0.50
1:A:411:LEU:HD12	1:A:411:LEU:C	2.37	0.50
1:A:170:THR:HG21	5:E:2:NAG:H82	1.94	0.49
2:B:184:TRP:H	2:B:184:TRP:CD1	2.30	0.49
1:A:426:LYS:HA	1:A:429:ILE:HG22	1.94	0.49
2:B:394:VAL:O	2:B:394:VAL:CG1	2.59	0.49
1:A:94:LEU:HD12	1:A:94:LEU:O	2.13	0.49
1:A:313:ILE:CG2	1:A:314:PRO:CA	2.91	0.49
1:A:326:VAL:HG22	1:A:329:CYS:HB2	1.95	0.49
4:D:31:ILE:HG13	4:D:53:THR:HG21	1.95	0.48
4:D:67:PHE:HZ	4:D:87:PRO:HB3	1.78	0.48
4:D:34:MET:SD	4:D:78:MET:HE1	2.55	0.47
8:A:501:NAG:O7	8:A:501:NAG:O3	2.30	0.47
3:C:67:ARG:HD2	3:C:85:SER:O	2.14	0.47
4:D:6:GLU:HG2	4:D:7:SER:H	1.80	0.47
6:G:1:NAG:H61	6:G:2:NAG:HN2	1.80	0.47
1:A:174:ASP:OD1	1:A:178:TRP:HD1	1.97	0.47
3:C:58:THR:HG22	3:C:60:TYR:CE2	2.50	0.47
3:C:39:GLN:NE2	3:C:45:ARG:HG2	2.30	0.46
2:B:154:THR:HG23	2:B:155:LYS:HG3	1.97	0.46
2:B:32:PRO:HA	4:D:106:THR:OG1	2.15	0.46
2:B:158:ILE:N	2:B:159:PRO:HD2	2.31	0.46
1:A:392:LEU:HB2	1:A:398:THR:HG21	1.98	0.46
4:D:5:VAL:HG13	4:D:28:ILE:HG22	1.98	0.46
4:D:90:THR:HG21	4:D:119:VAL:H	1.81	0.46
1:A:265:VAL:HG12	1:A:280:THR:HG22	1.97	0.46
1:A:313:ILE:HG23	1:A:314:PRO:CA	2.38	0.46
1:A:45:ASN:OD1	1:A:46:GLY:N	2.48	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:123:MET:O	2:B:135:TYR:OH	2.25	0.45
1:A:229:VAL:HG22	1:A:230:GLU:HG3	1.98	0.45
2:B:471:THR:HG23	2:B:481:GLU:HG2	1.97	0.45
1:A:236:SER:HB2	1:A:246:ASN:O	2.16	0.45
1:A:410:TYR:HE2	7:I:1:NAG:H81	1.82	0.45
2:B:133:TYR:CE2	2:B:150:PRO:HG3	2.52	0.45
1:A:353:ILE:HD12	1:A:407:PRO:HD3	1.98	0.44
1:A:281:PHE:HZ	1:A:284:TYR:CE1	2.36	0.44
2:B:363:TYR:O	2:B:367:ILE:HG13	2.18	0.44
1:A:48:GLU:HG2	1:A:49:ALA:N	2.34	0.43
2:B:67:LEU:HD23	2:B:436:LEU:HD21	1.99	0.43
2:B:73:GLN:HB2	2:B:434:VAL:O	2.18	0.43
4:D:47:MET:HE2	4:D:50:TYR:CD1	2.53	0.43
4:D:46:GLU:HG2	4:D:47:MET:N	2.33	0.43
2:B:84:ALA:HB3	2:B:381:TRP:O	2.19	0.43
2:B:123:MET:HG3	2:B:177:SER:O	2.18	0.43
3:C:88:PRO:HB2	3:C:130:PRO:HA	2.01	0.43
3:C:88:PRO:CA	3:C:130:PRO:HA	2.49	0.43
4:D:67:PHE:CZ	4:D:87:PRO:HB3	2.53	0.42
2:B:346:LYS:HB3	2:B:346:LYS:HE2	1.90	0.42
2:B:372:LEU:C	2:B:373:TYR:HD1	2.28	0.42
2:B:426:PHE:HA	9:B:506:MES:H22	2.01	0.42
2:B:282:ASP:OD1	2:B:311:HIS:NE2	2.52	0.42
2:B:19:ASN:OD1	6:J:1:NAG:N2	2.51	0.42
3:C:37:PHE:CE2	3:C:114:LEU:HD21	2.54	0.42
1:A:50:PHE:CZ	8:A:501:NAG:H82	2.56	0.41
4:D:106:THR:OG1	4:D:107:TYR:N	2.54	0.41
3:C:64:ALA:HB1	3:C:67:ARG:HB3	2.02	0.40
4:D:5:VAL:HG21	4:D:99:ILE:HG22	2.03	0.40
4:D:40:ALA:HB1	4:D:41:PRO:HD2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	389/391 (100%)	371 (95%)	18 (5%)	0	100	100
2	B	483/497 (97%)	459 (95%)	24 (5%)	0	100	100
3	C	128/130 (98%)	123 (96%)	5 (4%)	0	100	100
4	D	112/121 (93%)	106 (95%)	6 (5%)	0	100	100
All	All	1112/1139 (98%)	1059 (95%)	53 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	352/352 (100%)	351 (100%)	1 (0%)	86	83
2	B	416/424 (98%)	416 (100%)	0	100	100
3	C	106/106 (100%)	106 (100%)	0	100	100
4	D	94/99 (95%)	94 (100%)	0	100	100
All	All	968/981 (99%)	967 (100%)	1 (0%)	87	88

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	356	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	123	GLN
1	A	164	GLN
1	A	357	HIS
2	B	102	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	206	HIS
2	B	374	HIS
2	B	396	ASN
2	B	414	GLN
3	C	3	GLN
3	C	39	GLN
4	D	73	ASN
4	D	76	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

16 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	E	1	1,5	14,14,15	0.40	0	17,19,21	0.76	0
5	NAG	E	2	5	14,14,15	0.40	0	17,19,21	0.83	1 (5%)
5	BMA	E	3	5	11,11,12	0.33	0	15,15,17	0.51	0
6	NAG	F	1	1,6	14,14,15	0.48	0	17,19,21	0.84	0
6	NAG	F	2	6	14,14,15	0.41	0	17,19,21	0.69	0
6	NAG	G	1	1,6	14,14,15	0.38	0	17,19,21	0.52	0
6	NAG	G	2	6	14,14,15	0.38	0	17,19,21	0.46	0
6	NAG	H	1	1,6	14,14,15	0.38	0	17,19,21	0.51	0
6	NAG	H	2	6	14,14,15	0.39	0	17,19,21	0.58	0
7	NAG	I	1	1,7	14,14,15	0.39	0	17,19,21	0.68	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	I	2	7	14,14,15	0.36	0	17,19,21	0.57	0
7	BMA	I	3	7	11,11,12	0.44	0	15,15,17	0.70	0
7	MAN	I	4	7	11,11,12	0.47	0	15,15,17	0.66	0
7	MAN	I	5	7	11,11,12	0.63	0	15,15,17	0.70	0
6	NAG	J	1	2,6	14,14,15	0.39	0	17,19,21	0.69	0
6	NAG	J	2	6	14,14,15	0.37	0	17,19,21	0.92	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	E	1	1,5	-	1/6/23/26	0/1/1/1
5	NAG	E	2	5	-	3/6/23/26	0/1/1/1
5	BMA	E	3	5	-	0/2/19/22	0/1/1/1
6	NAG	F	1	1,6	-	2/6/23/26	0/1/1/1
6	NAG	F	2	6	-	1/6/23/26	0/1/1/1
6	NAG	G	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	G	2	6	-	1/6/23/26	0/1/1/1
6	NAG	H	1	1,6	-	1/6/23/26	0/1/1/1
6	NAG	H	2	6	-	2/6/23/26	0/1/1/1
7	NAG	I	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	I	2	7	-	3/6/23/26	0/1/1/1
7	BMA	I	3	7	-	2/2/19/22	0/1/1/1
7	MAN	I	4	7	-	0/2/19/22	0/1/1/1
7	MAN	I	5	7	-	0/2/19/22	0/1/1/1
6	NAG	J	1	2,6	-	2/6/23/26	0/1/1/1
6	NAG	J	2	6	-	3/6/23/26	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	J	2	NAG	C2-N2-C7	3.28	127.30	122.90
5	E	2	NAG	C2-N2-C7	2.20	125.85	122.90
7	I	1	NAG	C1-O5-C5	2.12	115.03	112.19

There are no chirality outliers.

All (23) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	J	2	NAG	C3-C2-N2-C7
6	J	2	NAG	C8-C7-N2-C2
6	J	2	NAG	O7-C7-N2-C2
7	I	1	NAG	C8-C7-N2-C2
7	I	1	NAG	O7-C7-N2-C2
7	I	2	NAG	C8-C7-N2-C2
7	I	2	NAG	O7-C7-N2-C2
6	H	2	NAG	C4-C5-C6-O6
5	E	2	NAG	C8-C7-N2-C2
5	E	2	NAG	O7-C7-N2-C2
6	F	1	NAG	C8-C7-N2-C2
6	H	2	NAG	O5-C5-C6-O6
6	F	1	NAG	O7-C7-N2-C2
7	I	3	BMA	O5-C5-C6-O6
6	H	1	NAG	O5-C5-C6-O6
7	I	2	NAG	C3-C2-N2-C7
6	J	1	NAG	O5-C5-C6-O6
7	I	3	BMA	C4-C5-C6-O6
6	F	2	NAG	C3-C2-N2-C7
5	E	1	NAG	C3-C2-N2-C7
5	E	2	NAG	C3-C2-N2-C7
6	G	2	NAG	C3-C2-N2-C7
6	J	1	NAG	C3-C2-N2-C7


There are no ring outliers.


6 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	G	2	NAG	1	0
7	I	1	NAG	1	0
6	G	1	NAG	1	0
5	E	2	NAG	2	0
6	J	1	NAG	2	0
5	E	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	MES	B	504	-	12,12,12	0.70	0	15,16,16	0.28	0
8	NAG	A	503	1	14,14,15	0.40	0	17,19,21	0.55	0
8	NAG	B	502	2	14,14,15	0.38	0	17,19,21	0.65	0
9	MES	B	505	-	12,12,12	0.70	0	15,16,16	0.27	0
8	NAG	B	503	2	14,14,15	0.40	0	17,19,21	0.53	0
8	NAG	A	502	1	14,14,15	0.39	0	17,19,21	0.66	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	MES	A	505	-	12,12,12	0.71	0	15,16,16	0.30	0
8	NAG	A	504	1	14,14,15	0.39	0	17,19,21	0.49	0
8	NAG	A	501	1	14,14,15	0.44	0	17,19,21	1.17	2 (11%)
8	NAG	B	501	2	14,14,15	0.39	0	17,19,21	0.79	1 (5%)
9	MES	B	506	-	12,12,12	0.70	0	15,16,16	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	MES	B	504	-	-	0/6/14/14	0/1/1/1
8	NAG	A	503	1	-	2/6/23/26	0/1/1/1
8	NAG	B	502	2	-	2/6/23/26	0/1/1/1
9	MES	B	505	-	-	0/6/14/14	0/1/1/1
8	NAG	B	503	2	-	3/6/23/26	0/1/1/1
8	NAG	A	502	1	-	2/6/23/26	0/1/1/1
9	MES	A	505	-	-	0/6/14/14	0/1/1/1
8	NAG	A	504	1	-	2/6/23/26	0/1/1/1
8	NAG	A	501	1	-	3/6/23/26	0/1/1/1
8	NAG	B	501	2	-	1/6/23/26	0/1/1/1
9	MES	B	506	-	-	0/6/14/14	0/1/1/1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	501	NAG	C1-O5-C5	3.49	116.86	112.19
8	B	501	NAG	C2-N2-C7	2.48	126.22	122.90
8	A	501	NAG	O5-C1-C2	-2.22	107.86	111.29

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	A	502	NAG	C8-C7-N2-C2
8	A	502	NAG	O7-C7-N2-C2
8	A	501	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	A	504	NAG	C8-C7-N2-C2
8	A	504	NAG	O7-C7-N2-C2
8	B	503	NAG	C8-C7-N2-C2
8	B	503	NAG	O7-C7-N2-C2
8	B	502	NAG	O5-C5-C6-O6
8	B	503	NAG	O5-C5-C6-O6
8	B	501	NAG	C3-C2-N2-C7
8	A	501	NAG	C4-C5-C6-O6
8	A	503	NAG	C8-C7-N2-C2
8	A	501	NAG	C3-C2-N2-C7
8	B	502	NAG	C3-C2-N2-C7
8	A	503	NAG	O7-C7-N2-C2

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	501	NAG	2	0
9	B	506	MES	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-50502. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 155



Y Index: 152




Z Index: 134


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views

This section was not generated.


6.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 80 nm^3 ; this corresponds to an approximate mass of 72 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.270 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.270 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.70	-	-
Author-provided FSC curve	3.68	4.02	3.71
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-50502 and PDB model 9FJF. Per-residue inclusion information can be found in section [3](#) on page [8](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 3.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (3.5).

9.4 Atom inclusion ⓘ



At the recommended contour level, 85% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (3.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8410	0.4700
A	0.8640	0.4770
B	0.8870	0.5030
C	0.7330	0.3790
D	0.6830	0.4110
E	0.8210	0.4240
F	0.8930	0.5040
G	0.7860	0.3560
H	0.8570	0.4700
I	0.7700	0.3900
J	0.8930	0.4470

1.0

0.0

<0.0