



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:28 PM UTC

PDB ID : 6FKJ / pdb_00006fkj
Title : Tubulin-TUB075 complex
Authors : Prota, A.E.; Steinmetz, M.O.; Priego, E.-M.
Deposited on : 2018-01-24
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3689 (2.16-2.12)
Clashscore	190562	3812 (2.16-2.12)
Ramachandran outliers	187476	3773 (2.16-2.12)
Sidechain outliers	187428	3772 (2.16-2.12)
RSRZ outliers	180081	3691 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	0% 89% 8% .
1	C	451	2% 91% 6% .
2	B	445	2% 86% 9% 5%
2	D	445	2% 86% 9% .
3	E	143	3% 79% 6% 15%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	F	384	4% 78% 12% • 9%

2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 18235 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	438	Total	C	N	O	S	0	1	0
			3427	2169	582	653	23			
1	C	439	Total	C	N	O	S	0	2	0
			3435	2174	583	655	23			

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	424	Total	C	N	O	S	0	0	0
			3339	2099	569	644	27			
2	D	425	Total	C	N	O	S	0	0	0
			3332	2092	569	645	26			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	122	Total	C	N	O	S	0	0	0
			1008	622	182	199	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	ILE	conflict	UNP P63043
E	4	ALA	SER	conflict	UNP P63043


- Molecule 4 is a protein called Tubulin tyrosine ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	349	Total	C	N	O	S	0	1	0
			2854	1829	488	522	15			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	379	HIS	-	expression tag	UNP E1BQ43
F	380	HIS	-	expression tag	UNP E1BQ43
F	381	HIS	-	expression tag	UNP E1BQ43
F	382	HIS	-	expression tag	UNP E1BQ43
F	383	HIS	-	expression tag	UNP E1BQ43
F	384	HIS	-	expression tag	UNP E1BQ43

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			32	10	5	14	3		
5	C	1	Total	C	N	O	P	0	0
			32	10	5	14	3		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Mg	0	0
			1	1		
6	B	1	Total	Mg	0	0
			1	1		
6	C	1	Total	Mg	0	0
			1	1		
6	D	1	Total	Mg	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	F	1	Total	Mg	0	0
			1	1		

- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Ca	0	0
			1	1		
7	B	2	Total	Ca	0	0
			2	2		
7	C	1	Total	Ca	0	0
			1	1		
7	E	1	Total	Ca	0	0
			1	1		

- Molecule 8 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 9 is (5 {S})-2-[({E})- {N}-(2-ethoxyphenyl)- {C}-methyl-carbonimidoyl]-3-oxida nyl-5-phenyl-cyclohex-2-en-1-one (CCD ID: DLW) (formula: C₂₂H₂₃NO₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	B	1	Total 26	C 22	N 1	O 3	0	0
9	D	1	Total 26	C 22	N 1	O 3	0	0

- Molecule 10 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: $\text{C}_{10}\text{H}_{15}\text{N}_5\text{O}_{11}\text{P}_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
10	B	1	Total 28	C 10	N 5	O 11	P 2	0	0
10	D	1	Total 28	C 10	N 5	O 11	P 2	0	0

- Molecule 11 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: $C_6H_{13}NO_4S$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 12 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	B	1	Total	C	O	0	0
			13	8	5		

- Molecule 13 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (CCD ID: ACP) (formula: $C_{11}H_{18}N_5O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
13	F	1	Total	C	N	O	P	0	0
			31	11	5	12	3		


- Molecule 14 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	A	127	Total	O	0	0
			127	127		
14	B	133	Total	O	0	0
			133	133		
14	C	219	Total	O	0	0
			219	219		
14	D	52	Total	O	0	0
			52	52		
14	E	17	Total	O	0	0
			17	17		
14	F	42	Total	O	0	0
			42	42		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Tubulin alpha-1B chain




• Molecule 1: Tubulin alpha-1B chain



• Molecule 2: Tubulin beta-2B chain





• Molecule 2: Tubulin beta-2B chain







● Molecule 3: Stathmin-4



● Molecule 4: Tubulin tyrosine ligase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	104.67Å 157.56Å 180.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.45 – 2.15 49.45 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.2 (49.45-2.15) 99.4 (49.45-2.15)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.23 (at 2.14Å)	Xtriage
Refinement program	PHENIX (dev_2863: ???)	Depositor
R, R_{free}	0.175 , 0.206 0.177 , 0.208	Depositor DCC
R_{free} test set	8068 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	43.0	Xtriage
Anisotropy	0.066	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 48.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	18235	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, ACP, MG, DLW, MES, GOL, GDP, PG4, GTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.20	0/3508	0.40	0/4762
1	C	0.24	0/3519	0.44	0/4779
2	B	0.22	0/3413	0.42	0/4622
2	D	0.18	0/3405	0.36	0/4612
3	E	0.19	0/1016	0.33	0/1348
4	F	0.15	0/2922	0.37	0/3946
All	All	0.20	0/17783	0.40	0/24069

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3427	0	3339	20	0
1	C	3435	0	3346	15	0
2	B	3339	0	3220	26	0
2	D	3332	0	3211	23	0
3	E	1008	0	1024	4	0
4	F	2854	0	2825	27	0
5	A	32	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	32	0	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	F	1	0	0	0	0
7	A	1	0	0	0	0
7	B	2	0	0	0	0
7	C	1	0	0	0	0
7	E	1	0	0	0	0
8	A	6	0	8	0	0
8	B	6	0	8	0	0
9	B	26	0	0	0	0
9	D	26	0	0	0	0
10	B	28	0	12	0	0
10	D	28	0	12	1	0
11	B	12	0	12	1	0
12	B	13	0	18	1	0
13	F	31	0	14	2	0
14	A	127	0	0	0	0
14	B	133	0	0	2	0
14	C	219	0	0	0	0
14	D	52	0	0	0	0
14	E	17	0	0	0	0
14	F	42	0	0	0	0
All	All	18235	0	17073	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:249:ASN:OD1	1:C:356:ASN:ND2	2.24	0.70
4:F:139:ARG:HB2	4:F:145:ASN:HD22	1.62	0.65
2:B:119:LEU:HD11	2:B:156:LYS:HG2	1.80	0.63
4:F:241:THR:OG1	13:F:402:ACP:O3'	2.18	0.62
2:B:332:MET:HG3	2:B:353:THR:HG21	1.81	0.62
4:F:348:GLN:NE2	4:F:352:ASP:OD1	2.34	0.61
1:A:176:GLN:HG2	4:F:56:PRO:HB3	1.84	0.60
2:B:294:GLN:OE1	14:B:601:HOH:O	2.16	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:247:GLN:HE22	2:B:325:MET:HE1	1.66	0.60
2:B:1:MET:N	2:B:3:GLU:OE1	2.26	0.59
2:D:172:MET:HG3	2:D:387:LEU:HD11	1.85	0.57
1:A:36:MET:HB3	1:A:61:HIS:CE1	2.39	0.57
2:B:401:ARG:HA	12:B:508:PG4:H11	1.88	0.56
2:D:56:ALA:HB3	2:D:60:LYS:HB3	1.90	0.54
2:B:83:PHE:O	2:B:86:ILE:HG12	2.08	0.53
4:F:16:GLU:OE2	4:F:19:ARG:NH1	2.31	0.52
4:F:71:LEU:HD11	4:F:294:CYS:HB3	1.92	0.52
2:D:12:CYS:HB2	10:D:501:GDP:C8	2.45	0.51
1:A:71:GLU:HG2	1:A:72:PRO:HD2	1.93	0.51
4:F:200:ASP:OD1	4:F:222:ARG:HB2	2.10	0.51
1:A:217:LEU:HD21	1:A:368:LEU:HD23	1.93	0.51
4:F:209:HIS:HB2	4:F:310:GLN:HE21	1.76	0.51
2:D:136:GLN:HA	2:D:167:ASN:O	2.11	0.51
2:B:329:ASP:O	2:B:333:LEU:HG	2.11	0.51
2:D:83:PHE:O	2:D:86:ILE:HG12	2.11	0.50
4:F:166:ALA:HA	4:F:169:LEU:HD12	1.93	0.50
2:D:176:LYS:HD2	2:D:207:GLU:HG3	1.94	0.50
4:F:139:ARG:HB2	4:F:145:ASN:ND2	2.26	0.50
2:B:295:MET:HG2	2:B:377:PHE:HB2	1.93	0.50
2:D:175:PRO:HA	2:D:178:SER:HB2	1.94	0.49
2:B:141:LEU:HD12	2:B:172:MET:SD	2.53	0.49
2:D:6:HIS:CD2	2:D:21:TRP:HE1	2.31	0.49
1:A:3:GLU:O	1:A:133:GLN:HG3	2.13	0.49
4:F:242:ASN:OD1	4:F:242:ASN:N	2.45	0.49
2:B:69:ASP:O	2:B:94:PHE:HA	2.13	0.48
1:C:312:TYR:CD1	1:C:341:ILE:HG23	2.48	0.48
2:D:347:ILE:HG22	2:D:350:ASN:HB3	1.96	0.48
4:F:318:ASP:OD2	13:F:402:ACP:O3G	2.32	0.48
4:F:214:TYR:HB3	4:F:375:PHE:HB3	1.95	0.47
2:B:172:MET:HG3	2:B:387:LEU:HD11	1.96	0.47
2:B:333:LEU:HD13	4:F:57:GLY:HA3	1.96	0.47
1:C:36:MET:HB3	1:C:61:HIS:CE1	2.49	0.47
1:C:230:LEU:O	1:C:234:ILE:HD12	2.14	0.46
1:C:188:ILE:HG13	1:C:425:MET:HG3	1.96	0.46
1:C:221:ARG:HG2	2:D:325:MET:HB3	1.97	0.46
1:C:320:ARG:HA	1:C:356:ASN:O	2.15	0.46
2:D:2:ARG:NH2	2:D:249:ASN:OD1	2.48	0.46
3:E:72:LEU:O	3:E:76:ARG:HG2	2.16	0.46
1:A:336:LYS:NZ	1:A:341:ILE:O	2.49	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:346:TRP:CD1	1:A:346:TRP:H	2.33	0.45
2:B:325:MET:HB3	2:B:325:MET:HE3	1.67	0.45
4:F:24:THR:HG22	4:F:26:GLN:HG3	1.99	0.45
1:C:7:ILE:HG21	1:C:153:LEU:HD21	1.99	0.45
1:C:93:ILE:HD11	1:C:121:ARG:HG3	1.98	0.45
1:A:265:ILE:HG23	1:A:432:TYR:CZ	2.52	0.44
1:A:291:ILE:HD13	1:A:373:ARG:HG3	1.98	0.44
2:D:334:ASN:HD21	2:D:338:LYS:HE3	1.82	0.44
2:D:208:ALA:HB2	2:D:304:ALA:HB2	1.99	0.44
1:A:172:TYR:CE2	1:A:391:LEU:HD22	2.53	0.44
1:C:172:TYR:CE2	1:C:391:LEU:HD22	2.53	0.44
4:F:2:TYR:CE1	4:F:359:PHE:HB3	2.53	0.43
1:A:147:SER:HB2	1:A:190:THR:HB	2.00	0.43
1:A:278:ALA:HA	1:A:369:ALA:HB2	2.00	0.43
1:A:274:PRO:HB3	1:A:286:LEU:HD22	2.00	0.43
2:B:163:ASP:O	2:B:253:ARG:NH2	2.51	0.43
2:B:409:THR:HA	2:B:413:MET:O	2.19	0.43
1:C:167:LEU:HG	1:C:200:CYS:HB3	1.99	0.43
1:A:265:ILE:HG23	1:A:432:TYR:CE1	2.54	0.43
1:C:209:ILE:HG23	1:C:230:LEU:HD23	2.01	0.43
1:A:25:CYS:SG	1:A:86:LEU:HD21	2.59	0.43
4:F:195:GLY:HA3	4:F:197:ARG:HD3	2.00	0.43
2:D:108:TYR:OH	2:D:417:GLU:OE2	2.35	0.43
2:D:409:THR:HA	2:D:413:MET:O	2.19	0.43
4:F:132:LEU:HD21	4:F:170:LEU:HD11	2.01	0.43
2:D:48:ARG:NH2	2:D:245:PRO:HA	2.34	0.43
4:F:282:SER:HB2	4:F:325:LEU:HD13	2.01	0.43
2:B:22:GLU:HG2	2:B:83:PHE:CD1	2.55	0.42
2:D:286:LEU:HD23	2:D:286:LEU:HA	1.78	0.42
4:F:14:TYR:HB3	4:F:41:LEU:HD13	2.00	0.42
1:A:2:ARG:HB3	1:A:133:GLN:HG2	2.02	0.42
4:F:217:ARG:NH1	4:F:374:ILE:HG22	2.34	0.42
2:B:269:MET:HE3	2:B:269:MET:HB2	1.81	0.42
2:B:424:ASN:HB3	14:B:617:HOH:O	2.19	0.42
1:A:409:VAL:HA	1:A:413:MET:O	2.19	0.42
2:B:306:ASP:HB3	2:B:309:HIS:ND1	2.35	0.42
2:D:106:GLY:O	2:D:111:GLY:HA3	2.20	0.42
4:F:84:SER:O	4:F:88:SER:N	2.48	0.42
1:C:71:GLU:HG2	1:C:98:ASP:HB3	2.01	0.41
2:B:164:ARG:O	11:B:507:MES:H31	2.19	0.41
1:A:298:PRO:HA	1:A:301:GLN:CD	2.45	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:237:THR:O	4:F:246:GLN:NE2	2.52	0.41
2:B:244:PHE:CD1	2:B:358:ILE:HD12	2.56	0.41
1:C:2:ARG:HB3	1:C:3:GLU:H	1.64	0.41
4:F:37:PHE:CZ	4:F:40:MET:HE3	2.55	0.41
3:E:127:ASP:O	3:E:131:GLU:HG2	2.21	0.41
2:D:69:ASP:O	2:D:94:PHE:HA	2.20	0.41
2:D:163:ASP:OD1	2:D:163:ASP:N	2.53	0.41
2:B:333:LEU:CD1	4:F:57:GLY:HA3	2.50	0.41
2:B:339:ASN:HD22	2:B:339:ASN:N	2.19	0.41
3:E:129:HIS:O	3:E:133:VAL:HG23	2.21	0.41
2:D:291:LEU:HD23	2:D:291:LEU:HA	1.89	0.41
2:D:103:TRP:CE3	2:D:189:LEU:HD13	2.56	0.40
4:F:3:THR:HB	4:F:30:LEU:HD11	2.02	0.40
1:A:336:LYS:HG2	3:E:24:LEU:HD13	2.03	0.40
1:A:141:PHE:O	1:A:147:SER:HB3	2.22	0.40
2:B:136:GLN:HA	2:B:167:ASN:O	2.21	0.40
4:F:4:PHE:CZ	4:F:29:ARG:HB2	2.56	0.40
2:B:21:TRP:CZ3	2:B:63:PRO:HB3	2.57	0.40
1:C:214:ARG:HG3	1:C:219:ILE:O	2.21	0.40
2:D:373:MET:HE2	2:D:373:MET:HB3	1.78	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	437/451 (97%)	431 (99%)	6 (1%)	0	100	100
1	C	439/451 (97%)	432 (98%)	7 (2%)	0	100	100
2	B	420/445 (94%)	412 (98%)	8 (2%)	0	100	100
2	D	421/445 (95%)	414 (98%)	7 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	E	118/143 (82%)	116 (98%)	2 (2%)	0	100	100
4	F	344/384 (90%)	335 (97%)	9 (3%)	0	100	100
All	All	2179/2319 (94%)	2140 (98%)	39 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	370/379 (98%)	366 (99%)	4 (1%)	65	71
1	C	372/379 (98%)	369 (99%)	3 (1%)	73	79
2	B	367/383 (96%)	361 (98%)	6 (2%)	55	61
2	D	366/383 (96%)	361 (99%)	5 (1%)	59	65
3	E	109/127 (86%)	107 (98%)	2 (2%)	51	57
4	F	312/342 (91%)	304 (97%)	8 (3%)	40	42
All	All	1896/1993 (95%)	1868 (98%)	28 (2%)	57	63

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	46	ASP
1	A	133	GLN
1	A	234	ILE
1	A	256	GLN
2	B	42	LEU
2	B	286	LEU
2	B	295	MET
2	B	325	MET
2	B	341	SER
2	B	425	MET
1	C	214	ARG
1	C	284	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	381	THR
2	D	2	ARG
2	D	286	LEU
2	D	291	LEU
2	D	295	MET
2	D	393	GLU
3	E	19	SER
3	E	46	SER
4	F	1	MET
4	F	12	SER
4	F	125	THR
4	F	139	ARG
4	F	178	GLN
4	F	186	LEU
4	F	237	THR
4	F	242	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	176	GLN
1	A	256	GLN
1	A	393	HIS
2	B	167	ASN
2	B	331	GLN
2	B	339	ASN
1	C	15	GLN
1	C	393	HIS
2	D	11	GLN
2	D	96	GLN
2	D	436	GLN
3	E	64	GLN
3	E	90	ASN
3	E	136	ASN
4	F	196	HIS
4	F	243	HIS
4	F	306	HIS
4	F	310	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 21 ligands modelled in this entry, 10 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
9	DLW	B	501	-	28,28,28	0.64	0	37,38,38	1.53	7 (18%)
10	GDP	B	502	6	29,30,30	1.13	3 (10%)	45,47,47	1.73	7 (15%)
8	GOL	B	506	-	5,5,5	1.09	0	5,5,5	0.82	0
11	MES	B	507	-	12,12,12	2.20	1 (8%)	15,16,16	1.74	2 (13%)
9	DLW	D	500	-	28,28,28	0.74	0	37,38,38	1.46	8 (21%)
5	GTP	C	501	6	33,34,34	0.92	1 (3%)	50,54,54	1.50	10 (20%)
10	GDP	D	501	6	29,30,30	1.18	4 (13%)	45,47,47	1.73	5 (11%)
12	PG4	B	508	-	12,12,12	0.43	0	11,11,11	0.45	0
5	GTP	A	501	6	33,34,34	0.92	1 (3%)	50,54,54	1.52	10 (20%)
13	ACP	F	402	6	31,33,33	1.94	10 (32%)	47,52,52	1.75	9 (19%)
8	GOL	A	504	-	5,5,5	0.95	0	5,5,5	1.04	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	DLW	B	501	-	-	4/15/31/31	0/3/3/3
10	GDP	B	502	6	-	5/16/32/32	0/3/3/3
8	GOL	B	506	-	-	2/4/4/4	-
11	MES	B	507	-	-	1/6/14/14	0/1/1/1
9	DLW	D	500	-	-	5/15/31/31	0/3/3/3
5	GTP	C	501	6	-	9/22/38/38	0/3/3/3
10	GDP	D	501	6	-	5/16/32/32	0/3/3/3
12	PG4	B	508	-	-	5/10/10/10	-
5	GTP	A	501	6	-	7/22/38/38	0/3/3/3
13	ACP	F	402	6	-	6/19/38/38	0/3/3/3
8	GOL	A	504	-	-	4/4/4/4	-

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B	507	MES	C8-S	-7.31	1.67	1.77
13	F	402	ACP	C5-C4	4.88	1.47	1.39
13	F	402	ACP	PB-O1B	4.16	1.61	1.51
13	F	402	ACP	PB-O3A	3.33	1.62	1.58
13	F	402	ACP	PB-O2B	-3.09	1.48	1.56
10	D	501	GDP	C5-C4	3.08	1.47	1.38
13	F	402	ACP	PG-O2G	2.98	1.61	1.55
13	F	402	ACP	PG-O3G	2.93	1.61	1.55
10	B	502	GDP	C5-C4	2.77	1.46	1.38
13	F	402	ACP	C5-C6	2.77	1.48	1.41
13	F	402	ACP	PA-O3A	2.59	1.62	1.59
5	C	501	GTP	PA-O3A	2.44	1.62	1.59
13	F	402	ACP	C8-N7	2.43	1.36	1.31
10	D	501	GDP	C6-N1	-2.42	1.34	1.38
10	B	502	GDP	C6-N1	-2.35	1.34	1.38
13	F	402	ACP	C5-N7	-2.34	1.34	1.39
10	D	501	GDP	PA-O3A	2.25	1.61	1.59
5	A	501	GTP	C2-N3	2.08	1.38	1.33
10	B	502	GDP	PA-O3A	2.01	1.61	1.59
10	D	501	GDP	C5-N7	-2.00	1.35	1.39

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	D	501	GDP	C5-C4-N3	-6.02	118.80	128.39
13	F	402	ACP	C5-C4-N3	-5.91	118.58	126.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	B	501	DLW	C09-C10-C14	5.76	124.24	121.08
10	B	502	GDP	C5-C4-N3	-5.41	119.78	128.39
11	B	507	MES	C5-N4-C3	5.06	119.75	108.84
10	D	501	GDP	C2-N3-C4	5.05	120.99	112.30
9	D	500	DLW	C09-C10-C14	4.98	123.81	121.08
10	B	502	GDP	C2-N3-C4	4.81	120.59	112.30
13	F	402	ACP	N3-C4-N9	4.59	134.97	127.17
5	C	501	GTP	C5-C4-N3	-4.48	121.26	128.39
5	A	501	GTP	C5-C4-N3	-4.35	121.46	128.39
5	C	501	GTP	C2-N3-C4	4.29	119.69	112.30
10	D	501	GDP	N9-C4-N3	4.26	134.47	125.95
5	A	501	GTP	C2-N3-C4	4.20	119.54	112.30
10	B	502	GDP	N9-C4-N3	4.20	134.34	125.95
13	F	402	ACP	C2-N3-C4	3.54	120.49	111.83
10	D	501	GDP	C6-C5-N7	3.51	136.68	130.29
10	B	502	GDP	C6-C5-N7	3.51	136.68	130.29
13	F	402	ACP	C4-C5-N7	-3.49	106.59	110.58
13	F	402	ACP	PB-O3A-PA	-3.07	122.36	132.37
5	C	501	GTP	N9-C8-N7	-3.03	107.78	113.40
5	A	501	GTP	N9-C8-N7	-2.91	108.00	113.40
13	F	402	ACP	N3-C2-N1	-2.88	124.22	128.58
10	D	501	GDP	C4-C5-N7	-2.86	106.14	110.67
5	C	501	GTP	C8-N7-C5	2.73	109.13	104.26
5	C	501	GTP	N9-C4-N3	2.69	131.34	125.95
5	A	501	GTP	N9-C4-N3	2.69	131.33	125.95
5	C	501	GTP	C2-N1-C6	-2.66	120.29	125.11
5	A	501	GTP	C8-N7-C5	2.59	108.88	104.26
9	B	501	DLW	C07-C12-C11	-2.49	107.61	114.17
9	B	501	DLW	O03-C20-C19	-2.49	118.52	123.95
13	F	402	ACP	C5-N7-C8	2.43	107.27	103.45
5	A	501	GTP	C2-N1-C6	-2.43	120.71	125.11
11	B	507	MES	O1S-S-C8	2.39	110.33	106.73
9	B	501	DLW	C12-C11-C10	2.37	120.70	115.98
10	B	502	GDP	C4-C5-N7	-2.34	106.95	110.67
9	D	500	DLW	C15-N01-C14	2.32	128.49	122.73
5	C	501	GTP	C5-C6-N1	2.31	119.13	113.25
13	F	402	ACP	C4-N9-C8	2.30	108.15	105.74
9	D	500	DLW	O03-C20-C19	-2.27	118.99	123.95
10	B	502	GDP	O6-C6-C5	-2.27	120.54	126.53
9	D	500	DLW	C12-C11-C10	2.26	120.49	115.98
5	A	501	GTP	C5-C6-N1	2.23	118.93	113.25
10	B	502	GDP	O2A-PA-O3A	2.21	113.25	107.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	501	GTP	O2G-PG-O3B	2.21	112.04	104.64
9	B	501	DLW	C20-C15-N01	2.17	125.13	119.31
9	D	500	DLW	C16-C15-N01	-2.16	116.20	121.44
9	B	501	DLW	C15-N01-C14	2.16	128.10	122.73
13	F	402	ACP	C3'-C2'-C1'	2.15	105.54	101.46
5	A	501	GTP	O2B-PB-O3A	2.15	113.08	107.27
5	A	501	GTP	O6-C6-C5	-2.13	120.91	126.53
9	D	500	DLW	C20-C15-N01	2.11	124.99	119.31
9	D	500	DLW	C13-C14-N01	-2.11	120.16	124.66
9	B	501	DLW	C16-C15-N01	-2.09	116.38	121.44
9	D	500	DLW	C07-C12-C11	-2.07	108.72	114.17
5	C	501	GTP	C4-C5-N7	-2.03	107.45	110.67
5	C	501	GTP	O6-C6-C5	-2.03	121.18	126.53
5	C	501	GTP	O2A-PA-O3A	2.02	112.74	107.27

There are no chirality outliers.

All (53) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	PB-O3B-PG-O2G
5	A	501	GTP	C5'-O5'-PA-O3A
5	A	501	GTP	C5'-O5'-PA-O1A
5	A	501	GTP	C5'-O5'-PA-O2A
5	C	501	GTP	C5'-O5'-PA-O3A
5	C	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O2A
8	A	504	GOL	C1-C2-C3-O3
8	B	506	GOL	O1-C1-C2-C3
10	B	502	GDP	C5'-O5'-PA-O3A
10	B	502	GDP	C5'-O5'-PA-O1A
10	B	502	GDP	C5'-O5'-PA-O2A
10	D	501	GDP	C5'-O5'-PA-O3A
10	D	501	GDP	C5'-O5'-PA-O1A
10	D	501	GDP	C5'-O5'-PA-O2A
13	F	402	ACP	PG-C3B-PB-O1B
13	F	402	ACP	PG-C3B-PB-O2B
13	F	402	ACP	PG-C3B-PB-O3A
8	A	504	GOL	O2-C2-C3-O3
8	A	504	GOL	O1-C1-C2-C3
8	B	506	GOL	O1-C1-C2-O2
12	B	508	PG4	O4-C7-C8-O5
12	B	508	PG4	O3-C5-C6-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	D	500	DLW	C22-C21-O03-C20
5	C	501	GTP	PB-O3B-PG-O1G
12	B	508	PG4	C8-C7-O4-C6
12	B	508	PG4	C3-C4-O3-C5
12	B	508	PG4	C5-C6-O4-C7
13	F	402	ACP	C5'-O5'-PA-O1A
11	B	507	MES	C8-C7-N4-C3
9	D	500	DLW	C09-C10-C14-C13
10	D	501	GDP	PB-O3A-PA-O2A
5	C	501	GTP	C4'-C5'-O5'-PA
13	F	402	ACP	PB-O3A-PA-O2A
9	B	501	DLW	C09-C10-C14-N01
9	D	500	DLW	C09-C10-C14-N01
13	F	402	ACP	O4'-C4'-C5'-O5'
8	A	504	GOL	O1-C1-C2-O2
9	B	501	DLW	C09-C10-C14-C13
5	A	501	GTP	PB-O3B-PG-O1G
5	C	501	GTP	PB-O3B-PG-O2G
5	C	501	GTP	PB-O3B-PG-O3G
9	D	500	DLW	C06-C01-C07-C12
9	B	501	DLW	C06-C01-C07-C12
5	C	501	GTP	PB-O3A-PA-O1A
5	C	501	GTP	PB-O3A-PA-O2A
10	B	502	GDP	PB-O3A-PA-O1A
10	B	502	GDP	PB-O3A-PA-O2A
10	D	501	GDP	PB-O3A-PA-O1A
9	D	500	DLW	C02-C01-C07-C12
9	B	501	DLW	C02-C01-C07-C12
5	A	501	GTP	PB-O3A-PA-O1A
5	A	501	GTP	PB-O3A-PA-O2A


There are no ring outliers.



4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	B	507	MES	1	0
10	D	501	GDP	1	0
12	B	508	PG4	1	0
13	F	402	ACP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand GTP C 501



Ligand GDP D 501





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	438/451 (97%)	-0.18	3 (0%) 84 86	32, 52, 85, 127	1 (0%)
1	C	439/451 (97%)	-0.38	8 (1%) 67 71	25, 40, 68, 110	2 (0%)
2	B	424/445 (95%)	-0.22	8 (1%) 66 70	30, 48, 83, 118	0
2	D	425/445 (95%)	0.12	11 (2%) 57 61	36, 61, 94, 142	0
3	E	122/143 (85%)	0.38	4 (3%) 49 53	40, 70, 108, 134	0
4	F	349/384 (90%)	0.40	15 (4%) 40 45	32, 82, 144, 185	1 (0%)
All	All	2197/2319 (94%)	-0.05	49 (2%) 62 66	25, 55, 108, 185	4 (0%)

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	276	THR	3.7
4	F	179	VAL	3.6
4	F	161	LEU	3.5
2	B	57	THR	3.4
2	B	277	SER	3.4
4	F	102	PRO	3.4
2	D	285	ALA	3.2
2	B	438	ALA	3.2
1	A	282	TYR	3.1
1	C	357	TYR	3.1
2	D	280	SER	3.1
1	C	440	VAL	3.1
3	E	143	ALA	3.0
2	D	276	THR	2.8
2	B	333	LEU	2.8
2	D	277	SER	2.8
2	D	172	MET	2.7
4	F	249	TYR	2.6
1	C	365	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	44	ASP	2.5
4	F	155	ALA	2.5
4	F	173	ILE	2.5
2	B	337	ASN	2.5
1	C	340	SER	2.5
4	F	181	VAL	2.4
3	E	45	PRO	2.4
4	F	372	THR	2.4
2	D	272	PHE	2.4
4	F	130	VAL	2.4
1	C	283	HIS	2.4
4	F	125	THR	2.4
1	C	350	GLY	2.3
1	C	341	ILE	2.3
2	D	279	GLY	2.2
4	F	170	LEU	2.2
4	F	380	HIS	2.2
4	F	233	PHE	2.2
3	E	24	LEU	2.2
4	F	132	LEU	2.2
2	D	82	PRO	2.1
2	B	282	GLN	2.1
2	B	275	LEU	2.1
1	A	77	GLU	2.1
4	F	134	ALA	2.1
1	A	262	TYR	2.1
2	D	57	THR	2.1
2	D	177	VAL	2.0
2	D	286	LEU	2.0
1	C	2	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
12	PG4	B	508	13/13	0.80	0.28	97,113,121,121	0
7	CA	B	505	1/1	0.81	0.10	132,132,132,132	0
13	ACP	F	402	31/31	0.88	0.11	64,81,115,119	0
6	MG	F	401	1/1	0.89	0.09	78,78,78,78	0
8	GOL	A	504	6/6	0.90	0.12	60,74,77,79	0
6	MG	D	502	1/1	0.91	0.08	66,66,66,66	0
11	MES	B	507	12/12	0.91	0.12	49,54,73,82	0
7	CA	E	201	1/1	0.92	0.10	99,99,99,99	0
8	GOL	B	506	6/6	0.93	0.14	53,69,74,75	0
7	CA	B	504	1/1	0.94	0.08	98,98,98,98	0
10	GDP	D	501	28/28	0.95	0.08	47,53,60,65	0
9	DLW	D	500	26/26	0.96	0.08	35,50,56,60	0
9	DLW	B	501	26/26	0.97	0.07	30,38,45,50	0
6	MG	A	502	1/1	0.99	0.03	37,37,37,37	0
6	MG	B	503	1/1	0.99	0.10	27,27,27,27	0
10	GDP	B	502	28/28	0.99	0.04	28,34,38,39	0
7	CA	C	503	1/1	0.99	0.02	54,54,54,54	0
5	GTP	A	501	32/32	0.99	0.04	28,37,42,48	0
5	GTP	C	501	32/32	0.99	0.04	27,31,34,39	0
7	CA	A	503	1/1	0.99	0.04	67,67,67,67	0
6	MG	C	502	1/1	1.00	0.03	31,31,31,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around ACP F 402:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GDP D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DLW D 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DLW B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GDP B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTP A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GTP C 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.