



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 12:37 PM UTC

PDB ID : 6FL8 / pdb_00006fl8
Title : Inositol 1,3,4,5,6-pentakisphosphate 2-kinase from *A. thaliana* in complex with purpurogallin and ADP
Authors : Whitfield, H.L.; Brearley, C.A.; Hemmings, A.M.
Deposited on : 2018-01-25
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	470	
1	B	470	

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 7196 atoms, of which 88 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Inositol-pentakisphosphate 2-kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	429	Total	C	N	O	S	0	0	0
			3406	2165	576	651	14			
1	B	416	Total	C	N	O	S	0	0	0
			3315	2114	555	632	14			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	initiating methionine	UNP A0A178UAB5
A	-17	ALA	-	expression tag	UNP A0A178UAB5
A	-16	HIS	-	expression tag	UNP A0A178UAB5
A	-15	HIS	-	expression tag	UNP A0A178UAB5
A	-14	HIS	-	expression tag	UNP A0A178UAB5
A	-13	HIS	-	expression tag	UNP A0A178UAB5
A	-12	HIS	-	expression tag	UNP A0A178UAB5
A	-11	HIS	-	expression tag	UNP A0A178UAB5
A	-10	SER	-	expression tag	UNP A0A178UAB5
A	-9	SER	-	expression tag	UNP A0A178UAB5
A	-8	GLY	-	expression tag	UNP A0A178UAB5
A	-7	LEU	-	expression tag	UNP A0A178UAB5
A	-6	GLU	-	expression tag	UNP A0A178UAB5
A	-5	VAL	-	expression tag	UNP A0A178UAB5
A	-4	LEU	-	expression tag	UNP A0A178UAB5
A	-3	PHE	-	expression tag	UNP A0A178UAB5
A	-2	GLN	-	expression tag	UNP A0A178UAB5
A	-1	GLY	-	expression tag	UNP A0A178UAB5
A	0	PRO	-	expression tag	UNP A0A178UAB5
A	185	MET	ILE	conflict	UNP A0A178UAB5
B	-18	MET	-	initiating methionine	UNP A0A178UAB5
B	-17	ALA	-	expression tag	UNP A0A178UAB5
B	-16	HIS	-	expression tag	UNP A0A178UAB5
B	-15	HIS	-	expression tag	UNP A0A178UAB5
B	-14	HIS	-	expression tag	UNP A0A178UAB5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-13	HIS	-	expression tag	UNP A0A178UAB5
B	-12	HIS	-	expression tag	UNP A0A178UAB5
B	-11	HIS	-	expression tag	UNP A0A178UAB5
B	-10	SER	-	expression tag	UNP A0A178UAB5
B	-9	SER	-	expression tag	UNP A0A178UAB5
B	-8	GLY	-	expression tag	UNP A0A178UAB5
B	-7	LEU	-	expression tag	UNP A0A178UAB5
B	-6	GLU	-	expression tag	UNP A0A178UAB5
B	-5	VAL	-	expression tag	UNP A0A178UAB5
B	-4	LEU	-	expression tag	UNP A0A178UAB5
B	-3	PHE	-	expression tag	UNP A0A178UAB5
B	-2	GLN	-	expression tag	UNP A0A178UAB5
B	-1	GLY	-	expression tag	UNP A0A178UAB5
B	0	PRO	-	expression tag	UNP A0A178UAB5
B	185	MET	ILE	conflict	UNP A0A178UAB5

- Molecule 2 is 2,3,4,6-tetrahydroxy-5H-benzo[7]annulen-5-one (CCD ID: TIY) (formula: $C_{11}H_8O_5$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	H	O	0	0
			24	11	8	5		
2	B	1	Total	C	H	O	0	0
			24	11	8	5		

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total 39	C 10	H 12	N 5	O 10	P 2	0	0
3	B	1	Total 39	C 10	H 12	N 5	O 10	P 2	0	0

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0
4	B	2	Total Mg 2 2	0	0

- Molecule 5 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Zn 1 1	0	0
5	B	1	Total Zn 1 1	0	0

- Molecule 6 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $\text{C}_2\text{H}_6\text{O}_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	H	O	0	0
			10	2	6	2		
6	A	1	Total	C	H	O	0	0
			10	2	6	2		
6	B	1	Total	C	H	O	0	0
			10	2	6	2		
6	B	1	Total	C	H	O	0	0
			10	2	6	2		
6	B	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 7 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: TRS) (formula: $C_4H_{12}NO_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	B	1	Total	C	H	N	O	0	0
			20	4	12	1	3		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	149	Total	O	0	0
			149	149		
8	B	115	Total	O	0	0
			115	115		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Inositol-pentakisphosphate 2-kinase



- Molecule 1: Inositol-pentakisphosphate 2-kinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	59.99Å 61.45Å 83.43Å 89.55° 88.00° 62.08°	Depositor
Resolution (Å)	54.30 – 2.10 54.30 – 2.10	Depositor EDS
% Data completeness (in resolution range)	91.0 (54.30-2.10) 91.0 (54.30-2.10)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.61 (at 2.10Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.198 , 0.246 0.201 , 0.249	Depositor DCC
R_{free} test set	2768 reflections (4.51%)	wwPDB-VP
Wilson B-factor (Å ²)	38.5	Xtriage
Anisotropy	0.280	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 43.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.019 for h,h-k,-l 0.012 for -h,-k,l 0.011 for -h,-h+k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7196	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.49% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TIY, MG, TRS, ZN, EDO, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/3469	0.49	0/4676
1	B	0.34	0/3378	0.49	0/4557
All	All	0.35	0/6847	0.49	0/9233

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3406	0	3415	90	0
1	B	3315	0	3323	89	0
2	A	16	8	6	1	0
2	B	16	8	6	0	0
3	A	27	12	12	0	0
3	B	27	12	12	0	0
4	A	1	0	0	0	0
4	B	2	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	8	12	12	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	16	24	24	0	0
7	B	8	12	12	1	0
8	A	149	0	0	4	0
8	B	115	0	0	7	0
All	All	7108	88	6822	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:328:GLN:HG3	1:A:329:PRO:HD2	1.61	0.81
1:A:342:GLU:O	1:A:344:SER:N	2.13	0.79
1:A:7:GLU:HG3	1:A:113:GLU:CG	2.14	0.78
1:A:81:LYS:NZ	8:A:601:HOH:O	2.15	0.77
1:A:31:SER:O	1:A:35:VAL:HG23	1.85	0.77
1:A:82:GLU:OE1	1:A:140:HIS:NE2	2.15	0.76
1:A:8:LYS:HD2	1:A:8:LYS:H	1.50	0.76
1:A:119:ASP:O	1:A:123:THR:HG23	1.87	0.75
1:B:182:LYS:H	1:B:182:LYS:HD2	1.52	0.75
1:A:7:GLU:HG3	1:A:113:GLU:HG3	1.68	0.73
1:A:342:GLU:N	8:A:603:HOH:O	2.25	0.69
1:A:195:MET:HE1	1:A:427:ILE:HA	1.75	0.69
1:B:183:GLU:H	1:B:183:GLU:CD	2.01	0.69
1:B:298:SER:OG	1:B:300:VAL:HG12	1.92	0.68
1:B:127:PRO:HG2	1:B:130:ARG:HG3	1.76	0.68
1:B:333:CYS:SG	1:B:342:GLU:N	2.67	0.68
1:A:261:SER:OG	1:A:264:ILE:HG12	1.94	0.68
1:A:119:ASP:HB2	1:A:136:VAL:CG2	2.23	0.68
1:B:71:GLU:HG2	8:B:614:HOH:O	1.94	0.67
1:A:185:MET:HE3	1:B:132:ASN:O	1.95	0.67
1:A:395:THR:CG2	1:A:397:GLN:HB2	2.24	0.67
7:B:506:TRS:N	8:B:602:HOH:O	2.28	0.66
1:A:84:LEU:HD21	1:A:410:LEU:HD23	1.77	0.66
1:B:414:LYS:HD2	1:B:415:ARG:N	2.11	0.66
1:A:128:LEU:O	1:A:131:VAL:HG22	1.95	0.66
1:B:103:ASP:N	1:B:103:ASP:OD1	2.29	0.66
1:B:261:SER:OG	1:B:264:ILE:HD13	1.96	0.65
1:A:325:ILE:HD12	1:A:354:LEU:CD2	2.26	0.65
1:A:195:MET:HE1	1:A:427:ILE:CD1	2.26	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:42:GLN:OE1	1:A:81:LYS:HD3	1.97	0.64
1:A:328:GLN:HG3	1:A:329:PRO:CD	2.27	0.64
1:A:195:MET:HE3	1:A:430:TYR:CB	2.28	0.64
1:B:127:PRO:HG2	1:B:130:ARG:HB2	1.78	0.64
1:A:115:LEU:CB	1:A:138:THR:HG22	2.29	0.63
1:B:149:HIS:O	1:B:374:SER:HB3	1.99	0.62
1:B:273:LYS:HZ1	1:B:283:ARG:HE	1.47	0.62
1:B:264:ILE:HD12	1:B:264:ILE:H	1.64	0.62
1:B:253:SER:O	1:B:255:GLU:HG2	2.00	0.62
1:A:119:ASP:HB2	1:A:136:VAL:HG21	1.83	0.61
1:B:414:LYS:HD2	1:B:414:LYS:C	2.25	0.61
1:B:280:ASP:HA	1:B:283:ARG:NH2	2.16	0.60
1:A:195:MET:HE1	1:A:427:ILE:HD13	1.82	0.60
1:B:392:LEU:HA	8:B:638:HOH:O	2.02	0.60
1:B:273:LYS:HZ1	1:B:283:ARG:HH21	1.50	0.60
1:B:349:PRO:HG2	1:B:352:GLU:HG2	1.83	0.59
1:B:277:GLN:HG2	1:B:397:GLN:CD	2.27	0.59
1:A:282:HIS:O	1:A:285:GLU:HG2	2.02	0.59
1:A:115:LEU:HB3	1:A:138:THR:HG22	1.85	0.59
1:A:238:ASN:HB3	1:A:256:SER:HB2	1.84	0.59
1:A:8:LYS:H	1:A:8:LYS:CD	2.15	0.58
1:A:15:TYR:HA	1:A:25:LEU:HD23	1.85	0.58
1:B:18:GLU:HB3	1:B:23:LEU:HD23	1.83	0.58
1:A:392:LEU:HB3	1:A:395:THR:HG22	1.84	0.58
1:B:182:LYS:H	1:B:182:LYS:CD	2.12	0.58
1:B:14:ILE:HD12	1:B:14:ILE:O	2.03	0.58
1:A:334:LYS:HD2	1:A:334:LYS:C	2.29	0.57
1:B:118:VAL:O	1:B:122:VAL:HG13	2.04	0.57
1:A:136:VAL:HG23	1:A:138:THR:HG23	1.85	0.57
1:A:37:LYS:HE2	1:A:147:ASN:OD1	2.04	0.57
1:A:7:GLU:HG3	1:A:113:GLU:HB2	1.85	0.57
1:B:0:PRO:HA	8:B:627:HOH:O	2.05	0.57
1:B:278:SER:O	1:B:283:ARG:NH1	2.38	0.56
1:A:124:LYS:HG3	1:A:125:GLN:NE2	2.20	0.56
1:A:417:GLU:O	1:A:421:LYS:HG3	2.06	0.56
1:A:195:MET:HE2	1:A:426:ILE:HG22	1.87	0.56
1:B:376:GLN:NE2	1:B:400:ASP:OD2	2.40	0.55
1:B:59:SER:OG	1:B:60:VAL:N	2.40	0.55
1:B:202:GLU:HG3	1:B:429:PHE:CZ	2.42	0.55
1:A:7:GLU:HG3	1:A:113:GLU:CB	2.37	0.55
1:A:119:ASP:HB2	1:A:136:VAL:HG22	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:14:ILE:CD1	1:B:26:ALA:HB3	2.37	0.54
1:A:279:GLU:CD	1:A:279:GLU:H	2.16	0.54
1:B:289:GLN:O	1:B:289:GLN:NE2	2.29	0.53
1:B:325:ILE:HD12	1:B:354:LEU:CD2	2.38	0.53
1:A:395:THR:HG23	1:A:397:GLN:HB2	1.89	0.53
1:B:204:ILE:HG22	1:B:204:ILE:O	2.09	0.53
1:B:273:LYS:NZ	1:B:283:ARG:HE	2.05	0.53
1:B:31:SER:O	1:B:35:VAL:HG23	2.08	0.53
1:A:33:LEU:HD12	1:A:33:LEU:H	1.74	0.53
1:B:393:LYS:CE	1:B:393:LYS:HA	2.39	0.52
1:B:415:ARG:HD2	1:B:419:TYR:CZ	2.45	0.52
1:A:13:TRP:CZ3	1:A:27:TYR:HB2	2.45	0.51
1:B:6:GLU:HG3	1:B:111:SER:OG	2.10	0.51
1:B:127:PRO:HG2	1:B:130:ARG:CG	2.40	0.51
1:A:7:GLU:CG	1:A:113:GLU:HB2	2.40	0.51
1:B:393:LYS:HA	1:B:393:LYS:HE2	1.92	0.51
1:B:126:ARG:NH2	1:B:134:ALA:O	2.39	0.51
1:A:163:ILE:HD12	1:A:275:PHE:CG	2.46	0.50
1:B:342:GLU:C	1:B:344:SER:H	2.20	0.50
1:A:204:ILE:O	1:A:204:ILE:HG22	2.11	0.50
1:B:342:GLU:OE1	1:B:342:GLU:HA	2.12	0.50
1:A:4:ILE:HG13	1:A:109:SER:HB2	1.94	0.49
1:B:278:SER:HB2	1:B:395:THR:HG21	1.94	0.49
1:A:27:TYR:OH	1:A:31:SER:HB3	2.13	0.49
1:A:325:ILE:HD12	1:A:354:LEU:HD23	1.93	0.49
1:B:325:ILE:HD12	1:B:354:LEU:HD23	1.94	0.49
1:B:127:PRO:HG2	1:B:130:ARG:CB	2.43	0.49
1:A:208:GLU:HG3	1:A:259:ARG:NH2	2.28	0.48
1:A:13:TRP:O	1:A:121:LYS:HE2	2.12	0.48
1:B:172:GLY:HA3	1:B:218:PHE:CD2	2.48	0.48
1:B:307:ILE:O	1:B:310:LEU:HB2	2.13	0.48
1:A:195:MET:HE3	1:A:430:TYR:HB2	1.95	0.48
1:B:264:ILE:HD12	1:B:264:ILE:N	2.28	0.47
1:A:195:MET:CE	1:A:427:ILE:HA	2.41	0.47
1:B:259:ARG:HG3	1:B:260:THR:N	2.29	0.47
1:B:128:LEU:HA	1:B:131:VAL:HB	1.97	0.47
1:A:115:LEU:HB2	1:A:138:THR:HG22	1.96	0.47
1:B:120:LYS:O	1:B:123:THR:HG22	2.15	0.47
1:B:94:ILE:N	1:B:95:PRO:HD2	2.31	0.46
1:A:325:ILE:CD1	1:A:354:LEU:HD23	2.46	0.46
1:B:223:GLU:HG3	1:B:224:ARG:N	2.30	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:325:ILE:HD12	1:A:354:LEU:HD21	1.97	0.46
1:B:83:VAL:HG22	1:B:107:ARG:HD3	1.97	0.46
1:A:195:MET:HE3	1:A:430:TYR:HB3	1.96	0.46
1:A:342:GLU:O	1:A:342:GLU:HG3	2.16	0.46
1:B:325:ILE:HD13	1:B:325:ILE:HA	1.75	0.46
2:A:501:TIY:H07	8:A:614:HOH:O	2.15	0.46
1:B:14:ILE:HD11	1:B:26:ALA:HB3	1.98	0.46
1:A:105:GLY:HA3	1:A:146:LEU:HD23	1.97	0.45
1:B:69:TRP:CZ3	1:B:358:LYS:HG3	2.51	0.45
1:A:195:MET:HE1	1:A:427:ILE:HD12	1.97	0.45
1:B:42:GLN:HE22	1:B:81:LYS:HB3	1.81	0.45
1:B:135:ASN:OD1	1:B:135:ASN:N	2.49	0.45
1:A:96:LEU:O	1:A:303:ARG:NE	2.50	0.45
1:B:170:LYS:HA	1:B:170:LYS:HD2	1.63	0.45
1:B:273:LYS:HZ1	1:B:283:ARG:NH2	2.15	0.45
1:B:185:MET:HE2	1:B:185:MET:CA	2.47	0.44
1:A:93:ILE:HG21	1:A:408:LEU:HD13	1.98	0.44
1:B:343:LEU:HD22	1:B:343:LEU:H	1.82	0.44
1:A:263:GLU:CD	1:A:263:GLU:H	2.25	0.44
1:A:333:CYS:O	1:A:334:LYS:HB3	2.18	0.44
1:A:395:THR:HG23	1:A:397:GLN:CB	2.48	0.44
1:B:261:SER:HB2	1:B:262:PRO:CD	2.48	0.44
1:A:25:LEU:HD21	1:A:122:VAL:HG11	2.00	0.43
1:A:5:LEU:HD21	1:A:108:VAL:HG21	2.01	0.43
1:B:202:GLU:CG	1:B:429:PHE:CZ	3.00	0.43
1:B:124:LYS:HE3	8:B:611:HOH:O	2.17	0.43
1:A:175:PRO:HD3	6:A:506:EDO:H12	2.00	0.43
1:A:343:LEU:HD23	1:A:343:LEU:HA	1.87	0.43
1:B:261:SER:HB2	1:B:262:PRO:HD2	1.99	0.43
1:B:332:ILE:H	1:B:332:ILE:HG12	1.55	0.43
1:B:261:SER:OG	1:B:264:ILE:CD1	2.66	0.43
1:B:393:LYS:HE2	1:B:393:LYS:CA	2.48	0.43
1:A:124:LYS:HG3	1:A:125:GLN:CD	2.43	0.43
1:A:342:GLU:O	1:A:342:GLU:CG	2.66	0.43
1:A:435:LYS:O	1:A:437:GLU:N	2.52	0.43
1:A:333:CYS:SG	1:A:342:GLU:HG2	2.58	0.43
1:A:60:VAL:HG13	1:A:61:LEU:N	2.33	0.42
1:B:273:LYS:HZ1	1:B:283:ARG:NE	2.15	0.42
1:A:178:ARG:HB3	1:B:129:TRP:HB2	2.01	0.42
1:A:435:LYS:HD2	1:A:435:LYS:HA	1.78	0.42
1:B:179:PHE:HE1	1:B:342:GLU:HG2	1.85	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:127:PRO:CG	1:B:130:ARG:HG3	2.45	0.42
1:B:124:LYS:CG	1:B:125:GLN:OE1	2.68	0.42
1:A:185:MET:HE1	8:A:664:HOH:O	2.19	0.42
1:B:10:ALA:HB3	8:B:649:HOH:O	2.18	0.42
1:B:128:LEU:O	1:B:131:VAL:HB	2.20	0.42
1:A:105:GLY:CA	1:A:146:LEU:HD23	2.50	0.41
1:B:42:GLN:OE1	1:B:140:HIS:NE2	2.53	0.41
1:A:113:GLU:H	1:A:113:GLU:CD	2.28	0.41
1:B:124:LYS:HG3	1:B:125:GLN:OE1	2.20	0.41
1:A:86:GLN:OE1	1:A:107:ARG:HD3	2.20	0.41
1:B:273:LYS:NZ	1:B:283:ARG:HH21	2.18	0.41
1:A:194:LYS:HE2	1:A:194:LYS:HB2	1.84	0.41
1:A:333:CYS:O	1:A:334:LYS:CB	2.68	0.41
1:B:73:ASN:HA	1:B:76:ILE:HG12	2.02	0.41
1:B:127:PRO:HB3	1:B:255:GLU:OE1	2.21	0.41
1:B:8:LYS:HG3	1:B:9:ASP:N	2.35	0.41
1:B:278:SER:HB2	1:B:395:THR:CG2	2.51	0.41
1:A:198:LEU:HD12	1:A:430:TYR:CD1	2.56	0.40
1:B:31:SER:OG	1:B:33:LEU:CD2	2.69	0.40
1:B:123:THR:HG22	8:B:611:HOH:O	2.21	0.40
1:A:31:SER:OG	1:A:33:LEU:HD13	2.21	0.40
1:A:94:ILE:N	1:A:95:PRO:CD	2.84	0.40
1:A:172:GLY:HA3	1:A:218:PHE:CD2	2.56	0.40
1:A:60:VAL:HG13	1:A:61:LEU:H	1.86	0.40
1:A:342:GLU:O	1:A:342:GLU:OE1	2.39	0.40
1:A:392:LEU:HD12	1:A:392:LEU:HA	1.98	0.40
1:B:31:SER:OG	1:B:33:LEU:HD22	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	421/470 (90%)	404 (96%)	14 (3%)	3 (1%)	18	15
1	B	408/470 (87%)	391 (96%)	14 (3%)	3 (1%)	18	15
All	All	829/940 (88%)	795 (96%)	28 (3%)	6 (1%)	18	15

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	343	LEU
1	A	436	ALA
1	A	104	ALA
1	B	44	ALA
1	B	343	LEU
1	B	275	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	382/415 (92%)	366 (96%)	16 (4%)	26	28
1	B	372/415 (90%)	348 (94%)	24 (6%)	15	13
All	All	754/830 (91%)	714 (95%)	40 (5%)	20	19

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-2	GLN
1	A	6	GLU
1	A	8	LYS
1	A	30	SER
1	A	107	ARG
1	A	124	LYS
1	A	247	SER
1	A	257	THR
1	A	279	GLU
1	A	334	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	361	LEU
1	A	368	ASP
1	A	395	THR
1	A	409	SER
1	A	421	LYS
1	A	435	LYS
1	B	6	GLU
1	B	8	LYS
1	B	14	ILE
1	B	81	LYS
1	B	94	ILE
1	B	103	ASP
1	B	125	GLN
1	B	135	ASN
1	B	136	VAL
1	B	165	VAL
1	B	182	LYS
1	B	183	GLU
1	B	207	SER
1	B	208	GLU
1	B	221	SER
1	B	223	GLU
1	B	257	THR
1	B	259	ARG
1	B	310	LEU
1	B	325	ILE
1	B	332	ILE
1	B	393	LYS
1	B	434	GLN
1	B	437	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	53	ASN
1	A	55	ASN
1	A	67	HIS
1	A	149	HIS
1	A	154	GLN
1	A	328	GLN
1	A	404	HIS
1	B	42	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	277	GLN
1	B	379	ASN
1	B	397	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 5 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	EDO	B	509	-	3,3,3	0.39	0	2,2,2	0.52	0
6	EDO	B	508	-	3,3,3	0.46	0	2,2,2	0.31	0
3	ADP	B	502	4	28,29,29	1.31	4 (14%)	43,45,45	1.86	8 (18%)
7	TRS	B	506	-	7,7,7	0.29	0	9,9,9	0.74	0
2	TIY	B	501	-	17,17,17	1.30	2 (11%)	21,25,25	1.02	1 (4%)
3	ADP	A	502	4	28,29,29	1.43	4 (14%)	43,45,45	1.88	9 (20%)
6	EDO	B	510	-	3,3,3	0.44	0	2,2,2	0.31	0
6	EDO	B	507	-	3,3,3	0.43	0	2,2,2	0.54	0
6	EDO	A	506	-	3,3,3	0.47	0	2,2,2	0.35	0
2	TIY	A	501	-	17,17,17	1.44	3 (17%)	21,25,25	1.10	3 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	EDO	A	505	-	3,3,3	0.53	0	2,2,2	0.21	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	B	509	-	-	1/1/1/1	-
6	EDO	B	508	-	-	0/1/1/1	-
3	ADP	B	502	4	-	0/16/32/32	0/3/3/3
7	TRS	B	506	-	-	1/9/9/9	-
2	TIY	B	501	-	-	-	0/2/2/2
3	ADP	A	502	4	-	0/16/32/32	0/3/3/3
6	EDO	B	510	-	-	0/1/1/1	-
6	EDO	B	507	-	-	1/1/1/1	-
6	EDO	A	506	-	-	1/1/1/1	-
2	TIY	A	501	-	-	-	0/2/2/2
6	EDO	A	505	-	-	1/1/1/1	-

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	502	ADP	C5-C4	4.35	1.46	1.39
3	A	502	ADP	C5-C4	4.34	1.46	1.39
2	A	501	TIY	C08-C09	-4.33	1.32	1.45
2	B	501	TIY	C08-C09	-3.96	1.33	1.45
3	B	502	ADP	C5-C6	2.62	1.48	1.41
3	A	502	ADP	PA-O3A	2.40	1.62	1.59
3	A	502	ADP	C5-N7	-2.39	1.34	1.39
3	A	502	ADP	C5-C6	2.37	1.47	1.41
2	B	501	TIY	C06-C07	-2.32	1.34	1.40
2	A	501	TIY	C13-C15	-2.29	1.37	1.40
3	B	502	ADP	C4-N9	-2.11	1.33	1.37
2	A	501	TIY	C06-C07	-2.08	1.34	1.40
3	B	502	ADP	C5-N7	-2.07	1.35	1.39

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	ADP	C5-C4-N3	-5.96	118.51	126.72
3	A	502	ADP	C5-C4-N3	-5.46	119.20	126.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	ADP	N3-C4-N9	5.26	136.12	127.17
3	B	502	ADP	N3-C4-N9	4.78	135.30	127.17
3	B	502	ADP	C2-N3-C4	4.08	121.80	111.83
3	B	502	ADP	N3-C2-N1	-3.89	122.69	128.58
3	A	502	ADP	C4-N9-C8	3.34	109.25	105.74
3	A	502	ADP	C2-N3-C4	3.28	119.85	111.83
3	A	502	ADP	N3-C2-N1	-3.21	123.72	128.58
3	B	502	ADP	C4-C5-N7	-3.05	107.10	110.58
3	A	502	ADP	N6-C6-N1	2.96	124.96	118.38
3	B	502	ADP	C4-N9-C8	2.64	108.50	105.74
2	A	501	TIY	C12-C04-C05	-2.53	113.48	118.09
2	B	501	TIY	C12-C04-C05	-2.30	113.92	118.09
2	A	501	TIY	C12-C13-C15	-2.28	118.87	120.45
3	A	502	ADP	C5-C6-N6	-2.27	117.66	123.29
2	A	501	TIY	O10-C09-C08	-2.26	112.20	116.57
3	B	502	ADP	C5-N7-C8	2.26	107.00	103.45
3	A	502	ADP	C2'-C1'-N9	-2.24	107.74	113.30
3	A	502	ADP	C4-C5-N7	-2.10	108.18	110.58
3	B	502	ADP	O2A-PA-O1A	2.07	122.09	112.44

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	507	EDO	O1-C1-C2-O2
6	A	506	EDO	O1-C1-C2-O2
6	A	505	EDO	O1-C1-C2-O2
6	B	509	EDO	O1-C1-C2-O2
7	B	506	TRS	N-C-C1-O1


There are no ring outliers.


3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	506	TRS	1	0
6	A	506	EDO	1	0
2	A	501	TIY	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	429/470 (91%)	0.23	12 (2%) 55 57	24, 41, 64, 89	0
1	B	416/470 (88%)	0.31	17 (4%) 41 43	23, 44, 65, 84	0
All	All	845/940 (89%)	0.27	29 (3%) 48 50	23, 42, 65, 89	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	58	VAL	4.2
1	B	133	ALA	3.9
1	B	343	LEU	3.8
1	A	57	VAL	3.5
1	A	58	VAL	3.5
1	B	123	THR	3.2
1	B	254	GLY	3.2
1	A	60	VAL	3.2
1	A	343	LEU	3.2
1	A	33	LEU	3.1
1	A	185	MET	3.0
1	A	104	ALA	2.8
1	A	1	MET	2.5
1	B	131	VAL	2.5
1	B	276	ILE	2.5
1	B	436	ALA	2.5
1	B	128	LEU	2.5
1	B	392	LEU	2.4
1	A	55	ASN	2.4
1	B	253	SER	2.4
1	B	103	ASP	2.3
1	B	399	PHE	2.3
1	B	30	SER	2.3
1	A	53	ASN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	52	LYS	2.3
1	A	59	SER	2.2
1	B	129	TRP	2.2
1	B	104	ALA	2.2
1	B	266	TYR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	TIY	B	501	16/16	0.69	0.18	49,60,72,74	0
2	TIY	A	501	16/16	0.75	0.15	48,58,71,75	0
6	EDO	B	509	4/4	0.80	0.14	48,58,64,66	0
6	EDO	B	508	4/4	0.84	0.10	67,80,87,87	0
4	MG	B	504	1/1	0.85	0.07	49,49,49,49	0
6	EDO	A	505	4/4	0.89	0.15	41,49,58,70	0
7	TRS	B	506	8/8	0.91	0.08	37,46,51,62	0
6	EDO	A	506	4/4	0.92	0.21	39,47,49,53	0
4	MG	B	503	1/1	0.92	0.09	68,68,68,68	0
6	EDO	B	507	4/4	0.93	0.12	32,38,45,55	0
6	EDO	B	510	4/4	0.93	0.09	50,60,61,63	0
4	MG	A	503	1/1	0.93	0.05	53,53,53,53	0
3	ADP	A	502	27/27	0.96	0.06	29,40,48,49	0
3	ADP	B	502	27/27	0.97	0.06	31,39,47,48	0
5	ZN	A	504	1/1	0.99	0.02	38,38,38,38	0
5	ZN	B	505	1/1	1.00	0.03	39,39,39,39	0


The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ADP A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.