



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:20 AM UTC

PDB ID : 8FLY / pdb_00008fly
Title : HIV-1 gp120 complex with BNM-III-170
Authors : Gong, Z.; Hendrickson, W.A.
Deposited on : 2022-12-22
Resolution : 2.04 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	358	
1	B	358	
1	C	358	
1	D	358	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 11192 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Envelope glycoprotein gp120.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	335	Total	C	N	O	S	0	0	0
			2627	1642	459	506	20			
1	B	335	Total	C	N	O	S	0	0	0
			2627	1642	459	506	20			
1	C	335	Total	C	N	O	S	0	0	0
			2627	1642	459	506	20			
1	D	335	Total	C	N	O	S	0	0	0
			2627	1642	459	506	20			

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	D	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is {N}'-[(1 {R},2 {R})-2-(carbamimidamidomethyl)-5-(methylaminomethyl)-2,3-dihydro-1 {H}-inden-1-yl]- {N}-(4-chloranyl-3-fluoranyl-phenyl)ethanediamide (CCD ID: 5VG) (formula: C₂₁H₂₄ClFN₆O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	Cl	F	N	O	0	0
			31	21	1	1	6	2		
3	B	1	Total	C	Cl	F	N	O	0	0
			31	21	1	1	6	2		
3	C	1	Total	C	Cl	F	N	O	0	0
			31	21	1	1	6	2		
3	D	1	Total	C	Cl	F	N	O	0	0
			31	21	1	1	6	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	40	Total 40 O 40	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	42	Total 42	O 42	0	0
4	C	56	Total 56	O 56	0	0
4	D	58	Total 58	O 58	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Envelope glycoprotein gp120




- Molecule 1: Envelope glycoprotein gp120





- Molecule 1: Envelope glycoprotein gp120





• Molecule 1: Envelope glycoprotein gp120



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	71.79Å 120.78Å 194.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.73 – 2.04 48.73 – 2.04	Depositor EDS
% Data completeness (in resolution range)	59.6 (48.73-2.04) 59.7 (48.73-2.04)	Depositor EDS
R_{merge}	0.24	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.12 (at 2.05Å)	Xtriage
Refinement program	PHENIX 1.20rc3_4406	Depositor
R, R_{free}	0.247 , 0.276 0.247 , 0.276	Depositor DCC
R_{free} test set	2000 reflections (1.85%)	wwPDB-VP
Wilson B-factor (Å ²)	37.7	Xtriage
Anisotropy	0.044	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 33.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	11192	wwPDB-VP
Average B, all atoms (Å ²)	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 16.08% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, 5VG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	0/2682	0.87	4/3640 (0.1%)
1	B	0.51	0/2682	0.87	4/3640 (0.1%)
1	C	0.51	0/2682	0.87	4/3640 (0.1%)
1	D	0.51	0/2682	0.87	4/3640 (0.1%)
All	All	0.51	0/10728	0.87	16/14560 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	2
1	C	0	2
1	D	0	2
All	All	0	8

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	59	LYS	CG-CD-CE	-7.33	94.44	111.30
1	C	59	LYS	CG-CD-CE	-7.32	94.46	111.30
1	A	59	LYS	CG-CD-CE	-7.31	94.48	111.30
1	B	59	LYS	CG-CD-CE	-7.30	94.50	111.30
1	D	379	ARG	CA-CB-CG	-7.17	99.76	114.10
1	A	379	ARG	CA-CB-CG	-7.16	99.77	114.10
1	C	379	ARG	CA-CB-CG	-7.14	99.81	114.10
1	B	379	ARG	CA-CB-CG	-7.14	99.82	114.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	59	LYS	CD-CE-NZ	5.41	129.22	111.90
1	C	59	LYS	CD-CE-NZ	5.41	129.22	111.90
1	B	59	LYS	CD-CE-NZ	5.41	129.21	111.90
1	D	59	LYS	CD-CE-NZ	5.40	129.18	111.90
1	B	103	GLN	N-CA-CB	5.23	117.59	110.01
1	A	103	GLN	N-CA-CB	5.22	117.58	110.01
1	D	103	GLN	N-CA-CB	5.21	117.56	110.01
1	C	103	GLN	N-CA-CB	5.20	117.55	110.01

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	327	ARG	Sidechain
1	A	480	ARG	Sidechain
1	B	327	ARG	Sidechain
1	B	480	ARG	Sidechain
1	C	327	ARG	Sidechain
1	C	480	ARG	Sidechain
1	D	327	ARG	Sidechain
1	D	480	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2627	0	2540	33	1
1	B	2627	0	2542	28	1
1	C	2627	0	2540	63	0
1	D	2627	0	2542	64	1
2	A	98	0	91	2	0
2	B	84	0	78	0	0
2	C	98	0	91	1	0
2	D	84	0	78	0	1
3	A	31	0	0	0	0
3	B	31	0	0	0	0
3	C	31	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	31	0	0	0	0
4	A	40	0	0	1	0
4	B	42	0	0	0	0
4	C	56	0	0	0	0
4	D	58	0	0	7	0
All	All	11192	0	10502	156	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:61:TYR:HB3	1:D:59:LYS:HE3	1.33	1.08
1:C:80:ASN:OD1	1:D:442:GLU:HB2	1.55	1.07
1:C:60:ALA:CB	1:D:59:LYS:HZ3	1.72	1.02
1:C:60:ALA:HB3	1:D:59:LYS:HZ3	1.25	1.01
1:C:60:ALA:C	1:D:59:LYS:HE2	1.86	1.00
1:C:61:TYR:CA	1:D:59:LYS:HE2	1.92	1.00
1:C:61:TYR:HB3	1:D:59:LYS:CE	1.91	1.00
1:C:60:ALA:CA	1:D:59:LYS:HZ3	1.74	0.99
1:C:61:TYR:N	1:D:59:LYS:HE2	1.80	0.96
1:C:60:ALA:HB3	1:D:59:LYS:NZ	1.86	0.91
1:A:399:THR:HB	1:C:408:ARG:NH1	1.85	0.91
1:C:60:ALA:C	1:D:59:LYS:CE	2.46	0.88
1:C:335:GLU:O	1:C:339:ASN:HB2	1.82	0.80
1:A:335:GLU:O	1:A:339:ASN:HB2	1.82	0.80
1:D:335:GLU:O	1:D:339:ASN:HB2	1.82	0.80
1:B:335:GLU:O	1:B:339:ASN:HB2	1.82	0.79
1:A:403:TYR:O	1:C:408:ARG:NH2	2.17	0.77
1:C:60:ALA:C	1:D:59:LYS:NZ	2.44	0.76
1:C:60:ALA:C	1:D:59:LYS:HZ3	1.96	0.74
1:C:61:TYR:CB	1:D:59:LYS:CE	2.67	0.71
1:C:61:TYR:CB	1:D:59:LYS:HE2	2.22	0.70
1:D:267:GLU:O	4:D:602:HOH:O	2.09	0.69
1:C:61:TYR:N	1:D:59:LYS:CE	2.55	0.67
1:C:60:ALA:CA	1:D:59:LYS:NZ	2.57	0.65
1:D:200:ALA:O	4:D:603:HOH:O	2.13	0.65
1:D:480:ARG:NH2	4:D:605:HOH:O	2.27	0.64
1:C:80:ASN:OD1	1:D:442:GLU:CB	2.41	0.64
1:C:61:TYR:CZ	1:D:213:ILE:HG22	2.34	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:60:ALA:O	1:D:59:LYS:HE2	2.00	0.61
1:D:113:ASP:OD2	4:D:604:HOH:O	2.15	0.60
1:C:61:TYR:HB2	1:D:57:ASP:O	2.03	0.59
1:C:61:TYR:HA	1:D:59:LYS:HE2	1.79	0.57
1:A:480:ARG:NH1	4:A:602:HOH:O	2.38	0.56
1:D:96:TRP:CE3	1:D:480:ARG:HD3	2.41	0.56
1:B:96:TRP:CE3	1:B:480:ARG:HD3	2.41	0.56
1:A:96:TRP:CE3	1:A:480:ARG:HD3	2.41	0.55
1:C:96:TRP:CE3	1:C:480:ARG:HD3	2.41	0.54
1:C:60:ALA:HB1	1:D:61:TYR:OH	2.07	0.54
1:B:95:MET:HE2	1:B:480:ARG:HG2	1.91	0.53
1:D:95:MET:HE2	1:D:480:ARG:HG2	1.91	0.53
1:C:61:TYR:N	1:D:59:LYS:NZ	2.56	0.52
1:C:60:ALA:N	1:D:59:LYS:HZ3	2.08	0.52
1:C:95:MET:HE2	1:C:480:ARG:HG2	1.91	0.52
1:D:205:CYS:HB2	4:D:613:HOH:O	2.10	0.51
1:C:79:PRO:O	1:D:442:GLU:HB3	2.11	0.51
1:A:362:GLU:HG3	1:A:467:THR:HG23	1.93	0.51
1:A:95:MET:HE2	1:A:480:ARG:HG2	1.91	0.51
1:B:362:GLU:HG3	1:B:467:THR:HG23	1.93	0.51
1:C:340:ASN:O	1:C:343:GLN:HB3	2.11	0.51
1:D:362:GLU:HG3	1:D:467:THR:HG23	1.93	0.51
1:C:60:ALA:CB	1:D:59:LYS:NZ	2.53	0.51
1:C:80:ASN:CG	1:D:300:ASN:HB2	2.35	0.51
1:A:340:ASN:O	1:A:343:GLN:HB3	2.11	0.51
1:C:339:ASN:ND2	2:C:508:NAG:H83	2.25	0.51
1:A:65:VAL:HB	1:A:115:SER:HB3	1.93	0.51
1:A:335:GLU:OE2	2:A:508:NAG:O6	2.21	0.51
1:B:340:ASN:O	1:B:343:GLN:HB3	2.11	0.51
1:D:340:ASN:O	1:D:343:GLN:HB3	2.11	0.51
1:C:65:VAL:HB	1:C:115:SER:HB3	1.93	0.50
1:B:65:VAL:HB	1:B:115:SER:HB3	1.93	0.49
1:C:362:GLU:HG3	1:C:467:THR:HG23	1.93	0.49
1:D:65:VAL:HB	1:D:115:SER:HB3	1.93	0.49
1:C:327:ARG:HD2	1:C:420:ILE:O	2.14	0.48
1:A:90:THR:HA	1:A:239:CYS:O	2.14	0.48
1:A:327:ARG:HD2	1:A:420:ILE:O	2.14	0.48
1:D:90:THR:HA	1:D:239:CYS:O	2.14	0.48
1:C:90:THR:HA	1:C:239:CYS:O	2.14	0.48
1:D:327:ARG:HD2	1:D:420:ILE:O	2.14	0.48
1:B:327:ARG:HD2	1:B:420:ILE:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:90:THR:HA	1:B:239:CYS:O	2.14	0.47
1:B:59:LYS:H	1:B:59:LYS:HG2	1.44	0.47
1:C:61:TYR:CE2	1:D:213:ILE:HG22	2.50	0.46
1:D:480:ARG:NH1	4:D:609:HOH:O	2.49	0.46
1:A:219:ALA:HB2	1:A:225:ILE:HG13	1.98	0.46
1:B:54:CYS:HA	1:B:216:HIS:O	2.16	0.46
1:B:219:ALA:HB2	1:B:225:ILE:HG13	1.97	0.45
1:C:292:VAL:HG22	1:C:337:LYS:HG3	1.98	0.45
1:D:226:LEU:HA	1:D:226:LEU:HD23	1.82	0.45
1:A:297:THR:HA	1:A:443:ILE:O	2.17	0.45
1:B:292:VAL:HG22	1:B:337:LYS:HG3	1.98	0.45
1:C:94:ASN:ND2	1:C:97:LYS:HD2	2.32	0.45
1:C:297:THR:HA	1:C:443:ILE:O	2.17	0.45
1:D:292:VAL:HG22	1:D:337:LYS:HG3	1.98	0.45
1:A:54:CYS:HA	1:A:216:HIS:O	2.16	0.45
1:D:219:ALA:HB2	1:D:225:ILE:HG13	1.98	0.45
1:B:94:ASN:ND2	1:B:97:LYS:HD2	2.32	0.45
1:D:297:THR:HA	1:D:443:ILE:O	2.17	0.45
1:C:219:ALA:HB2	1:C:225:ILE:HG13	1.98	0.44
1:C:54:CYS:HA	1:C:216:HIS:O	2.17	0.44
1:B:297:THR:HA	1:B:443:ILE:O	2.17	0.44
1:D:52:LEU:HD11	1:D:100:MET:HG2	2.00	0.44
1:D:54:CYS:HA	1:D:216:HIS:O	2.17	0.44
1:D:85:VAL:CG1	1:D:86:LEU:N	2.80	0.44
1:A:94:ASN:ND2	1:A:97:LYS:HD2	2.32	0.44
1:D:94:ASN:ND2	1:D:97:LYS:HD2	2.32	0.44
1:D:448:ASN:ND2	4:D:601:HOH:O	2.09	0.44
1:A:292:VAL:HG22	1:A:337:LYS:HG3	1.98	0.44
1:A:417:GLN:NE2	1:A:417:GLN:HA	2.33	0.44
1:B:52:LEU:HD11	1:B:100:MET:HG2	2.00	0.44
1:C:226:LEU:HD23	1:C:226:LEU:HA	1.82	0.44
1:A:339:ASN:ND2	2:A:508:NAG:C7	2.77	0.43
1:C:363:PRO:HG3	1:C:388:SER:HA	2.01	0.43
1:A:421:LYS:HB3	1:A:421:LYS:HE3	1.64	0.43
1:C:52:LEU:HD11	1:C:100:MET:HG2	2.00	0.43
1:C:342:LEU:HD23	1:C:342:LEU:HA	1.81	0.43
1:C:421:LYS:HB3	1:C:421:LYS:HE3	1.63	0.43
1:A:85:VAL:CG1	1:A:86:LEU:N	2.80	0.43
1:A:52:LEU:HD21	1:A:488:VAL:HG21	2.01	0.43
1:A:363:PRO:HG3	1:A:388:SER:HA	2.01	0.43
1:D:363:PRO:HG3	1:D:388:SER:HA	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:52:LEU:HD11	1:A:100:MET:HG2	2.00	0.42
1:B:52:LEU:HD21	1:B:488:VAL:HG21	2.01	0.42
1:C:59:LYS:HG3	1:C:61:TYR:CE1	2.55	0.42
1:C:294:ILE:HD12	1:C:333:ILE:HD11	2.02	0.42
1:A:59:LYS:HG3	1:A:61:TYR:CE1	2.55	0.42
1:D:294:ILE:HD12	1:D:333:ILE:HD11	2.02	0.42
1:B:295:VAL:O	1:B:331:CYS:HA	2.20	0.42
1:D:52:LEU:HD21	1:D:488:VAL:HG21	2.01	0.42
1:B:363:PRO:HG3	1:B:388:SER:HA	2.01	0.42
1:A:367:GLY:HA3	1:A:371:ILE:HD11	2.02	0.42
1:C:85:VAL:CG1	1:C:86:LEU:N	2.83	0.42
1:D:59:LYS:HG3	1:D:61:TYR:CE1	2.55	0.42
1:B:226:LEU:HD23	1:B:226:LEU:HA	1.82	0.41
1:B:294:ILE:HD12	1:B:333:ILE:HD11	2.02	0.41
1:D:295:VAL:O	1:D:331:CYS:HA	2.20	0.41
1:A:295:VAL:O	1:A:331:CYS:HA	2.20	0.41
1:B:342:LEU:HD23	1:B:342:LEU:HA	1.81	0.41
1:D:367:GLY:HA3	1:D:371:ILE:HD11	2.02	0.41
1:B:367:GLY:HA3	1:B:371:ILE:HD11	2.02	0.41
1:A:59:LYS:H	1:A:59:LYS:HG2	1.57	0.41
1:B:101:VAL:HG12	1:B:476:ARG:HG2	2.03	0.41
1:C:59:LYS:H	1:C:59:LYS:HG2	1.57	0.41
1:A:335:GLU:O	1:A:335:GLU:HG2	2.21	0.41
1:D:101:VAL:HG12	1:D:476:ARG:HG2	2.03	0.41
1:C:52:LEU:HD21	1:C:488:VAL:HG21	2.01	0.41
1:C:101:VAL:HG12	1:C:476:ARG:HG2	2.03	0.41
1:A:294:ILE:HD12	1:A:333:ILE:HD11	2.02	0.41
1:B:55:ALA:HA	1:B:75:VAL:O	2.21	0.41
1:C:55:ALA:HA	1:C:75:VAL:O	2.21	0.41
1:B:86:LEU:HB3	1:B:89:VAL:HG23	2.03	0.41
1:C:367:GLY:HA3	1:C:371:ILE:HD11	2.02	0.41
1:B:335:GLU:O	1:B:335:GLU:HG2	2.21	0.40
1:C:86:LEU:HB3	1:C:89:VAL:HG23	2.03	0.40
1:D:421:LYS:HB3	1:D:421:LYS:HE3	1.63	0.40
1:A:207:LYS:HA	1:A:207:LYS:HD3	1.96	0.40
1:B:59:LYS:HB2	1:B:61:TYR:H	1.87	0.40
1:C:60:ALA:O	1:D:59:LYS:CE	2.62	0.40
1:D:86:LEU:HB3	1:D:89:VAL:HG23	2.03	0.40
1:D:335:GLU:O	1:D:335:GLU:HG2	2.21	0.40
1:A:55:ALA:HA	1:A:75:VAL:O	2.21	0.40
1:D:297:THR:HG1	1:D:444:THR:HG1	1.67	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:342:LEU:HD23	1:A:342:LEU:HA	1.81	0.40
1:B:386:ASN:O	1:B:416:LEU:HB3	2.22	0.40
1:C:295:VAL:O	1:C:331:CYS:HA	2.20	0.40
1:C:378:CYS:C	1:C:379:ARG:HG2	2.34	0.40
1:C:386:ASN:O	1:C:416:LEU:HB3	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:356:SER:OG	1:D:356:SER:OG[3_444]	2.03	0.17
1:A:94:ASN:ND2	2:D:506:NAG:O3[3_444]	2.13	0.07

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	329/358 (92%)	315 (96%)	11 (3%)	3 (1%)	14	7
1	B	329/358 (92%)	315 (96%)	11 (3%)	3 (1%)	14	7
1	C	329/358 (92%)	315 (96%)	11 (3%)	3 (1%)	14	7
1	D	329/358 (92%)	315 (96%)	11 (3%)	3 (1%)	14	7
All	All	1316/1432 (92%)	1260 (96%)	44 (3%)	12 (1%)	14	7

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	90	THR
1	B	90	THR
1	C	90	THR
1	D	90	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	85	VAL
1	B	85	VAL
1	C	85	VAL
1	D	85	VAL
1	A	276	ASN
1	B	276	ASN
1	C	276	ASN
1	D	276	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	297/312 (95%)	293 (99%)	4 (1%)	61	63
1	B	297/312 (95%)	287 (97%)	10 (3%)	32	27
1	C	297/312 (95%)	287 (97%)	10 (3%)	32	27
1	D	297/312 (95%)	290 (98%)	7 (2%)	43	40
All	All	1188/1248 (95%)	1157 (97%)	31 (3%)	40	37

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61	TYR
1	A	290	GLU
1	A	417	GLN
1	A	464	ASP
1	B	59	LYS
1	B	61	TYR
1	B	85	VAL
1	B	113	ASP
1	B	202	THR
1	B	231	LYS
1	B	236	THR
1	B	264	SER
1	B	464	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	487	LYS
1	C	51	THR
1	C	61	TYR
1	C	85	VAL
1	C	231	LYS
1	C	236	THR
1	C	264	SER
1	C	272	ILE
1	C	432	ARG
1	C	464	ASP
1	C	487	LYS
1	D	61	TYR
1	D	113	ASP
1	D	236	THR
1	D	264	SER
1	D	272	ILE
1	D	464	ASP
1	D	487	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	229	ASN
1	A	334	ASN
1	A	343	GLN
1	A	404	ASN
1	B	229	ASN
1	B	334	ASN
1	B	343	GLN
1	C	229	ASN
1	C	334	ASN
1	C	343	GLN
1	C	404	ASN
1	D	229	ASN
1	D	334	ASN
1	D	343	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

30 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	B	505	1	14,14,15	0.42	0	17,19,21	0.79	1 (5%)
2	NAG	A	506	1	14,14,15	1.00	1 (7%)	17,19,21	2.00	2 (11%)
2	NAG	D	506	1	14,14,15	1.00	1 (7%)	17,19,21	2.00	2 (11%)
2	NAG	C	504	1	14,14,15	0.52	0	17,19,21	0.51	0
2	NAG	D	504	1	14,14,15	0.52	0	17,19,21	0.51	0
2	NAG	B	506	1	14,14,15	1.00	1 (7%)	17,19,21	2.00	2 (11%)
2	NAG	C	508	1	14,14,15	1.07	1 (7%)	17,19,21	0.70	0
3	5VG	C	507	-	33,33,33	2.15	9 (27%)	39,46,46	1.54	8 (20%)
3	5VG	D	507	-	33,33,33	2.15	9 (27%)	39,46,46	1.54	8 (20%)
2	NAG	A	503	1	14,14,15	1.03	2 (14%)	17,19,21	0.75	0
2	NAG	C	503	1	14,14,15	1.03	2 (14%)	17,19,21	0.75	0
2	NAG	D	503	1	14,14,15	1.03	2 (14%)	17,19,21	0.75	0
2	NAG	A	502	1	14,14,15	0.52	0	17,19,21	0.89	1 (5%)
2	NAG	C	505	1	14,14,15	0.42	0	17,19,21	0.79	1 (5%)
2	NAG	C	502	1	14,14,15	0.52	0	17,19,21	0.89	1 (5%)
2	NAG	B	504	1	14,14,15	0.52	0	17,19,21	0.51	0
2	NAG	A	505	1	14,14,15	0.42	0	17,19,21	0.79	1 (5%)
2	NAG	C	501	1	14,14,15	0.26	0	17,19,21	0.54	0
2	NAG	D	501	1	14,14,15	0.26	0	17,19,21	0.54	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	B	501	1	14,14,15	0.26	0	17,19,21	0.54	0
2	NAG	D	505	1	14,14,15	0.42	0	17,19,21	0.79	1 (5%)
2	NAG	A	504	1	14,14,15	0.52	0	17,19,21	0.51	0
3	5VG	B	507	-	33,33,33	2.15	9 (27%)	39,46,46	1.54	8 (20%)
2	NAG	B	503	1	14,14,15	1.03	2 (14%)	17,19,21	0.75	0
2	NAG	A	508	1	14,14,15	0.59	0	17,19,21	0.70	1 (5%)
2	NAG	D	502	1	14,14,15	0.52	0	17,19,21	0.89	1 (5%)
3	5VG	A	507	-	33,33,33	2.15	9 (27%)	39,46,46	1.54	8 (20%)
2	NAG	C	506	1	14,14,15	1.00	1 (7%)	17,19,21	2.00	2 (11%)
2	NAG	A	501	1	14,14,15	0.26	0	17,19,21	0.54	0
2	NAG	B	502	1	14,14,15	0.52	0	17,19,21	0.89	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	505	1	-	2/6/23/26	0/1/1/1
2	NAG	A	506	1	-	2/6/23/26	0/1/1/1
2	NAG	D	506	1	-	2/6/23/26	0/1/1/1
2	NAG	C	504	1	-	2/6/23/26	0/1/1/1
2	NAG	D	504	1	-	2/6/23/26	0/1/1/1
2	NAG	B	506	1	-	2/6/23/26	0/1/1/1
2	NAG	C	508	1	-	4/6/23/26	0/1/1/1
3	5VG	C	507	-	-	1/20/32/32	0/3/3/3
3	5VG	D	507	-	-	1/20/32/32	0/3/3/3
2	NAG	A	503	1	-	2/6/23/26	0/1/1/1
2	NAG	C	503	1	-	2/6/23/26	0/1/1/1
2	NAG	D	503	1	-	2/6/23/26	0/1/1/1
2	NAG	A	502	1	-	0/6/23/26	0/1/1/1
2	NAG	C	505	1	-	2/6/23/26	0/1/1/1
2	NAG	C	502	1	-	0/6/23/26	0/1/1/1
2	NAG	B	504	1	-	2/6/23/26	0/1/1/1
2	NAG	A	505	1	-	2/6/23/26	0/1/1/1
2	NAG	C	501	1	-	1/6/23/26	0/1/1/1
2	NAG	D	501	1	-	1/6/23/26	0/1/1/1
2	NAG	B	501	1	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	505	1	-	2/6/23/26	0/1/1/1
2	NAG	A	504	1	-	2/6/23/26	0/1/1/1
3	5VG	B	507	-	-	1/20/32/32	0/3/3/3
2	NAG	B	503	1	-	2/6/23/26	0/1/1/1
2	NAG	A	508	1	-	2/6/23/26	0/1/1/1
2	NAG	D	502	1	-	0/6/23/26	0/1/1/1
3	5VG	A	507	-	-	1/20/32/32	0/3/3/3
2	NAG	C	506	1	-	2/6/23/26	0/1/1/1
2	NAG	A	501	1	-	1/6/23/26	0/1/1/1
2	NAG	B	502	1	-	0/6/23/26	0/1/1/1

All (49) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	507	5VG	C02-N03	6.16	1.45	1.33
3	B	507	5VG	C02-N03	6.16	1.45	1.33
3	C	507	5VG	C02-N03	6.16	1.45	1.33
3	D	507	5VG	C02-N03	6.15	1.45	1.33
3	B	507	5VG	C15-N14	4.54	1.43	1.34
3	A	507	5VG	C15-N14	4.54	1.43	1.34
3	C	507	5VG	C15-N14	4.54	1.43	1.34
3	D	507	5VG	C15-N14	4.54	1.43	1.34
3	C	507	5VG	C17-N19	4.46	1.44	1.35
3	B	507	5VG	C17-N19	4.46	1.44	1.35
3	A	507	5VG	C17-N19	4.46	1.44	1.35
3	D	507	5VG	C17-N19	4.46	1.44	1.35
2	C	508	NAG	O5-C1	3.88	1.50	1.43
2	C	506	NAG	O5-C1	3.54	1.49	1.43
2	B	506	NAG	O5-C1	3.54	1.49	1.43
2	D	506	NAG	O5-C1	3.54	1.49	1.43
2	A	506	NAG	O5-C1	3.54	1.49	1.43
3	B	507	5VG	O16-C15	-3.28	1.17	1.23
3	D	507	5VG	O16-C15	-3.28	1.17	1.23
3	A	507	5VG	O16-C15	-3.28	1.17	1.23
3	C	507	5VG	O16-C15	-3.28	1.17	1.23
2	C	503	NAG	O5-C1	3.11	1.48	1.43
2	B	503	NAG	O5-C1	3.11	1.48	1.43
2	D	503	NAG	O5-C1	3.11	1.48	1.43
2	A	503	NAG	O5-C1	3.11	1.48	1.43
3	A	507	5VG	C02-N01	3.05	1.45	1.34
3	C	507	5VG	C02-N01	3.05	1.45	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	507	5VG	C02-N01	3.05	1.45	1.34
3	D	507	5VG	C02-N01	3.05	1.45	1.34
3	C	507	5VG	C05-C13	-2.87	1.50	1.54
3	A	507	5VG	C05-C13	-2.87	1.50	1.54
3	D	507	5VG	C05-C13	-2.86	1.50	1.54
3	B	507	5VG	C05-C13	-2.86	1.50	1.54
3	D	507	5VG	O18-C17	-2.45	1.18	1.23
3	A	507	5VG	O18-C17	-2.45	1.18	1.23
3	B	507	5VG	O18-C17	-2.45	1.18	1.23
3	C	507	5VG	O18-C17	-2.45	1.18	1.23
3	D	507	5VG	C13-N14	-2.39	1.41	1.46
3	C	507	5VG	C13-N14	-2.39	1.41	1.46
3	A	507	5VG	C13-N14	-2.38	1.41	1.46
3	B	507	5VG	C13-N14	-2.38	1.41	1.46
2	A	503	NAG	C1-C2	2.10	1.55	1.52
2	B	503	NAG	C1-C2	2.10	1.55	1.52
2	C	503	NAG	C1-C2	2.10	1.55	1.52
2	D	503	NAG	C1-C2	2.09	1.55	1.52
3	B	507	5VG	C02-N28	-2.06	1.25	1.32
3	A	507	5VG	C02-N28	-2.06	1.25	1.32
3	D	507	5VG	C02-N28	-2.06	1.25	1.32
3	C	507	5VG	C02-N28	-2.06	1.25	1.32

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	506	NAG	C1-O5-C5	7.61	122.39	112.19
2	C	506	NAG	C1-O5-C5	7.61	122.39	112.19
2	D	506	NAG	C1-O5-C5	7.61	122.39	112.19
2	B	506	NAG	C1-O5-C5	7.61	122.38	112.19
3	B	507	5VG	C20-N19-C17	-3.64	120.98	127.45
3	C	507	5VG	C20-N19-C17	-3.64	120.98	127.45
3	A	507	5VG	C20-N19-C17	-3.64	120.99	127.45
3	D	507	5VG	C20-N19-C17	-3.64	120.99	127.45
2	D	502	NAG	C1-O5-C5	2.79	115.93	112.19
2	B	502	NAG	C1-O5-C5	2.79	115.93	112.19
2	A	502	NAG	C1-O5-C5	2.79	115.92	112.19
2	C	502	NAG	C1-O5-C5	2.79	115.92	112.19
3	A	507	5VG	C12-C13-N14	-2.76	106.71	114.77
3	B	507	5VG	C12-C13-N14	-2.76	106.71	114.77
3	C	507	5VG	C12-C13-N14	-2.76	106.71	114.77
3	D	507	5VG	C12-C13-N14	-2.76	106.71	114.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	507	5VG	C07-C06-C05	2.74	108.19	104.02
3	D	507	5VG	C07-C06-C05	2.74	108.19	104.02
3	C	507	5VG	C07-C06-C05	2.73	108.19	104.02
3	A	507	5VG	C07-C06-C05	2.73	108.18	104.02
3	A	507	5VG	C15-C17-N19	2.68	116.77	112.25
3	D	507	5VG	C15-C17-N19	2.68	116.77	112.25
3	B	507	5VG	C15-C17-N19	2.67	116.77	112.25
3	C	507	5VG	C15-C17-N19	2.67	116.76	112.25
2	B	505	NAG	C1-O5-C5	2.51	115.55	112.19
2	D	505	NAG	C1-O5-C5	2.51	115.55	112.19
2	A	505	NAG	C1-O5-C5	2.51	115.55	112.19
2	C	505	NAG	C1-O5-C5	2.51	115.55	112.19
3	D	507	5VG	C17-C15-N14	2.50	119.73	113.73
3	C	507	5VG	C17-C15-N14	2.50	119.73	113.73
3	A	507	5VG	C17-C15-N14	2.50	119.72	113.73
3	B	507	5VG	C17-C15-N14	2.50	119.72	113.73
3	A	507	5VG	C22-C24-CL25	-2.35	116.83	119.79
3	B	507	5VG	C22-C24-CL25	-2.35	116.83	119.79
3	C	507	5VG	C22-C24-CL25	-2.35	116.83	119.79
3	D	507	5VG	C22-C24-CL25	-2.35	116.83	119.79
3	A	507	5VG	C26-C24-CL25	2.09	122.54	118.42
3	B	507	5VG	C26-C24-CL25	2.09	122.53	118.42
3	D	507	5VG	C26-C24-CL25	2.09	122.53	118.42
3	C	507	5VG	C26-C24-CL25	2.08	122.53	118.42
3	C	507	5VG	C09-C00-N	-2.03	107.80	112.67
3	D	507	5VG	C09-C00-N	-2.03	107.80	112.67
2	A	508	NAG	C4-C3-C2	-2.02	108.05	111.02
3	A	507	5VG	C09-C00-N	-2.02	107.80	112.67
3	B	507	5VG	C09-C00-N	-2.02	107.81	112.67
2	A	506	NAG	C3-C4-C5	2.01	113.88	110.23
2	B	506	NAG	C3-C4-C5	2.01	113.88	110.23
2	D	506	NAG	C3-C4-C5	2.01	113.88	110.23
2	C	506	NAG	C3-C4-C5	2.01	113.88	110.23

There are no chirality outliers.

All (46) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	507	5VG	C09-C00-N-C
3	B	507	5VG	C09-C00-N-C
3	C	507	5VG	C09-C00-N-C
3	D	507	5VG	C09-C00-N-C

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	504	NAG	O5-C5-C6-O6
2	B	504	NAG	O5-C5-C6-O6
2	C	504	NAG	O5-C5-C6-O6
2	D	504	NAG	O5-C5-C6-O6
2	A	503	NAG	O5-C5-C6-O6
2	B	503	NAG	O5-C5-C6-O6
2	C	503	NAG	O5-C5-C6-O6
2	D	503	NAG	O5-C5-C6-O6
2	A	506	NAG	C4-C5-C6-O6
2	B	506	NAG	C4-C5-C6-O6
2	C	506	NAG	C4-C5-C6-O6
2	D	506	NAG	C4-C5-C6-O6
2	A	504	NAG	C4-C5-C6-O6
2	B	504	NAG	C4-C5-C6-O6
2	C	504	NAG	C4-C5-C6-O6
2	D	504	NAG	C4-C5-C6-O6
2	A	503	NAG	C4-C5-C6-O6
2	B	503	NAG	C4-C5-C6-O6
2	C	503	NAG	C4-C5-C6-O6
2	D	503	NAG	C4-C5-C6-O6
2	A	506	NAG	O5-C5-C6-O6
2	B	506	NAG	O5-C5-C6-O6
2	C	506	NAG	O5-C5-C6-O6
2	D	506	NAG	O5-C5-C6-O6
2	A	505	NAG	O5-C5-C6-O6
2	B	505	NAG	O5-C5-C6-O6
2	C	505	NAG	O5-C5-C6-O6
2	D	505	NAG	O5-C5-C6-O6
2	A	508	NAG	C8-C7-N2-C2
2	A	508	NAG	O7-C7-N2-C2
2	C	508	NAG	C8-C7-N2-C2
2	C	508	NAG	O7-C7-N2-C2
2	C	508	NAG	C4-C5-C6-O6
2	C	508	NAG	O5-C5-C6-O6
2	A	505	NAG	C4-C5-C6-O6
2	B	505	NAG	C4-C5-C6-O6
2	C	505	NAG	C4-C5-C6-O6
2	D	505	NAG	C4-C5-C6-O6
2	A	501	NAG	C1-C2-N2-C7
2	B	501	NAG	C1-C2-N2-C7
2	C	501	NAG	C1-C2-N2-C7
2	D	501	NAG	C1-C2-N2-C7


There are no ring outliers.


3 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	506	NAG	0	1
2	C	508	NAG	1	0
2	A	508	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	335/358 (93%)	0.79	44 (13%) 7 6	21, 36, 54, 72	0
1	B	335/358 (93%)	1.01	67 (20%) 3 2	24, 39, 60, 74	0
1	C	335/358 (93%)	0.98	58 (17%) 4 3	22, 36, 58, 74	0
1	D	335/358 (93%)	1.10	63 (18%) 3 2	24, 40, 61, 73	0
All	All	1340/1432 (93%)	0.97	232 (17%) 4 3	21, 38, 58, 74	0

All (232) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	198	GLY	10.1
1	C	61	TYR	9.7
1	C	60	ALA	9.1
1	C	124	GLY	6.7
1	A	198	GLY	6.6
1	C	122	LEU	6.5
1	C	80	ASN	5.4
1	C	59	LYS	5.3
1	D	61	TYR	5.0
1	B	50	THR	4.9
1	A	86	LEU	4.8
1	C	325	ASN	4.8
1	D	89	VAL	4.7
1	C	123	THR	4.5
1	D	326	ILE	4.5
1	A	124	GLY	4.4
1	C	199	SER	4.3
1	B	72	HIS	4.3
1	A	202	THR	4.3
1	A	89	VAL	4.2
1	C	103	GLN	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	59	LYS	4.2
1	D	198	GLY	4.1
1	D	81	PRO	4.1
1	C	356	SER	4.1
1	C	79	PRO	4.1
1	A	87	ALA	4.0
1	A	61	TYR	4.0
1	D	88	ASN	4.0
1	C	87	ALA	3.9
1	D	397	ASN	3.9
1	C	200	ALA	3.9
1	D	82	GLN	3.9
1	C	88	ASN	3.9
1	D	465	THR	3.9
1	D	124	GLY	3.8
1	B	85	VAL	3.8
1	B	89	VAL	3.8
1	D	49	LYS	3.7
1	A	439	ILE	3.7
1	B	231	LYS	3.7
1	C	202	THR	3.7
1	B	489	VAL	3.7
1	C	408	ARG	3.7
1	B	87	ALA	3.6
1	C	49	LYS	3.6
1	B	325	ASN	3.5
1	B	59	LYS	3.5
1	A	88	ASN	3.5
1	C	86	LEU	3.5
1	C	89	VAL	3.5
1	D	60	ALA	3.4
1	C	85	VAL	3.4
1	B	103	GLN	3.4
1	B	61	TYR	3.4
1	D	403	TYR	3.4
1	B	339	ASN	3.3
1	D	339	ASN	3.3
1	D	103	GLN	3.3
1	D	396	ARG	3.3
1	D	84	MET	3.3
1	D	87	ALA	3.3
1	D	199	SER	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	439	ILE	3.2
1	C	57	ASP	3.2
1	C	78	ASP	3.2
1	D	300	ASN	3.2
1	B	226	LEU	3.2
1	A	356	SER	3.2
1	A	50	THR	3.2
1	D	356	SER	3.2
1	A	408	ARG	3.1
1	B	242	VAL	3.1
1	C	246	GLN	3.1
1	B	396	ARG	3.1
1	B	86	LEU	3.1
1	C	406	THR	3.1
1	A	200	ALA	3.1
1	B	49	LYS	3.1
1	D	246	GLN	3.1
1	B	88	ASN	3.0
1	B	340	ASN	3.0
1	D	406	THR	3.0
1	D	72	HIS	3.0
1	B	84	MET	3.0
1	B	57	ASP	3.0
1	B	81	PRO	3.0
1	B	432	ARG	2.9
1	B	490	GLU	2.9
1	C	62	GLU	2.9
1	B	439	ILE	2.9
1	D	399	THR	2.9
1	C	354	PRO	2.9
1	C	84	MET	2.9
1	C	203	GLN	2.9
1	C	327	ARG	2.9
1	A	90	THR	2.9
1	D	90	THR	2.9
1	A	354	PRO	2.9
1	A	396	ARG	2.9
1	A	336	SER	2.9
1	D	85	VAL	2.9
1	D	50	THR	2.9
1	B	80	ASN	2.9
1	C	240	ARG	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	85	VAL	2.8
1	A	489	VAL	2.8
1	D	464	ASP	2.8
1	D	408	ARG	2.8
1	B	464	ASP	2.8
1	C	113	ASP	2.8
1	C	464	ASP	2.8
1	A	412	GLY	2.8
1	D	86	LEU	2.8
1	C	326	ILE	2.8
1	D	240	ARG	2.8
1	B	60	ALA	2.8
1	D	337	LYS	2.8
1	C	81	PRO	2.8
1	D	379	ARG	2.7
1	B	82	GLN	2.7
1	C	82	GLN	2.7
1	B	356	SER	2.7
1	D	269	GLU	2.7
1	D	325	ASN	2.7
1	A	62	GLU	2.7
1	A	68	VAL	2.7
1	C	201	ILE	2.7
1	A	80	ASN	2.7
1	B	397	ASN	2.7
1	D	268	GLU	2.7
1	D	404	ASN	2.7
1	C	336	SER	2.7
1	A	201	ILE	2.7
1	C	439	ILE	2.7
1	A	226	LEU	2.6
1	B	465	THR	2.6
1	D	122	LEU	2.6
1	B	124	GLY	2.6
1	B	221	ALA	2.6
1	C	399	THR	2.6
1	D	341	THR	2.6
1	B	240	ARG	2.6
1	B	51	THR	2.6
1	B	410	SER	2.6
1	C	489	VAL	2.6
1	C	368	ASP	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	340	ASN	2.5
1	C	77	THR	2.5
1	C	268	GLU	2.5
1	C	75	VAL	2.5
1	D	201	ILE	2.5
1	A	464	ASP	2.5
1	B	336	SER	2.5
1	C	300	ASN	2.5
1	A	490	GLU	2.5
1	B	83	GLU	2.5
1	A	410	SER	2.5
1	B	399	THR	2.5
1	A	199	SER	2.4
1	D	244	THR	2.4
1	A	58	ALA	2.4
1	B	408	ARG	2.4
1	B	300	ASN	2.4
1	C	397	ASN	2.4
1	C	269	GLU	2.4
1	B	457	ASP	2.4
1	B	406	THR	2.4
1	C	379	ARG	2.4
1	C	396	ARG	2.4
1	B	201	ILE	2.4
1	A	406	THR	2.4
1	B	342	LEU	2.4
1	B	223	PHE	2.4
1	C	340	ASN	2.3
1	D	441	GLY	2.3
1	A	221	ALA	2.3
1	B	365	SER	2.3
1	B	91	GLU	2.3
1	D	423	ILE	2.3
1	A	71	THR	2.3
1	C	51	THR	2.2
1	D	80	ASN	2.2
1	B	337	LYS	2.2
1	A	222	GLY	2.2
1	D	412	GLY	2.2
1	A	72	HIS	2.2
1	C	328	GLN	2.2
1	D	123	THR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	222	GLY	2.2
1	B	290	GLU	2.2
1	B	265	LEU	2.2
1	A	49	LYS	2.2
1	B	97	LYS	2.2
1	A	339	ASN	2.2
1	B	63	LYS	2.2
1	D	299	PRO	2.1
1	B	326	ILE	2.1
1	B	198	GLY	2.1
1	A	300	ASN	2.1
1	A	340	ASN	2.1
1	B	293	ASN	2.1
1	D	290	GLU	2.1
1	B	79	PRO	2.1
1	D	202	THR	2.1
1	C	398	GLY	2.1
1	D	405	HIS	2.1
1	B	224	ALA	2.1
1	D	335	GLU	2.1
1	B	71	THR	2.1
1	B	246	GLN	2.1
1	B	398	GLY	2.1
1	D	349	LEU	2.1
1	A	103	GLN	2.1
1	C	244	THR	2.1
1	D	71	THR	2.1
1	D	77	THR	2.1
1	D	231	LYS	2.1
1	D	338	TRP	2.1
1	C	221	ALA	2.1
1	D	342	LEU	2.0
1	A	397	ASN	2.0
1	B	422	GLN	2.0
1	A	244	THR	2.0
1	D	79	PRO	2.0
1	B	359	ILE	2.0
1	D	489	VAL	2.0
1	B	199	SER	2.0
1	B	411	ASN	2.0
1	A	51	THR	2.0
1	A	81	PRO	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	354	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	D	506	14/15	0.58	0.27	46,52,64,65	0
2	NAG	A	506	14/15	0.60	0.18	50,59,67,73	0
2	NAG	C	506	14/15	0.64	0.16	42,53,59,63	0
2	NAG	B	506	14/15	0.64	0.23	40,48,61,63	0
2	NAG	D	503	14/15	0.67	0.18	45,50,58,63	0
2	NAG	D	501	14/15	0.68	0.17	35,48,56,59	0
2	NAG	C	508	14/15	0.72	0.30	81,96,164,165	0
2	NAG	B	501	14/15	0.73	0.14	40,50,57,59	0
2	NAG	B	503	14/15	0.73	0.17	48,52,62,66	0
2	NAG	A	508	14/15	0.75	0.29	69,87,144,173	0
2	NAG	D	505	14/15	0.76	0.15	47,52,55,58	0
2	NAG	A	501	14/15	0.77	0.14	39,48,55,62	0
2	NAG	A	504	14/15	0.78	0.13	38,46,52,54	0
2	NAG	B	504	14/15	0.79	0.11	35,43,48,49	0
2	NAG	C	503	14/15	0.80	0.14	40,44,52,61	0
2	NAG	D	504	14/15	0.82	0.13	40,46,49,54	0
2	NAG	C	505	14/15	0.83	0.12	33,37,42,46	0
2	NAG	B	505	14/15	0.84	0.12	42,49,55,56	0
2	NAG	C	504	14/15	0.84	0.11	31,38,45,50	0
2	NAG	A	503	14/15	0.85	0.12	38,45,50,52	0
2	NAG	A	505	14/15	0.87	0.12	31,36,46,48	0
2	NAG	C	501	14/15	0.87	0.11	32,40,46,53	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	D	502	14/15	0.88	0.10	28,36,42,43	0
2	NAG	C	502	14/15	0.90	0.11	27,32,37,40	0
2	NAG	B	502	14/15	0.90	0.09	27,37,42,44	0
2	NAG	A	502	14/15	0.91	0.09	24,31,40,41	0
3	5VG	A	507	31/31	0.92	0.09	22,25,42,53	0
3	5VG	D	507	31/31	0.93	0.10	24,30,40,49	0
3	5VG	C	507	31/31	0.94	0.09	19,24,33,54	0
3	5VG	B	507	31/31	0.95	0.08	22,26,30,44	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 5VG A 507:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 5VG D 507:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 5VG C 507:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.