



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 01:05 PM UTC

PDB ID : 7FMG / pdb_00007fmg
Title : PanDDA analysis group deposition – Aar2/RNaseH in complex with fragment P06C09 from the F2X-Universal Library
Authors : Barthel, T.; Wollenhaupt, J.; Lima, G.M.A.; Wahl, M.C.; Weiss, M.S.
Deposited on : 2022-08-26
Resolution : 1.71 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1039 (1.72-1.72)
Clashscore	190562	1049 (1.72-1.72)
Ramachandran outliers	187476	1041 (1.72-1.72)
Sidechain outliers	187428	1041 (1.72-1.72)
RSRZ outliers	180081	1039 (1.72-1.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	258	57% 76% 13% 8%
2	B	308	64% 88% 9%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9189 atoms, of which 4524 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pre-mRNA-splicing factor 8.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	237	4068	1287	2060	336	373	12	0	21	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1833	GLY	-	expression tag	UNP P33334
A	1834	ALA	-	expression tag	UNP P33334
A	1835	MET	-	expression tag	UNP P33334

- Molecule 2 is a protein called A1 cistron-splicing factor AAR2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
2	B	300	5044	1654	2464	421	485	20	33	17	0

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	-3	GLY	-	expression tag	UNP P32357
B	-2	ALA	-	expression tag	UNP P32357
B	-1	MET	-	expression tag	UNP P32357
B	0	ALA	-	expression tag	UNP P32357
B	166	SER	LEU	conflict	UNP P32357
B	167	SER	LYS	conflict	UNP P32357
B	?	-	LEU	deletion	UNP P32357
B	?	-	GLN	deletion	UNP P32357
B	?	-	LYS	deletion	UNP P32357
B	?	-	ALA	deletion	UNP P32357
B	?	-	GLY	deletion	UNP P32357
B	?	-	SER	deletion	UNP P32357
B	?	-	LYS	deletion	UNP P32357

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	?	-	MET	deletion	UNP P32357
B	?	-	GLU	deletion	UNP P32357
B	?	-	ALA	deletion	UNP P32357
B	?	-	LYS	deletion	UNP P32357
B	?	-	ASN	deletion	UNP P32357
B	?	-	GLU	deletion	UNP P32357
B	170	SER	ASP	conflict	UNP P32357

- Molecule 3 is N-[2-(thiophen-2-yl)ethyl]pyridine-3-carboxamide (CCD ID: VV5) (formula: $C_{12}H_{12}N_2OS$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			16	12	2	1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	33	Total	O	0	0
			33	33		
4	B	28	Total	O	0	0
			28	28		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Pre-mRNA-splicing factor 8



• Molecule 2: A1 cistron-splicing factor AAR2



P276	E277	Q278	Y279	S280	D281	I282	L283	L284	N285	E286	R287	Y288	W289	N290	I291	C292	L293	Y294	S295	S296	F297	Q298	K299	N300	S301	L302	H303	N304	T305	I308	N311	K312	Y313	P314	E315	L316	L317
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	89.69Å 82.09Å 93.03Å 90.00° 108.25° 90.00°	Depositor
Resolution (Å)	44.83 – 1.71 44.83 – 1.71	Depositor EDS
% Data completeness (in resolution range)	98.6 (44.83-1.71) 98.7 (44.83-1.71)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.91 (at 1.71Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.295 , 0.322 0.305 , 0.326	Depositor DCC
R_{free} test set	2099 reflections (3.08%)	wwPDB-VP
Wilson B-factor (Å ²)	42.2	Xtriage
Anisotropy	0.342	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 54.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9189	wwPDB-VP
Average B, all atoms (Å ²)	88.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: VV5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.80	0/2149	0.93	4/2911 (0.1%)
2	B	0.69	0/2739	0.80	2/3699 (0.1%)
All	All	0.74	0/4888	0.86	6/6610 (0.1%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1990	ASN	N-CA-C	-5.70	99.44	108.73
1	A	1878	CYS	N-CA-C	5.64	117.68	108.76
1	A	2035	LYS	O-C-N	-5.53	115.91	122.65
1	A	1990	ASN	CB-CA-C	5.41	118.95	110.19
2	B	30	PHE	CA-C-N	-5.04	114.58	122.49
2	B	30	PHE	C-N-CA	-5.04	114.58	122.49

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2008	2060	1974	23	0
2	B	2580	2464	2398	18	0
3	A	16	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	33	0	0	1	1
4	B	28	0	0	1	1
All	All	4665	4524	4372	41	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (41) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:70:GLN:HB3	2:B:81:MET:HE2	1.66	0.77
1:A:1962:ARG:O	1:A:2013:ARG:NH1	2.23	0.71
2:B:96:PHE:HB2	2:B:102:MET:HE3	1.73	0.70
1:A:2064:GLY:O	1:A:2068:ASN:N	2.25	0.69
2:B:1:MET:N	4:B:401:HOH:O	2.29	0.65
2:B:287:ARG:O	2:B:291:ILE:HD13	1.99	0.62
1:A:1878:CYS:SG	1:A:1969:MET:HE3	2.42	0.59
1:A:1977:VAL:HG21	1:A:1987:VAL:HG21	1.83	0.59
2:B:77:LEU:HD21	2:B:79:LYS:HE3	1.85	0.59
2:B:96:PHE:CB	2:B:102:MET:HE3	2.33	0.58
1:A:1848:ILE:H	1:A:1931[A]:LYS:HZ2	1.55	0.55
1:A:1910:LYS:O	1:A:1940:MET:HE1	2.08	0.54
2:B:258:LYS:HD2	2:B:258:LYS:H	1.73	0.53
2:B:50:ASP:OD1	2:B:51:ASN:N	2.41	0.53
2:B:68:TYR:CE2	2:B:81:MET:HE3	2.45	0.51
1:A:2061:THR:O	1:A:2064:GLY:N	2.41	0.50
1:A:2058:LEU:C	1:A:2058:LEU:HD23	2.36	0.50
2:B:1:MET:HB3	2:B:35:ASP:HA	1.95	0.49
1:A:1843:LEU:HA	1:A:1849:LYS:HD2	1.97	0.47
2:B:277:GLU:CD	2:B:277:GLU:H	2.23	0.47
1:A:1962:ARG:HD3	1:A:1962:ARG:H	1.80	0.45
2:B:256:VAL:O	2:B:257:PRO:C	2.59	0.45
1:A:1895:HIS:O	1:A:1898[A]:VAL:HG22	2.17	0.45
1:A:1964:PRO:HG2	1:A:2012:LEU:HB2	1.99	0.44
1:A:2049:ILE:O	1:A:2053[A]:SER:OG	2.32	0.44
1:A:2035:LYS:HD3	1:A:2035:LYS:HA	1.73	0.44
2:B:54[B]:MET:HE1	2:B:143:SER:HB3	2.00	0.43
1:A:1836:ASN:HB3	1:A:1960[A]:GLU:HB2	2.01	0.43
1:A:1859:ARG:HH12	1:A:1979[A]:MET:CE	2.31	0.43
2:B:37:PRO:HD3	2:B:105:TYR:CD1	2.53	0.43
1:A:1894:ILE:HA	4:A:2209:HOH:O	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1946:VAL:O	1:A:1949:LEU:HG	2.19	0.42
1:A:1857:VAL:HG21	1:A:1913:THR:OG1	2.19	0.42
2:B:186:ARG:O	2:B:186:ARG:HD3	2.20	0.42
2:B:53:SER:O	2:B:54[A]:MET:HB3	2.19	0.42
1:A:2066:LYS:HD2	1:A:2067:TYR:CE1	2.56	0.41
1:A:1999:ILE:HD13	1:A:1999:ILE:HG21	1.90	0.41
2:B:51:ASN:ND2	2:B:53:SER:O	2.53	0.41
1:A:1998:ARG:NE	1:A:2045:ASP:OD1	2.55	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:2227:HOH:O	4:B:421:HOH:O[2_655]	2.08	0.12

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	258/258 (100%)	245 (95%)	12 (5%)	1 (0%)	30	16
2	B	315/308 (102%)	302 (96%)	12 (4%)	1 (0%)	36	24
All	All	573/566 (101%)	547 (96%)	24 (4%)	2 (0%)	30	24

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2068	ASN
2	B	106	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	237/233 (102%)	232 (98%)	5 (2%)	47	23
2	B	294/284 (104%)	290 (99%)	4 (1%)	59	40
All	All	531/517 (103%)	522 (98%)	9 (2%)	59	31

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1835	MET
1	A	2053[A]	SER
1	A	2053[B]	SER
1	A	2060	LEU
1	A	2066	LYS
2	B	45[A]	HIS
2	B	45[B]	HIS
2	B	281	ASP
2	B	317	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1869	ASN
2	B	150	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	VV5	A	2101	-	17,17,17	2.13	5 (29%)	21,21,21	1.51	2 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	VV5	A	2101	-	-	0/10/10/10	0/2/2/2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	2101	VV5	C-C1	-5.13	1.30	1.38
3	A	2101	VV5	C1-C2	-3.35	1.34	1.39
3	A	2101	VV5	C7-C8	-2.80	1.44	1.50
3	A	2101	VV5	C-C4	2.65	1.45	1.37
3	A	2101	VV5	O-C5	-2.62	1.17	1.23

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	2101	VV5	C-C1-C2	-4.90	115.55	120.36
3	A	2101	VV5	C1-C2-C3	3.15	121.12	117.61

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	237/258 (91%)	2.83	148 (62%) 0 0	30, 77, 152, 240	12 (5%)
2	B	300/308 (97%)	2.82	198 (66%) 0 0	26, 80, 158, 236	9 (3%)
All	All	537/566 (94%)	2.83	346 (64%) 0 0	26, 79, 155, 240	21 (3%)

All (346) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1979[A]	MET	12.9
1	A	1878	CYS	10.7
1	A	1989	PHE	9.2
2	B	77	LEU	8.3
2	B	316	LEU	8.0
1	A	2060	LEU	7.9
1	A	2069	VAL	7.7
2	B	49	ALA	7.6
2	B	22	PHE	7.4
1	A	2059	ILE	7.3
1	A	1834	ALA	7.0
2	B	54[A]	MET	6.8
2	B	288	VAL	6.8
1	A	2005	PHE	6.8
2	B	103	VAL	6.7
1	A	2015	LEU	6.7
1	A	2037	TYR	6.7
2	B	30	PHE	6.6
1	A	1956	ILE	6.6
2	B	275	LEU	6.6
2	B	293	LEU	6.6
1	A	2058	LEU	6.5
2	B	192	GLY	6.5
2	B	269	TYR	6.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1862	VAL	6.5
2	B	111	ASP	6.4
1	A	2043	PHE	6.3
1	A	1860	VAL	6.3
1	A	1905	LEU	6.3
1	A	1898[A]	VAL	6.2
2	B	152	LEU	6.1
2	B	241	LEU	6.1
2	B	206	ASN	6.0
2	B	93	VAL	5.9
2	B	106	PRO	5.9
2	B	276	PRO	5.9
2	B	256	VAL	5.7
2	B	235	GLY	5.6
2	B	214	PHE	5.6
2	B	203[A]	TYR	5.5
2	B	237	TYR	5.4
1	A	1959	THR	5.3
2	B	228	PHE	5.2
2	B	46	PHE	5.2
2	B	172	PRO	5.2
1	A	1863	HIS	5.1
1	A	2051	ILE	5.1
1	A	1940	MET	5.1
2	B	170	SER	5.0
1	A	2040	TRP	5.0
2	B	291	ILE	5.0
2	B	92	ILE	5.0
1	A	2027	LEU	4.9
2	B	120	PHE	4.9
1	A	2063	TYR	4.9
1	A	2068	ASN	4.8
2	B	101	MET	4.8
1	A	1924	LEU	4.8
2	B	11	ILE	4.8
1	A	1833	GLY	4.7
2	B	283	LEU	4.6
1	A	1841	ALA	4.6
1	A	2061	THR	4.6
1	A	1835	MET	4.6
1	A	2067	TYR	4.6
1	A	1996	LEU	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	107	LYS	4.6
1	A	2036	SER	4.6
2	B	41[A]	VAL	4.5
1	A	1997	ASP	4.5
2	B	38	ILE	4.5
2	B	294	TYR	4.5
2	B	314	PRO	4.5
2	B	191	PRO	4.4
1	A	2039	LEU	4.4
2	B	14	THR	4.4
1	A	2064	GLY	4.4
2	B	1	MET	4.4
1	A	1981	ALA	4.4
2	B	317	LEU	4.4
2	B	96	PHE	4.3
1	A	2065	ARG	4.3
1	A	2035	LYS	4.3
2	B	174	HIS	4.3
2	B	10	PRO	4.3
1	A	1879	ILE	4.3
1	A	1933	ILE	4.3
1	A	2028	SER	4.3
1	A	2017[A]	THR	4.2
1	A	1999	ILE	4.2
2	B	129	ILE	4.2
2	B	28	GLN	4.1
2	B	64[A]	MET	4.1
2	B	176	LEU	4.1
2	B	20	TYR	4.1
1	A	2002[A]	TYR	4.1
2	B	175	SER	4.1
2	B	183	PHE	4.1
1	A	1995	TRP	4.0
2	B	279	TYR	4.0
1	A	1977	VAL	4.0
2	B	13	VAL	4.0
2	B	140	VAL	4.0
2	B	282	ILE	4.0
1	A	1955	ALA	4.0
1	A	2026	LEU	4.0
1	A	1866	PHE	4.0
2	B	246	MET	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	254	ALA	4.0
1	A	1893	ILE	4.0
1	A	1969	MET	4.0
2	B	173	ALA	4.0
1	A	2025	ILE	3.9
1	A	1986	MET	3.9
1	A	1920	LEU	3.9
1	A	1840	TYR	3.9
2	B	104	SER	3.9
2	B	124	ASP	3.9
2	B	29	PRO	3.9
1	A	1975	SER	3.8
2	B	193	HIS	3.8
1	A	2024[A]	MET	3.8
2	B	272	ILE	3.8
1	A	1988	LEU	3.8
1	A	1931[A]	LYS	3.7
1	A	2041	PRO	3.7
2	B	56	TYR	3.7
1	A	1987	VAL	3.7
2	B	73	PRO	3.7
2	B	289	TRP	3.7
2	B	177[A]	ASN	3.7
1	A	1910	LYS	3.7
2	B	284	LEU	3.7
1	A	2038	HIS	3.6
2	B	126	ILE	3.6
1	A	1886	THR	3.6
1	A	1963	LEU	3.6
2	B	117	LEU	3.6
2	B	71	TYR	3.6
2	B	16	GLY	3.6
2	B	18	ASP	3.6
1	A	1856[A]	ASN	3.5
2	B	308	ILE	3.5
2	B	234	PHE	3.5
2	B	89	PHE	3.5
2	B	50	ASP	3.5
2	B	268	LEU	3.5
1	A	1839	ASN	3.5
2	B	280	SER	3.5
2	B	142	SER	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1875	ILE	3.4
2	B	198	PHE	3.4
2	B	261	LEU	3.4
2	B	313	TYR	3.4
2	B	303	HIS	3.4
2	B	286	GLU	3.4
2	B	146	THR	3.4
2	B	179	THR	3.4
1	A	2048	TRP	3.4
2	B	31	HIS	3.3
1	A	2030	PRO	3.3
2	B	217	SER	3.3
1	A	1858	TYR	3.3
1	A	1891	LEU	3.3
2	B	292	CYS	3.3
2	B	171	ASP	3.3
1	A	2019	GLU	3.3
2	B	300	ASN	3.3
2	B	297	PHE	3.2
1	A	2012	LEU	3.2
2	B	199	LEU	3.2
2	B	130	VAL	3.2
2	B	145	THR	3.2
2	B	97	LYS	3.2
2	B	211[A]	GLN	3.2
1	A	2056[A]	ARG	3.2
1	A	1855[A]	THR	3.2
1	A	1836	ASN	3.1
1	A	2032	ILE	3.1
2	B	210	LEU	3.1
1	A	1960[A]	GLU	3.1
2	B	134	GLU	3.1
2	B	137	PHE	3.1
1	A	2044	THR	3.1
1	A	1859	ARG	3.1
1	A	1943	PRO	3.1
1	A	1998	ARG	3.1
1	A	2053[A]	SER	3.1
2	B	264	LEU	3.1
2	B	87	ALA	3.1
2	B	201	LYS	3.1
1	A	2001[A]	SER	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	40	HIS	3.1
2	B	44[A]	ILE	3.1
2	B	47	GLN	3.1
2	B	94	HIS	3.0
2	B	186	ARG	3.0
1	A	1953	ASN	3.0
1	A	1865	THR	3.0
2	B	274	THR	3.0
2	B	100	GLN	3.0
2	B	299	LYS	3.0
2	B	108	ILE	3.0
2	B	249	LEU	3.0
2	B	53	SER	3.0
2	B	128	LYS	3.0
2	B	95	ASN	3.0
2	B	99	ARG	2.9
2	B	204[A]	TYR	2.9
1	A	1843	LEU	2.9
2	B	189	ILE	2.9
2	B	262	ASP	2.9
2	B	296	SER	2.9
1	A	1961[A]	LEU	2.9
1	A	2049	ILE	2.9
1	A	1918[A]	SER	2.9
2	B	52	SER	2.9
2	B	221	PHE	2.9
1	A	1869	ASN	2.9
1	A	1985	GLN	2.9
2	B	131	ARG	2.9
1	A	2010	LEU	2.9
1	A	1949	LEU	2.8
2	B	213	ILE	2.8
2	B	114	TRP	2.8
2	B	278	GLN	2.8
2	B	232	MET	2.8
2	B	238	GLY	2.8
1	A	1870	VAL	2.8
1	A	1908	LEU	2.8
2	B	2	ASN	2.8
2	B	19	GLN	2.8
1	A	2052	GLU	2.8
1	A	2033	THR	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	2066	LYS	2.8
1	A	1868	GLY	2.8
1	A	1904	ARG	2.8
2	B	91	ASN	2.8
1	A	1895	HIS	2.8
1	A	1901	GLY	2.8
1	A	1922	ARG	2.7
1	A	1844	PHE	2.7
2	B	270	TYR	2.7
2	B	301	SER	2.7
2	B	55[A]	ARG	2.7
2	B	226	PHE	2.7
1	A	1917	VAL	2.7
2	B	229	LEU	2.7
1	A	1927	GLU	2.7
2	B	273	LYS	2.7
2	B	109	ASP	2.7
2	B	190	ARG	2.7
2	B	48	HIS	2.7
2	B	21	SER	2.7
1	A	1941	LEU	2.7
1	A	1935	VAL	2.6
2	B	181	ILE	2.6
2	B	110	GLU	2.6
2	B	149	GLU	2.6
2	B	147	VAL	2.6
2	B	15	ILE	2.6
2	B	247	ILE	2.6
2	B	243	TRP	2.6
1	A	1846	ASN	2.6
2	B	233	PHE	2.6
1	A	1889	LEU	2.6
1	A	1974	LEU	2.6
2	B	132	LYS	2.6
2	B	135	ASN	2.6
1	A	1861	THR	2.5
2	B	244	HIS	2.5
2	B	67	PHE	2.5
2	B	258	LYS	2.5
1	A	1906	SER	2.5
2	B	255	THR	2.5
2	B	139	TYR	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	121	VAL	2.5
1	A	1954	ILE	2.5
2	B	74	LYS	2.5
1	A	1923	SER	2.5
2	B	122[A]	GLN	2.5
1	A	1880	PHE	2.5
1	A	1903	LYS	2.4
1	A	1965	PHE	2.4
2	B	26	GLU	2.4
2	B	188	ALA	2.4
1	A	1837	SER	2.4
1	A	1857	VAL	2.4
2	B	43	VAL	2.4
1	A	2054[A]	GLN	2.4
2	B	136	GLN	2.4
2	B	133	ASP	2.4
2	B	212[A]	GLY	2.4
1	A	2018[A]	ASN	2.4
2	B	290	ASN	2.4
2	B	187	GLU	2.4
1	A	1848	ILE	2.4
2	B	62	CYS	2.3
1	A	1881	THR	2.3
1	A	1968	ALA	2.3
2	B	3	THR	2.3
2	B	127	ARG	2.3
2	B	60	PHE	2.3
1	A	2034	ILE	2.3
1	A	2016	LYS	2.3
1	A	1944	LEU	2.3
2	B	252	SER	2.3
2	B	80	MET	2.3
2	B	305	THR	2.3
2	B	148	GLN	2.3
2	B	220	TYR	2.3
1	A	1849	LYS	2.2
1	A	2057[A]	ASP	2.2
1	A	1971	ILE	2.2
2	B	17	ILE	2.2
1	A	1888	HIS	2.2
2	B	259	HIS	2.2
1	A	2046	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	277	GLU	2.2
1	A	1936	THR	2.2
2	B	59	TRP	2.2
2	B	51	ASN	2.2
2	B	208	VAL	2.2
2	B	312	LYS	2.2
1	A	1876	ASN	2.2
2	B	6	PHE	2.2
1	A	1892	LYS	2.2
1	A	2055	MET	2.1
2	B	24	VAL	2.1
1	A	1932[A]	GLN	2.1
2	B	302	LEU	2.1
2	B	216	ASN	2.1
1	A	1851	PHE	2.1
2	B	178[A]	TYR	2.1
1	A	1937	ARG	2.1
1	A	1890	PHE	2.1
1	A	1864	LYS	2.1
2	B	23	ASN	2.1
2	B	225	GLN	2.1
2	B	115	TYR	2.1
1	A	1874	ALA	2.0
1	A	1970	SER	2.0
2	B	205	LEU	2.0
1	A	1958	PRO	2.0
2	B	65[A]	GLY	2.0
2	B	311	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	VV5	A	2101	16/16	0.84	0.15	20,20,20,20	0

6.5 Other polymers [i](#)

There are no such residues in this entry.